



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:09 AM GMT

PDB ID : 2FSH
Title : Complex SecA:AMP-PNP from Escherichia coli
Authors : Papanikolau, Y.; Petratos, K.; Economou, A.
Deposited on : 2006-01-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	853	
1	B	853	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Preprotein translocase secA subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	691	Total	C	N	O	S	0	0	0
			5500	3445	971	1058	26			
1	B	722	Total	C	N	O	S	0	0	0
			5735	3596	1008	1102	29			

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: $C_{10}H_{17}N_6O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	189	Total 189	O 189	0	0
3	B	242	Total 242	O 242	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Preprotein translocase secA subunit





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	75.02Å 90.01Å 163.02Å 90.00° 100.52° 90.00°	Depositor
Resolution (Å)	19.97 – 2.00 19.97 – 2.00	Depositor EDS
% Data completeness (in resolution range)	90.5 (19.97-2.00) 90.5 (19.97-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.204 , 0.255 0.254 , 0.296	Depositor DCC
R_{free} test set	6535 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 57.5	EDS
Estimated twinning fraction	0.022 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 130193 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11728	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.19	15/5590 (0.3%)	1.00	15/7542 (0.2%)
1	B	1.29	33/5827 (0.6%)	1.07	17/7861 (0.2%)
All	All	1.25	48/11417 (0.4%)	1.04	32/15403 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	4
All	All	0	7

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	698	GLU	C-O	17.67	1.56	1.23
1	A	699	GLU	CD-OE2	14.21	1.41	1.25
1	A	98	CYS	CB-SG	-11.81	1.62	1.82
1	B	23	LYS	CE-NZ	10.56	1.75	1.49
1	A	696	SER	CB-OG	10.43	1.55	1.42
1	A	752	GLU	CG-CD	8.55	1.64	1.51
1	B	210	GLU	CG-CD	7.92	1.63	1.51
1	A	697	LEU	C-N	7.18	1.50	1.34
1	B	448	LYS	CE-NZ	7.17	1.67	1.49
1	B	393	THR	CA-CB	6.96	1.71	1.53
1	B	512	ASP	CB-CG	6.87	1.66	1.51
1	B	503	ALA	CA-CB	-6.85	1.38	1.52
1	A	96	GLU	CD-OE2	6.85	1.33	1.25
1	A	802	GLU	CG-CD	6.80	1.62	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	98	CYS	CB-SG	-6.77	1.70	1.82
1	B	394	ALA	CA-CB	6.54	1.66	1.52
1	B	186	TYR	CE1-CZ	-6.52	1.30	1.38
1	A	96	GLU	CG-CD	6.49	1.61	1.51
1	B	103	ARG	CG-CD	6.44	1.68	1.51
1	B	809	SER	CB-OG	-6.08	1.34	1.42
1	B	176	TYR	CE1-CZ	-6.06	1.30	1.38
1	A	693	PRO	C-O	6.03	1.35	1.23
1	A	560	GLU	CG-CD	5.98	1.60	1.51
1	B	393	THR	N-CA	5.87	1.58	1.46
1	B	76	LYS	CE-NZ	5.86	1.63	1.49
1	B	197	GLU	CD-OE2	5.74	1.31	1.25
1	B	572	ARG	CB-CG	-5.72	1.37	1.52
1	A	816	GLU	CG-CD	5.71	1.60	1.51
1	B	66	GLU	CD-OE2	5.68	1.31	1.25
1	B	421	LYS	CE-NZ	5.66	1.63	1.49
1	B	49	GLU	CB-CG	-5.60	1.41	1.52
1	B	141	GLU	CG-CD	5.57	1.60	1.51
1	B	385	GLU	CD-OE2	5.57	1.31	1.25
1	B	96	GLU	CG-CD	5.55	1.60	1.51
1	B	661	SER	CB-OG	-5.53	1.35	1.42
1	B	23	LYS	CG-CD	5.49	1.71	1.52
1	B	478	VAL	CB-CG2	-5.48	1.41	1.52
1	B	560	GLU	CG-CD	5.44	1.60	1.51
1	B	41	GLU	CG-CD	5.36	1.59	1.51
1	A	460	GLU	CD-OE1	5.35	1.31	1.25
1	B	210	GLU	CD-OE2	5.35	1.31	1.25
1	B	61	GLU	CD-OE1	5.25	1.31	1.25
1	B	163	ALA	CA-CB	5.25	1.63	1.52
1	B	635	GLU	CD-OE1	5.22	1.31	1.25
1	A	697	LEU	C-O	5.20	1.33	1.23
1	B	205	TYR	CD1-CE1	5.17	1.47	1.39
1	A	176	TYR	CD1-CE1	5.09	1.47	1.39
1	B	808	PHE	CB-CG	-5.02	1.42	1.51

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	657	ARG	NE-CZ-NH2	11.13	125.87	120.30
1	A	72	ARG	NE-CZ-NH2	8.82	124.71	120.30
1	B	23	LYS	CD-CE-NZ	8.12	130.37	111.70
1	A	805	ARG	NE-CZ-NH2	-7.96	116.32	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	72	ARG	NE-CZ-NH1	-7.21	116.70	120.30
1	B	561	ARG	NE-CZ-NH1	7.01	123.80	120.30
1	B	144	ARG	NE-CZ-NH1	-6.90	116.85	120.30
1	B	572	ARG	NE-CZ-NH2	-6.62	116.99	120.30
1	A	577	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	B	382	ARG	NE-CZ-NH1	6.16	123.38	120.30
1	B	801	GLN	N-CA-CB	6.16	121.68	110.60
1	B	749	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	A	699	GLU	OE1-CD-OE2	5.97	130.46	123.30
1	A	82	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	A	82	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	A	81	MET	CG-SD-CE	5.76	109.41	100.20
1	A	798	ASP	CB-CG-OD1	5.69	123.42	118.30
1	A	709	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	B	85	ASP	CB-CG-OD1	5.65	123.39	118.30
1	A	418	MET	CG-SD-CE	5.43	108.89	100.20
1	A	577	ARG	NE-CZ-NH2	-5.43	117.59	120.30
1	B	657	ARG	CG-CD-NE	5.43	123.19	111.80
1	B	786	ARG	NE-CZ-NH2	5.43	123.01	120.30
1	A	697	LEU	O-C-N	5.41	131.36	122.70
1	B	189	ASP	CB-CG-OD1	5.36	123.13	118.30
1	B	610	LEU	CA-CB-CG	5.34	127.58	115.30
1	B	657	ARG	NE-CZ-NH1	-5.29	117.65	120.30
1	B	40	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	A	805	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	A	144	ARG	NE-CZ-NH1	-5.16	117.72	120.30
1	B	572	ARG	CG-CD-NE	-5.11	101.06	111.80
1	B	568	ASP	CB-CG-OD1	5.02	122.82	118.30

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	366	GLN	Peptide
1	A	393	THR	Peptide
1	A	800	LYS	Peptide
1	B	229	ALA	Peptide
1	B	393	THR	Peptide
1	B	394	ALA	Peptide
1	B	613	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5500	0	5481	107	0
1	B	5735	0	5724	152	0
2	A	31	0	13	1	0
2	B	31	0	13	7	0
3	A	189	0	0	18	1
3	B	242	0	0	25	1
All	All	11728	0	11231	256	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (256) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:LYS:CE	1:B:23:LYS:NZ	1.75	1.49
1:B:369:ASN:C	1:B:369:ASN:HD22	1.39	1.24
1:B:757:GLU:HG3	3:B:1056:HOH:O	1.51	1.08
1:A:731:HIS:CE1	1:A:733:GLU:HB3	1.94	1.01
1:B:369:ASN:C	1:B:369:ASN:ND2	2.18	0.96
1:A:799:PRO:O	1:A:800:LYS:HB3	1.67	0.92
1:A:144:ARG:HG2	1:A:148:GLU:OE1	1.67	0.92
1:A:657:ARG:HD3	3:A:1026:HOH:O	1.72	0.90
1:B:520:GLN:HA	3:B:1094:HOH:O	1.74	0.86
1:A:144:ARG:CG	1:A:148:GLU:OE1	2.24	0.85
1:B:693:PRO:O	1:B:696:SER:HB2	1.79	0.82
1:B:747:TYR:OH	1:B:763:GLU:OE2	1.97	0.81
1:B:108:LYS:HB2	2:B:901:ANP:PG	2.21	0.81
1:B:369:ASN:HD22	1:B:370:GLN:N	1.83	0.77
1:B:457:ILE:O	1:B:505:ASN:ND2	2.16	0.77
1:A:577:ARG:HD3	3:A:1054:HOH:O	1.85	0.76
1:B:228:PRO:O	1:B:230:GLU:OE1	2.02	0.76
1:A:799:PRO:O	1:A:800:LYS:CB	2.34	0.75
1:B:629:ASN:HD22	1:B:632:ARG:NH2	1.86	0.73
1:B:108:LYS:HB2	2:B:901:ANP:N3B	2.03	0.73
1:B:637:ARG:NH1	1:B:641:ILE:HD11	2.02	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:618:ILE:O	1:B:619:GLU:HB2	1.88	0.72
1:B:104:THR:HG21	1:B:577:ARG:CZ	2.20	0.72
1:B:108:LYS:HE2	2:B:901:ANP:O1G	1.90	0.71
1:B:396:THR:N	3:B:931:HOH:O	2.22	0.71
1:B:647:GLU:OE2	1:B:800:LYS:HE3	1.91	0.70
1:A:598:PHE:O	1:A:600:SER:N	2.24	0.70
1:A:428:TYR:HB3	1:A:433:GLU:HG3	1.72	0.70
1:A:609:LYS:HB2	3:A:1080:HOH:O	1.90	0.70
1:A:742:GLN:HE21	1:A:742:GLN:HA	1.56	0.70
1:B:395:ASP:CB	3:B:925:HOH:O	2.39	0.69
1:A:594:LEU:O	1:A:594:LEU:HD23	1.92	0.68
1:B:227:GLY:HA3	1:B:372:LEU:HD11	1.73	0.68
1:B:395:ASP:HB2	3:B:925:HOH:O	1.94	0.67
1:B:103:ARG:HD3	1:B:104:THR:O	1.95	0.67
1:B:369:ASN:HB2	3:B:1106:HOH:O	1.94	0.66
1:B:522:GLU:HB2	3:B:1087:HOH:O	1.94	0.66
1:A:395:ASP:CG	1:A:396:THR:N	2.49	0.66
1:B:104:THR:HG21	1:B:577:ARG:NH2	2.11	0.66
1:A:618:ILE:O	1:A:619:GLU:HB2	1.98	0.64
1:B:523:VAL:HG22	3:B:1094:HOH:O	1.96	0.64
1:B:228:PRO:O	1:B:230:GLU:N	2.30	0.64
1:B:600:SER:HB3	1:B:603:VAL:HB	1.80	0.64
1:A:15:ASP:HA	1:A:18:LEU:HB2	1.80	0.62
1:A:394:ALA:HA	3:A:1045:HOH:O	1.99	0.62
1:A:614:PRO:HA	3:A:1005:HOH:O	2.00	0.61
1:B:395:ASP:CA	3:B:925:HOH:O	2.48	0.61
1:A:429:MET:HG2	1:A:612:MET:SD	2.40	0.61
1:A:741:ALA:N	3:A:1046:HOH:O	2.33	0.61
1:B:782:MET:HE3	1:B:810:MET:HE3	1.82	0.61
1:A:29:ASN:OD1	1:A:72:ARG:NH1	2.29	0.60
1:B:223:LEU:HD21	1:B:377:PHE:CZ	2.37	0.59
1:B:651:VAL:CG2	1:B:804:LYS:HG2	2.32	0.59
1:B:629:ASN:ND2	1:B:632:ARG:NH2	2.51	0.59
1:B:459:ILE:O	1:B:463:GLU:HG3	2.02	0.59
1:B:282:ILE:O	1:B:286:LEU:HB2	2.02	0.59
1:B:651:VAL:HG21	1:B:804:LYS:HG2	1.85	0.58
1:A:538:LYS:NZ	1:B:528:ASN:ND2	2.52	0.58
1:B:718:LEU:O	1:B:720:ILE:N	2.37	0.57
1:B:484:HIS:HD2	1:B:487:GLU:OE2	1.86	0.57
1:B:518:SER:CB	1:B:520:GLN:HE21	2.18	0.57
1:B:229:ALA:HB3	1:B:372:LEU:HD21	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ARG:HD2	1:A:82:ARG:HG2	1.86	0.56
1:A:538:LYS:NZ	1:B:528:ASN:HD21	2.03	0.56
1:B:613:LYS:HB3	1:B:614:PRO:HD2	1.88	0.56
1:A:486:ASN:HD21	1:B:132:ASN:HD21	1.55	0.55
1:A:392:GLY:O	1:A:394:ALA:N	2.40	0.55
1:B:510:GLY:HA3	1:B:574:ARG:HH12	1.71	0.55
1:B:104:THR:HG23	1:B:509:ARG:HE	1.72	0.54
1:A:519:TRP:HA	1:A:522:GLU:OE1	2.07	0.54
1:B:613:LYS:HB3	1:B:614:PRO:CD	2.37	0.54
1:A:17:THR:O	1:A:21:MET:HG3	2.08	0.54
1:A:31:MET:CE	1:A:66:GLU:HG2	2.38	0.54
1:B:519:TRP:CH2	1:B:538:LYS:HE2	2.43	0.54
1:A:797:LYS:HD2	3:A:1048:HOH:O	2.08	0.54
1:B:137:GLN:CD	3:B:1081:HOH:O	2.47	0.54
1:A:531:ALA:O	1:A:534:ILE:HG13	2.08	0.54
1:B:395:ASP:HB2	3:B:931:HOH:O	2.07	0.54
1:B:409:THR:HG23	3:B:930:HOH:O	2.08	0.54
1:A:471:LYS:HE2	3:A:1078:HOH:O	2.07	0.54
1:A:591:GLU:O	1:A:592:ASP:C	2.46	0.54
2:A:900:ANP:O2G	2:A:900:ANP:O1A	2.25	0.53
1:A:395:ASP:CG	1:A:396:THR:H	2.12	0.53
1:B:293:ASP:OD2	1:B:293:ASP:N	2.40	0.53
1:B:713:ASP:OD2	1:B:820:TYR:OH	2.22	0.53
1:A:722:GLU:HG2	1:A:726:LYS:HZ1	1.74	0.53
1:B:392:GLY:O	1:B:394:ALA:HB3	2.09	0.53
1:A:32:GLU:HB3	1:A:33:PRO:HD3	1.90	0.53
1:A:730:LEU:HD12	1:A:734:THR:OG1	2.09	0.53
1:B:179:ASN:OD1	1:B:180:ASN:ND2	2.42	0.53
1:B:782:MET:CE	1:B:810:MET:HE3	2.39	0.53
1:A:669:VAL:HG22	1:A:670:SER:N	2.24	0.53
1:A:409:THR:HG23	3:A:924:HOH:O	2.08	0.53
1:B:18:LEU:HD23	1:B:21:MET:CE	2.39	0.53
1:B:518:SER:C	1:B:520:GLN:H	2.12	0.52
1:B:792:ARG:HB2	3:B:1142:HOH:O	2.08	0.52
1:B:137:GLN:NE2	3:B:1081:HOH:O	2.42	0.52
1:A:99:ILE:HB	1:A:409:THR:HB	1.89	0.52
1:B:304:ILE:HG21	1:B:781:ALA:HB1	1.91	0.52
1:B:691:TYR:HB3	1:B:702:ASP:O	2.09	0.52
1:B:282:ILE:HG13	1:B:286:LEU:HD12	1.92	0.52
1:A:657:ARG:CD	3:A:1026:HOH:O	2.44	0.52
1:B:79:PHE:HB3	1:B:81:MET:CE	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:594:LEU:HG	1:B:597:ILE:HD13	1.91	0.52
1:B:103:ARG:HH11	1:B:103:ARG:HG3	1.75	0.51
1:B:789:ILE:O	1:B:789:ILE:HG22	2.11	0.51
1:A:395:ASP:N	3:A:1045:HOH:O	2.43	0.51
1:A:531:ALA:O	1:A:533:GLN:N	2.44	0.51
1:A:397:GLU:OE1	1:A:566:ARG:NH2	2.44	0.51
1:B:393:THR:O	1:B:395:ASP:N	2.44	0.51
1:B:759:MET:CE	1:B:759:MET:HA	2.41	0.51
1:B:394:ALA:HB3	3:B:909:HOH:O	2.11	0.51
1:B:566:ARG:O	1:B:570:GLN:HG3	2.10	0.51
1:A:31:MET:HE3	1:A:66:GLU:HG2	1.91	0.50
1:A:531:ALA:O	1:A:532:GLU:C	2.49	0.50
1:A:519:TRP:CH2	1:A:538:LYS:HD3	2.46	0.50
1:B:287:VAL:O	1:B:288:LYS:HG2	2.11	0.50
1:B:522:GLU:N	3:B:1087:HOH:O	2.44	0.50
1:B:284:GLU:HA	1:B:287:VAL:HG12	1.93	0.50
1:B:745:GLU:HG2	1:B:746:VAL:N	2.27	0.50
1:A:104:THR:HG21	1:A:577:ARG:NH2	2.26	0.50
1:B:563:GLU:HG2	1:B:634:VAL:HG11	1.93	0.50
1:B:594:LEU:O	1:B:597:ILE:HG12	2.12	0.49
1:B:101:GLU:CD	1:B:393:THR:HA	2.32	0.49
1:B:73:GLU:O	1:B:77:ARG:HG3	2.12	0.49
1:B:693:PRO:O	1:B:696:SER:CB	2.57	0.49
1:A:519:TRP:CZ2	1:A:538:LYS:HD3	2.47	0.49
1:A:789:ILE:O	1:A:790:HIS:CG	2.65	0.49
1:A:594:LEU:C	1:A:596:ARG:H	2.16	0.49
1:B:108:LYS:HB2	2:B:901:ANP:O2G	2.11	0.49
1:B:789:ILE:O	1:B:789:ILE:CG2	2.61	0.49
2:B:901:ANP:O3A	2:B:901:ANP:O3G	2.31	0.49
1:B:657:ARG:HH21	1:B:657:ARG:HG3	1.76	0.49
1:B:198:ARG:HH21	1:B:664:ASN:HD22	1.60	0.48
1:B:518:SER:HB2	1:B:520:GLN:HE21	1.78	0.48
1:B:618:ILE:HG22	1:B:619:GLU:N	2.29	0.48
1:A:13:ARG:NE	1:A:13:ARG:HA	2.28	0.48
1:A:669:VAL:HG22	1:A:671:ASP:H	1.78	0.48
1:B:506:MET:HA	3:B:1015:HOH:O	2.13	0.48
1:B:671:ASP:OD1	1:B:673:SER:OG	2.29	0.48
1:A:538:LYS:HZ3	1:B:528:ASN:HD21	1.61	0.47
1:A:531:ALA:HA	1:A:534:ILE:HD11	1.96	0.47
1:B:198:ARG:HH21	1:B:664:ASN:ND2	2.11	0.47
1:B:635:GLU:HB3	3:B:1031:HOH:O	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:752:GLU:HB3	3:A:1075:HOH:O	2.15	0.47
1:B:801:GLN:HA	1:B:801:GLN:OE1	2.14	0.47
1:B:724:LEU:CD2	1:B:730:LEU:HD11	2.44	0.47
1:A:229:ALA:HB3	1:A:776:LYS:HZ3	1.79	0.47
1:B:531:ALA:O	1:B:535:GLU:HB3	2.14	0.47
1:A:698:GLU:O	1:A:701:TRP:HB2	2.15	0.47
1:B:782:MET:CE	1:B:810:MET:CE	2.93	0.47
1:B:13:ARG:N	1:B:15:ASP:OD1	2.47	0.47
1:B:666:LEU:O	1:B:764:LYS:HE3	2.15	0.47
1:A:731:HIS:CD2	1:A:734:THR:HG23	2.49	0.47
1:A:457:ILE:HG22	1:A:562:HIS:CE1	2.50	0.47
1:B:647:GLU:OE2	1:B:800:LYS:CE	2.61	0.46
1:B:308:HIS:CE1	1:B:784:TYR:CZ	3.03	0.46
1:A:101:GLU:OE2	1:A:393:THR:HA	2.14	0.46
1:A:211:VAL:HG11	1:A:389:GLY:HA3	1.97	0.46
1:A:229:ALA:O	1:A:231:ASP:N	2.48	0.46
1:A:378:GLN:O	1:A:382:ARG:HG3	2.15	0.46
1:A:392:GLY:C	1:A:394:ALA:N	2.69	0.46
1:A:800:LYS:H	1:A:803:TYR:H	1.64	0.46
1:B:79:PHE:HB3	1:B:81:MET:HE2	1.98	0.46
1:A:679:ILE:HG13	1:A:823:ILE:HD11	1.97	0.46
1:A:618:ILE:O	1:A:619:GLU:CB	2.64	0.46
1:B:506:MET:SD	1:B:574:ARG:NE	2.89	0.46
1:A:571:LEU:O	1:A:574:ARG:HB2	2.16	0.45
1:A:731:HIS:NE2	1:A:734:THR:HG23	2.31	0.45
1:A:367:ASN:O	1:A:368:GLU:O	2.33	0.45
1:B:300:SER:OG	1:B:303:ASN:ND2	2.49	0.45
1:B:757:GLU:HB2	3:B:1069:HOH:O	2.15	0.45
1:B:518:SER:CB	1:B:520:GLN:NE2	2.79	0.45
1:B:520:GLN:N	3:B:1087:HOH:O	2.50	0.45
1:A:531:ALA:O	1:A:534:ILE:CG1	2.65	0.45
1:B:103:ARG:CD	3:B:1095:HOH:O	2.65	0.45
1:A:529:PRO:HA	1:A:533:GLN:HE21	1.81	0.45
1:A:229:ALA:HB3	1:A:776:LYS:NZ	2.31	0.45
1:A:681:GLU:HG2	1:A:740:LEU:HD21	1.99	0.45
1:B:309:HIS:O	1:B:312:ALA:HB3	2.16	0.45
1:B:369:ASN:ND2	1:B:370:GLN:N	2.57	0.45
1:B:771:LEU:HD23	1:B:771:LEU:C	2.37	0.45
1:B:104:THR:CG2	1:B:577:ARG:CZ	2.93	0.44
1:A:642:ARG:NH1	3:A:945:HOH:O	2.48	0.44
1:B:496:TYR:CD2	1:B:497:PRO:HD2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:ASN:HA	3:B:1125:HOH:O	2.18	0.44
1:B:224:ILE:HG23	1:B:371:THR:HG23	2.00	0.44
1:B:519:TRP:C	3:B:1087:HOH:O	2.56	0.44
1:A:692:ILE:O	1:A:692:ILE:HG22	2.17	0.44
1:B:796:GLN:OE1	1:B:797:LYS:N	2.50	0.44
1:A:101:GLU:OE2	1:A:395:ASP:HB2	2.18	0.44
1:A:460:GLU:H	1:A:460:GLU:CD	2.21	0.43
1:B:720:ILE:HG13	1:B:723:TRP:CD1	2.53	0.43
1:B:395:ASP:HA	3:B:925:HOH:O	2.16	0.43
1:A:742:GLN:O	1:A:746:VAL:HG23	2.18	0.43
1:A:230:GLU:HB3	1:A:367:ASN:HB3	2.01	0.43
1:B:679:ILE:HG13	1:B:823:ILE:HD11	2.00	0.43
1:A:731:HIS:HB3	3:A:1051:HOH:O	2.18	0.43
1:B:703:ILE:HA	1:B:706:LEU:HB3	2.00	0.43
1:B:108:LYS:HB2	2:B:901:ANP:HNB1	1.78	0.43
1:B:103:ARG:NH1	1:B:103:ARG:HG3	2.33	0.43
1:B:512:ASP:OD1	1:B:577:ARG:HD3	2.19	0.42
1:A:392:GLY:O	1:A:394:ALA:CA	2.67	0.42
1:B:707:GLN:CG	1:B:708:GLU:N	2.82	0.42
1:B:782:MET:HE1	1:B:810:MET:CE	2.49	0.42
1:B:369:ASN:O	1:B:369:ASN:ND2	2.45	0.42
1:A:594:LEU:HD21	1:A:597:ILE:HD11	2.01	0.42
1:B:180:ASN:H	1:B:180:ASN:ND2	2.17	0.42
1:B:692:ILE:HG21	1:B:732:GLU:HG3	2.01	0.42
1:A:457:ILE:HA	1:A:505:ASN:OD1	2.20	0.42
1:A:24:VAL:HG13	1:A:65:PRO:HG3	2.02	0.42
1:B:99:ILE:HB	1:B:409:THR:HG22	2.00	0.42
1:A:786:ARG:O	1:A:789:ILE:HG22	2.19	0.42
1:B:282:ILE:CG1	1:B:286:LEU:HD12	2.50	0.42
1:B:504:THR:O	1:B:505:ASN:C	2.58	0.42
1:B:637:ARG:O	1:B:641:ILE:HD12	2.19	0.42
1:A:89:LEU:O	1:A:93:VAL:HG23	2.20	0.42
1:B:486:ASN:O	1:B:490:ILE:HG13	2.20	0.42
1:B:800:LYS:O	1:B:801:GLN:HB2	2.20	0.42
1:A:692:ILE:O	1:A:693:PRO:C	2.57	0.42
1:A:167:ARG:HG2	1:A:199:VAL:HA	2.01	0.42
1:A:512:ASP:OD2	3:A:1054:HOH:O	2.22	0.41
1:A:746:VAL:O	1:A:749:ARG:HG2	2.20	0.41
1:B:740:LEU:O	1:B:744:ILE:HG13	2.20	0.41
1:B:561:ARG:HB2	1:B:594:LEU:HD22	2.02	0.41
1:A:395:ASP:O	1:A:396:THR:OG1	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:789:ILE:HA	3:B:1142:HOH:O	2.20	0.41
1:A:719:PRO:HB2	1:A:722:GLU:HB2	2.01	0.41
1:A:103:ARG:NH1	1:A:573:GLY:O	2.53	0.41
1:B:798:ASP:CG	1:B:800:LYS:O	2.59	0.41
1:B:79:PHE:HB3	1:B:81:MET:HE3	2.03	0.41
1:A:751:GLU:HA	1:A:759:MET:HG3	2.03	0.41
1:A:144:ARG:HG3	1:A:148:GLU:OE1	2.17	0.41
1:A:32:GLU:OE1	1:A:82:ARG:NH1	2.53	0.41
1:B:108:LYS:CB	2:B:901:ANP:HNB1	2.33	0.41
1:B:509:ARG:CZ	1:B:509:ARG:HB2	2.50	0.41
1:A:574:ARG:HG3	3:A:1032:HOH:O	2.21	0.41
1:B:483:PHE:HB3	1:B:486:ASN:ND2	2.35	0.41
1:A:511:THR:HG22	1:A:512:ASP:O	2.21	0.41
1:A:538:LYS:HZ3	1:B:528:ASN:ND2	2.18	0.41
1:B:613:LYS:CB	1:B:614:PRO:CD	2.99	0.41
1:B:18:LEU:HD23	1:B:21:MET:HE3	2.04	0.40
1:A:418:MET:HE3	1:A:420:ARG:H	1.86	0.40
1:A:835:GLU:HG2	1:A:836:GLU:N	2.37	0.40
1:B:747:TYR:HH	1:B:763:GLU:CD	2.08	0.40
1:B:782:MET:HE1	1:B:810:MET:HE1	2.03	0.40
1:A:722:GLU:HB3	1:A:726:LYS:HZ2	1.86	0.40
1:B:17:THR:HG22	1:B:21:MET:CE	2.51	0.40
3:A:1047:HOH:O	1:B:477:ASN:ND2	2.54	0.40
1:A:523:VAL:O	1:A:524:ALA:C	2.60	0.40
1:A:435:ILE:O	1:A:439:ILE:HG12	2.21	0.40
1:B:763:GLU:O	1:B:767:MET:HG3	2.21	0.40
1:A:742:GLN:CA	1:A:742:GLN:HE21	2.30	0.40
1:A:741:ALA:HB2	3:A:1046:HOH:O	2.21	0.40
1:B:306:LEU:O	1:B:309:HIS:HB2	2.22	0.40
1:B:114:LEU:HB2	1:B:115:PRO:CD	2.51	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:972:HOH:O	3:A:999:HOH:O[1_455]	2.05	0.15
3:B:1057:HOH:O	3:B:1069:HOH:O[1_655]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	687/853 (80%)	640 (93%)	32 (5%)	15 (2%)	8	3
1	B	716/853 (84%)	661 (92%)	38 (5%)	17 (2%)	7	2
All	All	1403/1706 (82%)	1301 (93%)	70 (5%)	32 (2%)	8	3

All (32) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	230	GLU
1	A	368	GLU
1	A	394	ALA
1	A	532	GLU
1	A	599	ALA
1	A	835	GLU
1	B	229	ALA
1	B	289	GLU
1	B	293	ASP
1	B	394	ALA
1	B	395	ASP
1	B	509	ARG
1	B	612	MET
1	B	796	GLN
1	B	801	GLN
1	A	510	GLY
1	A	790	HIS
1	B	367	ASN
1	B	507	ALA
1	A	393	THR
1	A	592	ASP
1	A	730	LEU
1	B	288	LYS
1	B	292	MET
1	B	614	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	619	GLU
1	B	719	PRO
1	A	614	PRO
1	A	619	GLU
1	A	800	LYS
1	B	793	GLY
1	A	603	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	586/728 (80%)	549 (94%)	37 (6%)	22	16
1	B	612/728 (84%)	560 (92%)	52 (8%)	13	8
All	All	1198/1456 (82%)	1109 (93%)	89 (7%)	17	11

All (89) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	16	ARG
1	A	19	ARG
1	A	22	ARG
1	A	37	LYS
1	A	56	LYS
1	A	72	ARG
1	A	76	LYS
1	A	226	SER
1	A	369	ASN
1	A	393	THR
1	A	409	THR
1	A	416	ARG
1	A	418	MET
1	A	460	GLU
1	A	461	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	506	MET
1	A	509	ARG
1	A	512	ASP
1	A	530	THR
1	A	535	GLU
1	A	563	GLU
1	A	592	ASP
1	A	661	SER
1	A	674	GLU
1	A	698	GLU
1	A	722	GLU
1	A	725	ASP
1	A	727	GLU
1	A	731	HIS
1	A	735	LEU
1	A	742	GLN
1	A	759	MET
1	A	797	LYS
1	A	800	LYS
1	A	816	GLU
1	A	817	SER
1	B	13	ARG
1	B	37	LYS
1	B	38	LEU
1	B	103	ARG
1	B	196	GLU
1	B	232	SER
1	B	284	GLU
1	B	285	LEU
1	B	286	LEU
1	B	288	LYS
1	B	292	MET
1	B	293	ASP
1	B	306	LEU
1	B	367	ASN
1	B	368	GLU
1	B	369	ASN
1	B	393	THR
1	B	431	GLU
1	B	506	MET
1	B	509	ARG
1	B	511	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	512	ASP
1	B	518	SER
1	B	523	VAL
1	B	526	LEU
1	B	528	ASN
1	B	595	MET
1	B	607	MET
1	B	612	MET
1	B	618	ILE
1	B	642	ARG
1	B	657	ARG
1	B	673	SER
1	B	685	LYS
1	B	708	GLU
1	B	718	LEU
1	B	720	ILE
1	B	723	TRP
1	B	725	ASP
1	B	727	GLU
1	B	742	GLN
1	B	743	SER
1	B	744	ILE
1	B	745	GLU
1	B	749	ARG
1	B	754	VAL
1	B	759	MET
1	B	779	LEU
1	B	785	LEU
1	B	794	TYR
1	B	797	LYS
1	B	831	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	484	HIS
1	A	486	ASN
1	A	533	GLN
1	A	629	ASN
1	A	638	ASN
1	A	662	GLN
1	A	707	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	731	HIS
1	A	742	GLN
1	B	180	ASN
1	B	303	ASN
1	B	369	ASN
1	B	484	HIS
1	B	520	GLN
1	B	528	ASN
1	B	578	GLN
1	B	629	ASN
1	B	638	ASN
1	B	644	GLN
1	B	664	ASN
1	B	742	GLN
1	B	761	HIS
1	B	787	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ANP	A	900	-	27,33,33	2.74	6 (22%)	30,52,52	2.70	13 (43%)
2	ANP	B	901	-	27,33,33	5.00	13 (48%)	30,52,52	3.28	13 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	A	900	-	-	0/12/38/38	0/3/3/3
2	ANP	B	901	-	-	0/12/38/38	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	901	ANP	PB-O2B	-3.93	1.45	1.56
2	A	900	ANP	C2-N3	2.26	1.36	1.32
2	B	901	ANP	C2-N3	2.31	1.36	1.32
2	B	901	ANP	PB-N3B	2.37	1.69	1.63
2	B	901	ANP	O4'-C4'	2.40	1.50	1.45
2	B	901	ANP	C5-C4	2.56	1.46	1.40
2	B	901	ANP	C5'-C4'	3.29	1.62	1.51
2	A	900	ANP	C5-C4	3.73	1.48	1.40
2	B	901	ANP	PA-O5'	3.74	1.76	1.59
2	B	901	ANP	PG-O2G	4.01	1.67	1.56
2	B	901	ANP	PB-O1B	4.16	1.50	1.46
2	B	901	ANP	PB-O3A	4.69	1.64	1.59
2	B	901	ANP	O4'-C1'	4.79	1.47	1.41
2	A	900	ANP	O4'-C1'	5.79	1.48	1.41
2	A	900	ANP	PB-N3B	5.85	1.78	1.63
2	A	900	ANP	PG-N3B	6.69	1.81	1.63
2	A	900	ANP	PG-O1G	7.27	1.54	1.46
2	B	901	ANP	PG-N3B	10.44	1.91	1.63
2	B	901	ANP	PG-O1G	20.33	1.69	1.46

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	ANP	N3-C2-N1	-8.63	122.28	128.89
2	B	901	ANP	N3-C2-N1	-7.24	123.35	128.89
2	B	901	ANP	O3A-PB-N3B	-6.72	87.95	106.44
2	A	900	ANP	PA-O3A-PB	-5.20	115.22	132.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	ANP	O3A-PA-O5'	-4.96	89.79	102.94
2	B	901	ANP	O4'-C4'-C3'	-4.00	97.08	105.15
2	B	901	ANP	O3'-C3'-C2'	-3.57	100.22	111.83
2	B	901	ANP	O1B-PB-N3B	-3.48	106.56	111.90
2	A	900	ANP	O2B-PB-O1B	-2.80	104.15	110.00
2	A	900	ANP	O1G-PG-N3B	-2.77	107.65	111.90
2	A	900	ANP	O2G-PG-O1G	-2.29	107.41	113.49
2	A	900	ANP	O3A-PB-N3B	-2.14	100.56	106.44
2	A	900	ANP	O4'-C4'-C5'	2.07	116.73	109.32
2	A	900	ANP	N6-C6-N1	2.10	123.72	119.20
2	A	900	ANP	C1'-N9-C4	2.33	130.45	126.94
2	A	900	ANP	O2B-PB-O3A	2.35	115.75	105.09
2	B	901	ANP	N6-C6-N1	2.47	124.51	119.20
2	A	900	ANP	O3G-PG-O2G	2.56	115.16	107.58
2	B	901	ANP	C2'-C3'-C4'	3.06	108.91	102.61
2	B	901	ANP	O4'-C4'-C5'	3.42	121.54	109.32
2	B	901	ANP	O2B-PB-O1B	3.56	117.43	110.00
2	A	900	ANP	C4'-O4'-C1'	4.20	114.33	109.72
2	B	901	ANP	O3G-PG-O2G	4.31	120.35	107.58
2	B	901	ANP	O5'-C5'-C4'	4.36	125.21	109.12
2	B	901	ANP	C4'-O4'-C1'	5.77	116.06	109.72
2	B	901	ANP	O1G-PG-N3B	6.46	121.81	111.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	ANP	1	0
2	B	901	ANP	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	691/853 (81%)	1.01	133 (19%) 2 2	36, 50, 81, 93	0
1	B	722/853 (84%)	1.51	215 (29%) 1 1	34, 51, 83, 98	0
All	All	1413/1706 (82%)	1.27	348 (24%) 1 1	34, 50, 82, 98	0

All (348) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	728	PRO	11.9
1	B	794	TYR	11.3
1	B	789	ILE	10.4
1	B	795	ALA	9.9
1	B	614	PRO	9.6
1	B	791	LEU	9.5
1	A	229	ALA	9.4
1	A	791	LEU	9.1
1	B	290	GLY	8.9
1	B	615	GLY	8.6
1	B	697	LEU	8.5
1	B	229	ALA	8.5
1	B	618	ILE	8.4
1	B	291	ILE	8.0
1	B	833	MET	8.0
1	A	796	GLN	8.0
1	B	610	LEU	7.8
1	A	366	GLN	7.7
1	B	729	GLU	7.7
1	B	796	GLN	7.7
1	A	836	GLU	7.6
1	B	695	GLN	7.5
1	A	614	PRO	7.4
1	A	792	ARG	7.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	603	VAL	7.2
1	A	794	TYR	7.2
1	B	367	ASN	7.1
1	A	616	GLU	7.0
1	B	508	GLY	6.9
1	A	604	SER	6.9
1	A	835	GLU	6.9
1	A	367	ASN	6.9
1	B	611	GLY	6.7
1	B	232	SER	6.7
1	B	313	ALA	6.7
1	B	292	MET	6.6
1	A	834	PRO	6.6
1	B	694	PRO	6.6
1	A	789	ILE	6.6
1	B	287	VAL	6.5
1	A	795	ALA	6.5
1	A	615	GLY	6.5
1	B	280	VAL	6.4
1	B	231	ASP	6.3
1	B	730	LEU	6.3
1	B	507	ALA	6.3
1	B	295	GLY	6.3
1	A	597	ILE	6.1
1	B	299	TYR	6.1
1	A	532	GLU	6.1
1	B	294	GLU	6.1
1	B	281	LEU	6.1
1	B	731	HIS	6.1
1	B	704	PRO	6.1
1	A	232	SER	6.1
1	A	728	PRO	6.1
1	B	366	GLN	6.0
1	B	700	MET	5.9
1	B	727	GLU	5.9
1	A	14	ASN	5.8
1	B	312	ALA	5.8
1	B	793	GLY	5.7
1	A	231	ASP	5.7
1	B	617	ALA	5.7
1	A	790	HIS	5.6
1	B	71	VAL	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	15	ASP	5.6
1	A	394	ALA	5.5
1	A	368	GLU	5.5
1	B	792	ARG	5.3
1	A	784	TYR	5.3
1	B	126	VAL	5.3
1	B	230	GLU	5.2
1	B	738	ARG	5.2
1	B	790	HIS	5.1
1	B	532	GLU	5.1
1	B	114	LEU	5.1
1	B	696	SER	5.0
1	A	228	PRO	4.9
1	A	16	ARG	4.9
1	B	722	GLU	4.9
1	B	598	PHE	4.8
1	B	509	ARG	4.8
1	A	596	ARG	4.8
1	B	602	ARG	4.7
1	B	282	ILE	4.7
1	B	483	PHE	4.7
1	A	230	GLU	4.7
1	A	602	ARG	4.7
1	A	13	ARG	4.7
1	B	596	ARG	4.6
1	A	610	LEU	4.6
1	B	170	TYR	4.5
1	A	603	VAL	4.5
1	A	832	ARG	4.5
1	B	699	GLU	4.5
1	A	612	MET	4.5
1	B	293	ASP	4.5
1	B	726	LYS	4.4
1	B	831	VAL	4.4
1	A	793	GLY	4.4
1	B	719	PRO	4.4
1	B	832	ARG	4.4
1	B	749	ARG	4.3
1	B	117	TYR	4.3
1	A	731	HIS	4.3
1	B	283	GLU	4.2
1	B	608	ARG	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	703	ILE	4.1
1	A	509	ARG	4.1
1	B	116	ALA	4.1
1	B	368	GLU	4.0
1	B	111	THR	4.0
1	B	289	GLU	4.0
1	B	68	PHE	4.0
1	A	618	ILE	4.0
1	A	613	LYS	4.0
1	A	797	LYS	4.0
1	A	723	TRP	3.9
1	B	207	LEU	3.9
1	B	206	ALA	3.9
1	B	182	TYR	3.9
1	B	74	ALA	3.9
1	B	128	VAL	3.9
1	B	174	ILE	3.8
1	A	508	GLY	3.8
1	B	709	ARG	3.8
1	B	734	THR	3.8
1	A	554	LEU	3.8
1	B	453	LEU	3.8
1	B	609	LYS	3.8
1	A	176	TYR	3.8
1	B	70	VAL	3.8
1	B	110	LEU	3.8
1	A	175	THR	3.7
1	B	528	ASN	3.7
1	B	707	GLN	3.7
1	B	113	THR	3.7
1	A	831	VAL	3.7
1	B	228	PRO	3.7
1	A	525	ALA	3.7
1	B	156	ILE	3.7
1	B	67	ALA	3.7
1	B	127	HIS	3.7
1	B	288	LYS	3.6
1	B	89	LEU	3.6
1	B	510	GLY	3.6
1	B	724	LEU	3.6
1	A	833	MET	3.6
1	A	70	VAL	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	TYR	3.5
1	B	393	THR	3.5
1	A	527	GLU	3.5
1	B	150	LEU	3.5
1	B	208	VAL	3.5
1	B	556	ILE	3.5
1	A	454	VAL	3.4
1	B	284	GLU	3.4
1	A	704	PRO	3.4
1	B	735	LEU	3.4
1	B	557	ILE	3.4
1	B	186	TYR	3.4
1	A	611	GLY	3.4
1	B	175	THR	3.4
1	B	88	LEU	3.4
1	B	394	ALA	3.4
1	B	616	GLU	3.4
1	B	708	GLU	3.4
1	B	554	LEU	3.4
1	A	393	THR	3.4
1	B	601	ASP	3.4
1	B	146	LEU	3.3
1	A	557	ILE	3.3
1	A	170	TYR	3.3
1	A	126	VAL	3.3
1	A	601	ASP	3.3
1	B	723	TRP	3.3
1	A	71	VAL	3.3
1	B	205	TYR	3.3
1	B	670	SER	3.3
1	B	737	GLU	3.3
1	A	617	ALA	3.2
1	B	147	PHE	3.2
1	B	301	PRO	3.2
1	B	121	LEU	3.2
1	B	725	ASP	3.2
1	A	530	THR	3.2
1	A	114	LEU	3.2
1	B	177	GLY	3.2
1	A	113	THR	3.2
1	B	136	ALA	3.1
1	A	177	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	90	GLY	3.1
1	B	392	GLY	3.1
1	B	311	THR	3.1
1	A	700	MET	3.1
1	B	91	GLY	3.1
1	B	69	ALA	3.1
1	A	609	LYS	3.1
1	B	115	PRO	3.1
1	A	729	GLU	3.0
1	A	127	HIS	3.0
1	A	182	TYR	3.0
1	B	691	TYR	3.0
1	B	701	TRP	3.0
1	B	607	MET	3.0
1	A	150	LEU	3.0
1	A	369	ASN	3.0
1	A	510	GLY	3.0
1	B	525	ALA	3.0
1	A	705	GLY	3.0
1	B	118	LEU	3.0
1	B	690	ALA	3.0
1	B	99	ILE	2.9
1	A	206	ALA	2.9
1	B	129	VAL	2.9
1	B	308	HIS	2.9
1	B	613	LYS	2.9
1	A	594	LEU	2.9
1	A	717	ASP	2.9
1	B	797	LYS	2.9
1	A	724	LEU	2.9
1	B	86	VAL	2.9
1	A	208	VAL	2.9
1	A	37	LYS	2.8
1	A	524	ALA	2.8
1	A	745	GLU	2.8
1	A	453	LEU	2.8
1	B	215	LEU	2.8
1	A	528	ASN	2.8
1	A	727	GLU	2.8
1	A	215	LEU	2.8
1	B	597	ILE	2.8
1	B	705	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	128	VAL	2.8
1	A	605	GLY	2.8
1	B	100	ALA	2.8
1	B	211	VAL	2.8
1	B	702	ASP	2.7
1	A	116	ALA	2.7
1	A	511	THR	2.7
1	B	519	TRP	2.7
1	B	380	TYR	2.7
1	A	507	ALA	2.7
1	A	600	SER	2.7
1	A	405	TYR	2.7
1	A	608	ARG	2.7
1	B	183	GLY	2.7
1	A	39	SER	2.7
1	B	753	VAL	2.6
1	B	531	ALA	2.6
1	A	725	ASP	2.6
1	A	174	ILE	2.6
1	A	30	ALA	2.6
1	B	285	LEU	2.6
1	B	526	LEU	2.6
1	A	536	LYS	2.6
1	A	571	LEU	2.6
1	B	94	LEU	2.6
1	B	158	LEU	2.6
1	B	715	ASP	2.6
1	A	19	ARG	2.6
1	B	502	ILE	2.6
1	A	112	ALA	2.5
1	B	120	ALA	2.5
1	B	63	LEU	2.5
1	A	733	GLU	2.5
1	A	754	VAL	2.5
1	B	119	ASN	2.5
1	A	606	MET	2.5
1	B	586	PHE	2.5
1	A	117	TYR	2.5
1	A	730	LEU	2.5
1	A	17	THR	2.5
1	B	600	SER	2.5
1	B	93	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	523	VAL	2.5
1	A	607	MET	2.4
1	B	674	GLU	2.4
1	B	178	THR	2.4
1	B	404	ILE	2.4
1	A	169	ALA	2.4
1	B	200	GLN	2.4
1	A	523	VAL	2.4
1	A	502	ILE	2.4
1	B	718	LEU	2.4
1	A	129	VAL	2.4
1	B	692	ILE	2.4
1	B	594	LEU	2.4
1	B	199	VAL	2.4
1	A	556	ILE	2.4
1	B	717	ASP	2.4
1	A	598	PHE	2.4
1	B	390	MET	2.4
1	A	412	VAL	2.3
1	B	157	ASN	2.3
1	B	706	LEU	2.3
1	B	15	ASP	2.3
1	B	50	PHE	2.3
1	A	719	PRO	2.3
1	B	637	ARG	2.3
1	B	202	LYS	2.3
1	B	407	LEU	2.3
1	B	515	LEU	2.3
1	A	452	VAL	2.3
1	A	503	ALA	2.3
1	B	112	ALA	2.3
1	B	203	LEU	2.3
1	B	740	LEU	2.3
1	B	798	ASP	2.3
1	A	726	LYS	2.3
1	A	156	ILE	2.2
1	A	438	ILE	2.2
1	B	296	GLU	2.2
1	B	752	GLU	2.2
1	B	103	ARG	2.2
1	B	712	ASN	2.2
1	A	429	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	405	TYR	2.2
1	B	389	GLY	2.2
1	B	64	ILE	2.2
1	B	652	ALA	2.2
1	B	698	GLU	2.2
1	A	178	THR	2.2
1	B	830	GLN	2.2
1	A	68	PHE	2.2
1	B	381	PHE	2.2
1	A	155	GLY	2.1
1	B	28	ILE	2.1
1	B	92	MET	2.1
1	B	189	ASP	2.1
1	B	682	ASP	2.1
1	B	513	ILE	2.1
1	B	588	LEU	2.1
1	B	412	VAL	2.1
1	A	203	LEU	2.1
1	B	369	ASN	2.1
1	B	214	ILE	2.1
1	A	515	LEU	2.1
1	B	83	HIS	2.1
1	A	69	ALA	2.1
1	B	741	ALA	2.1
1	B	482	LYS	2.0
1	B	87	GLN	2.0
1	B	558	GLY	2.0
1	A	380	TYR	2.0
1	B	820	TYR	2.0
1	A	722	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	ANP	A	900	31/31	0.81	0.25	1.18	39,57,62,63	0
2	ANP	B	901	31/31	0.85	0.19	-0.17	25,47,63,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.