



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:09 AM GMT

PDB ID : 2FY4  
Title : Structures of ligand bound human choline acetyltransferase provide insight into regulation of acetylcholine synthesis  
Authors : Kim, A.R.; Rylett, R.J.; Shilton, B.H.  
Deposited on : 2006-02-07  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	<div> <div>8%</div> <div>72%</div> <div>23%</div> <div>• •</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5101 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Choline O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	589	4606	2919	808	843	36	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	CLONING ARTIFACT	UNP P28329
A	225	ALA	GLU	ENGINEERED	UNP P28329
A	226	ALA	ASP	ENGINEERED	UNP P28329
A	227	ALA	GLU	ENGINEERED	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	346	PRO	ARG	SEE REMARK 999	UNP P28329
A	349	GLU	LYS	SEE REMARK 999	UNP P28329
A	351	VAL	ILE	SEE REMARK 999	UNP P28329
A	353	SER	ALA	SEE REMARK 999	UNP P28329
A	354	PRO	ASP	SEE REMARK 999	UNP P28329
A	355	MET	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	357	PRO	GLU	SEE REMARK 999	UNP P28329
A	518	ALA	LYS	ENGINEERED	UNP P28329
A	519	ALA	GLU	ENGINEERED	UNP P28329
A	582	ALA	LYS	ENGINEERED	UNP P28329
A	583	ALA	GLU	ENGINEERED	UNP P28329

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	447	Total	O	0	0
			447	447		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Choline O-acetyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.70 Å 73.98 Å 165.70 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	17.90 – 2.30 17.90 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.3 (17.90-2.30) 99.7 (17.90-2.30)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.84 (at 2.30 Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.203 , 0.240 0.197 , 0.235	Depositor DCC
$R_{free}$ test set	2998 reflections (9.86%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.7	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 54.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 30623 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5101	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.93% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/4705	0.60	0/6378

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4606	0	4628	140	0
2	A	48	0	32	3	0
3	A	447	0	0	14	0
All	All	5101	0	4660	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:SER:HB3	1:A:353:SER:O	1.50	1.10

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:350:LEU:HG	1:A:351:VAL:H	1.21	1.04
1:A:386:ARG:HA	1:A:389:LYS:HE3	1.40	1.03
1:A:487:ARG:HH11	1:A:487:ARG:HB3	1.26	0.99
1:A:350:LEU:HG	1:A:351:VAL:N	1.81	0.93
1:A:165:PRO:HG3	1:A:243:TRP:CD1	2.10	0.86
1:A:175:GLN:NE2	1:A:181:PRO:HD3	1.92	0.85
1:A:126:SER:HB3	1:A:205:ARG:HH22	1.41	0.85
1:A:520:LEU:HD12	1:A:525:MET:HE1	1.56	0.85
1:A:355:MET:HB3	1:A:359:LEU:HD13	1.58	0.85
1:A:126:SER:HB3	1:A:205:ARG:NH2	1.92	0.85
1:A:175:GLN:HE21	1:A:181:PRO:HD3	1.42	0.85
1:A:181:PRO:HB3	1:A:265:ARG:NH1	1.93	0.84
1:A:201:ILE:HG13	3:A:2386:HOH:O	1.78	0.82
1:A:181:PRO:HB3	1:A:265:ARG:HH11	1.45	0.82
1:A:546:THR:HG22	1:A:547:GLU:H	1.43	0.81
1:A:303:TRP:H	1:A:309:GLN:NE2	1.79	0.80
1:A:184:GLU:HG2	1:A:267:ILE:HD11	1.63	0.80
1:A:104:ARG:NH2	1:A:280:LEU:HD12	1.97	0.78
1:A:207:SER:CB	1:A:353:SER:O	2.29	0.77
1:A:487:ARG:NH1	1:A:487:ARG:HB3	2.00	0.76
1:A:302:ARG:HB3	1:A:309:GLN:HE22	1.49	0.76
1:A:357:PRO:O	1:A:360:PRO:HD3	1.87	0.75
1:A:294:GLY:HA2	1:A:384:LEU:CD1	2.20	0.72
1:A:19:PRO:HG2	1:A:505:HIS:ND1	2.07	0.70
1:A:520:LEU:HD12	1:A:525:MET:CE	2.22	0.69
1:A:390:ASN:HD21	1:A:580:SER:H	1.38	0.69
1:A:70:GLU:HG2	3:A:2194:HOH:O	1.97	0.65
1:A:430:ARG:HD2	3:A:2398:HOH:O	1.97	0.64
1:A:350:LEU:CG	1:A:351:VAL:H	2.03	0.64
1:A:389:LYS:HD2	1:A:390:ASN:N	2.13	0.64
1:A:386:ARG:CA	1:A:389:LYS:HE3	2.24	0.63
1:A:85:TYR:OH	1:A:324:HIS:CE1	2.51	0.62
1:A:439:ALA:HB2	1:A:452:ILE:HG13	1.80	0.62
1:A:104:ARG:HG3	1:A:104:ARG:HH11	1.63	0.62
1:A:141:ALA:O	1:A:146:SER:HB2	1.99	0.62
1:A:63:GLN:O	1:A:67:GLU:HG3	2.00	0.61
1:A:181:PRO:CB	1:A:265:ARG:NH1	2.62	0.61
1:A:546:THR:HG22	1:A:547:GLU:N	2.13	0.61
1:A:160:SER:HB2	1:A:175:GLN:HB2	1.82	0.61
1:A:351:VAL:HG12	1:A:352:ARG:N	2.16	0.60
1:A:433:VAL:HG21	1:A:536:VAL:HB	1.83	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:GLN:HE21	1:A:457:PRO:HG2	1.67	0.60
1:A:165:PRO:HG3	1:A:243:TRP:NE1	2.16	0.59
1:A:101:ILE:HD12	1:A:101:ILE:N	2.18	0.59
1:A:514:ARG:NH2	1:A:520:LEU:HD11	2.16	0.59
1:A:142:LYS:HA	1:A:146:SER:CB	2.32	0.59
1:A:400:ASN:HD22	1:A:401:TYR:HD2	1.49	0.59
1:A:104:ARG:NH1	1:A:104:ARG:HG3	2.19	0.58
1:A:301:ASN:C	1:A:302:ARG:HG2	2.24	0.58
1:A:428:LEU:HD23	1:A:429:HIS:NE2	2.19	0.57
1:A:181:PRO:HG3	1:A:265:ARG:HB3	1.86	0.57
1:A:230:PRO:HG2	1:A:369:CYS:SG	2.44	0.57
1:A:322:CYS:SG	1:A:327:PHE:CE1	2.98	0.57
1:A:406:ILE:HG21	1:A:413:PRO:HA	1.87	0.56
1:A:119:SER:HB2	1:A:208:GLU:OE1	2.07	0.55
1:A:303:TRP:H	1:A:309:GLN:HE22	1.54	0.55
1:A:142:LYS:HA	1:A:146:SER:HB3	1.87	0.54
1:A:288:GLN:HG3	3:A:2089:HOH:O	2.06	0.54
1:A:496:ALA:HA	1:A:501:ALA:HB2	1.89	0.53
1:A:201:ILE:N	3:A:2386:HOH:O	2.42	0.53
1:A:482:LEU:HD23	1:A:482:LEU:C	2.29	0.53
1:A:345:GLN:HB3	1:A:346:PRO:HD2	1.91	0.53
1:A:430:ARG:HH12	1:A:467:THR:HB	1.74	0.52
1:A:579:HIS:HD2	3:A:2344:HOH:O	1.91	0.52
1:A:185:HIS:CD2	1:A:196:VAL:HG13	2.45	0.52
1:A:117:ALA:O	1:A:121:ILE:HG13	2.10	0.51
1:A:379:SER:O	1:A:383:LYS:HG2	2.11	0.51
1:A:199:VAL:HG23	1:A:200:VAL:HG23	1.93	0.51
1:A:413:PRO:HD2	2:A:2000:COA:O2A	2.10	0.51
1:A:337:GLU:HG2	1:A:546:THR:OG1	2.10	0.51
1:A:294:GLY:HA2	1:A:384:LEU:HD11	1.90	0.50
1:A:202:ASN:C	1:A:204:ARG:H	2.13	0.50
1:A:351:VAL:CG1	1:A:352:ARG:N	2.74	0.50
1:A:201:ILE:CG1	3:A:2386:HOH:O	2.50	0.50
1:A:294:GLY:HA2	1:A:384:LEU:HD12	1.93	0.49
1:A:340:LEU:HD12	1:A:548:MET:CE	2.41	0.49
1:A:285:ARG:NH1	3:A:2123:HOH:O	2.45	0.49
1:A:482:LEU:HD23	1:A:482:LEU:O	2.13	0.49
1:A:104:ARG:HD3	1:A:105:GLN:O	2.12	0.49
1:A:355:MET:CB	1:A:359:LEU:HD13	2.38	0.49
1:A:32:MET:HE3	1:A:531:MET:HE1	1.94	0.48
1:A:144:GLN:HG2	2:A:2000:COA:O4A	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:ASN:O	1:A:89:ARG:HD2	2.14	0.48
1:A:389:LYS:C	1:A:389:LYS:HD2	2.33	0.48
1:A:174:ALA:O	1:A:175:GLN:C	2.51	0.48
1:A:334:GLN:HA	1:A:334:GLN:OE1	2.13	0.48
1:A:181:PRO:CB	1:A:265:ARG:HH11	2.20	0.47
1:A:111:ASP:O	1:A:115:ARG:HG3	2.13	0.47
1:A:126:SER:HB3	1:A:205:ARG:CZ	2.45	0.47
1:A:383:LYS:HE3	3:A:2147:HOH:O	2.14	0.47
1:A:285:ARG:O	1:A:289:LEU:HD23	2.15	0.47
1:A:182:GLU:OE2	1:A:201:ILE:O	2.32	0.47
1:A:385:GLN:O	1:A:389:LYS:HG3	2.16	0.46
1:A:429:HIS:O	1:A:430:ARG:HB2	2.14	0.46
1:A:334:GLN:NE2	3:A:2433:HOH:O	2.31	0.46
1:A:154:GLN:HB2	1:A:331:VAL:HG21	1.98	0.46
1:A:142:LYS:HA	1:A:146:SER:HB2	1.96	0.45
1:A:153:LYS:NZ	3:A:2426:HOH:O	2.49	0.45
1:A:201:ILE:HG22	1:A:202:ASN:N	2.32	0.45
1:A:259:SER:HA	1:A:365:LEU:HD22	1.99	0.45
1:A:415:ALA:HA	1:A:489:GLN:HG2	1.98	0.45
1:A:202:ASN:C	1:A:204:ARG:N	2.71	0.45
1:A:302:ARG:HB3	1:A:309:GLN:NE2	2.27	0.45
1:A:87:ASN:OD1	1:A:169:GLN:HG3	2.17	0.44
1:A:546:THR:CG2	1:A:547:GLU:H	2.23	0.44
1:A:253:ASP:OD1	1:A:255:THR:N	2.51	0.44
1:A:65:LEU:HD11	1:A:75:TRP:CE3	2.52	0.44
1:A:407:LYS:NZ	3:A:2442:HOH:O	2.48	0.44
1:A:89:ARG:NH2	1:A:166:GLY:O	2.50	0.44
1:A:182:GLU:HA	1:A:183:PRO:C	2.38	0.44
1:A:403:LYS:HE2	3:A:2442:HOH:O	2.18	0.44
1:A:520:LEU:HB2	1:A:525:MET:HE3	2.00	0.44
1:A:413:PRO:HD2	2:A:2000:COA:P1A	2.58	0.43
1:A:104:ARG:CZ	1:A:280:LEU:HD12	2.48	0.43
1:A:16:LEU:HD12	1:A:17:PRO:HD2	2.00	0.43
1:A:351:VAL:CG1	1:A:352:ARG:H	2.31	0.43
1:A:13:LEU:HD11	1:A:151:CYS:HA	2.00	0.43
1:A:20:PRO:HG2	1:A:23:GLN:CB	2.48	0.43
1:A:355:MET:O	1:A:359:LEU:HB2	2.18	0.43
1:A:247:ARG:O	1:A:251:VAL:HG23	2.18	0.43
1:A:200:VAL:HA	1:A:204:ARG:O	2.19	0.43
1:A:356:VAL:HA	1:A:357:PRO:HA	1.91	0.43
1:A:210:ASP:O	1:A:214:GLN:HG2	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:537:LEU:HD22	1:A:539:THR:CG2	2.49	0.42
1:A:520:LEU:HB2	1:A:525:MET:CE	2.50	0.42
1:A:323:GLU:O	1:A:326:PRO:HD2	2.20	0.42
1:A:20:PRO:HG2	1:A:23:GLN:HB2	2.00	0.42
1:A:182:GLU:OE2	1:A:183:PRO:HA	2.19	0.42
1:A:101:ILE:CD1	1:A:101:ILE:N	2.83	0.42
1:A:243:TRP:HA	3:A:2062:HOH:O	2.20	0.41
1:A:390:ASN:HD21	1:A:580:SER:N	2.10	0.41
1:A:175:GLN:HE21	1:A:181:PRO:CD	2.22	0.41
1:A:552:TYR:CE2	1:A:563:CYS:HB2	2.55	0.41
1:A:301:ASN:O	1:A:302:ARG:HG2	2.21	0.41
1:A:121:ILE:O	1:A:125:LEU:HG	2.21	0.41
1:A:120:LEU:HD23	1:A:120:LEU:O	2.22	0.40
1:A:398:PHE:CZ	1:A:400:ASN:HB3	2.57	0.40
1:A:435:THR:HG23	1:A:537:LEU:HB3	2.04	0.40
1:A:38:GLU:O	1:A:42:ARG:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	585/612 (96%)	556 (95%)	26 (4%)	3 (0%)	34 41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	201	ILE
1	A	145	LEU
1	A	354	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	507/527 (96%)	501 (99%)	6 (1%)	78 89

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ARG
1	A	389	LYS
1	A	412	SER
1	A	487	ARG
1	A	503	ASP
1	A	537	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	30	GLN
1	A	40	GLN
1	A	175	GLN
1	A	309	GLN
1	A	390	ASN
1	A	400	ASN
1	A	579	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	COA	A	2000	-	40,50,50	0.87	1 (2%)	50,75,75	1.85	7 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	2000	-	-	0/44/64/64	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2000	COA	O4B-C1B	2.61	1.44	1.41

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2000	COA	N3A-C2A-N1A	-9.79	121.40	128.89
2	A	2000	COA	C7P-C6P-C5P	-2.37	108.40	112.31
2	A	2000	COA	O6A-CCP-CBP	-2.36	106.75	110.55
2	A	2000	COA	P3B-O3B-C3B	-2.31	116.02	121.56
2	A	2000	COA	C2P-C3P-N4P	-2.15	108.12	112.37
2	A	2000	COA	O3A-P1A-O5B	-2.02	97.58	102.94
2	A	2000	COA	O4B-C1B-N9A	3.23	114.86	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	COA	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	589/612 (96%)	0.25	49 (8%) 14 20	11, 24, 58, 92	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	349	GLU	9.6
1	A	201	ILE	9.3
1	A	353	SER	8.7
1	A	351	VAL	8.1
1	A	344	THR	7.8
1	A	356	VAL	7.4
1	A	346	PRO	7.3
1	A	204	ARG	7.0
1	A	355	MET	6.7
1	A	200	VAL	6.7
1	A	354	PRO	6.4
1	A	350	LEU	6.4
1	A	352	ARG	6.2
1	A	357	PRO	6.1
1	A	180	MET	5.9
1	A	345	GLN	5.5
1	A	174	ALA	5.3
1	A	175	GLN	4.9
1	A	181	PRO	4.6
1	A	202	ASN	4.5
1	A	278	VAL	4.4
1	A	106	HIS	4.2
1	A	11	SER	4.2
1	A	279	GLU	4.0
1	A	366	ARG	3.8
1	A	183	PRO	3.5
1	A	142	LYS	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	203	PHE	3.5
1	A	145	LEU	3.3
1	A	359	LEU	3.2
1	A	342	HIS	3.2
1	A	141	ALA	3.1
1	A	104	ARG	3.0
1	A	146	SER	2.9
1	A	371	PRO	2.8
1	A	42	ARG	2.7
1	A	137	PRO	2.7
1	A	470	LYS	2.5
1	A	136	ILE	2.5
1	A	361	ALA	2.5
1	A	182	GLU	2.5
1	A	254	SER	2.4
1	A	148	GLN	2.3
1	A	223	SER	2.2
1	A	147	GLY	2.2
1	A	369	CYS	2.2
1	A	545	THR	2.1
1	A	265	ARG	2.0
1	A	220	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	COA	A	2000	48/48	0.88	0.16	0.30	20,25,42,44	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.