



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:09 AM GMT

PDB ID : 2FY5
Title : Structures of ligand bound human choline acetyltransferase provide insight into regulation of acetylcholine synthesis
Authors : Kim, A.R.; Rylett, R.J.; Shilton, B.H.
Deposited on : 2006-02-07
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	612	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4670 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Choline O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	577	Total	C	N	O	S	0	0	0
			4514	2863	791	825	35			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	CLONING ARTIFACT	UNP P28329
A	225	ALA	GLU	ENGINEERED	UNP P28329
A	226	ALA	ASP	ENGINEERED	UNP P28329
A	227	ALA	GLU	ENGINEERED	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	348	PRO	ARG	SEE REMARK 999	UNP P28329
A	349	GLU	LYS	SEE REMARK 999	UNP P28329
A	351	VAL	ILE	SEE REMARK 999	UNP P28329
A	353	SER	ALA	SEE REMARK 999	UNP P28329
A	354	PRO	ASP	SEE REMARK 999	UNP P28329
A	355	MET	SER	SEE REMARK 999	UNP P28329
A	?	-	SER	SEE REMARK 999	UNP P28329
A	357	PRO	GLU	SEE REMARK 999	UNP P28329
A	518	ALA	LYS	ENGINEERED	UNP P28329
A	519	ALA	GLU	ENGINEERED	UNP P28329
A	582	ALA	LYS	ENGINEERED	UNP P28329
A	583	ALA	GLU	ENGINEERED	UNP P28329

- Molecule 2 is [(2R,3S,4R,5R)-5-(6-AMINO-9H-PURIN-9-YL)-4-HYDROXY-3-(PHOSPHONOOXY)TETRAHYDROFURAN-2-YL]METHYL (3R)-3-HYDROXY-2,2-DIMETHYL-4-OXO-4-{[3-OXO-3-({2-[(2-OXOPROPYL)THIO]ETHYL}AMINO)PROPYL]AMINO}BUTYL DIHYDROGEN DIPHOSPHATE (three-letter code: SOP) (formula: C₂₄H₄₀N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
2	A	1	52	24	7	17	3	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	104	Total	O	0	0
			104	104		

- Molecule 1: Choline O-acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.27Å 74.03Å 165.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	17.99 – 2.60 17.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	96.1 (17.99-2.60) 96.1 (17.99-2.60)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.59Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.237 , 0.285 0.234 , 0.281	Depositor DCC
R_{free} test set	2077 reflections (10.01%)	DCC
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.418	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	2 of 21588 reflections (0.009%)	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4670	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SOP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/4610	0.62	0/6245

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4514	0	4535	143	0
2	A	52	0	36	2	0
3	A	104	0	0	6	0
All	All	4670	0	4571	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ILE:HB	1:A:269:LEU:HD22	1.34	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ILE:HB	1:A:269:LEU:CD2	1.97	0.95
1:A:303:TRP:H	1:A:309:GLN:NE2	1.69	0.91
1:A:205:ARG:HH11	1:A:205:ARG:HG3	1.37	0.90
1:A:546:THR:HG22	1:A:547:GLU:H	1.36	0.89
1:A:19:PRO:HG2	1:A:505:HIS:ND1	1.91	0.84
1:A:145:LEU:HB2	1:A:443:ARG:NH2	1.93	0.84
1:A:161:SER:HA	1:A:173:VAL:HG21	1.61	0.81
1:A:443:ARG:HG3	3:A:710:HOH:O	1.83	0.79
1:A:303:TRP:H	1:A:309:GLN:HE22	1.32	0.78
1:A:606:LEU:O	1:A:607:LEU:HB2	1.84	0.77
1:A:161:SER:HA	1:A:173:VAL:CG2	2.20	0.72
1:A:205:ARG:NH1	1:A:205:ARG:HG3	2.02	0.71
1:A:439:ALA:HB2	1:A:452:ILE:HG13	1.72	0.70
1:A:390:ASN:HD21	1:A:580:SER:H	1.40	0.69
1:A:162:TYR:H	1:A:173:VAL:CG2	2.04	0.69
1:A:333:VAL:HG11	1:A:544:THR:HG22	1.76	0.68
1:A:443:ARG:NH2	1:A:497:ILE:HD12	2.09	0.67
1:A:201:ILE:HG22	1:A:202:ASN:N	2.10	0.66
1:A:111:ASP:O	1:A:115:ARG:HG3	1.95	0.66
1:A:162:TYR:H	1:A:173:VAL:HG23	1.62	0.64
1:A:520:LEU:HD12	1:A:525:MET:HE1	1.80	0.63
1:A:291:HIS:ND1	1:A:388:VAL:HG22	2.13	0.63
1:A:323:GLU:O	1:A:326:PRO:HD2	1.97	0.63
1:A:125:LEU:HD11	1:A:199:VAL:HB	1.81	0.63
1:A:230:PRO:HG2	1:A:369:CYS:SG	2.39	0.63
1:A:63:GLN:O	1:A:67:GLU:HG3	2.00	0.62
1:A:85:TYR:CE2	1:A:324:HIS:HB3	2.36	0.61
1:A:16:LEU:HD12	1:A:17:PRO:HD2	1.82	0.61
1:A:205:ARG:HH11	1:A:205:ARG:CG	2.12	0.61
1:A:302:ARG:HB3	1:A:309:GLN:HE22	1.65	0.61
1:A:487:ARG:HH11	1:A:487:ARG:HB3	1.66	0.60
1:A:180:MET:CG	1:A:181:PRO:HD2	2.32	0.60
1:A:301:ASN:C	1:A:302:ARG:HG2	2.23	0.60
1:A:337:GLU:HG2	1:A:546:THR:OG1	2.03	0.59
1:A:400:ASN:HD22	1:A:401:TYR:HD2	1.51	0.59
1:A:337:GLU:OE1	1:A:544:THR:HB	2.02	0.58
1:A:390:ASN:HD21	1:A:580:SER:N	2.00	0.58
1:A:145:LEU:HB2	1:A:443:ARG:HH22	1.67	0.58
1:A:520:LEU:HD12	1:A:525:MET:CE	2.33	0.58
1:A:29:LEU:HD21	1:A:48:VAL:HG21	1.85	0.58
1:A:259:SER:HA	1:A:365:LEU:HD22	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:ILE:O	1:A:334:GLN:HG2	2.05	0.57
1:A:125:LEU:HD21	1:A:199:VAL:HG21	1.85	0.57
1:A:433:VAL:HG21	1:A:536:VAL:HB	1.87	0.56
1:A:24:THR:HG23	1:A:502:ILE:HB	1.86	0.56
1:A:487:ARG:NH1	1:A:487:ARG:HB3	2.21	0.56
1:A:253:ASP:OD1	1:A:255:THR:N	2.39	0.55
1:A:187:ILE:CB	1:A:269:LEU:HD22	2.23	0.55
1:A:19:PRO:HG2	1:A:505:HIS:CG	2.42	0.55
1:A:101:ILE:HD12	1:A:101:ILE:N	2.23	0.54
1:A:336:THR:HG22	1:A:548:MET:HE1	1.90	0.53
1:A:301:ASN:O	1:A:302:ARG:HG2	2.08	0.53
1:A:281:SER:O	1:A:285:ARG:HG3	2.08	0.53
1:A:98:PRO:HG3	2:A:2000:SOP:HA31	1.90	0.53
1:A:336:THR:HG22	1:A:548:MET:CE	2.38	0.53
1:A:19:PRO:HG2	1:A:505:HIS:CE1	2.44	0.53
1:A:357:PRO:O	1:A:360:PRO:HD3	2.09	0.53
1:A:322:CYS:SG	1:A:332:LEU:HD21	2.49	0.52
1:A:322:CYS:SG	1:A:332:LEU:CD2	2.98	0.52
1:A:496:ALA:HA	1:A:501:ALA:HB2	1.92	0.52
1:A:141:ALA:HB3	1:A:146:SER:HA	1.90	0.52
1:A:87:ASN:O	1:A:89:ARG:HD2	2.10	0.52
1:A:294:GLY:HA2	1:A:384:LEU:CD1	2.40	0.51
1:A:242:GLU:N	1:A:242:GLU:OE1	2.44	0.51
1:A:210:ASP:O	1:A:214:GLN:HG2	2.09	0.51
1:A:76:VAL:HG22	1:A:76:VAL:O	2.11	0.51
1:A:291:HIS:CG	1:A:388:VAL:HG22	2.46	0.51
1:A:443:ARG:HH21	1:A:497:ILE:HD12	1.74	0.51
1:A:180:MET:HG3	1:A:181:PRO:HD2	1.92	0.50
1:A:120:LEU:HD23	1:A:120:LEU:O	2.11	0.50
1:A:459:ALA:O	1:A:463:VAL:HG22	2.11	0.50
1:A:98:PRO:HD2	1:A:322:CYS:O	2.12	0.50
1:A:47:ILE:HD13	1:A:522:GLU:HG2	1.94	0.49
1:A:406:ILE:HG21	1:A:413:PRO:HA	1.94	0.49
1:A:180:MET:HG2	1:A:181:PRO:HD2	1.95	0.49
1:A:131:LEU:HG	1:A:156:TYR:CE2	2.47	0.49
1:A:238:ASP:OD1	1:A:239:GLY:N	2.46	0.49
1:A:184:GLU:HB2	1:A:200:VAL:HB	1.94	0.48
1:A:88:ASN:HB3	3:A:735:HOH:O	2.13	0.48
1:A:44:SER:O	1:A:48:VAL:HG23	2.14	0.48
1:A:154:GLN:O	1:A:155:TYR:C	2.51	0.48
1:A:144:GLN:O	1:A:145:LEU:HB2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LYS:O	1:A:47:ILE:HG13	2.13	0.48
1:A:165:PRO:HG3	1:A:243:TRP:CD1	2.49	0.47
1:A:303:TRP:N	1:A:309:GLN:HE22	2.08	0.47
1:A:330:ILE:HB	3:A:725:HOH:O	2.14	0.47
1:A:253:ASP:OD2	1:A:368:LYS:HD2	2.14	0.47
1:A:601:ARG:HD2	3:A:811:HOH:O	2.14	0.47
1:A:201:ILE:HG22	1:A:202:ASN:H	1.77	0.47
1:A:409:GLN:O	1:A:410:LYS:HB2	2.15	0.47
1:A:126:SER:HB3	1:A:205:ARG:HH21	1.79	0.47
1:A:340:LEU:HD12	1:A:548:MET:CE	2.45	0.47
1:A:379:SER:O	1:A:383:LYS:HG2	2.15	0.46
1:A:324:HIS:C	1:A:326:PRO:HD2	2.35	0.46
1:A:152:MET:CE	1:A:155:TYR:CE1	2.98	0.46
1:A:398:PHE:CD2	1:A:597:LEU:HD13	2.51	0.46
1:A:172:LEU:O	1:A:173:VAL:C	2.54	0.45
1:A:490:THR:O	1:A:494:VAL:HG23	2.16	0.45
1:A:162:TYR:N	1:A:173:VAL:CG2	2.77	0.45
1:A:99:ALA:HB1	1:A:289:LEU:HB3	1.99	0.45
1:A:89:ARG:NH2	1:A:166:GLY:O	2.49	0.45
1:A:121:ILE:HD11	1:A:270:VAL:HG21	1.98	0.45
1:A:117:ALA:O	1:A:121:ILE:HG13	2.17	0.45
1:A:185:HIS:CD2	1:A:196:VAL:HG13	2.52	0.45
1:A:162:TYR:H	1:A:173:VAL:HG22	1.81	0.44
1:A:384:LEU:HD22	1:A:384:LEU:O	2.17	0.44
1:A:162:TYR:CD1	1:A:264:GLU:HA	2.53	0.44
1:A:437:GLU:HB3	1:A:452:ILE:HB	1.99	0.44
1:A:423:LEU:HA	1:A:463:VAL:HG12	2.00	0.44
1:A:320:VAL:O	1:A:320:VAL:HG13	2.18	0.44
1:A:76:VAL:HG22	1:A:80:TRP:HB2	2.00	0.43
1:A:91:ALA:O	1:A:95:ASN:HB2	2.19	0.43
1:A:145:LEU:HD12	1:A:443:ARG:HH22	1.83	0.43
1:A:182:GLU:HA	1:A:182:GLU:OE1	2.18	0.43
1:A:19:PRO:HA	1:A:20:PRO:HD3	1.96	0.43
1:A:38:GLU:O	1:A:42:ARG:HG3	2.19	0.43
1:A:153:LYS:HD2	3:A:804:HOH:O	2.19	0.43
1:A:482:LEU:O	1:A:482:LEU:HD23	2.19	0.43
1:A:82:ASN:HA	1:A:86:LEU:HB2	2.01	0.43
1:A:323:GLU:OE1	1:A:326:PRO:HD3	2.19	0.42
1:A:568:PRO:HD2	3:A:807:HOH:O	2.18	0.42
1:A:483:LYS:HA	1:A:483:LYS:HD3	1.89	0.42
1:A:514:ARG:NH2	1:A:520:LEU:HD11	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:TYR:CE2	1:A:324:HIS:CG	3.07	0.42
1:A:269:LEU:HD11	1:A:303:TRP:HB3	2.01	0.42
1:A:418:GLN:HG3	1:A:437:GLU:OE1	2.20	0.42
1:A:247:ARG:HH11	1:A:247:ARG:HG2	1.84	0.42
1:A:155:TYR:C	1:A:157:GLY:H	2.21	0.42
1:A:541:GLN:HG2	1:A:543:PRO:HD3	2.02	0.42
1:A:144:GLN:HG2	2:A:2000:SOP:O21	2.20	0.41
1:A:443:ARG:NH1	1:A:498:THR:HG22	2.36	0.41
1:A:136:ILE:HG23	1:A:136:ILE:O	2.20	0.41
1:A:136:ILE:HA	1:A:137:PRO:HD3	1.89	0.41
1:A:546:THR:HG22	1:A:547:GLU:N	2.18	0.41
1:A:201:ILE:CG2	1:A:202:ASN:H	2.30	0.41
1:A:206:LEU:HD22	1:A:210:ASP:CB	2.50	0.41
1:A:253:ASP:O	1:A:257:ARG:HG3	2.21	0.41
1:A:537:LEU:HD12	1:A:560:TYR:HB2	2.02	0.41
1:A:390:ASN:HD21	1:A:580:SER:HB2	1.85	0.41
1:A:182:GLU:OE2	1:A:201:ILE:O	2.40	0.40
1:A:17:PRO:HD3	1:A:444:PHE:CE2	2.56	0.40
1:A:443:ARG:HH12	1:A:498:THR:HG22	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	571/612 (93%)	539 (94%)	26 (5%)	6 (1%)	17 36

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	201	ILE
1	A	206	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	278	VAL
1	A	546	THR
1	A	156	TYR
1	A	606	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	496 / 527 (94%)	492 (99%)	4 (1%)	86 95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	205	ARG
1	A	324	HIS
1	A	428	LEU
1	A	503	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	40	GLN
1	A	309	GLN
1	A	390	ASN
1	A	400	ASN
1	A	409	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SOP	A	2000	-	44,54,54	1.05	5 (11%)	55,80,80	2.07	6 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SOP	A	2000	-	-	0/48/68/68	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2000	SOP	CA1-S	-2.22	1.76	1.81
2	A	2000	SOP	C5-N7	-2.18	1.32	1.39
2	A	2000	SOP	P3-O32	2.22	1.62	1.54
2	A	2000	SOP	C2-N3	2.24	1.36	1.32
2	A	2000	SOP	O4'-C1'	3.11	1.45	1.41

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2000	SOP	N3-C2-N1	-11.84	119.83	128.89
2	A	2000	SOP	P2-O6-P1	-2.77	124.94	132.73
2	A	2000	SOP	CP7-CP6-NP2	-2.17	111.67	116.47
2	A	2000	SOP	O4'-C1'-N9	2.32	112.96	108.10
2	A	2000	SOP	OA1-CA2-CA3	2.62	127.78	121.31
2	A	2000	SOP	CP1-S-CA1	4.74	109.79	101.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	SOP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	577/612 (94%)	-0.10	25 (4%) 39 31	19, 40, 69, 89	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	204	ARG	5.9
1	A	145	LEU	5.2
1	A	142	LYS	4.1
1	A	143	GLY	4.0
1	A	144	GLN	3.8
1	A	180	MET	3.6
1	A	11	SER	3.4
1	A	278	VAL	3.4
1	A	361	ALA	3.3
1	A	42	ARG	3.2
1	A	181	PRO	2.9
1	A	366	ARG	2.8
1	A	201	ILE	2.7
1	A	216	ARG	2.7
1	A	470	LYS	2.7
1	A	607	LEU	2.6
1	A	357	PRO	2.5
1	A	106	HIS	2.4
1	A	167	HIS	2.3
1	A	342	HIS	2.3
1	A	205	ARG	2.3
1	A	228	ARG	2.3
1	A	200	VAL	2.3
1	A	241	SER	2.2
1	A	183	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SOP	A	2000	52/52	0.93	0.16	-0.12	40,47,67,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.