



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:48 AM GMT

PDB ID : 3G4E  
Title : Crystal structure of human senescence marker protein-30(SMP30)(Calcium bound)  
Authors : Chakraborti, S.; Bahnson, B.J.  
Deposited on : 2009-02-03  
Resolution : 1.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1632 (1.44-1.40)
Clashscore	102246	1743 (1.44-1.40)
Ramachandran outliers	100387	1698 (1.44-1.40)
Sidechain outliers	100360	1697 (1.44-1.40)
RSRZ outliers	91569	1632 (1.44-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	<div> <div>10%</div> <div>76%</div> <div>20%</div> <div>.</div> </div>
1	B	297	<div> <div>7%</div> <div>79%</div> <div>17%</div> <div>..</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5217 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Regucalcin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	13	0
			2365	1495	402	452	16			
1	B	297	Total	C	N	O	S	8	11	0
			2353	1488	399	449	17			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	234	Total	O	0	0
			234	234		
3	B	263	Total	O	0	0
			263	263		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Regucalcin



#### • Molecule 1: Regucalcin



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.47Å 51.00Å 86.12Å 90.00° 100.11° 90.00°	Depositor
Resolution (Å)	8.00 – 1.42 18.40 – 1.42	Depositor EDS
% Data completeness (in resolution range)	95.1 (8.00-1.42) 99.6 (18.40-1.42)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.67 (at 1.42Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, $R_{free}$	0.129 , 0.191 0.170 , 0.213	Depositor DCC
$R_{free}$ test set	5157 reflections (5.25%)	DCC
Wilson B-factor (Å <sup>2</sup> )	15.6	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 64.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 104469 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	5217	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.91% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.09	17/2423 (0.7%)	1.54	32/3278 (1.0%)
1	B	0.98	11/2409 (0.5%)	1.43	34/3258 (1.0%)
All	All	1.04	28/4832 (0.6%)	1.49	66/6536 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
All	All	0	5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	122[A]	THR	C-O	19.78	1.60	1.23
1	A	98	LYS	C-N	18.26	1.76	1.34
1	A	272	LEU	C-N	-16.74	0.95	1.34
1	A	269	PRO	C-N	-14.79	1.00	1.34
1	A	270	GLU	C-N	13.90	1.58	1.33
1	B	148	ASP	C-N	-13.71	1.02	1.34
1	B	269	PRO	C-N	-12.42	1.05	1.34
1	A	268	ASP	C-N	-11.89	1.11	1.34
1	A	120	GLU	C-N	-11.85	1.06	1.34
1	B	123[A]	ALA	C-O	11.45	1.45	1.23
1	A	154	ASN	C-N	10.85	1.52	1.33
1	B	182	LEU	C-N	-10.58	1.09	1.34
1	A	83	LYS	C-N	10.38	1.57	1.34
1	A	124[A]	PRO	C-O	8.58	1.40	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	185	GLY	C-N	-8.29	1.15	1.34
1	A	182	LEU	C-N	-7.21	1.17	1.34
1	A	41	ARG	C-N	-6.87	1.18	1.34
1	B	197	GLU	C-N	-6.33	1.19	1.34
1	A	82	TRP	C-N	-6.13	1.20	1.34
1	A	122[A]	THR	C-O	-5.92	1.12	1.23
1	A	195	LYS	C-N	-5.91	1.20	1.34
1	B	37	LYS	C-N	-5.82	1.20	1.34
1	B	121[A]	GLU	C-O	-5.61	1.12	1.23
1	A	49	VAL	C-N	5.16	1.46	1.34
1	B	123[A]	ALA	N-CA	5.12	1.56	1.46
1	A	240	LEU	C-N	-5.11	1.24	1.34
1	A	50	GLN	C-N	-5.05	1.22	1.34
1	B	183	GLN	C-N	-5.00	1.22	1.34

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	113	TYR	CB-CG-CD1	26.36	136.82	121.00
1	A	113	TYR	CG-CD1-CE1	19.22	136.68	121.30
1	A	154	ASN	O-C-N	-16.13	95.78	123.20
1	B	121[A]	GLU	O-C-N	-15.91	97.25	122.70
1	A	154	ASN	CA-C-N	14.73	145.66	116.20
1	B	122[A]	THR	CA-C-O	14.27	150.06	120.10
1	A	153	SER	C-N-CA	-13.78	87.26	121.70
1	B	123[A]	ALA	CA-C-O	-13.46	91.84	120.10
1	B	97	LYS	C-N-CA	-12.84	89.61	121.70
1	B	122[A]	THR	O-C-N	-12.05	103.42	122.70
1	B	197	GLU	O-C-N	-11.84	103.75	122.70
1	A	113	TYR	CD1-CE1-CZ	-10.27	110.55	119.80
1	A	98	LYS	O-C-N	10.14	138.93	122.70
1	A	113	TYR	CB-CG-CD2	-9.56	115.26	121.00
1	B	264	ARG	NE-CZ-NH2	-9.48	115.56	120.30
1	B	197	GLU	CA-C-N	9.32	137.70	117.20
1	A	153	SER	O-C-N	9.17	137.38	122.70
1	A	113	TYR	CD1-CG-CD2	-9.08	107.91	117.90
1	A	122[A]	THR	O-C-N	8.61	136.47	122.70
1	B	41	ARG	NE-CZ-NH1	-8.36	116.12	120.30
1	A	124[A]	PRO	CA-C-O	-8.27	100.34	120.20
1	B	15	ARG	NE-CZ-NH2	-8.25	116.17	120.30
1	A	269	PRO	C-N-CA	8.12	142.00	121.70
1	B	96	ASP	CB-CG-OD1	8.05	125.55	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	LYS	C-N-CA	-7.80	102.19	121.70
1	A	112	ARG	NE-CZ-NH1	7.67	124.13	120.30
1	B	112	ARG	NE-CZ-NH2	7.54	124.07	120.30
1	A	124[A]	PRO	O-C-N	-7.52	110.67	122.70
1	A	51	ARG	NE-CZ-NH1	7.47	124.03	120.30
1	A	153	SER	CA-C-N	-7.15	101.46	117.20
1	B	123[A]	ALA	N-CA-C	7.12	130.22	111.00
1	B	101	ARG	NE-CZ-NH1	-7.04	116.78	120.30
1	B	15	ARG	NE-CZ-NH1	7.00	123.80	120.30
1	B	55	ASP	CB-CG-OD1	6.92	124.52	118.30
1	A	122[A]	THR	CA-C-O	-6.91	105.58	120.10
1	A	270	GLU	CA-C-N	-6.75	102.69	116.20
1	A	270	GLU	C-N-CA	-6.75	108.12	122.30
1	A	98	LYS	CA-C-N	-6.73	102.39	117.20
1	B	24	GLU	OE1-CD-OE2	-6.71	115.25	123.30
1	A	272	LEU	O-C-N	6.65	133.34	122.70
1	B	234	ARG	CD-NE-CZ	6.55	132.77	123.60
1	B	123[A]	ALA	O-C-N	-6.51	108.73	121.10
1	A	51	ARG	CD-NE-CZ	6.48	132.67	123.60
1	B	264	ARG	CG-CD-NE	-6.45	98.25	111.80
1	A	267	MET	O-C-N	-6.40	112.46	122.70
1	B	113	TYR	CB-CG-CD1	6.28	124.77	121.00
1	B	184	THR	C-N-CA	6.17	135.25	122.30
1	A	272	LEU	CA-C-N	-6.14	103.69	117.20
1	B	97	LYS	O-C-N	5.90	132.13	122.70
1	B	121[A]	GLU	CA-C-O	-5.87	107.78	120.10
1	B	51	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	B	184	THR	O-C-N	-5.49	113.87	123.20
1	A	127	LEU	CB-CG-CD2	5.46	120.27	111.00
1	B	113	TYR	CB-CG-CD2	-5.43	117.74	121.00
1	B	129	ARG	CD-NE-CZ	5.40	131.17	123.60
1	B	190	ARG	NE-CZ-NH1	-5.39	117.60	120.30
1	B	166	TYR	CB-CG-CD2	-5.35	117.79	121.00
1	B	167	TYR	CB-CG-CD2	5.26	124.15	121.00
1	B	126	VAL	CA-C-O	5.22	131.07	120.10
1	A	268	ASP	CB-CG-OD2	5.20	122.98	118.30
1	A	270	GLU	O-C-N	5.16	131.98	123.20
1	B	269	PRO	O-C-N	5.16	130.95	122.70
1	A	173	TYR	CB-CG-CD2	-5.10	117.94	121.00
1	B	197	GLU	C-N-CA	5.08	134.39	121.70
1	A	194	TYR	O-C-N	-5.04	114.64	122.70
1	A	107	VAL	CA-CB-CG2	5.00	118.40	110.90



There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	121[A]	GLU	Mainchain
1	A	124[A]	PRO	Mainchain
1	A	154	ASN	Mainchain
1	B	121[A]	GLU	Mainchain
1	B	123[A]	ALA	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2365	0	2293	77	7
1	B	2353	0	2278	58	9
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	234	0	0	16	0
3	B	263	0	0	16	0
All	All	5217	0	4571	135	16

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LYS:C	1:A:99:ASN:N	1.76	1.39
1:B:156:LEU:HG	3:B:743:HOH:O	1.16	1.30
1:A:97:LYS:C	1:A:98:LYS:N	2.17	0.98
1:A:123[A]:ALA:HB3	1:A:126:VAL:HG21	1.46	0.95
1:A:98:LYS:O	1:A:99:ASN:HB2	1.71	0.91
1:A:243:ASP:H	1:A:275[B]:GLN:HE22	1.15	0.90
1:A:243:ASP:H	1:A:275[A]:GLN:HE22	1.21	0.89
1:B:273:LEU:O	1:B:274:ARG:HB2	1.74	0.87
1:B:156:LEU:HB3	3:B:849:HOH:O	1.75	0.87
1:A:98:LYS:C	1:A:99:ASN:HB2	1.97	0.85

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123[A]:ALA:HB3	1:A:126:VAL:CG2	2.09	0.82
1:A:98:LYS:C	1:A:99:ASN:CB	2.48	0.81
1:B:273:LEU:O	1:B:274:ARG:CB	2.29	0.80
1:A:123[A]:ALA:C	1:A:126:VAL:HG22	2.01	0.79
1:A:98:LYS:C	1:A:99:ASN:CA	2.51	0.78
1:A:224[A]:VAL:HB	3:A:793:HOH:O	1.84	0.76
1:A:240:LEU:HD22	1:A:245:THR:CG2	2.16	0.76
1:A:123[A]:ALA:O	1:A:126:VAL:HG22	1.86	0.74
1:A:58[A]:VAL:HG22	1:A:73:ILE:HG12	1.69	0.74
1:A:240:LEU:HD22	1:A:245:THR:HG21	1.67	0.74
1:B:93:VAL:HA	3:B:802:HOH:O	1.88	0.72
1:B:98:LYS:O	1:B:98:LYS:HG3	1.89	0.72
1:B:270:GLU:O	1:B:273:LEU:O	2.08	0.72
1:A:58[B]:VAL:HG12	1:A:73:ILE:HG12	1.72	0.72
1:B:61:VAL:HG13	3:B:792:HOH:O	1.91	0.71
1:A:99:ASN:ND2	1:A:120:GLU:HB3	2.06	0.70
1:B:106:LYS:HB3	3:B:743:HOH:O	1.91	0.69
1:A:95:ASN:ND2	1:A:95:ASN:H	1.88	0.69
1:A:98:LYS:CA	1:A:99:ASN:N	2.56	0.69
1:A:271:GLY:O	1:A:275[B]:GLN:HG2	1.91	0.68
1:A:243:ASP:H	1:A:275[B]:GLN:NE2	1.91	0.67
1:A:85[B]:GLN:NE2	3:A:411:HOH:O	2.27	0.67
1:A:248:CYS:O	3:A:804:HOH:O	2.12	0.66
1:A:99:ASN:HD21	1:A:120:GLU:HB3	1.59	0.66
1:A:240:LEU:HD21	1:A:260:VAL:HG11	1.78	0.66
1:A:101:ARG:HD3	1:A:120:GLU:OE1	1.96	0.65
1:A:123[A]:ALA:N	1:A:126:VAL:CG2	2.61	0.64
1:A:123[A]:ALA:H	1:A:126:VAL:CG2	2.11	0.63
1:B:21[A]:VAL:HB	3:B:792:HOH:O	1.97	0.63
1:A:123[A]:ALA:CA	1:A:126:VAL:HG22	2.29	0.62
1:B:264:ARG:HD3	3:B:762:HOH:O	1.99	0.61
1:A:4:ILE:HD13	1:A:238:VAL:HG13	1.83	0.61
1:A:240:LEU:CD2	1:A:260:VAL:HG11	2.30	0.61
1:A:123[A]:ALA:H	1:A:126:VAL:HG23	1.65	0.60
1:A:30:LEU:HD23	1:A:41:ARG:HG2	1.85	0.59
1:A:98:LYS:O	1:A:98:LYS:HG2	2.02	0.59
1:A:207:CYS:HB3	3:A:804:HOH:O	2.03	0.59
1:A:130:HIS:HD2	3:A:597:HOH:O	1.86	0.58
1:A:123[A]:ALA:CB	1:A:126:VAL:CG2	2.82	0.57
1:A:98:LYS:N	1:A:99:ASN:N	2.53	0.56
1:A:215:TRP:HB3	3:A:793:HOH:O	2.06	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:GLU:O	1:A:85[B]:GLN:HB2	2.05	0.55
1:B:21[B]:VAL:HG13	1:B:30:LEU:HB2	1.88	0.55
1:A:243:ASP:N	1:A:275[B]:GLN:HE22	1.97	0.54
1:A:268:ASP:O	1:A:269:PRO:C	2.39	0.54
1:A:264:ARG:HB3	3:A:681:HOH:O	2.07	0.54
1:A:186:GLN:HG3	3:A:799:HOH:O	2.07	0.54
1:A:275[A]:GLN:NE2	3:A:380:HOH:O	2.40	0.53
1:A:220:ASN:HD21	1:A:244:LYS:HZ3	1.55	0.53
1:A:220:ASN:HD21	1:A:244:LYS:NZ	2.06	0.53
1:A:123[A]:ALA:CB	1:A:126:VAL:HG21	2.31	0.53
1:A:262[A]:CYS:HB3	3:A:760:HOH:O	2.09	0.53
1:A:30:LEU:HD11	1:A:69:TYR:CE1	2.43	0.53
1:A:240:LEU:HD22	1:A:245:THR:HG22	1.90	0.53
1:B:126:VAL:O	1:B:126:VAL:HG22	2.09	0.53
1:A:123[A]:ALA:CA	1:A:126:VAL:CG2	2.86	0.52
1:A:242:VAL:HA	1:A:275[B]:GLN:NE2	2.26	0.51
1:A:243:ASP:H	1:A:275[A]:GLN:NE2	1.98	0.51
1:B:240:LEU:CD2	1:B:260:VAL:HG11	2.40	0.51
1:B:124[A]:PRO:O	1:B:127:LEU:HD22	2.10	0.50
1:B:30:LEU:HB2	3:B:792:HOH:O	2.11	0.50
1:A:54:MET:HG3	1:A:58[A]:VAL:HG21	1.92	0.50
1:A:81:ASN:OD1	1:A:83:LYS:HB2	2.11	0.50
1:A:101:ARG:CD	1:A:120:GLU:OE1	2.59	0.49
1:B:273:LEU:O	1:B:274:ARG:CG	2.61	0.49
1:B:101:ARG:HD3	1:B:120:GLU:OE1	2.12	0.48
1:B:83:LYS:HB2	3:B:629:HOH:O	2.13	0.48
1:A:189:ASN:HA	3:A:593:HOH:O	2.14	0.47
1:A:244:LYS:O	1:A:262[B]:CYS:HB3	2.13	0.47
1:A:275[A]:GLN:HA	1:A:276:PRO:HD2	1.73	0.46
1:A:54:MET:HG3	1:A:58[B]:VAL:HG11	1.97	0.46
1:B:41:ARG:NH1	3:B:653:HOH:O	2.49	0.45
1:B:65:GLN:NE2	3:B:850:HOH:O	2.49	0.45
1:A:275[B]:GLN:NE2	3:A:380:HOH:O	2.50	0.45
1:B:81:ASN:ND2	1:B:84:GLU:HG3	2.32	0.45
1:A:81:ASN:ND2	1:A:84:GLU:OE1	2.50	0.45
1:A:65:GLN:NE2	3:A:374:HOH:O	2.49	0.45
1:A:200:GLU:O	1:A:218:CYS:HB3	2.17	0.45
1:A:216:VAL:N	3:A:793:HOH:O	2.50	0.44
1:B:240:LEU:HD21	1:B:260:VAL:HG11	2.00	0.44
1:A:213:LYS:NZ	3:A:834:HOH:O	2.49	0.44
1:B:175:VAL:O	1:B:193:VAL:HG22	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:VAL:HG23	1:A:126:VAL:O	2.17	0.44
1:A:98:LYS:O	1:A:98:LYS:CG	2.66	0.44
1:B:27:ASN:ND2	3:B:815:HOH:O	2.50	0.44
1:B:220:ASN:HD21	1:B:244:LYS:HZ3	1.65	0.43
1:B:37:LYS:HE3	1:B:54[A]:MET:O	2.18	0.43
1:B:240:LEU:HD11	1:B:284:ILE:HD11	1.99	0.43
1:B:55:ASP:HB2	3:B:641:HOH:O	2.18	0.43
1:B:273:LEU:O	1:B:274:ARG:HG3	2.19	0.43
1:B:220:ASN:HA	1:B:220:ASN:HD22	1.59	0.42
1:B:41:ARG:HH11	1:B:41:ARG:HD3	1.65	0.42
1:B:240:LEU:HD22	1:B:245:THR:CG2	2.49	0.42
1:B:220:ASN:HD21	1:B:244:LYS:NZ	2.18	0.42
1:B:264:ARG:O	1:B:267[A]:MET:HG3	2.20	0.42
1:B:27:ASN:ND2	3:B:774:HOH:O	2.49	0.41
1:B:38:LYS:HE3	1:B:40:CYS:SG	2.60	0.41
1:A:271:GLY:O	1:A:275[A]:GLN:HG2	2.20	0.41
1:B:44:SER:HB2	3:B:845:HOH:O	2.20	0.41
1:A:12:GLU:O	1:A:12:GLU:HG3	2.21	0.41
1:A:220:ASN:HA	1:A:220:ASN:HD22	1.66	0.41
1:A:130:HIS:HE1	1:B:128:GLU:OE2	2.04	0.41
1:A:267:MET:HE2	1:A:275[B]:GLN:HG3	2.03	0.40
1:A:51:ARG:NH1	3:A:495:HOH:O	2.55	0.40
1:B:219:TYR:O	1:B:220:ASN:HB2	2.22	0.40

All (16) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LYS:NZ	1:A:146:TYR:C[2_745]	0.34	1.86
1:B:197:GLU:OE2	1:B:274:ARG:CZ[2_746]	0.38	1.82
1:A:98:LYS:CE	1:A:146:TYR:O[2_745]	0.39	1.81
1:B:197:GLU:CD	1:B:274:ARG:NH2[2_746]	0.53	1.67
1:A:98:LYS:NZ	1:A:146:TYR:O[2_745]	1.14	1.06
1:B:197:GLU:OE2	1:B:274:ARG:NH2[2_746]	1.16	1.04
1:B:197:GLU:CG	1:B:274:ARG:NH2[2_746]	1.29	0.91
1:B:197:GLU:OE2	1:B:274:ARG:NE[2_746]	1.34	0.86
1:A:98:LYS:NZ	1:A:146:TYR:CA[2_745]	1.36	0.84
1:B:197:GLU:CD	1:B:274:ARG:CZ[2_746]	1.47	0.73
1:A:98:LYS:CE	1:A:146:TYR:C[2_745]	1.58	0.62
1:B:197:GLU:OE2	1:B:274:ARG:NH1[2_746]	1.61	0.59

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:LYS:NZ	1:A:147:PHE:N[2_745]	1.64	0.56
1:A:98:LYS:CD	1:A:146:TYR:O[2_745]	1.68	0.52
1:B:197:GLU:OE1	1:B:274:ARG:NH2[2_746]	1.75	0.45
1:B:197:GLU:CD	1:B:274:ARG:NE[2_746]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/297 (101%)	290 (97%)	8 (3%)	2 (1%)	26	6
1	B	300/297 (101%)	284 (95%)	13 (4%)	3 (1%)	19	3
All	All	600/594 (101%)	574 (96%)	21 (4%)	5 (1%)	21	4

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	99	ASN
1	B	274	ARG
1	B	124[A]	PRO
1	A	154	ASN
1	B	123[A]	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	259/252 (103%)	254 (98%)	5 (2%)	65	29
1	B	257/252 (102%)	254 (99%)	3 (1%)	78	51
All	All	516/504 (102%)	508 (98%)	8 (2%)	70	38

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	108	ASP
1	A	113	TYR
1	A	171	LEU
1	A	191	ARG
1	B	108	ASP
1	B	126	VAL
1	B	273	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	65	GLN
1	A	95	ASN
1	A	99	ASN
1	A	130	HIS
1	A	131	GLN
1	A	220	ASN
1	B	27	ASN
1	B	99	ASN
1	B	141	HIS
1	B	142	HIS
1	B	220	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	297/297 (100%)	0.64	31 (10%) 8 7	12, 21, 39, 79	1 (0%)
1	B	297/297 (100%)	0.55	22 (7%) 17 15	11, 20, 37, 79	0
All	All	594/594 (100%)	0.60	53 (8%) 12 10	11, 20, 39, 79	1 (0%)

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	124[A]	PRO	14.4
1	B	123[A]	ALA	14.1
1	A	126	VAL	12.6
1	B	124[A]	PRO	12.1
1	A	273	LEU	10.7
1	B	122[A]	THR	10.1
1	A	122[A]	THR	9.3
1	A	123[A]	ALA	9.0
1	A	270	GLU	8.9
1	B	125[A]	ALA	8.4
1	A	98	LYS	7.6
1	B	274	ARG	7.6
1	A	127	LEU	7.5
1	A	268	ASP	7.3
1	B	98	LYS	7.3
1	A	83	LYS	6.9
1	B	273	LEU	6.8
1	B	126	VAL	6.6
1	A	274	ARG	6.2
1	B	45	PHE	6.2
1	A	121[A]	GLU	5.6
1	B	253	LYS	5.5
1	A	99	ASN	5.5
1	A	269	PRO	5.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	125[A]	ALA	5.2
1	B	121[A]	GLU	5.1
1	A	266	GLY	5.1
1	B	270	GLU	4.8
1	A	199	GLU	4.2
1	B	198	LYS	3.9
1	A	299[A]	GLY	3.8
1	B	186	GLN	3.7
1	B	183	GLN	3.7
1	B	197	GLU	3.7
1	A	120	GLU	3.7
1	A	262[A]	CYS	3.5
1	A	86	SER	3.4
1	A	183	GLN	3.3
1	A	84	GLU	3.1
1	A	81	ASN	2.8
1	B	96	ASP	2.7
1	B	191	ARG	2.7
1	A	95	ASN	2.7
1	B	83	LYS	2.6
1	A	82	TRP	2.4
1	B	4	ILE	2.4
1	A	195	LYS	2.3
1	A	156	LEU	2.3
1	B	269	PRO	2.3
1	A	50	GLN	2.3
1	A	276	PRO	2.1
1	A	154	ASN	2.0
1	B	95	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CA	A	1	1/1	1.00	0.05	-1.21	16,16,16,16	0
2	CA	B	1	1/1	1.00	0.05	-2.35	14,14,14,14	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.