



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:48 PM GMT

PDB ID : 4G74
Title : Crystal structure of NDH with Quinone
Authors : Li, W.; Feng, Y.; Ge, J.; Yang, M.
Deposited on : 2012-07-19
Resolution : 2.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4309 (2.50-2.46)
Clashscore	102246	5050 (2.50-2.46)
Ramachandran outliers	100387	4961 (2.50-2.46)
Sidechain outliers	100360	4963 (2.50-2.46)
RSRZ outliers	91569	4319 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	502	
1	B	502	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	UQ5	A	601	-	-	-	X
2	UQ5	A	602	-	-	X	X
2	UQ5	B	602	-	-	X	X
2	UQ5	B	603	-	-	X	X
3	TRT	A	603	-	-	-	X
3	TRT	A	604	-	-	-	X
3	TRT	A	605	-	-	-	X
3	TRT	B	604	-	-	-	X
4	MG	B	605	-	-	-	X
4	MG	B	607	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8024 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	471	Total	C	N	O	S	0	0	0
			3718	2406	628	679	5			
1	B	463	Total	C	N	O	S	0	0	0
			3658	2367	619	667	5			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	EXPRESSION TAG	UNP P32340
A	13	ARG	-	EXPRESSION TAG	UNP P32340
A	14	GLY	-	EXPRESSION TAG	UNP P32340
A	15	SER	-	EXPRESSION TAG	UNP P32340
A	16	HIS	-	EXPRESSION TAG	UNP P32340
A	17	HIS	-	EXPRESSION TAG	UNP P32340
A	18	HIS	-	EXPRESSION TAG	UNP P32340
A	19	HIS	-	EXPRESSION TAG	UNP P32340
A	20	HIS	-	EXPRESSION TAG	UNP P32340
A	21	HIS	-	EXPRESSION TAG	UNP P32340
A	22	GLY	-	EXPRESSION TAG	UNP P32340
A	23	SER	-	EXPRESSION TAG	UNP P32340
B	12	MET	-	EXPRESSION TAG	UNP P32340
B	13	ARG	-	EXPRESSION TAG	UNP P32340
B	14	GLY	-	EXPRESSION TAG	UNP P32340
B	15	SER	-	EXPRESSION TAG	UNP P32340
B	16	HIS	-	EXPRESSION TAG	UNP P32340
B	17	HIS	-	EXPRESSION TAG	UNP P32340
B	18	HIS	-	EXPRESSION TAG	UNP P32340
B	19	HIS	-	EXPRESSION TAG	UNP P32340
B	20	HIS	-	EXPRESSION TAG	UNP P32340
B	21	HIS	-	EXPRESSION TAG	UNP P32340
B	22	GLY	-	EXPRESSION TAG	UNP P32340
B	23	SER	-	EXPRESSION TAG	UNP P32340

- Molecule 2 is 2,3-DIMETHOXY-5-METHYL-6-(3,11,15,19-TETRAMETHYL-EICOSA-2,6,10,14,18-PENTAENYL)-[1,4]BENZOQUINONE (three-letter code: UQ5) (formula: $C_{34}H_{50}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			23	19	4		
2	A	1	Total	C	O	0	0
			27	23	4		
2	B	1	Total	C	O	0	0
			23	19	4		
2	B	1	Total	C	O	0	0
			23	19	4		

- Molecule 3 is FRAGMENT OF TRITON X-100 (three-letter code: TRT) (formula: $C_{21}H_{36}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	18	2		
3	A	1	Total	C	O	0	0
			20	18	2		
3	A	1	Total	C	O	0	0
			16	15	1		
3	B	1	Total	C	O	0	0
			20	18	2		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	6	Total	Mg	0	0
			6	6		
4	A	5	Total	Mg	0	0
			5	5		

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
5	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	191	Total	O	0	0
			191	191		
6	B	168	Total	O	0	0
			168	168		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial



- Molecule 1: Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	132.91Å 230.84Å 112.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.61 – 2.48 43.61 – 2.48	Depositor EDS
% Data completeness (in resolution range)	97.2 (43.61-2.48) 97.2 (43.61-2.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.03 (at 2.48Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.195 , 0.233 0.196 , 0.235	Depositor DCC
R_{free} test set	3031 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	34.6	Xtriage
Anisotropy	0.634	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.2	EDS
Estimated twinning fraction	0.008 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.016 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 59760 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8024	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, UQ5, TRT, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/3805	0.56	0/5154
1	B	0.43	0/3743	0.54	0/5070
All	All	0.44	0/7548	0.55	0/10224

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	376	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3718	0	3767	33	0
1	B	3658	0	3708	46	0
2	A	50	0	54	31	0
2	B	46	0	46	43	0
3	A	56	0	75	5	0
3	B	20	0	27	3	0
4	A	5	0	0	0	0
4	B	6	0	0	0	0
5	A	53	0	31	2	0
5	B	53	0	31	1	0
6	A	191	0	0	1	0
6	B	168	0	0	1	0
All	All	8024	0	7739	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:602:UQ5:C3M	2:B:603:UQ5:H4M2	1.29	1.62
2:B:602:UQ5:C3M	2:B:603:UQ5:C4M	1.79	1.57
2:B:603:UQ5:C9	2:B:603:UQ5:H1M1	1.35	1.53
2:B:602:UQ5:H3M2	2:B:603:UQ5:C4M	1.35	1.48
2:A:602:UQ5:C9	2:A:602:UQ5:H1M1	1.46	1.45
2:B:602:UQ5:H1M1	2:B:602:UQ5:C9	1.52	1.39
2:B:603:UQ5:C1M	2:B:603:UQ5:H122	1.55	1.36
2:A:601:UQ5:C8	2:A:601:UQ5:H1M1	1.61	1.26
2:A:602:UQ5:C1M	2:A:602:UQ5:H112	1.72	1.17
2:B:603:UQ5:H1M2	2:B:603:UQ5:H122	1.23	1.11
2:A:601:UQ5:H8	2:A:601:UQ5:C1M	1.80	1.11
2:A:602:UQ5:C11	2:A:602:UQ5:H1M2	1.80	1.11
1:A:459:ILE:HD12	2:A:602:UQ5:H103	1.19	1.10
2:A:602:UQ5:C9	2:A:602:UQ5:C1M	2.30	1.09
2:B:602:UQ5:H3M3	2:B:603:UQ5:H4M2	1.27	1.08
2:B:602:UQ5:C1M	2:B:602:UQ5:C9	2.30	1.08
2:B:602:UQ5:H3M1	2:B:603:UQ5:C4M	1.81	1.08
2:B:603:UQ5:C1M	2:B:603:UQ5:C12	2.30	1.08
2:B:603:UQ5:C1M	2:B:603:UQ5:C9	2.30	1.08
2:A:602:UQ5:C1M	2:A:602:UQ5:C11	2.30	1.07
2:B:602:UQ5:C3M	2:B:603:UQ5:H4M1	1.65	1.06
2:B:602:UQ5:H3M1	2:B:603:UQ5:H4M1	1.30	1.06

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:603:UQ5:H1M2	2:B:603:UQ5:C12	1.86	1.05
2:A:602:UQ5:H1M2	2:A:602:UQ5:H112	0.99	0.97
2:B:603:UQ5:C11	2:B:603:UQ5:H1M1	1.92	0.97
2:B:603:UQ5:H1M3	2:B:603:UQ5:H122	1.48	0.95
2:B:603:UQ5:C8	2:B:603:UQ5:H1M1	1.95	0.94
2:A:601:UQ5:C3M	2:A:602:UQ5:O2	2.16	0.93
2:B:603:UQ5:C1M	2:B:603:UQ5:C11	2.47	0.93
1:A:459:ILE:CD1	2:A:602:UQ5:H103	2.00	0.92
2:A:601:UQ5:H8	2:A:601:UQ5:H1M1	0.89	0.88
1:A:459:ILE:HD12	2:A:602:UQ5:C10	2.02	0.88
1:B:368:ASP:HB3	1:B:438:PRO:HB3	1.55	0.87
1:A:447:LEU:HD11	2:A:602:UQ5:H8	1.57	0.83
2:A:601:UQ5:H3M1	2:A:602:UQ5:O2	1.81	0.80
2:A:602:UQ5:H1M1	2:A:602:UQ5:C11	2.03	0.78
3:A:603:TRT:H2C1	3:A:604:TRT:H4C1	1.66	0.78
1:B:137:ASN:OD1	1:B:377:ASN:ND2	2.18	0.77
1:A:447:LEU:CD1	2:A:602:UQ5:H8	2.15	0.76
2:A:601:UQ5:C8	2:A:601:UQ5:C1M	2.50	0.75
2:B:602:UQ5:C4M	2:B:602:UQ5:O3	2.35	0.73
1:B:155:ASN:N	1:B:155:ASN:OD1	2.23	0.72
1:A:484:SER:O	2:A:601:UQ5:H71	1.89	0.71
1:B:226:ARG:NH2	6:B:845:HOH:O	2.23	0.70
2:B:603:UQ5:O3	2:B:603:UQ5:C4M	2.40	0.70
2:B:602:UQ5:H3M2	2:B:603:UQ5:H4M2	0.98	0.70
1:B:355:PRO:O	1:B:358:ASN:ND2	2.24	0.70
2:A:601:UQ5:H4M2	2:A:601:UQ5:O5	1.92	0.69
2:A:601:UQ5:H3M2	2:A:602:UQ5:O2	1.92	0.68
2:A:602:UQ5:O2	2:A:602:UQ5:H3M2	1.95	0.67
2:A:601:UQ5:H3M3	2:A:601:UQ5:O2	1.95	0.66
2:B:603:UQ5:O2	2:B:603:UQ5:H3M3	1.95	0.66
1:B:397:HIS:CD2	2:B:603:UQ5:C4M	2.78	0.66
2:B:603:UQ5:H4M3	2:B:603:UQ5:O3	1.95	0.65
2:A:601:UQ5:C3M	2:A:601:UQ5:O2	2.45	0.65
3:A:603:TRT:H4C1	3:A:604:TRT:H3C1	1.77	0.65
1:B:397:HIS:CD2	2:B:603:UQ5:H4M1	2.30	0.65
1:B:393:ALA:HB3	2:B:602:UQ5:C4M	2.27	0.65
2:A:602:UQ5:O3	2:A:602:UQ5:H4M2	1.94	0.65
2:B:602:UQ5:H3M2	2:B:603:UQ5:H4M1	1.40	0.64
2:A:602:UQ5:O2	2:A:602:UQ5:C3M	2.46	0.63
1:A:210:ALA:HB2	1:A:511:LYS:HE3	1.79	0.63
2:B:603:UQ5:C3M	2:B:603:UQ5:O2	2.47	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:415:ASN:O	1:B:419:ASN:N	2.33	0.61
1:A:138:THR:HG21	1:A:166:GLU:OE1	2.01	0.61
1:A:368:ASP:HB3	1:A:438:PRO:HB3	1.82	0.61
2:B:603:UQ5:H1M2	2:B:603:UQ5:C11	2.26	0.59
1:B:432:GLU:OE1	1:B:432:GLU:N	2.27	0.59
2:B:602:UQ5:H4M2	2:B:602:UQ5:O3	2.03	0.59
1:B:480:ILE:HG13	3:B:604:TRT:H3C1	1.84	0.58
2:B:602:UQ5:H3M2	2:B:602:UQ5:O2	2.05	0.57
1:B:371:GLN:NE2	1:B:375:SER:O	2.39	0.56
1:B:503:ALA:HB2	3:B:604:TRT:H11	1.89	0.55
2:A:602:UQ5:C8	2:A:602:UQ5:H1M1	2.18	0.54
1:B:178:ALA:O	1:B:196:LYS:HE2	2.07	0.54
1:B:180:PRO:HD3	1:B:196:LYS:HD2	1.90	0.54
1:B:376:ASN:N	1:B:376:ASN:OD1	2.39	0.53
1:B:444:LEU:O	2:B:602:UQ5:C10	2.58	0.52
1:A:106:SER:HA	1:A:494:LYS:HD3	1.92	0.51
2:A:601:UQ5:C4M	2:A:601:UQ5:O5	2.58	0.51
1:B:133:ASN:HB2	1:B:138:THR:HG22	1.92	0.51
3:A:605:TRT:H3C3	3:A:605:TRT:H7C1	1.93	0.50
1:B:393:ALA:CB	2:B:602:UQ5:C4M	2.90	0.50
1:A:278:LEU:HD13	1:A:456:ILE:HD11	1.93	0.50
1:B:393:ALA:HB3	2:B:602:UQ5:H4M1	1.93	0.50
1:B:444:LEU:O	2:B:602:UQ5:H101	2.11	0.50
1:B:53:LYS:HE2	1:B:75:LYS:O	2.11	0.50
1:B:138:THR:HG21	1:B:166:GLU:OE1	2.12	0.50
1:B:377:ASN:HB3	1:B:378:ILE:HG13	1.94	0.49
1:A:392:THR:HB	5:A:607:FAD:O2	2.13	0.49
1:A:317:LYS:HG2	1:A:327:GLU:HG2	1.94	0.49
1:B:367:ASN:HD21	1:B:371:GLN:HB3	1.77	0.49
1:A:477:LEU:HG	1:A:481:LEU:HD22	1.96	0.48
1:A:459:ILE:CD1	2:A:602:UQ5:C10	2.79	0.48
1:B:392:THR:HB	5:B:606:FAD:O2	2.14	0.48
2:B:602:UQ5:O3	2:B:602:UQ5:H4M3	2.10	0.48
2:A:602:UQ5:O3	2:A:602:UQ5:C4M	2.62	0.48
1:A:66:ILE:HG13	1:A:88:PHE:HB2	1.94	0.47
1:A:251:VAL:HG21	1:A:266:VAL:HG21	1.97	0.47
1:B:393:ALA:CB	2:B:602:UQ5:H4M1	2.45	0.47
1:A:94:LEU:O	1:A:98:PRO:HD3	2.15	0.46
1:A:494:LYS:HE2	1:B:501:LYS:NZ	2.31	0.46
3:B:604:TRT:H14	3:B:604:TRT:H5C2	1.46	0.45
1:B:397:HIS:CG	2:B:603:UQ5:H4M1	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:ASN:OD1	1:A:377:ASN:ND2	2.50	0.45
1:B:66:ILE:HG13	1:B:88:PHE:HB2	1.98	0.45
1:B:450:LEU:HD11	1:B:456:ILE:HG23	1.98	0.45
1:B:496:PHE:CE2	1:B:500:ILE:HD11	2.52	0.45
1:A:383:ASP:OD2	6:A:732:HOH:O	2.20	0.45
1:B:345:PRO:HA	1:B:348:THR:HB	1.99	0.45
1:B:214:LYS:HE2	1:B:214:LYS:HB3	1.62	0.44
3:A:603:TRT:H10	3:A:603:TRT:H5C2	1.76	0.44
1:B:137:ASN:CG	1:B:377:ASN:HD21	2.18	0.44
1:A:487:LEU:HD21	2:A:601:UQ5:H4M1	2.00	0.43
1:B:393:ALA:HB3	2:B:602:UQ5:H4M2	2.00	0.43
1:A:105:LYS:NZ	1:B:103:ASP:OD1	2.29	0.43
1:B:163:GLU:HA	1:B:164:PRO:HD3	1.82	0.43
1:A:413:ILE:HA	1:A:414:PRO:HD3	1.84	0.43
1:A:41:LYS:HB2	1:A:41:LYS:HE2	1.84	0.43
1:B:501:LYS:HB3	1:B:501:LYS:HE2	1.92	0.42
1:B:152:GLN:CD	1:B:152:GLN:H	2.22	0.42
1:B:444:LEU:HA	1:B:460:ARG:O	2.19	0.42
1:B:354:ILE:HA	1:B:355:PRO:HD2	1.73	0.42
1:A:322:ASP:OD2	1:A:324:LYS:NZ	2.52	0.42
1:A:214:LYS:HB3	1:A:214:LYS:HE2	1.88	0.41
1:A:405:LYS:O	1:A:408:ASP:HB2	2.20	0.41
1:A:227:ARG:O	1:A:230:SER:HB3	2.21	0.41
1:A:239:THR:HG23	5:A:607:FAD:HM73	2.03	0.41
1:A:504:PHE:CD1	3:A:604:TRT:H13	2.56	0.41
1:B:152:GLN:HB2	1:B:153:PRO:HD3	2.03	0.40
2:B:602:UQ5:C9	2:B:602:UQ5:H1M2	2.38	0.40
2:B:603:UQ5:C8	2:B:603:UQ5:C1M	2.75	0.40
1:B:481:LEU:HA	1:B:481:LEU:HD12	1.91	0.40
1:A:274:LEU:HA	1:A:274:LEU:HD23	1.89	0.40
1:B:393:ALA:CB	2:B:602:UQ5:H4M2	2.52	0.40
1:A:258:PHE:HB3	1:B:116:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	467/502 (93%)	447 (96%)	19 (4%)	1 (0%)	52	73
1	B	459/502 (91%)	437 (95%)	21 (5%)	1 (0%)	52	73
All	All	926/1004 (92%)	884 (96%)	40 (4%)	2 (0%)	52	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	297	SER
1	B	356	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/427 (93%)	380 (95%)	19 (5%)	31	54
1	B	392/427 (92%)	375 (96%)	17 (4%)	35	59
All	All	791/854 (93%)	755 (95%)	36 (5%)	33	56

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LYS
1	A	138	THR
1	A	155	ASN
1	A	157	LEU
1	A	188	VAL
1	A	218	LEU
1	A	259	LEU
1	A	266	VAL
1	A	270	LEU
1	A	287	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	322	ASP
1	A	324	LYS
1	A	384	ASN
1	A	389	LEU
1	A	429	LEU
1	A	444	LEU
1	A	472	LEU
1	A	481	LEU
1	A	501	LYS
1	B	50	HIS
1	B	138	THR
1	B	155	ASN
1	B	188	VAL
1	B	206	ARG
1	B	218	LEU
1	B	270	LEU
1	B	283	LYS
1	B	352	LYS
1	B	362	ARG
1	B	375	SER
1	B	384	ASN
1	B	389	LEU
1	B	464	ARG
1	B	472	LEU
1	B	473	MET
1	B	481	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	156	HIS
1	B	377	ASN
1	B	397	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 11 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	UQ5	A	601	-	23,23,38	3.45	9 (39%)	28,31,49	2.46	10 (35%)
2	UQ5	A	602	-	27,27,38	3.58	10 (37%)	32,35,49	2.76	10 (31%)
3	TRT	A	603	-	20,20,25	0.58	0	28,28,33	2.59	7 (25%)
3	TRT	A	604	-	20,20,25	0.58	0	28,28,33	2.47	6 (21%)
3	TRT	A	605	-	16,16,25	0.60	1 (6%)	24,24,33	1.02	1 (4%)
5	FAD	A	607	4	48,58,58	1.29	6 (12%)	54,89,89	2.28	10 (18%)
2	UQ5	B	602	-	23,23,38	3.44	9 (39%)	28,31,49	2.47	9 (32%)
2	UQ5	B	603	-	23,23,38	3.45	9 (39%)	28,31,49	2.43	10 (35%)
3	TRT	B	604	-	20,20,25	0.71	1 (5%)	28,28,33	1.10	1 (3%)
5	FAD	B	606	4	48,58,58	1.24	5 (10%)	54,89,89	2.16	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UQ5	A	601	-	-	0/15/39/57	0/1/1/1
2	UQ5	A	602	-	-	0/20/44/57	0/1/1/1
3	TRT	A	603	-	-	0/18/18/23	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRT	A	604	-	-	0/18/18/23	0/1/1/1
3	TRT	A	605	-	-	0/14/14/23	0/1/1/1
5	FAD	A	607	4	-	0/30/50/50	0/6/6/6
2	UQ5	B	602	-	-	0/15/39/57	0/1/1/1
2	UQ5	B	603	-	-	0/15/39/57	0/1/1/1
3	TRT	B	604	-	-	0/18/18/23	0/1/1/1
5	FAD	B	606	4	-	0/30/50/50	0/6/6/6

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	UQ5	C3-C2	-2.92	1.40	1.48
2	A	602	UQ5	C3-C2	-2.90	1.40	1.48
2	B	602	UQ5	C3-C2	-2.89	1.40	1.48
2	B	603	UQ5	C3-C2	-2.88	1.40	1.48
2	B	602	UQ5	C4-C5	-2.69	1.41	1.48
2	A	602	UQ5	C4-C5	-2.68	1.41	1.48
2	A	601	UQ5	C4-C5	-2.67	1.41	1.48
2	B	603	UQ5	C4-C5	-2.67	1.41	1.48
2	A	601	UQ5	O4-C4M	-2.59	1.39	1.45
2	B	602	UQ5	O4-C4M	-2.59	1.39	1.45
2	B	603	UQ5	O4-C4M	-2.58	1.39	1.45
2	A	602	UQ5	O4-C4M	-2.57	1.39	1.45
3	B	604	TRT	C6-C9	-2.26	1.50	1.53
2	A	602	UQ5	C6-C5	-2.11	1.40	1.46
3	A	605	TRT	C6-C9	-2.09	1.50	1.53
2	B	603	UQ5	C6-C5	-2.07	1.40	1.46
2	B	602	UQ5	C6-C5	-2.07	1.40	1.46
2	A	601	UQ5	C6-C5	-2.04	1.40	1.46
5	B	606	FAD	C2A-N1A	2.39	1.38	1.33
5	B	606	FAD	C5X-N5	2.40	1.39	1.35
5	A	607	FAD	C2A-N1A	2.54	1.38	1.33
2	A	602	UQ5	C6-C1	2.61	1.41	1.35
2	B	602	UQ5	C6-C1	2.66	1.41	1.35
2	A	601	UQ5	C6-C1	2.66	1.41	1.35
5	A	607	FAD	C5X-N5	2.70	1.39	1.35
2	B	603	UQ5	C6-C1	2.75	1.41	1.35
5	A	607	FAD	C4-N3	2.76	1.38	1.33
5	A	607	FAD	C1'-N10	3.07	1.51	1.48
5	B	606	FAD	C4-N3	3.07	1.38	1.33
5	B	606	FAD	C2A-N3A	3.29	1.38	1.32
2	A	602	UQ5	C18-C19	3.38	1.54	1.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	607	FAD	C2A-N3A	3.43	1.38	1.32
5	B	606	FAD	C4X-N5	3.51	1.38	1.33
5	A	607	FAD	C4X-N5	3.85	1.39	1.33
2	A	602	UQ5	O2-C2	6.28	1.37	1.23
2	B	603	UQ5	O2-C2	6.30	1.37	1.23
2	B	602	UQ5	O2-C2	6.30	1.37	1.23
2	A	602	UQ5	O5-C5	6.31	1.37	1.23
2	A	601	UQ5	O2-C2	6.31	1.37	1.23
2	B	602	UQ5	O5-C5	6.35	1.37	1.23
2	B	603	UQ5	O5-C5	6.35	1.37	1.23
2	A	601	UQ5	O5-C5	6.41	1.38	1.23
2	A	601	UQ5	C13-C14	6.90	1.53	1.32
2	B	602	UQ5	C13-C14	6.91	1.53	1.32
2	B	603	UQ5	C13-C14	6.91	1.53	1.32
2	B	602	UQ5	C8-C9	9.79	1.52	1.33
2	A	602	UQ5	C8-C9	9.79	1.52	1.33
2	A	601	UQ5	C8-C9	9.82	1.52	1.33
2	B	603	UQ5	C8-C9	9.82	1.52	1.33
2	A	602	UQ5	C13-C14	10.47	1.53	1.33

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	607	FAD	N3A-C2A-N1A	-12.93	118.99	128.89
5	B	606	FAD	N3A-C2A-N1A	-12.18	119.57	128.89
3	A	604	TRT	C3-C1-C4	-7.51	85.29	108.98
3	A	603	TRT	C3-C1-C4	-7.43	85.54	108.98
3	A	603	TRT	C3-C1-C2	-7.40	85.65	108.98
2	A	602	UQ5	C10-C9-C8	-7.27	109.23	123.50
2	B	602	UQ5	C10-C9-C8	-7.24	109.28	123.50
2	A	601	UQ5	C10-C9-C8	-7.23	109.31	123.50
3	A	604	TRT	C3-C1-C2	-7.16	86.39	108.98
2	B	603	UQ5	C10-C9-C8	-7.05	109.65	123.50
2	A	602	UQ5	C15-C14-C13	-6.26	111.20	123.50
3	A	604	TRT	C3-C1-C5	-5.54	84.89	110.59
3	A	603	TRT	C3-C1-C5	-5.43	85.43	110.59
2	A	601	UQ5	C7-C8-C9	-5.29	117.74	126.70
2	A	602	UQ5	C7-C8-C9	-5.25	117.80	126.70
2	B	602	UQ5	C7-C8-C9	-5.23	117.83	126.70
2	B	603	UQ5	C7-C8-C9	-5.19	117.90	126.70
2	A	602	UQ5	C12-C13-C14	-4.57	117.82	127.76
2	A	602	UQ5	C16-C14-C13	-4.39	112.72	121.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	603	UQ5	C11-C9-C8	-4.22	113.06	121.05
2	A	602	UQ5	C15-C14-C16	-4.14	109.09	115.41
2	A	602	UQ5	C11-C9-C8	-4.08	113.32	121.05
2	B	602	UQ5	C11-C9-C8	-4.07	113.33	121.05
2	A	601	UQ5	C11-C9-C8	-4.03	113.40	121.05
2	A	602	UQ5	C10-C9-C11	-3.73	109.70	115.41
2	B	602	UQ5	C10-C9-C11	-3.72	109.73	115.41
2	B	603	UQ5	C15-C14-C13	-3.61	111.00	122.61
2	A	601	UQ5	C10-C9-C11	-3.60	109.91	115.41
2	B	603	UQ5	C10-C9-C11	-3.54	110.00	115.41
2	A	601	UQ5	C15-C14-C13	-3.53	111.24	122.61
2	B	602	UQ5	C15-C14-C13	-3.52	111.30	122.61
5	A	607	FAD	P-O3P-PA	-3.27	123.56	132.73
2	B	603	UQ5	C16-C14-C13	-3.13	112.53	122.61
2	A	601	UQ5	C16-C14-C13	-3.10	112.62	122.61
2	B	602	UQ5	C16-C14-C13	-3.10	112.65	122.61
3	B	604	TRT	C5-C6-C9	-2.98	104.37	111.93
5	B	606	FAD	P-O3P-PA	-2.91	124.56	132.73
5	A	607	FAD	C4X-C4-N3	-2.87	119.66	123.59
3	A	603	TRT	C5-C6-C9	-2.69	105.11	111.93
2	B	603	UQ5	C12-C13-C14	-2.60	117.71	127.73
2	B	602	UQ5	C12-C13-C14	-2.56	117.87	127.73
2	A	601	UQ5	C12-C13-C14	-2.53	117.98	127.73
2	A	601	UQ5	C16-C14-C15	-2.44	108.64	114.64
3	A	604	TRT	C1-C5-C6	-2.38	113.60	124.13
2	B	602	UQ5	C16-C14-C15	-2.36	108.83	114.64
2	B	603	UQ5	C16-C14-C15	-2.26	109.09	114.64
5	B	606	FAD	C4X-C4-N3	-2.25	120.52	123.59
5	A	607	FAD	C4A-C5A-N7A	-2.23	107.43	109.48
5	B	606	FAD	C4A-C5A-N7A	-2.18	107.48	109.48
3	A	603	TRT	C1-C5-C6	-2.16	114.59	124.13
3	A	605	TRT	C3-C1-C4	-2.02	102.61	108.98
5	A	607	FAD	C1B-N9A-C4A	-2.02	123.90	126.94
3	A	604	TRT	C2-C1-C5	2.02	119.94	110.59
2	A	602	UQ5	C16-C17-C18	2.03	117.84	112.79
5	B	606	FAD	O3P-P-O5'	2.04	108.36	102.94
2	A	601	UQ5	C8-C7-C6	2.10	117.95	111.64
5	A	607	FAD	O2A-PA-O3P	2.11	114.66	105.09
2	B	603	UQ5	C8-C7-C6	2.16	118.12	111.64
5	A	607	FAD	C4X-N5-C5X	2.17	119.25	116.76
2	B	603	UQ5	C11-C12-C13	2.29	117.69	111.69
2	A	601	UQ5	C11-C12-C13	2.30	117.71	111.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	UQ5	C11-C12-C13	2.37	117.90	111.69
2	A	602	UQ5	C11-C12-C13	2.39	117.95	111.69
5	A	607	FAD	C1'-N10-C9A	2.46	121.63	118.86
5	B	606	FAD	C1'-N10-C9A	2.54	121.71	118.86
5	B	606	FAD	C5X-C9A-N10	2.70	119.67	117.62
5	B	606	FAD	C4X-N5-C5X	2.94	120.14	116.76
3	A	604	TRT	C4-C1-C2	3.07	118.67	108.98
3	A	603	TRT	C16-O15-C12	3.13	125.62	117.91
3	A	603	TRT	C4-C1-C2	3.27	119.30	108.98
5	A	607	FAD	C5X-C9A-N10	3.50	120.28	117.62
5	B	606	FAD	C4-N3-C2	5.28	119.81	115.25
5	A	607	FAD	C4-N3-C2	6.11	120.52	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 85 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	UQ5	13	0
2	A	602	UQ5	21	0
3	A	603	TRT	3	0
3	A	604	TRT	3	0
3	A	605	TRT	1	0
5	A	607	FAD	2	0
2	B	602	UQ5	24	0
2	B	603	UQ5	28	0
3	B	604	TRT	3	0
5	B	606	FAD	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	471/502 (93%)	-0.18	10 (2%) 67 70	22, 36, 63, 91	0
1	B	463/502 (92%)	-0.03	28 (6%) 25 28	22, 40, 78, 104	0
All	All	934/1004 (93%)	-0.11	38 (4%) 41 45	22, 37, 72, 104	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	152	GLN	6.7
1	B	433	GLU	5.4
1	B	42	THR	5.3
1	B	50	HIS	4.6
1	B	415	ASN	4.4
1	B	429	LEU	4.4
1	A	50	HIS	3.9
1	B	152	GLN	3.7
1	B	417	GLN	3.6
1	B	416	PHE	3.5
1	B	49	GLN	3.4
1	A	427	ILE	3.2
1	B	48	PRO	3.1
1	A	417	GLN	3.0
1	B	436	PHE	2.9
1	A	322	ASP	2.8
1	B	386	PHE	2.8
1	B	463	LYS	2.8
1	B	432	GLU	2.6
1	B	431	PHE	2.6
1	B	321	GLU	2.6
1	B	414	PRO	2.5
1	B	52	ASP	2.5
1	B	464	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	437	LYS	2.4
1	B	388	GLY	2.4
1	B	154	GLU	2.4
1	B	419	ASN	2.3
1	B	374	GLY	2.3
1	B	155	ASN	2.3
1	A	38	THR	2.2
1	B	373	LYS	2.2
1	B	369	PHE	2.2
1	A	433	GLU	2.2
1	A	428	ASP	2.2
1	A	155	ASN	2.1
1	A	466	PHE	2.1
1	B	376	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	UQ5	B	603	23/38	0.55	0.44	36.52	56,65,73,77	0
3	TRT	B	604	20/25	0.76	0.33	20.35	46,60,71,71	0
2	UQ5	A	601	23/38	0.74	0.44	19.29	45,62,70,78	0
3	TRT	A	603	20/25	0.80	0.32	15.78	44,69,81,83	0
3	TRT	A	604	20/25	0.80	0.43	13.17	53,72,83,83	0
2	UQ5	B	602	23/38	0.80	0.33	9.96	51,58,65,69	0
4	MG	B	607	1/1	0.93	0.25	6.62	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	TRT	A	605	16/25	0.80	0.34	6.50	50,60,72,79	0
2	UQ5	A	602	27/38	0.79	0.34	4.71	46,58,67,76	0
4	MG	B	605	1/1	0.92	0.18	2.95	52,52,52,52	0
4	MG	B	609	1/1	0.97	0.17	1.19	40,40,40,40	0
4	MG	A	606	1/1	0.84	0.17	0.89	60,60,60,60	0
5	FAD	B	606	53/53	0.98	0.14	0.37	26,34,38,42	0
5	FAD	A	607	53/53	0.98	0.14	0.32	19,25,32,36	0
4	MG	B	608	1/1	0.97	0.14	0.28	45,45,45,45	0
4	MG	B	601	1/1	0.99	0.10	-0.20	20,20,20,20	0
4	MG	A	608	1/1	0.97	0.11	-0.58	31,31,31,31	0
4	MG	A	611	1/1	0.97	0.10	-1.19	40,40,40,40	0
4	MG	A	610	1/1	0.97	0.11	-2.25	33,33,33,33	0
4	MG	A	609	1/1	0.97	0.07	-3.48	32,32,32,32	0
4	MG	B	610	1/1	0.95	0.18	-	48,48,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.