



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:17 AM GMT

PDB ID : 2GE3  
Title : Crystal structure of Probable acetyltransferase from Agrobacterium tumefaciens  
Authors : Chang, C.; Xu, X.; Gu, J.; Savchenko, A.; Edwards, A.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)  
Deposited on : 2006-03-17  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	170	
1	B	170	
1	C	170	
1	D	170	

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 5675 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called probable acetyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	164	1288	809	244	229	2	4	0	0	0
1	B	163	1283	806	243	228	2	4	0	0	0
1	C	164	1288	809	244	229	2	4	0	0	0
1	D	164	1288	809	244	229	2	4	0	0	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
A	2	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
A	53	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
A	91	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
A	107	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
A	164	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	2	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	53	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	91	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	107	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
B	164	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	1	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	2	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	53	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	91	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	107	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
C	164	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
D	1	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
D	2	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
D	53	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	91	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
D	107	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38
D	164	MSE	MET	MODIFIED RESIDUE	UNP Q8UD38

- Molecule 2 is ACETYL COENZYME \*A (three-letter code: ACO) (formula: C<sub>23</sub>H<sub>38</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
2	A	1	51	23	7	17	3	1	0	0
2	B	1	51	23	7	17	3	1	0	0
2	C	1	51	23	7	17	3	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	122	Total	O	0	0
			122	122		
3	B	100	Total	O	0	0
			100	100		
3	C	86	Total	O	0	0
			86	86		
3	D	67	Total	O	0	0
			67	67		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: probable acetyltransferase




- Molecule 1: probable acetyltransferase




- Molecule 1: probable acetyltransferase



- Molecule 1: probable acetyltransferase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.91Å 90.80Å 103.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.25 39.25 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-2.25) 99.2 (39.25-2.25)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.44 (at 2.24Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.190 , 0.261 0.189 , 0.260	Depositor DCC
$R_{free}$ test set	1814 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.2	Xtrriage
Anisotropy	0.335	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 44.0	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Outliers	0 of 36323 reflections	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5675	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
ACO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.28	8/1310 (0.6%)	1.23	8/1762 (0.5%)
1	B	1.28	5/1305 (0.4%)	1.21	8/1755 (0.5%)
1	C	1.16	2/1310 (0.2%)	1.14	9/1762 (0.5%)
1	D	1.29	9/1310 (0.7%)	1.10	7/1762 (0.4%)
All	All	1.25	24/5235 (0.5%)	1.17	32/7041 (0.5%)

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	105	ARG	CZ-NH1	16.90	1.55	1.33
1	D	101	GLY	CA-C	10.18	1.68	1.51
1	D	11	LYS	CD-CE	9.20	1.74	1.51
1	B	123	GLU	CG-CD	8.88	1.65	1.51
1	D	32	ARG	CG-CD	8.35	1.72	1.51
1	D	101	GLY	C-O	7.44	1.35	1.23
1	A	123	GLU	CG-CD	7.19	1.62	1.51
1	D	105	ARG	NE-CZ	7.00	1.42	1.33
1	D	32	ARG	CB-CG	6.87	1.71	1.52
1	A	108	ARG	CZ-NH1	6.70	1.41	1.33
1	A	116	GLU	CB-CG	6.13	1.63	1.52
1	D	149	ARG	CB-CG	5.89	1.68	1.52
1	A	96	ALA	CA-CB	5.84	1.64	1.52
1	C	123	GLU	CD-OE2	5.81	1.32	1.25
1	D	11	LYS	CE-NZ	5.75	1.63	1.49
1	A	55	GLU	CG-CD	5.74	1.60	1.51
1	A	21	PHE	CD2-CE2	5.40	1.50	1.39
1	B	123	GLU	CB-CG	-5.40	1.41	1.52
1	C	161	SER	CB-OG	-5.28	1.35	1.42
1	B	44	GLU	CG-CD	5.24	1.59	1.51
1	A	19	GLU	CG-CD	5.20	1.59	1.51
1	B	30	ARG	CZ-NH1	5.15	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	44	GLU	CB-CG	5.14	1.61	1.52
1	B	76	ARG	CG-CD	5.04	1.64	1.51

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	147	ARG	NE-CZ-NH2	-16.92	111.84	120.30
1	D	105	ARG	NE-CZ-NH2	-15.16	112.72	120.30
1	A	132	ARG	NE-CZ-NH1	-15.12	112.74	120.30
1	A	108	ARG	NE-CZ-NH2	-14.33	113.14	120.30
1	D	105	ARG	NE-CZ-NH1	11.12	125.86	120.30
1	B	147	ARG	NE-CZ-NH1	8.96	124.78	120.30
1	C	129	ASP	CB-CG-OD1	8.94	126.34	118.30
1	A	108	ARG	NE-CZ-NH1	8.50	124.55	120.30
1	C	121	ARG	NE-CZ-NH2	-8.36	116.12	120.30
1	C	132	ARG	NE-CZ-NH1	8.28	124.44	120.30
1	A	105	ARG	NE-CZ-NH2	-7.85	116.38	120.30
1	C	132	ARG	NE-CZ-NH2	-7.74	116.43	120.30
1	C	147	ARG	NE-CZ-NH2	-7.59	116.51	120.30
1	A	132	ARG	NE-CZ-NH2	7.46	124.03	120.30
1	A	106	LEU	CA-CB-CG	7.09	131.60	115.30
1	D	11	LYS	CD-CE-NZ	-6.76	96.14	111.70
1	A	105	ARG	NE-CZ-NH1	6.69	123.64	120.30
1	D	121	ARG	NE-CZ-NH1	6.43	123.51	120.30
1	D	40	ALA	C-N-CD	-6.33	106.68	120.60
1	A	149	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	B	106	LEU	CB-CG-CD1	6.30	121.70	111.00
1	B	109	ARG	NE-CZ-NH1	-6.24	117.18	120.30
1	B	109	ARG	CG-CD-NE	-5.68	99.87	111.80
1	B	106	LEU	CA-CB-CG	5.67	128.34	115.30
1	B	147	ARG	CB-CG-CD	-5.57	97.12	111.60
1	C	98	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	D	40	ALA	C-N-CA	5.32	144.35	122.00
1	C	31	GLU	N-CA-C	-5.30	96.68	111.00
1	C	31	GLU	CB-CA-C	-5.29	99.83	110.40
1	C	109	ARG	NE-CZ-NH1	-5.25	117.68	120.30
1	B	98	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	D	32	ARG	CB-CG-CD	-5.04	98.50	111.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1288	0	1275	49	0
1	B	1283	0	1273	45	0
1	C	1288	0	1275	36	0
1	D	1288	0	1275	52	1
2	A	51	0	34	6	0
2	B	51	0	34	8	0
2	C	51	0	34	7	0
3	A	122	0	0	15	1
3	B	100	0	0	16	0
3	C	86	0	0	6	0
3	D	67	0	0	16	0
All	All	5675	0	5200	188	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:107:MSE:HG3	3:B:1388:HOH:O	1.20	1.24
1:B:86:CYS:HB3	3:B:1386:HOH:O	1.34	1.22
1:B:107:MSE:CE	1:B:140:ILE:HG13	1.73	1.18
1:B:107:MSE:HE3	1:B:140:ILE:CG1	1.73	1.18
1:A:86:CYS:HB2	3:A:1303:HOH:O	0.95	1.12
2:B:1302:ACO:HH31	3:B:1402:HOH:O	1.55	1.05
1:D:86:CYS:HB3	3:D:194:HOH:O	1.55	1.04
1:C:137:TYR:OH	2:C:1303:ACO:HH32	1.57	1.03
1:B:107:MSE:HE1	1:B:136:LEU:HG	1.37	1.03
2:A:1301:ACO:HH33	3:A:1423:HOH:O	1.59	1.02
1:D:154:ILE:HD12	1:D:154:ILE:O	1.61	1.00
1:D:14:ARG:H	1:D:17:HIS:HD2	1.10	0.99
1:A:155:ASP:N	3:A:1368:HOH:O	1.73	0.99
1:D:31:GLU:HB3	1:D:33:LYS:HE2	1.44	0.99
1:D:105:ARG:HD3	3:D:219:HOH:O	1.63	0.98
1:C:107:MSE:HE1	1:C:136:LEU:CD2	1.92	0.97

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:MSE:HE1	1:A:136:LEU:HD21	1.47	0.95
2:B:1302:ACO:CH3	3:B:1402:HOH:O	2.11	0.94
1:C:107:MSE:CE	1:C:136:LEU:HD21	1.98	0.93
1:D:16:GLU:HB3	3:D:180:HOH:O	1.68	0.91
1:A:14:ARG:H	1:A:17:HIS:HD2	1.19	0.89
1:B:86:CYS:CB	3:B:1386:HOH:O	2.02	0.88
1:B:14:ARG:H	1:B:17:HIS:HD2	1.20	0.87
1:A:107:MSE:HE1	1:A:136:LEU:CD2	2.04	0.87
2:B:1302:ACO:H132	3:B:1398:HOH:O	1.74	0.86
1:B:30:ARG:NE	3:B:1394:HOH:O	2.07	0.85
1:A:53:MSE:CE	3:A:1395:HOH:O	2.26	0.83
1:B:107:MSE:CE	1:B:136:LEU:HG	2.10	0.82
1:C:107:MSE:HE1	1:C:136:LEU:HD21	1.59	0.81
1:D:40:ALA:HB1	1:D:41:PRO:C	2.03	0.79
1:B:107:MSE:HE3	1:B:140:ILE:HG13	0.85	0.79
1:D:14:ARG:H	1:D:17:HIS:CD2	2.01	0.77
1:C:132:ARG:HG2	1:C:132:ARG:HH11	1.49	0.77
1:B:30:ARG:NH2	3:B:1394:HOH:O	2.18	0.76
1:D:46:VAL:HB	3:D:227:HOH:O	1.84	0.75
1:A:25:LEU:HD11	1:A:37:PHE:CZ	2.22	0.75
1:B:14:ARG:H	1:B:17:HIS:CD2	2.04	0.74
1:D:32:ARG:HG2	1:D:38:LEU:HD22	1.69	0.74
1:A:107:MSE:CE	1:A:136:LEU:HD21	2.19	0.72
1:A:86:CYS:CB	3:A:1303:HOH:O	1.77	0.72
1:B:125:SER:O	2:B:1302:ACO:HH31	1.89	0.71
1:B:25:LEU:HD11	1:B:37:PHE:CZ	2.25	0.71
1:A:14:ARG:H	1:A:17:HIS:CD2	2.06	0.70
1:D:22:HIS:ND1	3:D:227:HOH:O	2.24	0.70
1:C:137:TYR:CZ	2:C:1303:ACO:HH32	2.27	0.69
1:B:47:ARG:HD2	1:B:51:LEU:HD11	1.74	0.69
1:D:14:ARG:N	1:D:17:HIS:HD2	1.86	0.68
1:A:53:MSE:HE3	3:A:1395:HOH:O	1.91	0.68
1:D:83:ARG:O	1:D:86:CYS:HB2	1.94	0.67
1:A:98:ARG:HD3	1:A:132:ARG:HH12	1.59	0.67
1:A:91:MSE:SE	1:A:107:MSE:HE2	2.44	0.67
1:B:18:VAL:HG11	1:B:47:ARG:HG2	1.76	0.66
1:A:99:ASN:ND2	2:A:1301:ACO:H8A	2.12	0.65
1:C:126:VAL:HG11	1:C:134:ILE:CD1	2.26	0.65
1:B:25:LEU:HD11	1:B:37:PHE:HZ	1.61	0.65
1:D:70:ILE:HG22	1:D:94:LEU:HD12	1.78	0.64
1:C:139:LYS:HE3	2:C:1303:ACO:O7A	1.97	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:107:MSE:HE1	1:C:136:LEU:CG	2.27	0.64
1:B:32:ARG:CZ	2:C:1303:ACO:N7A	2.61	0.64
1:B:30:ARG:CZ	3:B:1394:HOH:O	2.42	0.64
1:B:37:PHE:N	1:B:37:PHE:CD1	2.65	0.63
1:B:107:MSE:CG	3:B:1388:HOH:O	2.03	0.61
1:A:98:ARG:HD3	1:A:132:ARG:NH1	2.16	0.60
2:C:1303:ACO:H52A	3:C:1373:HOH:O	2.01	0.60
1:A:49:PHE:CZ	1:A:53:MSE:HE2	2.37	0.60
1:B:26:ASP:O	1:B:30:ARG:HG3	2.02	0.59
1:C:32:ARG:NH2	1:C:38:LEU:HD13	2.17	0.59
1:D:58:HIS:CE1	3:D:221:HOH:O	2.54	0.59
1:A:125:SER:O	2:A:1301:ACO:HH31	2.02	0.58
1:A:86:CYS:SG	3:A:1303:HOH:O	2.46	0.58
1:A:25:LEU:HD11	1:A:37:PHE:HZ	1.65	0.57
1:D:86:CYS:CB	3:D:194:HOH:O	2.32	0.57
1:D:10:ILE:HD12	1:D:105:ARG:NH1	2.20	0.57
1:C:126:VAL:HG13	1:C:134:ILE:HD11	1.87	0.56
1:D:53:MSE:HE1	1:D:76:ARG:HD3	1.87	0.56
1:A:22:HIS:HD2	3:A:1404:HOH:O	1.88	0.56
1:D:78:GLN:HB2	1:D:83:ARG:O	2.05	0.56
1:C:107:MSE:HE1	1:C:136:LEU:HG	1.86	0.56
1:A:22:HIS:HB2	1:A:46:VAL:HG21	1.86	0.56
1:D:60:GLN:NE2	3:D:233:HOH:O	2.29	0.56
1:A:80:ARG:NH2	3:A:1414:HOH:O	2.39	0.56
1:A:126:VAL:HA	2:A:1301:ACO:HH31	1.87	0.56
1:D:31:GLU:O	1:D:33:LYS:N	2.39	0.56
1:A:25:LEU:HD11	1:A:37:PHE:CE2	2.41	0.55
1:C:11:LYS:HE3	1:C:64:ILE:HD13	1.87	0.55
1:B:99:ASN:ND2	2:B:1302:ACO:H8A	2.22	0.55
1:C:163:ASN:ND2	3:C:1324:HOH:O	2.40	0.55
1:A:37:PHE:CD1	1:A:37:PHE:N	2.75	0.55
1:D:60:GLN:HG3	1:D:74:ASP:HB3	1.88	0.55
1:D:40:ALA:HB1	1:D:41:PRO:O	2.07	0.54
1:C:126:VAL:CG1	1:C:134:ILE:CD1	2.85	0.54
1:D:48:ALA:HB1	3:D:235:HOH:O	2.07	0.54
1:A:76:ARG:NH1	3:A:1412:HOH:O	2.25	0.54
1:A:21:PHE:HE2	3:A:1411:HOH:O	1.90	0.53
1:A:99:ASN:HD21	2:A:1301:ACO:H2B	1.73	0.53
1:C:126:VAL:CG1	1:C:134:ILE:HD11	2.38	0.53
1:A:122:ILE:HB	1:A:166:ILE:HG22	1.92	0.52
1:D:15:ALA:HB2	1:D:51:LEU:CD2	2.40	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:99:ASN:HD21	2:B:1302:ACO:H2B	1.75	0.51
1:A:11:LYS:HD2	1:A:64:ILE:HD13	1.93	0.51
1:B:32:ARG:HG2	1:B:38:LEU:HD22	1.94	0.50
1:A:107:MSE:HE1	1:A:136:LEU:HD23	1.91	0.50
1:D:154:ILE:O	1:D:154:ILE:CD1	2.47	0.50
1:B:63:ALA:O	1:B:70:ILE:HD13	2.12	0.50
1:A:154:ILE:CA	3:A:1368:HOH:O	2.58	0.49
1:C:13:ILE:HG23	1:C:54:ILE:HD11	1.94	0.49
1:A:91:MSE:SE	1:A:107:MSE:CE	3.11	0.49
1:C:33:LYS:HE3	3:C:1372:HOH:O	2.12	0.49
1:D:86:CYS:SG	1:D:121:ARG:HD3	2.53	0.49
1:B:22:HIS:HE1	1:B:41:PRO:O	1.96	0.49
1:B:107:MSE:CE	1:B:136:LEU:CG	2.88	0.48
1:C:23:ARG:HD3	3:C:1349:HOH:O	2.13	0.48
1:C:76:ARG:HH11	1:C:76:ARG:HG3	1.77	0.48
1:C:86:CYS:HB3	1:C:123:GLU:OE2	2.13	0.48
1:B:99:ASN:HD21	2:B:1302:ACO:H8A	1.79	0.48
1:A:43:LEU:O	1:A:46:VAL:HG22	2.13	0.48
1:C:60:GLN:HG3	1:C:74:ASP:HB3	1.96	0.48
1:D:30:ARG:HG2	1:D:30:ARG:HH11	1.79	0.47
1:B:44:GLU:OE2	1:B:44:GLU:HA	2.14	0.47
1:D:107:MSE:HE3	1:D:140:ILE:HD12	1.97	0.47
1:A:104:ALA:O	1:A:108:ARG:HG3	2.14	0.47
1:C:34:TYR:HB3	2:C:1303:ACO:H61	1.96	0.47
1:B:65:ALA:O	1:B:66:ASP:HB2	2.13	0.47
1:D:32:ARG:CG	1:D:38:LEU:HD22	2.41	0.47
1:D:26:ASP:OD1	1:D:40:ALA:N	2.45	0.47
1:C:49:PHE:O	1:C:53:MSE:HG2	2.15	0.46
1:A:47:ARG:HG2	1:A:51:LEU:HD22	1.96	0.46
1:A:10:ILE:HG12	1:A:106:LEU:HD13	1.95	0.46
1:A:107:MSE:HE3	1:A:107:MSE:HB2	1.27	0.46
1:D:51:LEU:O	1:D:55:GLU:HG3	2.16	0.46
1:A:152:VAL:HB	1:A:159:ILE:HB	1.98	0.46
1:A:53:MSE:HE1	3:A:1395:HOH:O	2.05	0.46
1:D:43:LEU:O	1:D:46:VAL:HG12	2.16	0.46
1:C:107:MSE:CE	1:C:136:LEU:CD2	2.64	0.45
1:D:39:GLU:C	1:D:40:ALA:O	2.55	0.45
1:B:37:PHE:N	1:B:37:PHE:HD1	2.13	0.45
1:C:122:ILE:HB	1:C:166:ILE:HG22	1.98	0.45
1:D:8:VAL:CG2	1:D:63:ALA:HB1	2.47	0.45
1:D:15:ALA:CB	1:D:51:LEU:HD21	2.47	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:ARG:NH2	3:A:1306:HOH:O	2.23	0.45
1:D:46:VAL:HG11	3:D:230:HOH:O	2.16	0.45
1:A:155:ASP:O	1:A:155:ASP:OD2	2.34	0.44
1:D:18:VAL:CG1	1:D:46:VAL:HG13	2.47	0.44
1:A:22:HIS:CG	1:A:43:LEU:HD22	2.52	0.44
1:D:18:VAL:HG13	1:D:46:VAL:HG13	1.98	0.44
1:C:32:ARG:HH21	1:C:38:LEU:HD13	1.82	0.44
1:A:60:GLN:HG3	1:A:74:ASP:HB3	1.98	0.44
1:B:75:ILE:HD12	1:B:110:THR:HG22	1.98	0.44
1:C:30:ARG:NH1	3:C:1367:HOH:O	2.51	0.44
1:D:30:ARG:HD2	3:D:228:HOH:O	2.16	0.44
1:B:105:ARG:NH1	3:B:1389:HOH:O	2.33	0.44
2:B:1302:ACO:HH33	3:B:1402:HOH:O	1.98	0.44
1:B:47:ARG:HD2	1:B:51:LEU:CD1	2.46	0.44
1:C:14:ARG:H	1:C:17:HIS:HD2	1.66	0.44
1:D:41:PRO:HA	1:D:42:PRO:HD3	1.83	0.43
1:D:122:ILE:HB	1:D:166:ILE:HG22	2.00	0.43
1:A:49:PHE:HD2	3:A:1410:HOH:O	1.99	0.43
1:C:130:ASN:O	1:C:134:ILE:HG12	2.19	0.43
1:D:53:MSE:HE1	1:D:76:ARG:CD	2.47	0.43
1:B:14:ARG:N	1:B:17:HIS:HD2	2.01	0.43
1:B:16:GLU:HB2	3:B:1383:HOH:O	2.18	0.43
1:C:60:GLN:HG3	3:C:1387:HOH:O	2.17	0.43
1:B:159:ILE:HG22	1:B:160:ASP:O	2.18	0.43
1:B:25:LEU:HD11	1:B:37:PHE:CE2	2.53	0.43
1:B:8:VAL:HG13	1:B:70:ILE:HD11	2.00	0.43
1:D:159:ILE:HG22	1:D:160:ASP:O	2.19	0.42
1:C:34:TYR:CB	2:C:1303:ACO:H61	2.50	0.42
1:D:46:VAL:CB	3:D:227:HOH:O	2.57	0.42
1:D:15:ALA:HB2	1:D:51:LEU:HD21	2.01	0.42
1:B:10:ILE:O	1:B:109:ARG:NH1	2.52	0.42
1:A:117:PHE:CD2	1:A:117:PHE:O	2.73	0.42
1:A:107:MSE:SE	1:A:140:ILE:HG13	2.69	0.42
1:B:122:ILE:HB	1:B:166:ILE:HG22	2.01	0.42
1:C:75:ILE:HD12	1:C:110:THR:HG22	2.02	0.42
1:D:46:VAL:CG1	3:D:227:HOH:O	2.67	0.41
1:D:139:LYS:HB3	1:D:139:LYS:HE2	1.88	0.41
1:D:163:ASN:ND2	3:D:208:HOH:O	2.50	0.41
1:C:138:GLU:HG3	1:C:164:MSE:HE1	2.03	0.41
1:C:14:ARG:H	1:C:17:HIS:CD2	2.39	0.41
1:C:107:MSE:SE	1:C:140:ILE:HG13	2.71	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LEU:HA	1:A:46:VAL:HG22	2.03	0.41
1:D:48:ALA:C	3:D:235:HOH:O	2.58	0.41
1:B:32:ARG:HA	3:B:1312:HOH:O	2.20	0.41
1:D:77:ARG:HD3	3:D:221:HOH:O	2.21	0.41
1:B:123:GLU:HB2	3:B:1318:HOH:O	2.21	0.41
1:D:47:ARG:CG	1:D:47:ARG:O	2.69	0.41
1:A:132:ARG:HH11	2:A:1301:ACO:HO1	1.60	0.40
1:B:107:MSE:SE	3:B:1388:HOH:O	2.85	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:TYR:OH	3:A:1418:HOH:O[1_565]	2.06	0.14

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/170 (95%)	160 (99%)	2 (1%)	0	100	100
1	B	161/170 (95%)	155 (96%)	5 (3%)	1 (1%)	30	30
1	C	162/170 (95%)	160 (99%)	1 (1%)	1 (1%)	30	30
1	D	162/170 (95%)	148 (91%)	10 (6%)	4 (2%)	7	3
All	All	647/680 (95%)	623 (96%)	18 (3%)	6 (1%)	21	18

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	32	ARG
1	D	40	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	41	PRO
1	C	7	THR
1	B	15	ALA
1	D	57	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	129/129 (100%)	116 (90%)	13 (10%)	9	7
1	B	129/129 (100%)	118 (92%)	11 (8%)	13	11
1	C	129/129 (100%)	121 (94%)	8 (6%)	23	22
1	D	129/129 (100%)	118 (92%)	11 (8%)	13	11
All	All	516/516 (100%)	473 (92%)	43 (8%)	14	12

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	THR
1	A	33	LYS
1	A	37	PHE
1	A	43	LEU
1	A	44	GLU
1	A	51	LEU
1	A	55	GLU
1	A	64	ILE
1	A	79	ASP
1	A	99	ASN
1	A	106	LEU
1	A	112	ASP
1	A	147	ARG
1	B	7	THR
1	B	13	ILE
1	B	19	GLU
1	B	33	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	37	PHE
1	B	43	LEU
1	B	47	ARG
1	B	70	ILE
1	B	99	ASN
1	B	106	LEU
1	B	125	SER
1	C	7	THR
1	C	19	GLU
1	C	37	PHE
1	C	43	LEU
1	C	76	ARG
1	C	78	GLN
1	C	123	GLU
1	C	132	ARG
1	D	8	VAL
1	D	26	ASP
1	D	68	ASP
1	D	74	ASP
1	D	76	ARG
1	D	100	LYS
1	D	106	LEU
1	D	107	MSE
1	D	136	LEU
1	D	147	ARG
1	D	153	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	22	HIS
1	A	99	ASN
1	A	115	HIS
1	B	17	HIS
1	B	22	HIS
1	B	99	ASN
1	C	17	HIS
1	C	78	GLN
1	C	99	ASN
1	D	17	HIS
1	D	99	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ACO	A	1301	1	43,53,53	1.00	1 (2%)	55,79,79	2.23	13 (23%)
2	ACO	B	1302	-	43,53,53	1.18	5 (11%)	55,79,79	2.89	21 (38%)
2	ACO	C	1303	-	43,53,53	1.17	3 (6%)	55,79,79	2.42	12 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	A	1301	1	-	0/47/67/67	0/3/3/3
2	ACO	B	1302	-	-	0/47/67/67	0/3/3/3
2	ACO	C	1303	-	-	0/47/67/67	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1302	ACO	C3P-N4P	-2.25	1.40	1.46
2	B	1302	ACO	C-S1P	-2.11	1.60	1.74
2	C	1303	ACO	C2A-N1A	2.14	1.38	1.33
2	B	1302	ACO	C2A-N3A	2.16	1.36	1.32
2	C	1303	ACO	C2A-N3A	2.49	1.36	1.32
2	B	1302	ACO	C5A-C4A	2.59	1.46	1.40
2	B	1302	ACO	O4B-C1B	3.33	1.45	1.41
2	A	1301	ACO	O4B-C1B	3.90	1.46	1.41
2	C	1303	ACO	C5A-C4A	3.93	1.49	1.40

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1301	ACO	N3A-C2A-N1A	-10.59	120.79	128.89
2	B	1302	ACO	N3A-C2A-N1A	-10.16	121.11	128.89
2	C	1303	ACO	N3A-C2A-N1A	-9.32	121.76	128.89
2	C	1303	ACO	C7P-N8P-C9P	-8.02	106.65	122.53
2	B	1302	ACO	C3P-C2P-S1P	-6.87	92.97	111.36
2	B	1302	ACO	CDP-CBP-CCP	-5.70	101.11	108.50
2	B	1302	ACO	C7P-N8P-C9P	-5.48	111.68	122.53
2	C	1303	ACO	C1B-N9A-C4A	-5.46	118.70	126.94
2	B	1302	ACO	O6A-CCP-CBP	-4.78	102.86	110.55
2	B	1302	ACO	O3B-P3B-O7A	-4.50	95.87	107.11
2	C	1303	ACO	OAP-CAP-C9P	-4.43	100.22	110.38
2	C	1303	ACO	O9P-C9P-N8P	-4.09	114.88	123.08
2	C	1303	ACO	C4A-C5A-N7A	-3.81	105.97	109.48
2	A	1301	ACO	C2P-S1P-C	-3.61	79.50	101.83
2	A	1301	ACO	CEP-CBP-CAP	-3.50	102.96	109.34
2	B	1302	ACO	C2P-C3P-N4P	-3.09	106.18	112.36
2	B	1302	ACO	C6P-C5P-N4P	-2.91	111.40	116.46
2	A	1301	ACO	C1B-N9A-C4A	-2.80	122.71	126.94
2	A	1301	ACO	O4B-C1B-N9A	-2.77	102.30	108.10
2	C	1303	ACO	O3B-P3B-O7A	-2.70	100.36	107.11
2	B	1302	ACO	O4B-C1B-N9A	-2.62	102.62	108.10
2	C	1303	ACO	O-C-CH3	-2.39	111.44	122.83
2	B	1302	ACO	C4A-C5A-N7A	-2.27	107.39	109.48
2	B	1302	ACO	O4B-C4B-C3B	-2.16	99.89	104.86
2	B	1302	ACO	O9P-C9P-N8P	-2.08	118.92	123.08
2	A	1301	ACO	C7P-N8P-C9P	-2.01	118.55	122.53
2	A	1301	ACO	O3B-P3B-O7A	2.05	112.24	107.11
2	B	1302	ACO	C7P-C6P-C5P	2.21	115.96	112.31
2	A	1301	ACO	CEP-CBP-CCP	2.30	111.48	108.50
2	B	1302	ACO	N6A-C6A-N1A	2.38	124.30	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1301	ACO	O2A-P1A-O1A	2.49	126.00	112.53
2	C	1303	ACO	O2B-C2B-C3B	2.50	118.38	111.16
2	B	1302	ACO	C3P-N4P-C5P	2.61	127.93	122.79
2	A	1301	ACO	C2A-N1A-C6A	2.67	123.53	118.77
2	B	1302	ACO	C6P-C7P-N8P	2.72	117.84	111.88
2	C	1303	ACO	O8A-P3B-O7A	2.85	119.75	110.58
2	C	1303	ACO	CAP-C9P-N8P	2.96	123.02	116.47
2	A	1301	ACO	N6A-C6A-N1A	3.22	126.12	119.20
2	B	1302	ACO	C2A-N1A-C6A	3.31	124.68	118.77
2	C	1303	ACO	C2A-N1A-C6A	3.36	124.78	118.77
2	A	1301	ACO	C7P-C6P-C5P	3.54	118.15	112.31
2	B	1302	ACO	C2B-C1B-N9A	4.41	121.03	114.29
2	B	1302	ACO	O8A-P3B-O7A	4.54	125.19	110.58
2	B	1302	ACO	CEP-CBP-CCP	4.66	114.55	108.50
2	A	1301	ACO	O9A-P3B-O8A	4.77	125.53	107.38
2	B	1302	ACO	C4B-O4B-C1B	5.37	115.62	109.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1301	ACO	6	0
2	B	1302	ACO	8	0
2	C	1303	ACO	7	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	160/170 (94%)	0.04	1 (0%) 90 91	22, 35, 50, 60	0
1	B	159/170 (93%)	0.10	2 (1%) 79 82	23, 35, 51, 55	0
1	C	160/170 (94%)	0.20	5 (3%) 52 57	32, 39, 54, 64	0
1	D	160/170 (94%)	1.00	26 (16%) 2 2	34, 52, 81, 85	0
All	All	639/680 (93%)	0.33	34 (5%) 30 33	22, 40, 66, 85	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	117	PHE	6.7
1	D	67	GLY	6.4
1	B	169	GLY	6.1
1	D	57	ASP	5.7
1	D	42	PRO	4.5
1	D	46	VAL	4.2
1	D	116	GLU	3.8
1	D	49	PHE	3.6
1	D	170	ASN	3.4
1	D	50	VAL	3.4
1	D	33	LYS	3.4
1	D	114	ALA	3.3
1	D	41	PRO	3.3
1	C	66	ASP	3.1
1	D	58	HIS	3.1
1	C	6	ASP	3.1
1	D	37	PHE	3.1
1	D	155	ASP	2.9
1	D	169	GLY	2.9
1	D	43	LEU	2.7
1	D	32	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	115	HIS	2.6
1	D	56	ASN	2.5
1	D	34	TYR	2.3
1	B	37	PHE	2.3
1	A	6	ASP	2.3
1	D	25	LEU	2.2
1	C	81	ALA	2.2
1	D	7	THR	2.2
1	C	67	GLY	2.1
1	D	66	ASP	2.1
1	D	112	ASP	2.0
1	C	37	PHE	2.0
1	D	23	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ACO	C	1303	51/51	0.91	0.20	1.41	37,52,63,65	0
2	ACO	B	1302	51/51	0.97	0.09	-2.36	22,29,56,59	0
2	ACO	A	1301	51/51	0.97	0.09	-2.56	18,26,46,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.