



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:53 AM GMT

PDB ID : 3GEI
Title : Crystal structure of MnmE from Chlorobium tepidum in complex with GCP
Authors : Meyer, S.; Wittinghofer, A.
Deposited on : 2009-02-25
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1476 (3.50-3.30)
Clashscore	102246	1611 (3.50-3.30)
Ramachandran outliers	100387	1571 (3.50-3.30)
Sidechain outliers	100360	1571 (3.50-3.30)
RSRZ outliers	91569	1485 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	<div> <div>4%</div> <div>68%</div> <div>18%</div> <div>10%</div> </div>
1	B	476	<div> <div>6%</div> <div>67%</div> <div>19%</div> <div>11%</div> </div>
1	C	476	<div> <div>4%</div> <div>48%</div> <div>12%</div> <div>37%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called tRNA modification GTPase mnME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	0	0
			3239	2027	576	621	15			
1	B	424	Total	C	N	O	S	0	0	0
			3212	2012	571	614	15			
1	C	298	Total	C	N	O	S	0	0	0
			2264	1417	409	428	10			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP Q8KAS1
A	-1	SER	-	EXPRESSION TAG	UNP Q8KAS1
A	0	HIS	-	EXPRESSION TAG	UNP Q8KAS1
B	-2	GLY	-	EXPRESSION TAG	UNP Q8KAS1
B	-1	SER	-	EXPRESSION TAG	UNP Q8KAS1
B	0	HIS	-	EXPRESSION TAG	UNP Q8KAS1
C	-2	GLY	-	EXPRESSION TAG	UNP Q8KAS1
C	-1	SER	-	EXPRESSION TAG	UNP Q8KAS1
C	0	HIS	-	EXPRESSION TAG	UNP Q8KAS1

- Molecule 2 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			32	11	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			32	11	5	13	3		


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: tRNA modification GTPase mmmE



• Molecule 1: tRNA modification GTPase mmmE



• Molecule 1: tRNA modification GTPase mmmE



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	139.88Å 224.57Å 156.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.94 – 3.40 19.94 – 3.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (19.94-3.40) 99.8 (19.94-3.40)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 3.44Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.245 , 0.269 0.285 , 0.291	Depositor DCC
R_{free} test set	1721 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	115.9	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 55.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 34041 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8780	wwPDB-VP
Average B, all atoms (Å ²)	124.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GCP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/3276	0.62	1/4423 (0.0%)
1	B	0.43	0/3249	0.61	1/4386 (0.0%)
1	C	0.37	0/2294	0.59	1/3099 (0.0%)
All	All	0.42	0/8819	0.61	3/11908 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	410	ARG	N-CA-C	-5.39	96.44	111.00
1	A	410	ARG	N-CA-C	-5.36	96.52	111.00
1	C	410	ARG	N-CA-C	-5.11	97.19	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3239	0	3248	80	0
1	B	3212	0	3230	84	0
1	C	2264	0	2257	55	0
2	A	32	0	14	1	0
2	B	32	0	14	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
All	All	8780	0	8763	208	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:THR:HG22	1:A:408:SER:H	1.27	0.96
1:B:407:THR:HG22	1:B:408:SER:H	1.28	0.96
1:B:31:ARG:HH22	1:B:473:LYS:HD2	1.31	0.96
1:B:272:CYS:HB2	1:B:280:PHE:O	1.65	0.95
1:C:407:THR:HG22	1:C:408:SER:H	1.32	0.93
1:C:31:ARG:HH22	1:C:473:LYS:HD2	1.28	0.93
1:B:169:ARG:HG3	1:B:169:ARG:HH21	1.35	0.90
1:A:272:CYS:HB2	1:A:280:PHE:O	1.71	0.90
1:A:228:SER:HB2	1:A:407:THR:HG23	1.50	0.90
1:C:228:SER:HB2	1:C:407:THR:HG23	1.54	0.89
1:A:31:ARG:HH22	1:A:473:LYS:HD2	1.35	0.89
1:B:228:SER:HB2	1:B:407:THR:HG23	1.53	0.88
1:A:342:LYS:HB2	1:A:392:LEU:HD22	1.55	0.88
1:A:428:LEU:HD23	1:A:433:SER:HB2	1.55	0.88
1:C:169:ARG:HH21	1:C:169:ARG:HG3	1.37	0.88
1:C:428:LEU:HD23	1:C:433:SER:HB2	1.55	0.87
1:A:169:ARG:HH21	1:A:169:ARG:HG3	1.39	0.87
1:B:428:LEU:HD23	1:B:433:SER:HB2	1.56	0.86
1:B:31:ARG:HH22	1:B:473:LYS:CD	1.89	0.85
1:A:31:ARG:HH22	1:A:473:LYS:CD	1.88	0.85
1:C:31:ARG:HH22	1:C:473:LYS:CD	1.91	0.83
1:A:86:ARG:HG2	1:B:436:GLU:OE1	1.79	0.83
1:C:184:ILE:HD13	1:C:438:ILE:HG22	1.60	0.83
1:B:184:ILE:HD13	1:B:438:ILE:HG22	1.60	0.83
1:A:184:ILE:HD13	1:A:438:ILE:HG22	1.62	0.80
1:A:229:GLU:HB2	1:A:281:ARG:HH21	1.49	0.77
1:A:407:THR:HG22	1:A:408:SER:N	2.01	0.76
1:B:31:ARG:NH2	1:B:473:LYS:HD2	2.05	0.72
1:C:31:ARG:NH2	1:C:473:LYS:HD2	2.02	0.72
1:B:407:THR:HG22	1:B:408:SER:N	2.03	0.71
1:C:407:THR:HG22	1:C:408:SER:N	2.07	0.70
1:B:31:ARG:NH2	1:B:473:LYS:CD	2.53	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:472:GLY:O	1:C:473:LYS:HB3	1.91	0.70
1:A:31:ARG:NH2	1:A:473:LYS:CD	2.55	0.69
1:C:31:ARG:NH2	1:C:473:LYS:CD	2.55	0.69
1:A:472:GLY:O	1:A:473:LYS:HB3	1.93	0.69
1:C:135:ILE:HG13	1:C:139:GLN:HB2	1.76	0.68
1:B:84:ALA:CB	1:B:85:PRO:CD	2.71	0.68
1:A:84:ALA:CB	1:A:85:PRO:CD	2.73	0.67
1:B:233:THR:HG22	1:B:312:LEU:HB3	1.75	0.67
1:C:84:ALA:CB	1:C:85:PRO:CD	2.72	0.67
1:A:407:THR:CG2	1:A:408:SER:H	2.05	0.67
1:B:84:ALA:HB3	1:B:85:PRO:CD	2.24	0.67
1:B:407:THR:CG2	1:B:408:SER:H	2.06	0.67
1:A:84:ALA:HB3	1:A:85:PRO:CD	2.24	0.66
1:A:135:ILE:HG13	1:A:139:GLN:HB2	1.76	0.66
1:C:84:ALA:HB3	1:C:85:PRO:CD	2.25	0.65
1:B:135:ILE:HG13	1:B:139:GLN:HB2	1.77	0.65
1:C:176:GLN:HB3	1:C:210:LEU:HD11	1.79	0.64
1:B:472:GLY:O	1:B:473:LYS:HB3	1.97	0.64
1:B:84:ALA:CB	1:B:85:PRO:HD3	2.28	0.63
1:B:38:LEU:HD13	1:B:55:ALA:HA	1.81	0.63
1:A:176:GLN:HB3	1:A:210:LEU:HD11	1.81	0.63
1:C:407:THR:CG2	1:C:408:SER:H	2.09	0.62
1:A:342:LYS:HD2	1:A:392:LEU:CB	2.30	0.62
1:B:428:LEU:CD2	1:B:433:SER:HB2	2.28	0.62
1:C:38:LEU:HD13	1:C:55:ALA:HA	1.81	0.62
1:A:428:LEU:CD2	1:A:433:SER:HB2	2.26	0.62
1:C:84:ALA:CB	1:C:85:PRO:HD3	2.29	0.61
1:A:38:LEU:HD13	1:A:55:ALA:HA	1.82	0.61
1:B:176:GLN:HB3	1:B:210:LEU:HD11	1.82	0.61
1:C:428:LEU:CD2	1:C:433:SER:HB2	2.29	0.60
1:A:342:LYS:HB2	1:A:392:LEU:CD2	2.31	0.60
1:A:228:SER:CB	1:A:407:THR:HG23	2.29	0.60
1:B:169:ARG:CG	1:B:169:ARG:HH21	2.13	0.60
1:A:84:ALA:CB	1:A:85:PRO:HD3	2.32	0.59
1:A:16:ALA:HB2	1:A:32:ILE:HG22	1.84	0.59
1:A:233:THR:HG22	1:A:312:LEU:HB3	1.86	0.58
1:A:31:ARG:NH2	1:A:473:LYS:HD3	2.18	0.58
1:B:228:SER:CB	1:B:407:THR:HG23	2.31	0.57
1:B:16:ALA:HB2	1:B:32:ILE:HG22	1.86	0.57
1:B:31:ARG:HH21	1:B:473:LYS:HB3	1.68	0.57
1:A:31:ARG:HH21	1:A:473:LYS:HB3	1.69	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:ARG:NH2	1:A:473:LYS:HD2	2.11	0.57
1:A:31:ARG:HH22	1:A:473:LYS:HD3	1.70	0.57
1:C:228:SER:CB	1:C:407:THR:HG23	2.33	0.56
1:B:26:ALA:HB1	1:C:473:LYS:HD3	1.87	0.56
1:C:31:ARG:HH21	1:C:473:LYS:HB3	1.71	0.56
1:C:16:ALA:HB2	1:C:32:ILE:HG22	1.88	0.56
1:A:16:ALA:CB	1:A:32:ILE:HG22	2.36	0.55
1:A:221:TYR:HE2	1:A:408:SER:HA	1.71	0.55
1:C:135:ILE:HG13	1:C:139:GLN:CB	2.37	0.54
1:B:16:ALA:CB	1:B:32:ILE:HG22	2.37	0.54
1:A:231:VAL:HG13	1:A:311:ASP:HB2	1.89	0.54
1:A:9:PRO:HD3	1:B:440:PHE:HE1	1.72	0.54
1:A:409:LEU:O	1:A:409:LEU:HD12	2.07	0.54
1:B:31:ARG:NH2	1:B:473:LYS:HD3	2.22	0.53
1:B:206:GLN:O	1:B:210:LEU:HD13	2.08	0.53
1:A:169:ARG:NH2	1:A:169:ARG:HG3	2.16	0.53
1:B:84:ALA:HB1	1:B:85:PRO:HD3	1.91	0.53
1:A:42:ASP:OD1	1:A:54:LEU:HB2	2.08	0.53
1:B:169:ARG:HG3	1:B:169:ARG:NH2	2.12	0.53
1:C:409:LEU:O	1:C:409:LEU:HD12	2.09	0.52
1:C:221:TYR:HE2	1:C:408:SER:HA	1.74	0.52
1:A:342:LYS:HD2	1:A:392:LEU:HB2	1.90	0.52
1:C:16:ALA:CB	1:C:32:ILE:HG22	2.39	0.52
1:B:135:ILE:HG13	1:B:139:GLN:CB	2.39	0.52
1:C:84:ALA:HB1	1:C:85:PRO:HD3	1.91	0.52
1:B:64:PHE:HZ	1:B:76:GLU:OE2	1.93	0.51
1:A:342:LYS:HD2	1:A:392:LEU:HB3	1.92	0.51
1:C:203:LEU:O	1:C:207:ILE:HG12	2.10	0.51
1:C:64:PHE:HZ	1:C:76:GLU:OE2	1.93	0.51
1:B:177:LEU:O	1:B:181:CYS:HB2	2.10	0.51
1:A:203:LEU:O	1:A:207:ILE:HG12	2.10	0.51
1:B:473:LYS:HD3	1:C:26:ALA:HB1	1.93	0.51
1:A:206:GLN:O	1:A:210:LEU:HD13	2.11	0.51
1:C:151:THR:HB	1:C:154:ALA:H	1.75	0.51
1:A:169:ARG:HH21	1:A:169:ARG:CG	2.18	0.51
1:B:472:GLY:O	1:C:26:ALA:HB2	2.11	0.51
1:A:229:GLU:CB	1:A:281:ARG:HH21	2.22	0.51
1:A:151:THR:HB	1:A:154:ALA:H	1.76	0.51
1:B:151:THR:HB	1:B:154:ALA:H	1.74	0.51
1:C:177:LEU:O	1:C:181:CYS:HB2	2.11	0.51
1:B:328:LEU:HA	1:B:331:ILE:HG23	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:169:ARG:NH2	1:C:169:ARG:HG3	2.13	0.50
1:B:203:LEU:O	1:B:207:ILE:HG12	2.12	0.50
1:A:135:ILE:HG13	1:A:139:GLN:CB	2.40	0.50
1:C:206:GLN:O	1:C:210:LEU:HD13	2.12	0.50
1:B:409:LEU:HD12	1:B:409:LEU:O	2.12	0.50
1:A:375:SER:HB3	1:A:378:ASN:HB3	1.94	0.50
1:B:169:ARG:NH2	1:B:169:ARG:CG	2.75	0.49
1:A:207:ILE:HB	1:A:426:LEU:HD13	1.93	0.49
1:C:42:ASP:OD1	1:C:54:LEU:HB2	2.11	0.49
1:C:207:ILE:HB	1:C:426:LEU:HD13	1.94	0.49
1:B:84:ALA:HB3	1:B:85:PRO:HD2	1.93	0.49
1:A:84:ALA:HB3	1:A:85:PRO:HD2	1.91	0.49
1:A:328:LEU:HA	1:A:331:ILE:HG23	1.93	0.49
1:B:42:ASP:OD1	1:B:54:LEU:HB2	2.13	0.49
1:C:84:ALA:HB3	1:C:85:PRO:HD2	1.95	0.49
1:B:156:ARG:NH1	1:C:73:MET:O	2.35	0.48
1:A:325:ASP:C	1:A:327:GLU:H	2.16	0.48
1:A:84:ALA:HB1	1:A:85:PRO:HD3	1.95	0.48
1:A:317:LEU:HD21	1:A:363:ILE:HD13	1.96	0.48
1:A:272:CYS:CB	1:A:281:ARG:HA	2.43	0.47
1:B:226:ILE:HG21	1:B:231:VAL:HG22	1.96	0.47
1:B:375:SER:HB3	1:B:378:ASN:HB3	1.96	0.47
1:B:328:LEU:HB2	1:B:367:THR:CG2	2.44	0.47
1:A:6:LEU:HD21	1:B:428:LEU:HD11	1.96	0.47
1:A:6:LEU:CD2	1:B:437:LEU:HD22	2.45	0.47
1:B:312:LEU:HD13	1:B:342:LYS:HD3	1.95	0.47
1:A:177:LEU:O	1:A:181:CYS:HB2	2.14	0.47
1:B:31:ARG:HB2	1:B:95:GLU:HG2	1.97	0.47
1:B:226:ILE:CG2	1:B:231:VAL:HG22	2.44	0.47
1:B:272:CYS:CB	1:B:281:ARG:HA	2.44	0.47
1:C:31:ARG:NH2	1:C:473:LYS:HD3	2.29	0.47
1:B:207:ILE:HB	1:B:426:LEU:HD13	1.95	0.47
1:B:458:ASN:HB3	1:B:461:VAL:HB	1.97	0.47
1:B:226:ILE:CG2	1:B:231:VAL:CG2	2.93	0.47
1:B:317:LEU:HD21	1:B:363:ILE:HD13	1.96	0.47
1:B:177:LEU:HD13	1:B:446:LEU:HA	1.98	0.46
1:C:458:ASN:HB3	1:C:461:VAL:HB	1.97	0.46
1:B:226:ILE:HG23	1:B:231:VAL:CG2	2.45	0.46
1:B:200:ARG:HH11	1:B:429:ILE:HG23	1.78	0.46
1:A:328:LEU:HB2	1:A:367:THR:CG2	2.45	0.46
1:A:215:ASN:HA	1:A:218:ILE:HD12	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:325:ASP:C	1:B:327:GLU:H	2.19	0.46
1:B:231:VAL:HG13	1:B:311:ASP:HB2	1.97	0.45
1:C:208:GLU:HG3	1:C:426:LEU:HD11	1.99	0.45
1:B:148:HIS:NE2	1:B:470:CYS:SG	2.88	0.45
1:A:312:LEU:HD13	1:A:342:LYS:HD3	1.98	0.45
1:C:177:LEU:HD13	1:C:446:LEU:HA	1.98	0.45
1:B:166:LEU:HD11	1:B:406:VAL:HG12	1.98	0.45
1:B:349:LYS:HG2	2:B:474:GCP:C5	2.46	0.45
1:A:64:PHE:HZ	1:A:76:GLU:OE2	1.97	0.45
1:B:221:TYR:HE2	1:B:408:SER:HA	1.81	0.45
1:A:169:ARG:NH2	1:A:169:ARG:CG	2.79	0.45
2:A:474:GCP:H5'2	2:A:474:GCP:H8	1.99	0.45
1:A:166:LEU:HD11	1:A:406:VAL:HG12	1.99	0.44
1:A:177:LEU:HD13	1:A:446:LEU:HA	2.00	0.44
1:B:26:ALA:HB2	1:C:472:GLY:O	2.18	0.44
1:A:6:LEU:HD22	1:B:437:LEU:HD22	1.99	0.44
1:B:215:ASN:HA	1:B:218:ILE:HD12	2.00	0.44
1:A:458:ASN:HB3	1:A:461:VAL:HB	1.98	0.44
1:B:349:LYS:HG2	2:B:474:GCP:C6	2.47	0.44
1:A:435:THR:HG23	1:C:49:HIS:HD2	1.82	0.44
1:B:355:ASN:N	1:B:355:ASN:OD1	2.51	0.43
1:B:184:ILE:HD13	1:B:438:ILE:CG2	2.39	0.43
1:A:208:GLU:HG3	1:A:426:LEU:HD11	2.00	0.43
1:B:208:GLU:HG3	1:B:426:LEU:HD11	1.99	0.43
1:C:152:GLU:O	1:C:156:ARG:HG2	2.17	0.43
1:C:200:ARG:HH11	1:C:429:ILE:HG23	1.83	0.43
1:C:166:LEU:HD11	1:C:406:VAL:HG12	2.00	0.43
1:A:272:CYS:HB3	1:A:281:ARG:HA	2.01	0.42
1:B:247:LEU:HG	1:B:282:LEU:HD23	2.01	0.42
1:B:272:CYS:HB3	1:B:281:ARG:HA	2.01	0.42
1:C:148:HIS:NE2	1:C:470:CYS:SG	2.93	0.42
1:C:215:ASN:HA	1:C:218:ILE:HD12	2.01	0.42
1:A:31:ARG:HB2	1:A:95:GLU:HG2	2.02	0.42
1:A:459:GLU:HA	1:A:462:LEU:HB2	2.01	0.42
1:A:235:ILE:HG22	1:A:243:LYS:HG2	2.02	0.42
1:B:219:ASP:O	1:B:222:GLN:HB3	2.20	0.41
1:B:226:ILE:HG23	1:B:231:VAL:HG23	2.02	0.41
1:C:219:ASP:O	1:C:222:GLN:HB3	2.21	0.41
1:A:148:HIS:NE2	1:A:470:CYS:SG	2.93	0.41
1:B:152:GLU:O	1:B:156:ARG:HG2	2.20	0.41
1:A:210:LEU:HB3	1:A:422:LEU:HD21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:GLU:HB2	1:B:281:ARG:HH21	1.86	0.41
1:A:152:GLU:O	1:A:156:ARG:HG2	2.21	0.41
1:B:235:ILE:HG22	1:B:243:LYS:HG2	2.03	0.41
1:C:31:ARG:HB2	1:C:95:GLU:HG2	2.03	0.41
1:A:86:ARG:NH1	1:B:434:GLU:HG2	2.36	0.41
1:A:184:ILE:HD13	1:A:438:ILE:CG2	2.44	0.41
1:C:38:LEU:HD21	1:C:83:ARG:NH1	2.36	0.40
1:A:390:GLY:HA2	1:A:393:VAL:CG2	2.51	0.40
1:C:459:GLU:HA	1:C:462:LEU:HB2	2.03	0.40
1:A:219:ASP:O	1:A:222:GLN:HB3	2.20	0.40
1:A:390:GLY:HA2	1:A:393:VAL:HG22	2.04	0.40
1:B:459:GLU:HA	1:B:462:LEU:HB2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/476 (88%)	384 (91%)	28 (7%)	8 (2%)	10	49
1	B	416/476 (87%)	383 (92%)	25 (6%)	8 (2%)	10	49
1	C	294/476 (62%)	270 (92%)	18 (6%)	6 (2%)	9	48
All	All	1130/1428 (79%)	1037 (92%)	71 (6%)	22 (2%)	10	49

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	84	ALA
1	A	192	GLU
1	B	84	ALA
1	B	192	GLU
1	B	408	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	84	ALA
1	C	192	GLU
1	A	198	GLN
1	A	354	ALA
1	A	408	SER
1	C	408	SER
1	A	49	HIS
1	B	49	HIS
1	B	198	GLN
1	B	354	ALA
1	C	49	HIS
1	C	198	GLN
1	A	197	PHE
1	A	326	ASP
1	B	326	ASP
1	B	197	PHE
1	C	197	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/386 (87%)	308 (92%)	28 (8%)	14	49
1	B	334/386 (86%)	306 (92%)	28 (8%)	14	49
1	C	234/386 (61%)	215 (92%)	19 (8%)	15	51
All	All	904/1158 (78%)	829 (92%)	75 (8%)	14	49

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	LEU
1	A	10	VAL
1	A	38	LEU
1	A	83	ARG
1	A	94	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	97	THR
1	A	103	VAL
1	A	131	LEU
1	A	151	THR
1	A	166	LEU
1	A	169	ARG
1	A	180	SER
1	A	181	CYS
1	A	203	LEU
1	A	222	GLN
1	A	245	THR
1	A	305	MET
1	A	306	LYS
1	A	317	LEU
1	A	328	LEU
1	A	331	ILE
1	A	352	ARG
1	A	360	ILE
1	A	401	GLU
1	A	422	LEU
1	A	428	LEU
1	A	440	PHE
1	A	470	CYS
1	B	10	VAL
1	B	38	LEU
1	B	83	ARG
1	B	94	VAL
1	B	97	THR
1	B	103	VAL
1	B	127	ARG
1	B	131	LEU
1	B	151	THR
1	B	166	LEU
1	B	169	ARG
1	B	180	SER
1	B	181	CYS
1	B	203	LEU
1	B	222	GLN
1	B	245	THR
1	B	305	MET
1	B	306	LYS
1	B	317	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	328	LEU
1	B	331	ILE
1	B	352	ARG
1	B	360	ILE
1	B	392	LEU
1	B	422	LEU
1	B	428	LEU
1	B	440	PHE
1	B	470	CYS
1	C	10	VAL
1	C	38	LEU
1	C	83	ARG
1	C	94	VAL
1	C	97	THR
1	C	103	VAL
1	C	127	ARG
1	C	131	LEU
1	C	151	THR
1	C	166	LEU
1	C	169	ARG
1	C	180	SER
1	C	181	CYS
1	C	203	LEU
1	C	222	GLN
1	C	422	LEU
1	C	428	LEU
1	C	440	PHE
1	C	470	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	49	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	GCP	A	474	3	26,34,34	1.38	4 (15%)	34,54,54	1.83	9 (26%)
2	GCP	B	474	-	26,34,34	1.33	4 (15%)	34,54,54	1.83	11 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GCP	A	474	3	-	0/15/38/38	0/3/3/3
2	GCP	B	474	-	-	0/15/38/38	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	474	GCP	PB-O2B	-2.12	1.51	1.56
2	B	474	GCP	O4'-C1'	2.05	1.43	1.41
2	A	474	GCP	PB-O3A	2.69	1.61	1.58
2	B	474	GCP	C5-C4	2.92	1.47	1.40
2	A	474	GCP	C5-C4	3.21	1.47	1.40
2	B	474	GCP	C6-C5	3.23	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	474	GCP	PB-O3A	3.40	1.62	1.58
2	A	474	GCP	C6-C5	3.93	1.49	1.41

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	474	GCP	C5-C6-N1	-3.82	118.36	123.59
2	A	474	GCP	C5-C6-N1	-3.80	118.39	123.59
2	A	474	GCP	PA-O3A-PB	-3.47	122.97	132.73
2	B	474	GCP	C2'-C1'-N9	-3.42	109.06	114.29
2	B	474	GCP	N3-C2-N1	-3.32	122.38	127.44
2	A	474	GCP	C4-C5-N7	-3.21	106.53	109.48
2	A	474	GCP	C6-C5-C4	-3.08	117.21	120.90
2	B	474	GCP	C6-C5-C4	-3.03	117.27	120.90
2	A	474	GCP	N3-C2-N1	-2.99	122.89	127.44
2	B	474	GCP	PA-O3A-PB	-2.63	125.33	132.73
2	A	474	GCP	C2'-C1'-N9	-2.61	110.30	114.29
2	B	474	GCP	C4-C5-N7	-2.41	107.26	109.48
2	B	474	GCP	O1G-PG-C3B	-2.38	105.71	111.13
2	A	474	GCP	O1G-PG-C3B	-2.11	106.32	111.13
2	B	474	GCP	C2'-C3'-C4'	2.03	106.79	102.61
2	B	474	GCP	C4'-O4'-C1'	2.08	112.01	109.72
2	B	474	GCP	O2B-PB-O1B	2.42	117.73	110.12
2	A	474	GCP	O2B-PB-O1B	2.51	118.02	110.12
2	A	474	GCP	C6-N1-C2	4.35	121.97	115.94
2	B	474	GCP	C6-N1-C2	4.56	122.27	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	474	GCP	1	0
2	B	474	GCP	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/476 (89%)	0.22	19 (4%) 38 34	85, 124, 139, 146	0
1	B	424/476 (89%)	0.21	30 (7%) 19 18	85, 124, 137, 144	0
1	C	298/476 (62%)	0.21	18 (6%) 25 23	85, 123, 139, 144	0
All	All	1150/1428 (80%)	0.21	67 (5%) 26 24	85, 124, 139, 146	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	197	PHE	7.5
1	A	194	ASP	7.0
1	B	195	VAL	6.9
1	C	198	GLN	6.2
1	A	191	SER	6.1
1	A	195	VAL	5.9
1	B	394	LYS	5.2
1	B	191	SER	5.2
1	B	196	GLU	5.2
1	A	193	GLU	5.2
1	B	197	PHE	5.1
1	A	196	GLU	4.6
1	C	196	GLU	4.5
1	A	197	PHE	4.2
1	C	191	SER	4.2
1	A	240	ASN	4.0
1	B	194	ASP	4.0
1	B	403	SER	3.9
1	A	402	ALA	3.8
1	B	205	MET	3.8
1	A	396	LEU	3.8
1	C	194	ASP	3.8
1	A	192	GLU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	201	ASP	3.7
1	B	193	GLU	3.6
1	C	195	VAL	3.6
1	C	228	SER	3.4
1	C	192	GLU	3.3
1	B	49	HIS	3.2
1	C	51	SER	3.0
1	A	4	SER	3.0
1	A	395	ASN	3.0
1	B	51	SER	3.0
1	C	193	GLU	2.9
1	A	199	SER	2.9
1	A	239	PRO	2.8
1	B	340	ALA	2.8
1	C	4	SER	2.8
1	B	198	GLN	2.7
1	A	198	GLN	2.7
1	B	271	GLU	2.7
1	B	309	GLU	2.6
1	B	50	GLY	2.6
1	B	365	ASP	2.6
1	A	270	GLU	2.6
1	B	412	TYR	2.5
1	B	192	GLU	2.5
1	C	186	LEU	2.5
1	C	5	ASP	2.5
1	C	150	ARG	2.4
1	B	240	ASN	2.4
1	B	323	ARG	2.4
1	A	49	HIS	2.4
1	C	152	GLU	2.4
1	B	305	MET	2.3
1	C	230	GLY	2.3
1	A	33	SER	2.1
1	C	22	VAL	2.1
1	B	431	HIS	2.1
1	C	229	GLU	2.1
1	A	403	SER	2.1
1	B	222	GLN	2.1
1	B	270	GLU	2.1
1	B	277	LYS	2.1
1	B	4	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	239	PRO	2.1
1	B	409	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GCP	A	474	32/32	0.93	0.14	-0.92	163,164,165,165	0
2	GCP	B	474	32/32	0.92	0.14	-1.10	160,162,175,175	0
3	MG	A	475	1/1	0.97	0.07	-	136,136,136,136	0

6.5 Other polymers [i](#)

There are no such residues in this entry.