



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:37 PM GMT

PDB ID : 1GHG
Title : CRYSTAL STRUCTURE OF VANCOMYCIN AGLYCON
Authors : Kaplan, J.; Korty, B.D.; Axelsen, P.H.; Loll, P.J.
Deposited on : 2000-12-13
Resolution : 0.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 0.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1390 (1.10-0.86)
Ramachandran outliers	100387	1301 (1.10-0.86)
Sidechain outliers	100360	1300 (1.10-0.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	7	 100%
1	B	7	 100%
1	C	7	 100%
1	D	7	 71% 29%

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 411 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VANCOMYCIN AGLYCON.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	7	Total	C	Cl	N	O	0	0	0
			80	53	2	8	17			
1	B	7	Total	C	Cl	N	O	0	0	0
			80	53	2	8	17			
1	C	7	Total	C	Cl	N	O	0	0	0
			80	53	2	8	17			
1	D	7	Total	C	Cl	N	O	0	0	0
			80	53	2	8	17			

- Molecule 2 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	O	S	0	0
			4	2	1	1		
3	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
			18	18		
4	B	15	Total	O	0	0
			15	15		
4	C	19	Total	O	0	0
			19	19		
4	D	15	Total	O	0	0
			15	15		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: VANCOMYCIN AGLYCON

Chain A:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: VANCOMYCIN AGLYCON

Chain B:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: VANCOMYCIN AGLYCON

Chain C:  100%

There are no outlier residues recorded for this chain.

- Molecule 1: VANCOMYCIN AGLYCON

Chain D:  71% 29%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	29.48 Å 29.48 Å 74.27 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 0.98	Depositor
% Data completeness (in resolution range)	90.9 (8.00-0.98)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	SHELXL	Depositor
R, R_{free}	0.150 , 0.150	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	411	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GHP, MLU, DMS, OMZ, 3FG, ACY, OMY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/7	0.72	0/8
1	B	0.68	0/7	1.15	0/8
1	C	0.97	0/7	0.76	0/8
1	D	0.78	0/7	1.17	0/8
All	All	0.74	0/28	0.97	0/32

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	80	0	45	0	0
1	B	80	0	46	0	0
1	C	80	0	43	0	0
1	D	80	0	46	1	0
2	A	4	0	3	0	0
2	B	4	0	3	0	0
2	C	4	0	3	0	0
2	D	4	0	3	0	0
3	C	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	4	0	6	0	0
4	A	18	0	0	0	0
4	B	15	0	0	0	0
4	C	19	0	0	0	0
4	D	15	0	0	0	0
All	All	411	0	204	1	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (1) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:4:GHP:C3	1:D:6:OMY:CL	3.02	0.44

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1/7 (14%)	0	1 (100%)	0	100	100
1	B	1/7 (14%)	0	1 (100%)	0	100	100
1	C	1/7 (14%)	0	1 (100%)	0	100	100
1	D	1/7 (14%)	0	1 (100%)	0	100	100
All	All	4/28 (14%)	0	4 (100%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1/1 (100%)	1 (100%)	0	100	100
1	B	1/1 (100%)	1 (100%)	0	100	100
1	C	1/1 (100%)	1 (100%)	0	100	100
1	D	1/1 (100%)	1 (100%)	0	100	100
All	All	4/4 (100%)	4 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	MLU	A	1	1	7,8,9	1.35	1 (14%)	4,9,11	1.26	1 (25%)
1	OMZ	A	2	1	13,14,15	2.10	2 (15%)	17,19,21	1.95	5 (29%)
1	GHP	A	4	1	10,11,12	2.12	1 (10%)	12,14,16	1.70	4 (33%)
1	GHP	A	5	1	10,11,12	0.86	0	12,14,16	1.19	1 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMY	A	6	1	13,14,15	1.53	2 (15%)	17,19,21	1.61	4 (23%)
1	3FG	A	7	1	9,13,13	1.52	2 (22%)	14,18,18	1.12	0
1	MLU	B	1	1	7,8,9	2.17	2 (28%)	4,9,11	1.25	1 (25%)
1	OMZ	B	2	1	13,14,15	1.81	4 (30%)	17,19,21	1.73	3 (17%)
1	GHP	B	4	1	10,11,12	1.22	2 (20%)	12,14,16	1.31	1 (8%)
1	GHP	B	5	1	10,11,12	1.09	0	12,14,16	1.51	3 (25%)
1	OMY	B	6	1	13,14,15	1.72	3 (23%)	17,19,21	2.12	5 (29%)
1	3FG	B	7	1	9,13,13	2.11	3 (33%)	14,18,18	2.14	3 (21%)
1	MLU	C	1	1	7,8,9	1.01	0	4,9,11	1.59	1 (25%)
1	OMZ	C	2	1	13,14,15	2.00	3 (23%)	17,19,21	2.55	6 (35%)
1	GHP	C	4	1	10,11,12	1.27	1 (10%)	12,14,16	2.41	7 (58%)
1	GHP	C	5	1	10,11,12	1.16	1 (10%)	12,14,16	1.87	3 (25%)
1	OMY	C	6	1	13,14,15	1.68	4 (30%)	17,19,21	1.88	4 (23%)
1	3FG	C	7	1	9,13,13	1.86	2 (22%)	14,18,18	2.12	3 (21%)
1	MLU	D	1	1	7,8,9	2.35	2 (28%)	4,9,11	1.83	1 (25%)
1	OMZ	D	2	1	13,14,15	1.79	5 (38%)	17,19,21	2.46	5 (29%)
1	GHP	D	4	1	10,11,12	1.10	1 (10%)	12,14,16	2.05	4 (33%)
1	GHP	D	5	1	10,11,12	1.06	0	12,14,16	1.27	1 (8%)
1	OMY	D	6	1	13,14,15	1.89	4 (30%)	17,19,21	2.57	6 (35%)
1	3FG	D	7	1	9,13,13	2.02	3 (33%)	14,18,18	1.74	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MLU	A	1	1	-	0/4/8/10	0/0/0/0
1	OMZ	A	2	1	-	0/8/10/12	0/1/1/1
1	GHP	A	4	1	-	0/4/6/8	0/1/1/1
1	GHP	A	5	1	-	0/4/6/8	0/1/1/1
1	OMY	A	6	1	-	0/8/10/12	0/1/1/1
1	3FG	A	7	1	-	0/4/8/8	0/1/1/1
1	MLU	B	1	1	-	0/4/8/10	0/0/0/0
1	OMZ	B	2	1	-	0/8/10/12	0/1/1/1
1	GHP	B	4	1	-	0/4/6/8	0/1/1/1
1	GHP	B	5	1	-	0/4/6/8	0/1/1/1
1	OMY	B	6	1	-	0/8/10/12	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	3FG	B	7	1	-	0/4/8/8	0/1/1/1
1	MLU	C	1	1	-	0/4/8/10	0/0/0/0
1	OMZ	C	2	1	-	0/8/10/12	0/1/1/1
1	GHP	C	4	1	-	0/4/6/8	0/1/1/1
1	GHP	C	5	1	-	0/4/6/8	0/1/1/1
1	OMY	C	6	1	-	0/8/10/12	0/1/1/1
1	3FG	C	7	1	-	0/4/8/8	0/1/1/1
1	MLU	D	1	1	-	0/4/8/10	0/0/0/0
1	OMZ	D	2	1	-	0/8/10/12	0/1/1/1
1	GHP	D	4	1	-	0/4/6/8	0/1/1/1
1	GHP	D	5	1	-	0/4/6/8	0/1/1/1
1	OMY	D	6	1	-	0/8/10/12	0/1/1/1
1	3FG	D	7	1	-	0/4/8/8	0/1/1/1

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	2	OMZ	CE2-CZ	-4.11	1.32	1.39
1	D	7	3FG	CB-CA	-4.06	1.48	1.52
1	A	2	OMZ	CG-CB	-3.98	1.46	1.51
1	B	6	OMY	CE2-CZ	-3.72	1.32	1.39
1	B	2	OMZ	CE2-CZ	-3.56	1.33	1.39
1	B	7	3FG	CG2-CD2	-3.50	1.33	1.39
1	D	6	OMY	CE2-CZ	-3.45	1.33	1.39
1	A	6	OMY	CE2-CZ	-3.23	1.33	1.39
1	C	2	OMZ	OC-CB	-2.89	1.36	1.42
1	B	2	OMZ	CD1-CE1	-2.79	1.33	1.38
1	A	7	3FG	CZ-CD2	-2.77	1.34	1.39
1	C	6	OMY	CE2-CZ	-2.61	1.34	1.39
1	B	7	3FG	CB-CA	-2.60	1.49	1.52
1	D	6	OMY	ODE-CB	-2.51	1.37	1.42
1	B	6	OMY	CD2-CG	-2.50	1.34	1.39
1	D	1	MLU	CA-N	-2.49	1.42	1.47
1	D	4	GHP	C6-C5	-2.48	1.34	1.38
1	C	7	3FG	CG2-CD2	-2.48	1.35	1.39
1	B	1	MLU	CA-N	-2.46	1.42	1.47
1	D	2	OMZ	CD1-CE1	-2.45	1.34	1.38
1	C	5	GHP	C2-C1	-2.41	1.35	1.39
1	A	7	3FG	CG1-CD1	-2.24	1.35	1.39
1	D	2	OMZ	CG-CB	-2.14	1.48	1.51
1	D	6	OMY	OCZ-CZ	2.02	1.40	1.36
1	D	2	OMZ	CE2-CD2	2.04	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	4	GHP	CA-C	2.05	1.56	1.50
1	B	2	OMZ	CA-CB	2.15	1.58	1.54
1	B	4	GHP	C3-C4	2.18	1.43	1.38
1	D	7	3FG	OD1-CD1	2.19	1.42	1.37
1	D	2	OMZ	CZ-CE1	2.35	1.41	1.39
1	B	6	OMY	CG-CB	2.50	1.55	1.51
1	A	1	MLU	CN-N	2.50	1.53	1.46
1	C	6	OMY	CD2-CE2	2.52	1.43	1.38
1	C	4	GHP	C1-CA	2.55	1.54	1.52
1	C	6	OMY	OCZ-CZ	2.61	1.41	1.36
1	D	7	3FG	CG1-CB	2.82	1.43	1.39
1	C	6	OMY	CG-CB	2.92	1.56	1.51
1	A	6	OMY	CG-CB	3.00	1.56	1.51
1	B	2	OMZ	CZ-CE1	3.26	1.42	1.39
1	B	7	3FG	CG1-CB	3.78	1.45	1.39
1	C	2	OMZ	CA-CB	3.78	1.61	1.54
1	D	2	OMZ	CA-CB	3.88	1.61	1.54
1	C	7	3FG	CG1-CB	4.29	1.46	1.39
1	D	6	OMY	CG-CB	4.31	1.58	1.51
1	B	1	MLU	CN-N	4.65	1.59	1.46
1	D	1	MLU	CN-N	4.95	1.60	1.46
1	A	2	OMZ	CA-CB	5.30	1.63	1.54
1	A	4	GHP	C1-CA	5.98	1.58	1.52

All (76) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	2	OMZ	CD1-CE1-CZ	-8.19	116.66	121.22
1	D	6	OMY	CG-CB-CA	-6.28	103.17	111.96
1	D	2	OMZ	CD1-CE1-CZ	-5.58	118.11	121.22
1	D	6	OMY	CE2-CD2-CG	-5.42	115.64	121.20
1	D	2	OMZ	CE2-CD2-CG	-5.39	115.66	121.20
1	C	6	OMY	CG-CB-CA	-5.06	104.89	111.96
1	B	6	OMY	CG-CB-CA	-4.76	105.30	111.96
1	B	6	OMY	CD1-CE1-CZ	-4.54	118.69	121.22
1	B	2	OMZ	CD1-CE1-CZ	-4.12	118.93	121.22
1	D	4	GHP	C3-C2-C1	-3.74	117.36	121.20
1	C	7	3FG	CD1-CG1-CB	-3.73	116.75	120.14
1	D	7	3FG	CD1-CG1-CB	-3.67	116.80	120.14
1	C	4	GHP	C5-C4-C3	-3.56	114.72	119.79
1	A	2	OMZ	CD2-CE2-CZ	-3.50	116.90	120.49
1	B	7	3FG	CD1-CG1-CB	-3.37	117.08	120.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	6	OMY	CE2-CD2-CG	-3.19	117.93	121.20
1	C	6	OMY	CE2-CD2-CG	-3.16	117.96	121.20
1	C	4	GHP	C5-C6-C1	-3.15	117.96	121.20
1	D	4	GHP	C5-C4-C3	-3.15	115.30	119.79
1	A	6	OMY	CG-CB-CA	-3.09	107.64	111.96
1	D	1	MLU	O-C-CA	-3.08	117.29	125.44
1	C	5	GHP	C2-C3-C4	-3.08	116.31	119.87
1	C	4	GHP	C3-C2-C1	-2.96	118.16	121.20
1	B	4	GHP	C5-C4-C3	-2.94	115.60	119.79
1	A	4	GHP	C5-C6-C1	-2.79	118.33	121.20
1	C	1	MLU	O-C-CA	-2.79	118.07	125.44
1	A	5	GHP	C3-C2-C1	-2.72	118.41	121.20
1	C	4	GHP	C2-C1-CA	-2.68	116.06	120.70
1	A	2	OMZ	CD1-CE1-CZ	-2.67	119.73	121.22
1	C	2	OMZ	O-C-CA	-2.56	118.69	125.44
1	C	6	OMY	CD1-CE1-CZ	-2.54	119.80	121.22
1	A	4	GHP	C5-C4-C3	-2.47	116.27	119.79
1	B	5	GHP	C-CA-N	-2.43	103.85	109.12
1	B	2	OMZ	CE2-CD2-CG	-2.43	118.71	121.20
1	D	5	GHP	C2-C3-C4	-2.35	117.15	119.87
1	B	1	MLU	O-C-CA	-2.32	119.30	125.44
1	B	6	OMY	CE2-CD2-CG	-2.30	118.84	121.20
1	C	2	OMZ	CG-CB-CA	-2.28	108.78	111.96
1	A	1	MLU	O-C-CA	-2.24	119.52	125.44
1	D	6	OMY	C-CA-N	-2.23	105.16	109.83
1	D	7	3FG	OD1-CD1-CZ	-2.10	114.29	119.79
1	C	2	OMZ	CE1-CD1-CG	2.01	123.57	120.32
1	B	5	GHP	C5-C4-C3	2.06	122.72	119.79
1	A	4	GHP	C6-C5-C4	2.07	122.26	119.87
1	A	6	OMY	CD2-CE2-CZ	2.08	122.62	120.49
1	C	6	OMY	ODE-CB-CA	2.19	112.30	107.44
1	A	2	OMZ	CD1-CE1-CL	2.20	121.89	118.50
1	B	6	OMY	CE2-CZ-CE1	2.39	121.00	118.57
1	A	4	GHP	C6-C1-C2	2.48	121.47	118.31
1	A	6	OMY	CD2-CG-CD1	2.51	121.81	118.79
1	D	2	OMZ	CD2-CG-CD1	2.55	121.86	118.79
1	B	5	GHP	C1-CA-N	2.62	118.72	112.54
1	C	2	OMZ	C-CA-N	2.67	115.40	109.83
1	C	4	GHP	C6-C5-C4	2.71	123.00	119.87
1	D	6	OMY	ODE-CB-CA	2.84	113.76	107.44
1	D	4	GHP	C6-C5-C4	2.85	123.16	119.87
1	D	7	3FG	CG2-CB-CA	2.88	123.06	119.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	4	GHP	C2-C3-C4	2.90	123.22	119.87
1	D	2	OMZ	CD1-CE1-CL	2.92	123.00	118.50
1	D	7	3FG	CZ-CD1-CG1	2.95	124.73	120.39
1	C	2	OMZ	CE2-CZ-CE1	3.04	121.65	118.57
1	B	6	OMY	CD2-CG-CD1	3.12	122.55	118.79
1	C	5	GHP	C1-CA-N	3.14	119.95	112.54
1	D	6	OMY	CD2-CE2-CZ	3.19	123.77	120.49
1	B	2	OMZ	C-CA-N	3.22	116.57	109.83
1	D	4	GHP	C2-C3-C4	3.23	123.60	119.87
1	A	2	OMZ	C-CA-N	3.34	116.80	109.83
1	D	6	OMY	CD2-CG-CD1	3.41	122.90	118.79
1	C	4	GHP	C6-C1-C2	3.56	122.84	118.31
1	A	2	OMZ	CE2-CZ-CE1	3.70	122.33	118.57
1	C	7	3FG	CG2-CB-CA	3.71	124.12	119.35
1	C	5	GHP	C3-C2-C1	3.98	125.29	121.20
1	D	2	OMZ	C-CA-N	4.11	118.43	109.83
1	B	7	3FG	CG2-CB-CA	4.12	124.64	119.35
1	B	7	3FG	CD2-CG2-CB	4.68	124.40	120.14
1	C	7	3FG	CD2-CG2-CB	4.75	124.46	120.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	4	GHP	1	0
1	D	6	OMY	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACY	A	11	-	1,3,3	0.28	0	0,3,3	0.00	-
2	ACY	B	11	-	1,3,3	0.43	0	0,3,3	0.00	-
2	ACY	C	11	-	1,3,3	1.66	0	0,3,3	0.00	-
3	DMS	C	12	-	3,3,3	0.48	0	3,3,3	0.90	0
2	ACY	D	11	-	1,3,3	3.70	1 (100%)	0,3,3	0.00	-
3	DMS	D	12	-	3,3,3	0.34	0	3,3,3	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACY	A	11	-	-	0/0/0/0	0/0/0/0
2	ACY	B	11	-	-	0/0/0/0	0/0/0/0
2	ACY	C	11	-	-	0/0/0/0	0/0/0/0
3	DMS	C	12	-	-	0/0/0/0	0/0/0/0
2	ACY	D	11	-	-	0/0/0/0	0/0/0/0
3	DMS	D	12	-	-	0/0/0/0	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	11	ACY	CH3-C	3.70	1.53	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.