



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:18 AM GMT

PDB ID : 2GJZ  
Title : Structure of Catalytic Elimination Antibody 13G5 from a crystal in space group P2(1)  
Authors : Debler, E.W.; Wilson, I.A.  
Deposited on : 2006-03-31  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3152 (2.70-2.62)
Clashscore	102246	3524 (2.70-2.62)
Ramachandran outliers	100387	3469 (2.70-2.62)
Sidechain outliers	100360	3469 (2.70-2.62)
RSRZ outliers	91569	3161 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	217	<div> <div>31%</div> <div>85%</div> <div>11%</div> <div>.</div> </div>
1	L	217	<div> <div>25%</div> <div>79%</div> <div>18%</div> <div>.</div> </div>
2	B	221	<div> <div>32%</div> <div>75%</div> <div>23%</div> <div>.</div> </div>
2	H	221	<div> <div>43%</div> <div>71%</div> <div>25%</div> <div>.</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalytic elimination antibody 13G5 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	217	Total	C	N	O	S	0	0	0
			1684	1053	286	339	6			
1	A	217	Total	C	N	O	S	0	0	0
			1684	1053	286	339	6			

- Molecule 2 is a protein called Catalytic elimination antibody 13G5 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	221	Total	C	N	O	S	0	0	0
			1650	1043	270	328	9			
2	B	221	Total	C	N	O	S	0	0	0
			1650	1043	270	328	9			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	2	Total	Zn	0	0
			2	2		
3	B	3	Total	Zn	0	0
			3	3		
3	A	1	Total	Zn	0	0
			1	1		
3	L	5	Total	Zn	0	0
			5	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	9	Total	O	0	0
			9	9		
4	B	9	Total	O	0	0
			9	9		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	3	Total	O	0	0
			3	3		
4	L	6	Total	O	0	0
			6	6		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalytic elimination antibody 13G5 light chain




- Molecule 1: Catalytic elimination antibody 13G5 light chain





- Molecule 2: Catalytic elimination antibody 13G5 heavy chain





● Molecule 2: Catalytic elimination antibody 13G5 heavy chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.21Å 73.50Å 130.47Å 90.00° 96.33° 90.00°	Depositor
Resolution (Å)	40.00 – 2.65 35.36 – 2.65	Depositor EDS
% Data completeness (in resolution range)	93.0 (40.00-2.65) 93.0 (35.36-2.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.41 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.213 , 0.250 0.209 , 0.246	Depositor DCC
$R_{free}$ test set	1238 reflections (5.07%)	DCC
Wilson B-factor (Å <sup>2</sup> )	63.5	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 72.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 25680 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	6706	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.78	5/1723 (0.3%)	0.73	0/2337
1	L	0.91	8/1723 (0.5%)	0.73	0/2337
2	B	0.67	3/1697 (0.2%)	0.69	0/2324
2	H	0.68	6/1697 (0.4%)	0.69	0/2324
All	All	0.77	22/6840 (0.3%)	0.71	0/9322

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	1	GLU	CD-OE2	19.39	1.47	1.25
1	L	27(E)	SER	C-O	9.91	1.42	1.23
1	A	1	GLU	CD-OE2	9.18	1.35	1.25
2	H	203	GLN	CD-OE1	8.40	1.42	1.24
1	L	27(A)	SER	CB-OG	7.55	1.52	1.42
2	H	203	GLN	CD-NE2	7.25	1.50	1.32
2	H	91	TYR	CE1-CZ	-6.89	1.29	1.38
1	A	173	TYR	CE1-CZ	-6.34	1.30	1.38
2	H	91	TYR	CG-CD1	-6.27	1.31	1.39
1	L	173	TYR	CE2-CZ	-6.23	1.30	1.38
2	B	91	TYR	CE1-CZ	-6.20	1.30	1.38
1	L	173	TYR	CE1-CZ	-6.00	1.30	1.38
2	H	91	TYR	CE2-CZ	-5.84	1.30	1.38
2	B	91	TYR	CE2-CZ	-5.82	1.30	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	194	CYS	CB-SG	-5.76	1.72	1.81
2	H	153	THR	CB-OG1	5.70	1.54	1.43
1	L	173	TYR	CG-CD1	-5.32	1.32	1.39
1	A	27(E)	SER	C-N	5.27	1.46	1.34
1	L	194	CYS	CB-SG	-5.16	1.73	1.81
1	L	34	GLU	CD-OE1	-5.16	1.20	1.25
1	A	173	TYR	CE2-CZ	-5.09	1.31	1.38
2	B	91	TYR	CG-CD1	-5.06	1.32	1.39

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	94	LEU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1684	0	1628	12	0
1	L	1684	0	1628	29	0
2	B	1650	0	1604	28	0
2	H	1650	0	1604	46	0
3	A	1	0	0	0	0
3	B	3	0	0	0	0
3	H	2	0	0	0	0
3	L	5	0	0	0	0
4	A	9	0	0	0	0
4	B	9	0	0	2	0
4	H	3	0	0	1	0
4	L	6	0	0	0	0
All	All	6706	0	6464	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:83:LEU:HD11	1:L:106:ILE:CD1	1.77	1.12
1:L:83:LEU:HD11	1:L:106:ILE:HD11	1.24	1.10
1:L:83:LEU:CD1	1:L:106:ILE:HD11	1.87	1.04
2:H:114:ALA:HB3	2:H:148:PHE:CE1	1.95	1.02
2:H:1:GLN:NE2	1:A:110:ASP:OD2	1.98	0.97
2:H:148:PHE:HD2	2:H:149:PRO:CA	1.81	0.93
1:L:83:LEU:HD11	1:L:106:ILE:CG1	1.98	0.92
2:H:148:PHE:CD2	2:H:149:PRO:HA	2.06	0.90
2:H:148:PHE:CD2	2:H:149:PRO:CA	2.55	0.89
2:H:148:PHE:HD2	2:H:149:PRO:N	1.74	0.84
2:H:114:ALA:HB3	2:H:148:PHE:CD1	2.24	0.72
2:H:50:VAL:HG21	2:H:95:HIS:HE1	1.54	0.71
1:L:83:LEU:HD11	1:L:106:ILE:HG13	1.75	0.68
2:B:50:VAL:HG21	2:B:95:HIS:HE1	1.60	0.67
2:H:74:SER:OG	4:H:233:HOH:O	2.13	0.66
2:H:148:PHE:CE2	2:H:149:PRO:HB3	2.30	0.65
2:B:100(A):ILE:HG13	4:B:239:HOH:O	1.98	0.64
2:H:138:VAL:HG23	2:H:195:SER:HB2	1.81	0.63
2:B:6:GLU:HG3	2:B:92:CYS:SG	2.40	0.62
2:B:29:LEU:HB3	2:B:71:LYS:HE2	1.82	0.60
1:L:27(D):HIS:CD2	1:L:92:SER:HB3	2.37	0.60
2:H:29:LEU:HB3	2:H:71:LYS:HE2	1.83	0.59
2:H:148:PHE:HE2	2:H:149:PRO:HB3	1.68	0.59
1:L:27(B):ILE:HG21	1:L:71:PHE:CZ	2.39	0.58
1:L:136:LEU:N	1:L:136:LEU:HD12	2.20	0.57
1:A:34:GLU:OE1	2:B:100(D):GLY:HA2	2.04	0.57
2:H:114:ALA:CB	2:H:148:PHE:CD1	2.88	0.57
2:B:94:LYS:HG3	2:B:101:ASP:HB3	1.87	0.56
2:H:94:LYS:HG3	2:H:101:ASP:HB3	1.87	0.56
2:H:228:ARG:HG3	2:H:228:ARG:O	2.05	0.56
2:H:148:PHE:CD2	2:H:149:PRO:N	2.65	0.55
1:L:27(B):ILE:CG2	1:L:71:PHE:HZ	2.20	0.55
2:H:140:LEU:HB3	2:H:223:LEU:HD22	1.89	0.55
2:B:154:VAL:HG22	2:B:210:VAL:HG22	1.88	0.54
1:A:24:ARG:HA	1:A:69:THR:O	2.07	0.54
2:B:148:PHE:CD2	2:B:149:PRO:HA	2.43	0.53
2:B:119:PRO:HB3	2:B:147:TYR:HB3	1.91	0.52
2:B:140:LEU:HB3	2:B:223:LEU:HD22	1.91	0.52
2:B:126:PRO:HD3	2:B:140:LEU:HD23	1.90	0.52
2:B:138:VAL:HG23	2:B:195:SER:HB2	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:143:ASP:OD1	1:L:143:ASP:N	2.43	0.52
1:L:96:PRO:HD2	2:H:47:TRP:CZ3	2.46	0.51
2:B:228:ARG:HG3	2:B:228:ARG:O	2.10	0.51
2:H:166:LEU:CD2	2:H:193:VAL:HG12	2.41	0.51
1:A:136:LEU:HD12	1:A:136:LEU:N	2.26	0.51
2:H:119:PRO:HB3	2:H:147:TYR:HB3	1.92	0.51
2:H:23:THR:HG22	2:H:77:GLN:HG2	1.92	0.50
2:H:114:ALA:HB3	2:H:148:PHE:HE1	1.62	0.50
1:L:89:PHE:CZ	1:L:96:PRO:HB3	2.47	0.50
1:L:142:LYS:HB2	1:L:173:TYR:CE2	2.47	0.50
2:B:3:GLN:HB2	2:B:25:SER:HB3	1.93	0.50
2:H:6:GLU:HG3	2:H:92:CYS:SG	2.52	0.49
2:H:199:TRP:CG	2:H:200:PRO:HA	2.46	0.49
2:B:50:VAL:HG21	2:B:95:HIS:CE1	2.43	0.49
2:B:157:TRP:CZ3	2:B:208:CYS:HB3	2.47	0.49
1:L:34:GLU:HB3	1:L:49:TYR:HA	1.95	0.48
1:L:34:GLU:OE1	2:H:100(C):TYR:O	2.32	0.48
1:L:83:LEU:CD1	1:L:106:ILE:CD1	2.60	0.48
2:H:50:VAL:HG21	2:H:95:HIS:CE1	2.41	0.48
1:L:27(A):SER:OG	1:L:27(C):VAL:HG23	2.13	0.47
2:H:199:TRP:CD1	2:H:200:PRO:HA	2.50	0.47
2:H:148:PHE:CD2	2:H:149:PRO:CB	2.98	0.47
2:H:140:LEU:HB3	2:H:223:LEU:CD2	2.45	0.46
1:L:27(D):HIS:O	1:L:28:ASN:N	2.49	0.46
1:L:149:LYS:HB2	1:L:193:THR:HB	1.97	0.46
2:H:3:GLN:HB2	2:H:25:SER:HB3	1.96	0.46
1:L:161:ASN:O	2:H:177:LEU:HD11	2.16	0.46
2:B:128:CYS:HA	2:B:228:ARG:H	1.80	0.46
1:L:27(D):HIS:C	1:L:28:ASN:N	2.70	0.45
2:B:36:TRP:CD2	2:B:80:LEU:HD12	2.51	0.45
2:H:35:ASP:OD1	2:H:50:VAL:HB	2.17	0.45
1:A:27(C):VAL:HG22	1:A:31:THR:HB	1.99	0.45
2:B:166:LEU:CD2	2:B:193:VAL:HG12	2.47	0.45
2:B:99:TYR:HB2	4:B:239:HOH:O	2.16	0.45
1:A:143:ASP:OD1	1:A:143:ASP:N	2.38	0.44
2:H:166:LEU:HD21	2:H:193:VAL:HG12	1.99	0.44
1:L:24:ARG:HA	1:L:69:THR:O	2.18	0.44
2:B:199:TRP:CD1	2:B:200:PRO:HA	2.53	0.44
2:H:135:GLY:O	2:H:195:SER:HB3	2.18	0.44
1:L:27(B):ILE:HG21	1:L:71:PHE:HZ	1.77	0.43
2:H:148:PHE:CD2	2:H:149:PRO:HB3	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:LEU:HD13	1:A:175:MET:HG3	2.01	0.43
2:B:199:TRP:CG	2:B:200:PRO:HA	2.53	0.43
1:L:28:ASN:C	1:L:30:ASN:H	2.22	0.43
2:H:157:TRP:CZ3	2:H:208:CYS:HB3	2.54	0.43
2:H:63:LEU:HD22	2:H:82:MET:HE3	2.00	0.43
2:H:162:ASN:O	2:H:165:SER:HB2	2.19	0.43
1:L:48:ILE:HA	1:L:53:ASN:O	2.19	0.42
2:H:13:ALA:HA	2:H:112:SER:O	2.18	0.42
2:H:154:VAL:HG22	2:H:210:VAL:HG22	2.02	0.42
1:A:37:LEU:HG	1:A:86:TYR:CE2	2.54	0.42
1:A:94:LEU:HB3	1:A:95:PRO:CD	2.49	0.42
1:L:27(D):HIS:O	1:L:29:GLY:N	2.53	0.42
1:A:212:ASN:OD1	1:A:212:ASN:N	2.53	0.42
2:H:51:ILE:HD13	2:H:71:LYS:HB2	2.01	0.42
1:L:86:TYR:O	1:L:101:GLY:HA2	2.20	0.42
2:B:23:THR:HG22	2:B:77:GLN:HG2	2.02	0.41
1:A:105:GLU:HG2	1:A:106:ILE:O	2.19	0.41
2:B:140:LEU:HB3	2:B:223:LEU:CD2	2.50	0.41
2:H:24:VAL:HG13	2:H:27:PHE:CE1	2.55	0.41
2:B:105:GLN:HE21	2:B:105:GLN:HB3	1.74	0.41
2:H:150:GLU:HA	2:H:151:PRO:HA	1.84	0.41
2:H:36:TRP:CD2	2:H:80:LEU:HD12	2.55	0.41
2:B:14:PRO:HD3	2:B:112:SER:C	2.41	0.41
2:H:148:PHE:CD2	2:H:148:PHE:C	2.94	0.40
2:B:162:ASN:O	2:B:165:SER:HB2	2.20	0.40
1:L:113:PRO:HG3	1:L:144:ILE:HD11	2.04	0.40
1:L:34:GLU:HG3	1:L:36:TYR:CE1	2.57	0.40
1:A:142:LYS:HD2	1:A:173:TYR:CE2	2.56	0.40
2:B:32:TYR:HD1	2:B:98:GLY:HA2	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/217 (99%)	203 (94%)	11 (5%)	1 (0%)	34	59
1	L	215/217 (99%)	205 (95%)	9 (4%)	1 (0%)	34	59
2	B	219/221 (99%)	204 (93%)	12 (6%)	3 (1%)	14	31
2	H	219/221 (99%)	204 (93%)	12 (6%)	3 (1%)	14	31
All	All	868/876 (99%)	816 (94%)	44 (5%)	8 (1%)	21	44

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	168	SER
1	A	95	PRO
2	B	168	SER
2	B	127	GLY
2	H	15	SER
2	H	101	ASP
1	L	77	ARG
2	B	15	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/194 (100%)	176 (91%)	18 (9%)	11	23
1	L	194/194 (100%)	177 (91%)	17 (9%)	12	25
2	B	191/191 (100%)	176 (92%)	15 (8%)	15	32
2	H	191/191 (100%)	177 (93%)	14 (7%)	17	36
All	All	770/770 (100%)	706 (92%)	64 (8%)	14	28

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	2	LEU
1	L	15	LEU
1	L	27(B)	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	27(C)	VAL
1	L	31	THR
1	L	34	GLU
1	L	83	LEU
1	L	90	GLN
1	L	92	SER
1	L	114	THR
1	L	116	SER
1	L	143	ASP
1	L	145	ASN
1	L	155	ARG
1	L	175	MET
1	L	203	SER
1	L	207	LYS
2	H	5	LYS
2	H	7	SER
2	H	17	SER
2	H	60	ASN
2	H	74	SER
2	H	100(A)	ILE
2	H	105	GLN
2	H	108	THR
2	H	112	SER
2	H	148	PHE
2	H	165	SER
2	H	166	LEU
2	H	195	SER
2	H	221	LYS
1	A	1	GLU
1	A	2	LEU
1	A	15	LEU
1	A	31	THR
1	A	37	LEU
1	A	83	LEU
1	A	90	GLN
1	A	92	SER
1	A	93	HIS
1	A	116	SER
1	A	143	ASP
1	A	145	ASN
1	A	155	ARG
1	A	175	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	181	LEU
1	A	203	SER
1	A	207	LYS
1	A	212	ASN
2	B	7	SER
2	B	17	SER
2	B	60	ASN
2	B	74	SER
2	B	99	TYR
2	B	100	TYR
2	B	105	GLN
2	B	108	THR
2	B	128	CYS
2	B	134	THR
2	B	153	THR
2	B	165	SER
2	B	166	LEU
2	B	195	SER
2	B	221	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	30	ASN
1	L	90	GLN
1	L	137	ASN
2	H	105	GLN
1	A	27	GLN
1	A	137	ASN
2	B	105	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 11 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	217/217 (100%)	1.76	67 (30%) 1 0	87, 95, 101, 104	0
1	L	217/217 (100%)	1.55	55 (25%) 1 0	85, 95, 100, 105	0
2	B	221/221 (100%)	1.81	71 (32%) 1 0	90, 94, 106, 116	0
2	H	221/221 (100%)	2.22	96 (43%) 0 0	90, 94, 104, 116	0
All	All	876/876 (100%)	1.84	289 (32%) 0 0	85, 94, 103, 116	0

All (289) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	98	GLY	16.0
2	H	1	GLN	8.6
2	B	163	SER	8.4
2	H	166	LEU	7.6
1	A	30	ASN	7.5
2	B	2	VAL	7.2
2	H	164	GLY	7.1
2	H	228	ARG	7.0
2	B	99	TYR	7.0
2	H	82(B)	SER	6.5
2	H	15	SER	6.3
2	H	130	ASP	6.1
2	H	146	GLY	6.1
1	L	190	ASN	6.0
1	A	69	THR	5.9
2	B	228	ARG	5.9
2	H	75	LYS	5.9
1	A	68	GLY	5.7
2	H	203	GLN	5.6
2	H	82	MET	5.4
2	H	99	TYR	5.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	70	ASP	5.2
2	B	25	SER	5.1
2	H	64	MET	5.1
2	B	100(A)	ILE	5.0
2	H	32	TYR	5.0
1	L	184	ASP	4.9
2	H	163	SER	4.8
1	L	203	SER	4.8
2	H	168	SER	4.8
1	A	49	TYR	4.7
2	H	28	SER	4.6
1	L	172	THR	4.6
1	L	198	HIS	4.6
2	H	26	GLY	4.5
1	L	91	GLY	4.5
2	H	198	THR	4.4
2	H	72	ASP	4.3
2	B	1	GLN	4.3
2	H	85	ASP	4.3
2	H	14	PRO	4.3
1	A	77	ARG	4.3
2	H	214	ALA	4.3
1	L	200	THR	4.2
2	H	227	PRO	4.2
2	B	72	ASP	4.2
2	B	82(B)	SER	4.1
2	H	80	LEU	4.1
2	B	166	LEU	4.1
1	L	92	SER	4.1
2	B	10	GLY	4.1
2	B	82(C)	LEU	4.1
2	H	167	SER	4.1
2	H	115	LYS	4.0
1	A	27(E)	SER	4.0
1	A	199	LYS	3.9
2	H	84	THR	3.8
2	B	127	GLY	3.8
2	H	134	THR	3.8
1	A	143	ASP	3.8
1	A	67	SER	3.8
2	H	129	GLY	3.8
1	A	169	LYS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	111	ALA	3.7
1	L	199	LYS	3.7
2	B	128	CYS	3.7
2	B	100	TYR	3.7
1	L	7	THR	3.6
1	A	201	SER	3.6
2	H	13	ALA	3.6
2	H	16	GLN	3.6
2	H	126	PRO	3.6
1	L	205	ILE	3.5
1	A	71	PHE	3.5
2	H	70	SER	3.5
1	L	70	ASP	3.5
1	A	76	ASN	3.5
2	H	100	TYR	3.5
2	H	27	PHE	3.5
1	A	27(D)	HIS	3.5
1	L	202	THR	3.5
2	H	23	THR	3.5
1	A	172	THR	3.4
2	H	217	THR	3.4
2	H	142	CYS	3.4
1	A	27(C)	VAL	3.4
2	H	100(A)	ILE	3.4
1	A	58	VAL	3.3
2	B	195	SER	3.3
2	B	14	PRO	3.3
2	B	12	VAL	3.3
2	B	45	LEU	3.3
2	B	75	LYS	3.3
2	B	23	THR	3.3
1	L	173	TYR	3.3
1	L	212	ASN	3.3
2	B	96	TRP	3.2
2	H	79	PHE	3.2
2	B	26	GLY	3.2
2	B	30	THR	3.2
2	B	16	GLN	3.2
2	H	9	PRO	3.2
1	A	119	PRO	3.2
2	B	97	GLY	3.2
1	L	27(B)	ILE	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	13	VAL	3.2
1	L	27(C)	VAL	3.2
2	H	73	ASN	3.2
2	H	209	SER	3.2
2	B	126	PRO	3.1
1	A	202	THR	3.1
2	B	162	ASN	3.1
2	B	24	VAL	3.1
1	L	77	ARG	3.1
2	B	102	HIS	3.1
2	H	42	GLY	3.1
1	L	69	THR	3.1
2	H	17	SER	3.1
1	A	31	THR	3.1
2	H	4	LEU	3.1
2	H	60	ASN	3.1
2	H	118	PRO	3.1
2	B	100(C)	TYR	3.1
1	L	79	GLU	3.1
1	A	184	ASP	3.0
1	A	28	ASN	3.0
2	B	61	SER	3.0
2	H	25	SER	3.0
2	H	18	LEU	3.0
1	A	141	PRO	3.0
1	L	109	ALA	3.0
1	A	60	ASP	2.9
1	L	81	GLU	2.9
2	H	47	TRP	2.9
2	B	15	SER	2.9
1	A	173	TYR	2.9
1	A	53	ASN	2.9
1	L	83	LEU	2.9
2	H	71	LYS	2.9
1	A	118	PHE	2.9
2	H	82(A)	ASN	2.9
2	H	128	CYS	2.9
1	A	81	GLU	2.8
1	A	34	GLU	2.8
2	B	167	SER	2.8
2	B	34	VAL	2.8
2	B	31	ASN	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	67	LEU	2.8
1	A	134	CYS	2.8
2	H	101	ASP	2.8
1	L	27(D)	HIS	2.8
2	H	31	ASN	2.8
1	L	15	LEU	2.8
2	H	141	GLY	2.8
1	A	32	TYR	2.8
2	H	45	LEU	2.8
2	B	5	LYS	2.8
2	H	22	CYS	2.8
2	H	127	GLY	2.8
2	B	19	SER	2.7
2	B	22	CYS	2.7
2	B	227	PRO	2.7
2	H	65	SER	2.7
2	H	185	TYR	2.7
2	H	180	SER	2.7
1	A	12	PRO	2.7
1	L	14	SER	2.7
1	A	25	SER	2.7
1	A	200	THR	2.7
2	B	198	THR	2.7
1	L	194	CYS	2.6
1	L	31	THR	2.6
2	B	133	THR	2.6
2	H	220	ASP	2.6
2	B	141	GLY	2.6
1	A	133	VAL	2.6
2	H	82(C)	LEU	2.6
2	H	157	TRP	2.6
1	A	57	GLY	2.6
1	L	143	ASP	2.6
1	L	89	PHE	2.6
2	B	74	SER	2.6
2	B	169	SER	2.6
1	A	135	PHE	2.6
1	A	66	GLY	2.6
2	B	140	LEU	2.6
1	A	153	SER	2.6
2	H	169	SER	2.6
2	H	149	PRO	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	151	ASP	2.5
1	A	124	GLN	2.5
1	L	78	VAL	2.5
2	B	105	GLN	2.5
1	A	176	SER	2.5
2	B	101	ASP	2.5
1	A	164	THR	2.5
2	H	30	THR	2.5
2	B	58	ASN	2.5
2	H	116	THR	2.5
1	A	132	VAL	2.5
2	H	59	TYR	2.5
1	A	138	ASN	2.5
1	L	33	LEU	2.4
2	H	226	GLU	2.4
1	L	191	SER	2.4
1	A	95	PRO	2.4
1	A	140	TYR	2.4
2	B	129	GLY	2.4
1	L	27(E)	SER	2.4
2	B	27	PHE	2.4
2	H	49	GLY	2.4
1	L	90	GLN	2.4
2	H	12	VAL	2.4
1	A	174	SER	2.4
2	B	142	CYS	2.4
2	H	148	PHE	2.4
2	H	188	SER	2.3
2	H	58	ASN	2.3
1	A	65	SER	2.3
2	B	103	TRP	2.3
2	H	140	LEU	2.3
2	B	203	GLN	2.3
2	H	171	VAL	2.3
1	L	76	ASN	2.3
1	A	87	TYR	2.3
2	B	44	GLY	2.3
1	L	12	PRO	2.3
1	A	175	MET	2.3
2	B	189	SER	2.3
2	H	100(C)	TYR	2.3
1	L	55	PHE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	165	SER	2.3
2	B	125	ALA	2.3
1	L	58	VAL	2.3
2	B	47	TRP	2.3
2	B	78	VAL	2.3
1	A	197	THR	2.3
2	H	107	THR	2.3
2	H	194	PRO	2.2
1	L	128	GLY	2.2
1	A	23	CYS	2.2
2	B	130	ASP	2.2
1	A	160	LEU	2.2
2	B	148	PHE	2.2
1	A	13	VAL	2.2
1	A	139	PHE	2.2
2	B	100(B)	PRO	2.2
1	L	97	THR	2.2
2	B	114	ALA	2.2
2	H	117	THR	2.2
2	H	90	TYR	2.2
2	B	40	PRO	2.2
2	B	183	GLY	2.2
2	H	100(E)	MET	2.2
2	H	33	GLY	2.2
2	H	187	MET	2.2
2	B	124	LEU	2.1
1	L	30	ASN	2.1
2	B	187	MET	2.1
1	A	27(B)	ILE	2.1
1	A	162	SER	2.1
2	B	172	HIS	2.1
2	H	89	VAL	2.1
2	H	135	GLY	2.1
1	L	181	LEU	2.1
1	A	136	LEU	2.1
2	H	37	VAL	2.1
2	H	124	LEU	2.1
1	A	98	PHE	2.1
1	L	60	ASP	2.1
1	A	110	ASP	2.1
1	A	109	ALA	2.1
2	H	125	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	51	VAL	2.1
1	L	49	TYR	2.1
1	A	212	ASN	2.1
1	L	171	SER	2.1
1	A	94	LEU	2.0
1	L	93	HIS	2.0
1	L	162	SER	2.0
1	L	73	LEU	2.0
1	L	136	LEU	2.0
1	A	112	ALA	2.0
2	H	7	SER	2.0
2	B	190	SER	2.0
1	L	98	PHE	2.0
1	A	198	HIS	2.0
2	B	49	GLY	2.0
1	L	9	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	L	215	1/1	0.98	0.14	-1.82	104,104,104,104	0
3	ZN	L	216	1/1	0.90	0.08	-2.39	81,81,81,81	0
3	ZN	B	229	1/1	0.94	0.13	-3.83	95,95,95,95	0
3	ZN	H	229	1/1	0.97	0.04	-4.70	73,73,73,73	0
3	ZN	A	213	1/1	0.96	0.07	-5.66	57,57,57,57	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	B	230	1/1	0.97	0.07	-5.86	75,75,75,75	0
3	ZN	L	213	1/1	0.97	0.09	-	97,97,97,97	0
3	ZN	H	230	1/1	0.99	0.13	-	86,86,86,86	0
3	ZN	B	231	1/1	0.94	0.22	-	112,112,112,112	0
3	ZN	L	217	1/1	0.97	0.16	-	81,81,81,81	0
3	ZN	L	214	1/1	0.94	0.12	-	82,82,82,82	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.