



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:39 PM GMT

PDB ID : 1GOG
Title : NOVEL THIOETHER BOND REVEALED BY A 1.7 ANGSTROMS CRYSTAL STRUCTURE OF GALACTOSE OXIDASE
Authors : Ito, N.; Phillips, S.E.V.; Knowles, P.F.
Deposited on : 1993-09-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	639	 66% 28% 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GALACTOSE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	639	Total	C	N	O	S	0	0	0
			4830	3017	840	954	19			

- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cu	0	0
			1	1		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	310	Total	O	0	0
			310	310		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GALACTOSE OXIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	98.00Å 89.40Å 86.70Å 90.00° 117.80° 90.00°	Depositor
Resolution (Å)	10.00 – 1.90 9.99 – 1.90	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-1.90) 83.7 (9.99-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 1.90Å)	Xtriage
Refinement program	PROLSQ	Depositor
R, R_{free}	0.170 , (Not available) 0.142 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	17.3	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 56.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 46302 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5142	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	3/4959 (0.1%)	2.19	189/6765 (2.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	436	TYR	CD1-CE1	5.64	1.47	1.39
1	A	303	SER	CB-OG	5.47	1.49	1.42
1	A	490	SER	CA-CB	5.02	1.60	1.52

All (189) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ARG	NE-CZ-NH2	-20.39	110.11	120.30
1	A	73	ARG	NE-CZ-NH1	18.43	129.52	120.30
1	A	460	ARG	NE-CZ-NH2	-16.14	112.23	120.30
1	A	543	ARG	NE-CZ-NH2	-15.75	112.43	120.30
1	A	548	ARG	CD-NE-CZ	15.45	145.23	123.60
1	A	190	ARG	NE-CZ-NH1	15.31	127.95	120.30
1	A	190	ARG	NE-CZ-NH2	-15.30	112.65	120.30
1	A	459	ARG	NE-CZ-NH1	15.16	127.88	120.30
1	A	493	ARG	NE-CZ-NH2	-14.66	112.97	120.30
1	A	282	ARG	NE-CZ-NH1	12.71	126.66	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	390	ASP	CB-CG-OD2	-12.39	107.15	118.30
1	A	119	ARG	NE-CZ-NH2	-12.28	114.16	120.30
1	A	543	ARG	NE-CZ-NH1	12.16	126.38	120.30
1	A	265	ASP	CB-CG-OD2	12.13	129.22	118.30
1	A	114	SER	N-CA-CB	11.54	127.80	110.50
1	A	73	ARG	NE-CZ-NH2	-11.43	114.59	120.30
1	A	460	ARG	NH1-CZ-NH2	10.95	131.45	119.40
1	A	338	PHE	CB-CG-CD2	-10.64	113.35	120.80
1	A	532	TYR	CB-CG-CD1	10.63	127.38	121.00
1	A	119	ARG	NE-CZ-NH1	10.55	125.58	120.30
1	A	216	ASP	CB-CA-C	9.94	130.28	110.40
1	A	532	TYR	CB-CG-CD2	-9.94	115.04	121.00
1	A	459	ARG	NE-CZ-NH2	-9.89	115.35	120.30
1	A	258	ASP	CB-CG-OD1	9.66	126.99	118.30
1	A	495	TYR	CB-CG-CD1	-9.56	115.26	121.00
1	A	11	ARG	NE-CZ-NH1	9.43	125.02	120.30
1	A	523	PHE	CB-CG-CD1	9.34	127.33	120.80
1	A	589	ARG	NE-CZ-NH1	9.26	124.93	120.30
1	A	122	ARG	NE-CZ-NH1	9.14	124.87	120.30
1	A	604	PHE	CB-CG-CD2	-8.99	114.51	120.80
1	A	408	SER	N-CA-CB	-8.98	97.03	110.50
1	A	88	TYR	CB-CG-CD2	-8.90	115.66	121.00
1	A	189	TYR	CB-CG-CD1	8.73	126.24	121.00
1	A	375	ARG	NE-CZ-NH2	-8.68	115.96	120.30
1	A	405	TYR	CB-CG-CD1	8.66	126.19	121.00
1	A	125	ARG	NE-CZ-NH2	-8.55	116.03	120.30
1	A	404	ASP	CB-CG-OD2	-8.44	110.71	118.30
1	A	566	SER	O-C-N	8.41	136.15	122.70
1	A	20	SER	N-CA-CB	8.27	122.91	110.50
1	A	523	PHE	CB-CG-CD2	-8.17	115.08	120.80
1	A	409	ASP	CB-CG-OD2	-8.05	111.05	118.30
1	A	483	PHE	CB-CG-CD2	-8.01	115.20	120.80
1	A	476	TYR	CB-CG-CD2	-7.99	116.21	121.00
1	A	460	ARG	NE-CZ-NH1	-7.96	116.32	120.30
1	A	506	ARG	CD-NE-CZ	7.92	134.69	123.60
1	A	548	ARG	NE-CZ-NH2	7.76	124.18	120.30
1	A	432	SER	N-CA-CB	-7.59	99.12	110.50
1	A	404	ASP	CB-CG-OD1	7.57	125.11	118.30
1	A	565	ASP	CB-CG-OD1	7.49	125.04	118.30
1	A	493	ARG	NH1-CZ-NH2	7.49	127.63	119.40
1	A	160	ARG	NE-CZ-NH1	7.48	124.04	120.30
1	A	92	ASP	CB-CG-OD1	7.46	125.01	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	SER	CB-CA-C	-7.45	95.94	110.10
1	A	390	ASP	OD1-CG-OD2	7.42	137.39	123.30
1	A	160	ARG	NE-CZ-NH2	-7.39	116.60	120.30
1	A	98	SER	N-CA-CB	-7.30	99.55	110.50
1	A	122	ARG	NH1-CZ-NH2	-7.03	111.67	119.40
1	A	36	ASP	O-C-N	7.01	133.91	122.70
1	A	474	GLU	OE1-CD-OE2	6.92	131.60	123.30
1	A	119	ARG	CD-NE-CZ	6.91	133.27	123.60
1	A	333	ASN	O-C-N	6.87	133.69	122.70
1	A	586	ASP	CB-CG-OD1	-6.84	112.14	118.30
1	A	84	ARG	NE-CZ-NH1	6.83	123.71	120.30
1	A	466	ASP	CB-CG-OD1	6.80	124.42	118.30
1	A	371	ARG	NE-CZ-NH1	-6.77	116.92	120.30
1	A	495	TYR	N-CA-CB	-6.73	98.49	110.60
1	A	216	ASP	CB-CG-OD2	6.72	124.35	118.30
1	A	449	ASP	CB-CG-OD1	6.69	124.32	118.30
1	A	2	SER	CB-CA-C	6.67	122.77	110.10
1	A	589	ARG	NE-CZ-NH2	-6.66	116.97	120.30
1	A	216	ASP	CB-CG-OD1	-6.63	112.33	118.30
1	A	288	GLY	CA-C-O	-6.63	108.67	120.60
1	A	490	SER	N-CA-CB	-6.59	100.61	110.50
1	A	229	PRO	N-CA-CB	-6.49	95.46	102.60
1	A	118	THR	O-C-N	6.48	133.07	122.70
1	A	92	ASP	CB-CG-OD2	-6.47	112.48	118.30
1	A	499	SER	N-CA-CB	6.46	120.19	110.50
1	A	375	ARG	NE-CZ-NH1	6.43	123.52	120.30
1	A	409	ASP	CB-CG-OD1	6.40	124.06	118.30
1	A	385	ASN	CB-CG-OD1	-6.38	108.84	121.60
1	A	476	TYR	CD1-CE1-CZ	-6.36	114.08	119.80
1	A	122	ARG	NE-CZ-NH2	6.31	123.45	120.30
1	A	254	ASP	CB-CG-OD1	6.29	123.96	118.30
1	A	617	TYR	O-C-N	6.28	132.75	122.70
1	A	270	ARG	CB-CA-C	-6.27	97.85	110.40
1	A	88	TYR	CG-CD2-CE2	-6.27	116.28	121.30
1	A	194	PHE	CB-CG-CD2	-6.25	116.42	120.80
1	A	173	ALA	N-CA-CB	6.22	118.80	110.10
1	A	311	SER	N-CA-CB	-6.21	101.18	110.50
1	A	282	ARG	NE-CZ-NH2	-6.21	117.20	120.30
1	A	199	GLY	CA-C-O	-6.19	109.46	120.60
1	A	624	ASN	CB-CA-C	6.17	122.74	110.40
1	A	84	ARG	NH1-CZ-NH2	6.15	126.17	119.40
1	A	602	TYR	CG-CD1-CE1	-6.11	116.41	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	460	ARG	CA-CB-CG	-6.10	99.98	113.40
1	A	224	HIS	N-CA-CB	-6.10	99.63	110.60
1	A	636	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	A	70	MET	CG-SD-CE	6.04	109.87	100.20
1	A	633	SER	N-CA-CB	6.01	119.52	110.50
1	A	636	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	A	617	TYR	CB-CG-CD2	-5.97	117.42	121.00
1	A	411	THR	OG1-CB-CG2	-5.96	96.30	110.00
1	A	36	ASP	CB-CG-OD1	-5.96	112.94	118.30
1	A	602	TYR	CB-CG-CD1	-5.95	117.43	121.00
1	A	445	VAL	CG1-CB-CG2	-5.94	101.40	110.90
1	A	122	ARG	CD-NE-CZ	5.93	131.91	123.60
1	A	326	GLN	CA-CB-CG	5.91	126.40	113.40
1	A	54	THR	N-CA-CB	-5.86	99.17	110.30
1	A	524	ASP	N-CA-CB	-5.84	100.09	110.60
1	A	10	SER	N-CA-CB	5.83	119.24	110.50
1	A	95	ASN	O-C-N	5.82	132.02	122.70
1	A	215	SER	CA-CB-OG	5.80	126.85	111.20
1	A	366	LYS	N-CA-CB	-5.75	100.24	110.60
1	A	481	ASP	CB-CG-OD2	-5.75	113.12	118.30
1	A	201	ILE	O-C-N	5.73	131.87	122.70
1	A	233	MET	CA-CB-CG	-5.73	103.56	113.30
1	A	572	SER	N-CA-CB	-5.71	101.93	110.50
1	A	283	VAL	CA-CB-CG2	5.71	119.46	110.90
1	A	26	GLU	CA-CB-CG	5.69	125.91	113.40
1	A	189	TYR	CB-CG-CD2	-5.66	117.60	121.00
1	A	57	ILE	O-C-N	5.65	131.74	122.70
1	A	384	GLY	N-CA-C	-5.63	99.01	113.10
1	A	436	TYR	CD1-CE1-CZ	-5.63	114.73	119.80
1	A	104	SER	O-C-N	5.60	131.66	122.70
1	A	42	PHE	CB-CG-CD2	-5.58	116.90	120.80
1	A	559	ARG	CD-NE-CZ	-5.57	115.80	123.60
1	A	300	GLU	N-CA-CB	5.56	120.61	110.60
1	A	321	LEU	CB-CG-CD2	-5.55	101.56	111.00
1	A	86	GLU	OE1-CD-OE2	5.52	129.93	123.30
1	A	18	CYS	O-C-N	5.52	131.53	122.70
1	A	125	ARG	CD-NE-CZ	5.52	131.32	123.60
1	A	206	SER	CB-CA-C	-5.52	99.62	110.10
1	A	205	SER	CB-CA-C	5.51	120.58	110.10
1	A	572	SER	CB-CA-C	5.51	120.58	110.10
1	A	504	ASP	CB-CG-OD2	5.49	123.24	118.30
1	A	614	LEU	CB-CG-CD2	5.45	120.26	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	549	THR	N-CA-CB	5.43	120.61	110.30
1	A	315	ALA	N-CA-C	-5.41	96.39	111.00
1	A	428	THR	OG1-CB-CG2	-5.41	97.56	110.00
1	A	639	GLN	N-CA-CB	5.40	120.31	110.60
1	A	357	TYR	CG-CD1-CE1	-5.39	116.98	121.30
1	A	300	GLU	CB-CG-CD	-5.37	99.69	114.20
1	A	316	LYS	O-C-N	5.37	131.30	122.70
1	A	513	GLY	O-C-N	5.37	131.30	122.70
1	A	178	PRO	O-C-N	5.37	131.29	122.70
1	A	564	THR	CA-CB-OG1	-5.37	97.73	109.00
1	A	606	VAL	CA-CB-CG2	-5.35	102.87	110.90
1	A	130	THR	N-CA-CB	5.34	120.45	110.30
1	A	288	GLY	O-C-N	5.34	131.25	122.70
1	A	570	LYS	N-CA-CB	-5.34	100.99	110.60
1	A	602	TYR	CZ-CE2-CD2	-5.34	115.00	119.80
1	A	151	TYR	CB-CG-CD1	-5.33	117.80	121.00
1	A	305	SER	CB-CA-C	5.33	120.23	110.10
1	A	329	TYR	CB-CG-CD2	-5.31	117.81	121.00
1	A	88	TYR	CD1-CE1-CZ	-5.30	115.03	119.80
1	A	324	ASP	CB-CG-OD2	5.30	123.07	118.30
1	A	634	THR	OG1-CB-CG2	5.29	122.17	110.00
1	A	68	LEU	CA-CB-CG	5.29	127.47	115.30
1	A	299	GLY	O-C-N	5.29	131.16	122.70
1	A	338	PHE	CB-CG-CD1	5.28	124.50	120.80
1	A	297	LYS	CD-CE-NZ	-5.28	99.57	111.70
1	A	310	THR	O-C-N	5.27	131.13	122.70
1	A	603	SER	CB-CA-C	-5.26	100.11	110.10
1	A	509	ASN	C-N-CA	-5.24	111.31	122.30
1	A	498	ILE	O-C-N	5.22	131.06	122.70
1	A	138	THR	CA-CB-OG1	-5.21	98.06	109.00
1	A	227	PHE	CB-CG-CD1	-5.21	117.16	120.80
1	A	417	ILE	CA-CB-CG1	-5.21	101.11	111.00
1	A	384	GLY	CA-C-O	5.19	129.94	120.60
1	A	208	ASP	CB-CG-OD2	5.18	122.96	118.30
1	A	495	TYR	CD1-CE1-CZ	-5.17	115.14	119.80
1	A	506	ARG	NE-CZ-NH2	5.17	122.89	120.30
1	A	239	ILE	CA-CB-CG1	-5.17	101.17	111.00
1	A	390	ASP	CB-CA-C	5.17	120.74	110.40
1	A	22	GLN	CA-CB-CG	-5.15	102.06	113.40
1	A	588	ARG	CD-NE-CZ	5.14	130.79	123.60
1	A	107	ALA	O-C-N	5.14	130.92	122.70
1	A	476	TYR	CG-CD2-CE2	-5.13	117.19	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	589	ARG	O-C-N	5.13	130.91	122.70
1	A	495	TYR	CG-CD2-CE2	-5.12	117.20	121.30
1	A	378	ALA	N-CA-CB	-5.12	102.94	110.10
1	A	258	ASP	N-CA-CB	5.11	119.80	110.60
1	A	142	GLU	CG-CD-OE2	5.10	128.50	118.30
1	A	476	TYR	CD1-CG-CD2	5.09	123.50	117.90
1	A	60	LYS	CB-CA-C	-5.08	100.24	110.40
1	A	316	LYS	N-CA-CB	-5.06	101.50	110.60
1	A	146	PHE	CB-CG-CD1	5.03	124.32	120.80
1	A	35	LYS	CA-CB-CG	5.02	124.44	113.40
1	A	247	ALA	CA-C-O	-5.00	109.59	120.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	439	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4830	0	4603	72	1
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	310	0	0	5	0
All	All	5142	0	4603	72	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:GLN:HE21	1:A:46:ASN:HB2	1.15	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:GLN:HG3	1:A:42:PHE:HA	1.43	0.97
1:A:298:ASN:HD22	1:A:317:VAL:H	1.21	0.87
1:A:22:GLN:NE2	1:A:46:ASN:HB2	1.92	0.82
1:A:35:LYS:HE3	1:A:71:LEU:HD21	1.64	0.78
1:A:298:ASN:ND2	1:A:317:VAL:H	1.83	0.74
1:A:170:VAL:HB	1:A:514:LEU:HD13	1.79	0.63
1:A:298:ASN:HD22	1:A:317:VAL:N	1.97	0.60
1:A:20:SER:OG	4:A:999:HOH:O	2.17	0.60
1:A:522:HIS:HD2	4:A:822:HOH:O	1.85	0.58
1:A:379:PRO:HD2	4:A:770:HOH:O	2.04	0.58
1:A:466:ASP:OD2	1:A:522:HIS:HE1	1.87	0.57
1:A:171:PRO:HD2	1:A:511:GLY:HA2	1.85	0.56
1:A:32:ASP:OD2	1:A:37:THR:OG1	2.14	0.55
1:A:529:THR:HG23	1:A:533:LEU:HD12	1.88	0.55
1:A:174:ALA:HB3	1:A:498:ILE:HD13	1.89	0.55
1:A:174:ALA:CB	1:A:498:ILE:HD13	2.38	0.54
1:A:35:LYS:HE2	1:A:74:GLN:HG3	1.90	0.54
1:A:135:GLN:HB3	1:A:136:PRO:CD	2.38	0.53
1:A:174:ALA:HA	1:A:184:LEU:O	2.07	0.53
1:A:78:GLN:HG2	1:A:81:TRP:CH2	2.44	0.53
1:A:95:ASN:N	1:A:95:ASN:HD22	2.06	0.53
1:A:15:ALA:HB2	1:A:60:LYS:NZ	2.24	0.52
1:A:22:GLN:NE2	1:A:43:TYR:O	2.42	0.52
1:A:358:TYR:HE2	1:A:366:LYS:HB2	1.75	0.52
1:A:439:ARG:NH2	1:A:474:GLU:HG3	2.25	0.52
1:A:404:ASP:HB2	1:A:408:SER:HB2	1.93	0.51
1:A:506:ARG:HD3	4:A:821:HOH:O	2.10	0.51
1:A:5:ILE:HD12	1:A:490:SER:HB3	1.92	0.51
1:A:554:VAL:HG11	1:A:560:ILE:HD11	1.92	0.50
1:A:495:TYR:O	1:A:496:HIS:HB2	2.11	0.50
1:A:11:ARG:HG2	1:A:14:TRP:CH2	2.47	0.50
1:A:401:GLY:O	1:A:411:THR:HG22	2.12	0.50
1:A:228:CYS:N	1:A:229:PRO:HD3	2.25	0.50
1:A:131:GLU:HG3	1:A:137:TRP:O	2.12	0.49
1:A:298:ASN:ND2	1:A:316:LYS:HA	2.27	0.49
1:A:90:SER:HB2	1:A:96:TRP:CE3	2.47	0.49
1:A:13:ASN:HB3	1:A:60:LYS:HG3	1.95	0.48
1:A:59:MET:C	1:A:61:THR:H	2.16	0.48
1:A:103:GLY:HA3	1:A:166:ASP:O	2.14	0.47
1:A:135:GLN:HB3	1:A:136:PRO:HD2	1.96	0.47
1:A:122:ARG:HD3	1:A:123:TYR:CE1	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:PHE:O	1:A:244:GLY:HA3	2.15	0.47
1:A:177:GLU:HB2	1:A:180:SER:OG	2.16	0.46
1:A:9:ILE:HD12	1:A:145:VAL:HG12	1.98	0.45
1:A:169:ILE:HG22	1:A:191:ASN:HB2	1.98	0.45
1:A:458:GLN:HA	1:A:468:THR:O	2.15	0.45
1:A:95:ASN:N	1:A:95:ASN:ND2	2.64	0.45
1:A:189:TYR:CD1	1:A:197:SER:HB2	2.51	0.44
1:A:559:ARG:HG3	1:A:605:GLN:HG3	2.00	0.44
1:A:560:ILE:O	1:A:603:SER:HA	2.18	0.44
1:A:552:GLN:HG3	4:A:978:HOH:O	2.17	0.44
1:A:568:ILE:HD13	1:A:622:VAL:HB	1.99	0.44
1:A:170:VAL:HB	1:A:514:LEU:CD1	2.47	0.43
1:A:393:LYS:HD2	1:A:393:LYS:HA	1.95	0.43
1:A:334:HIS:CE1	1:A:581:HIS:HB3	2.53	0.43
1:A:35:LYS:HB2	1:A:35:LYS:HE3	1.93	0.43
1:A:575:ARG:HD2	1:A:618:TRP:CZ2	2.54	0.42
1:A:51:PRO:HD3	1:A:136:PRO:HA	2.01	0.42
1:A:38:PHE:HB3	1:A:141:ALA:HA	2.02	0.42
1:A:41:THR:HG21	1:A:53:HIS:CG	2.55	0.42
1:A:548:ARG:O	1:A:562:ILE:HA	2.20	0.42
1:A:460:ARG:HH11	1:A:460:ARG:HD2	1.56	0.41
1:A:61:THR:O	1:A:122:ARG:HA	2.20	0.41
1:A:16:VAL:HG12	1:A:57:ILE:HG12	2.01	0.41
1:A:34:ASN:OD1	1:A:36:ASP:HB2	2.21	0.41
1:A:22:GLN:HE21	1:A:46:ASN:CB	2.06	0.41
1:A:228:CYS:N	1:A:229:PRO:CD	2.84	0.41
1:A:161:TRP:CE2	1:A:489:ASN:HB3	2.56	0.41
1:A:46:ASN:HA	1:A:46:ASN:HD22	1.60	0.40
1:A:60:LYS:HA	1:A:122:ARG:HH21	1.85	0.40
1:A:464:PHE:CD1	1:A:515:CYS:HB3	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:ASN:ND2	1:A:548:ARG:NH1[3_545]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	637/639 (100%)	610 (96%)	24 (4%)	3 (0%)	34 21

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	514	LEU
1	A	12	ASN
1	A	494	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	526/526 (100%)	511 (97%)	15 (3%)	50 40

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	THR
1	A	20	SER
1	A	23	SER
1	A	46	ASN
1	A	68	LEU
1	A	91	SER
1	A	95	ASN
1	A	119	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	229	PRO
1	A	366	LYS
1	A	439	ARG
1	A	532	TYR
1	A	548	ARG
1	A	563	SER
1	A	639	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	25	ASN
1	A	46	ASN
1	A	78	GLN
1	A	95	ASN
1	A	298	ASN
1	A	522	HIS
1	A	537	ASN
1	A	597	ASN
1	A	600	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	636/639 (99%)	-0.92	2 (0%) 94 94	6, 18, 56, 98	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	45	ALA	3.4
1	A	47	GLY	2.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CU	A	700	1/1	1.00	0.04	-1.94	24,24,24,24	0
3	NA	A	702	1/1	0.98	0.04	-2.10	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.