



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:01 AM GMT

PDB ID : 3GUY  
Title : Crystal structure of a short-chain dehydrogenase/reductase from *Vibrio parahaemolyticus*  
Authors : Patskovsky, Y.; Bonanno, J.B.; Freeman, J.; Bain, K.T.; Miller, S.; Sampathkumar, P.; Wasserman, S.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2009-03-30  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>5%</div> <div>11%</div> </div> </div>
1	B	230	<div> <div>3%</div> <div> <div></div> <div>83%</div> <div>6%</div> <div>11%</div> </div> </div>
1	C	230	<div> <div>6%</div> <div> <div></div> <div>85%</div> <div>7%</div> <div>8%</div> </div> </div>
1	D	230	<div> <div>5%</div> <div> <div></div> <div>86%</div> <div>8%</div> <div>• •</div> </div> </div>
1	E	230	<div> <div>%</div> <div> <div></div> <div>79%</div> <div>10%</div> <div>11%</div> </div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	230	<div><div><div></div><div></div><div></div></div><div><div>%</div><div>82%</div><div>11%</div></div><div><div></div><div></div><div></div></div></div>
1	G	230	<div><div><div></div><div></div><div></div></div><div><div>6%</div><div>82%</div><div>15%</div></div><div><div></div><div></div><div></div></div></div>
1	H	230	<div><div><div></div><div></div><div></div></div><div><div>2%</div><div>83%</div><div>7%</div></div><div><div></div><div></div><div></div></div></div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13319 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Short-chain dehydrogenase/reductase SDR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	204	Total	C	N	O	S	0	0	0
			1539	964	264	303	8			
1	B	204	Total	C	N	O	S	0	0	0
			1540	965	264	303	8			
1	C	212	Total	C	N	O	S	0	0	0
			1598	1003	273	314	8			
1	D	220	Total	C	N	O	S	0	0	0
			1650	1034	281	327	8			
1	E	204	Total	C	N	O	S	0	0	0
			1545	970	264	303	8			
1	F	204	Total	C	N	O	S	0	0	0
			1541	967	263	303	8			
1	G	228	Total	C	N	O	S	0	0	0
			1735	1082	302	343	8			
1	H	209	Total	C	N	O	S	0	0	0
			1585	999	267	311	8			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP A6B7Q2
A	0	SER	-	expression tag	UNP A6B7Q2
A	1	LEU	-	expression tag	UNP A6B7Q2
A	52	ARG	CYS	engineered	UNP A6B7Q2
A	204	ALA	SER	engineered	UNP A6B7Q2
A	221	GLU	-	expression tag	UNP A6B7Q2
A	222	GLY	-	expression tag	UNP A6B7Q2
A	223	HIS	-	expression tag	UNP A6B7Q2
A	224	HIS	-	expression tag	UNP A6B7Q2
A	225	HIS	-	expression tag	UNP A6B7Q2
A	226	HIS	-	expression tag	UNP A6B7Q2
A	227	HIS	-	expression tag	UNP A6B7Q2
A	228	HIS	-	expression tag	UNP A6B7Q2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	MET	-	expression tag	UNP A6B7Q2
B	0	SER	-	expression tag	UNP A6B7Q2
B	1	LEU	-	expression tag	UNP A6B7Q2
B	52	ARG	CYS	engineered	UNP A6B7Q2
B	204	ALA	SER	engineered	UNP A6B7Q2
B	221	GLU	-	expression tag	UNP A6B7Q2
B	222	GLY	-	expression tag	UNP A6B7Q2
B	223	HIS	-	expression tag	UNP A6B7Q2
B	224	HIS	-	expression tag	UNP A6B7Q2
B	225	HIS	-	expression tag	UNP A6B7Q2
B	226	HIS	-	expression tag	UNP A6B7Q2
B	227	HIS	-	expression tag	UNP A6B7Q2
B	228	HIS	-	expression tag	UNP A6B7Q2
C	-1	MET	-	expression tag	UNP A6B7Q2
C	0	SER	-	expression tag	UNP A6B7Q2
C	1	LEU	-	expression tag	UNP A6B7Q2
C	52	ARG	CYS	engineered	UNP A6B7Q2
C	204	ALA	SER	engineered	UNP A6B7Q2
C	221	GLU	-	expression tag	UNP A6B7Q2
C	222	GLY	-	expression tag	UNP A6B7Q2
C	223	HIS	-	expression tag	UNP A6B7Q2
C	224	HIS	-	expression tag	UNP A6B7Q2
C	225	HIS	-	expression tag	UNP A6B7Q2
C	226	HIS	-	expression tag	UNP A6B7Q2
C	227	HIS	-	expression tag	UNP A6B7Q2
C	228	HIS	-	expression tag	UNP A6B7Q2
D	-1	MET	-	expression tag	UNP A6B7Q2
D	0	SER	-	expression tag	UNP A6B7Q2
D	1	LEU	-	expression tag	UNP A6B7Q2
D	52	ARG	CYS	engineered	UNP A6B7Q2
D	204	ALA	SER	engineered	UNP A6B7Q2
D	221	GLU	-	expression tag	UNP A6B7Q2
D	222	GLY	-	expression tag	UNP A6B7Q2
D	223	HIS	-	expression tag	UNP A6B7Q2
D	224	HIS	-	expression tag	UNP A6B7Q2
D	225	HIS	-	expression tag	UNP A6B7Q2
D	226	HIS	-	expression tag	UNP A6B7Q2
D	227	HIS	-	expression tag	UNP A6B7Q2
D	228	HIS	-	expression tag	UNP A6B7Q2
E	-1	MET	-	expression tag	UNP A6B7Q2
E	0	SER	-	expression tag	UNP A6B7Q2
E	1	LEU	-	expression tag	UNP A6B7Q2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	52	ARG	CYS	engineered	UNP A6B7Q2
E	204	ALA	SER	engineered	UNP A6B7Q2
E	221	GLU	-	expression tag	UNP A6B7Q2
E	222	GLY	-	expression tag	UNP A6B7Q2
E	223	HIS	-	expression tag	UNP A6B7Q2
E	224	HIS	-	expression tag	UNP A6B7Q2
E	225	HIS	-	expression tag	UNP A6B7Q2
E	226	HIS	-	expression tag	UNP A6B7Q2
E	227	HIS	-	expression tag	UNP A6B7Q2
E	228	HIS	-	expression tag	UNP A6B7Q2
F	-1	MET	-	expression tag	UNP A6B7Q2
F	0	SER	-	expression tag	UNP A6B7Q2
F	1	LEU	-	expression tag	UNP A6B7Q2
F	52	ARG	CYS	engineered	UNP A6B7Q2
F	204	ALA	SER	engineered	UNP A6B7Q2
F	221	GLU	-	expression tag	UNP A6B7Q2
F	222	GLY	-	expression tag	UNP A6B7Q2
F	223	HIS	-	expression tag	UNP A6B7Q2
F	224	HIS	-	expression tag	UNP A6B7Q2
F	225	HIS	-	expression tag	UNP A6B7Q2
F	226	HIS	-	expression tag	UNP A6B7Q2
F	227	HIS	-	expression tag	UNP A6B7Q2
F	228	HIS	-	expression tag	UNP A6B7Q2
G	-1	MET	-	expression tag	UNP A6B7Q2
G	0	SER	-	expression tag	UNP A6B7Q2
G	1	LEU	-	expression tag	UNP A6B7Q2
G	52	ARG	CYS	engineered	UNP A6B7Q2
G	204	ALA	SER	engineered	UNP A6B7Q2
G	221	GLU	-	expression tag	UNP A6B7Q2
G	222	GLY	-	expression tag	UNP A6B7Q2
G	223	HIS	-	expression tag	UNP A6B7Q2
G	224	HIS	-	expression tag	UNP A6B7Q2
G	225	HIS	-	expression tag	UNP A6B7Q2
G	226	HIS	-	expression tag	UNP A6B7Q2
G	227	HIS	-	expression tag	UNP A6B7Q2
G	228	HIS	-	expression tag	UNP A6B7Q2
H	-1	MET	-	expression tag	UNP A6B7Q2
H	0	SER	-	expression tag	UNP A6B7Q2
H	1	LEU	-	expression tag	UNP A6B7Q2
H	52	ARG	CYS	engineered	UNP A6B7Q2
H	204	ALA	SER	engineered	UNP A6B7Q2
H	221	GLU	-	expression tag	UNP A6B7Q2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	222	GLY	-	expression tag	UNP A6B7Q2
H	223	HIS	-	expression tag	UNP A6B7Q2
H	224	HIS	-	expression tag	UNP A6B7Q2
H	225	HIS	-	expression tag	UNP A6B7Q2
H	226	HIS	-	expression tag	UNP A6B7Q2
H	227	HIS	-	expression tag	UNP A6B7Q2
H	228	HIS	-	expression tag	UNP A6B7Q2


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	86	Total O 86 86	0	0
2	B	92	Total O 92 92	0	0
2	C	91	Total O 91 91	0	0
2	D	74	Total O 74 74	0	0
2	E	63	Total O 63 63	0	0
2	F	66	Total O 66 66	0	0
2	G	61	Total O 61 61	0	0
2	H	53	Total O 53 53	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Short-chain dehydrogenase/reductase SDR




- Molecule 1: Short-chain dehydrogenase/reductase SDR



- Molecule 1: Short-chain dehydrogenase/reductase SDR





- Molecule 1: Short-chain dehydrogenase/reductase SDR





- Molecule 1: Short-chain dehydrogenase/reductase SDR









- Molecule 1: Short-chain dehydrogenase/reductase SDR



- Molecule 1: Short-chain dehydrogenase/reductase SDR



- Molecule 1: Short-chain dehydrogenase/reductase SDR



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.81Å 71.31Å 93.08Å 72.38° 89.39° 74.30°	Depositor
Resolution (Å)	20.00 – 1.90 43.42 – 1.90	Depositor EDS
% Data completeness (in resolution range)	96.9 (20.00-1.90) 85.7 (43.42-1.90)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.96 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.5.0070	Depositor
R, $R_{free}$	0.200 , 0.249 0.204 , 0.250	Depositor DCC
$R_{free}$ test set	6218 reflections (5.34%)	DCC
Wilson B-factor (Å <sup>2</sup> )	24.5	Xtriage
Anisotropy	0.121	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 52.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 123644 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13319	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.93	2/1558 (0.1%)	0.81	0/2107
1	B	0.87	0/1558	0.78	0/2105
1	C	0.85	0/1620	0.75	0/2193
1	D	0.83	0/1672	0.77	0/2261
1	E	0.75	0/1565	0.72	1/2116 (0.0%)
1	F	0.80	0/1561	0.78	0/2112
1	G	0.70	0/1764	0.73	0/2387
1	H	0.74	0/1608	0.76	0/2177
All	All	0.81	2/12906 (0.0%)	0.76	1/17458 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	GLU	CG-CD	6.49	1.61	1.51
1	A	92	GLU	CG-CD	5.85	1.60	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	90	ASP	CB-CG-OD1	5.22	123.00	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1539	0	1559	7	0
1	B	1540	0	1560	12	0
1	C	1598	0	1604	16	0
1	D	1650	0	1652	18	0
1	E	1545	0	1566	19	0
1	F	1541	0	1555	10	0
1	G	1735	0	1719	28	0
1	H	1585	0	1592	18	0
2	A	86	0	0	1	0
2	B	92	0	0	0	0
2	C	91	0	0	4	0
2	D	74	0	0	1	0
2	E	63	0	0	1	0
2	F	66	0	0	1	0
2	G	61	0	0	1	0
2	H	53	0	0	0	0
All	All	13319	0	12807	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:LEU:HD21	1:B:216:ILE:HD12	1.39	1.02
1:B:205:LEU:CD2	1:B:216:ILE:CD1	2.36	1.02
1:B:205:LEU:HD23	1:B:216:ILE:HD11	1.44	0.99
1:B:205:LEU:CD2	1:B:216:ILE:HD11	1.93	0.96
1:D:87:GLN:HE21	1:D:87:GLN:H	1.16	0.90
1:B:205:LEU:HD23	1:B:216:ILE:CD1	2.00	0.87
1:F:87:GLN:HE21	1:F:87:GLN:H	1.23	0.86
1:G:147:ALA:HB2	1:H:147:ALA:HB2	1.59	0.84
1:B:205:LEU:HD21	1:B:216:ILE:CD1	2.02	0.84
1:D:167:ILE:HG21	1:D:205:LEU:HD21	1.59	0.83
1:E:204:ALA:HB1	1:E:216:ILE:CD1	2.09	0.82
1:G:113:VAL:HG22	1:G:164:MET:HE3	1.67	0.76
1:E:204:ALA:CB	1:E:216:ILE:CD1	2.64	0.75
1:H:192:MET:SD	1:H:218:VAL:HG12	2.29	0.73
1:E:159:LEU:HD11	1:E:164:MET:HE2	1.69	0.72
1:H:167:ILE:HG21	1:H:205:LEU:HD21	1.74	0.70
1:H:167:ILE:HG21	1:H:205:LEU:CD2	2.22	0.70
1:C:147:ALA:HB2	1:D:147:ALA:HB2	1.75	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:ASN:HB3	2:A:542:HOH:O	1.96	0.66
1:E:204:ALA:CB	1:E:216:ILE:HD13	2.26	0.65
1:E:147:ALA:HB2	1:F:147:ALA:HB2	1.78	0.64
1:D:167:ILE:HG21	1:D:205:LEU:CD2	2.28	0.64
1:H:85:LEU:HD13	1:H:87:GLN:NE2	2.13	0.63
1:E:207:ASN:O	1:E:208:ILE:HD13	1.99	0.63
1:D:31:ARG:NH1	2:D:721:HOH:O	2.31	0.63
1:A:147:ALA:HB2	1:B:147:ALA:HB2	1.81	0.63
1:E:172:GLY:O	1:E:192:MET:HE2	2.01	0.60
1:G:192:MET:HB2	1:G:220:ARG:HB2	1.84	0.60
1:E:204:ALA:HB3	1:E:216:ILE:HD13	1.84	0.59
1:G:87:GLN:HG2	1:H:113:VAL:CG1	2.32	0.59
1:B:70:ILE:HD13	1:B:119:GLN:HG3	1.85	0.58
1:D:87:GLN:H	1:D:87:GLN:NE2	1.95	0.58
1:C:31:ARG:NH2	2:C:694:HOH:O	2.35	0.58
1:G:60:VAL:HG21	1:G:107:ASN:HB3	1.85	0.58
1:B:172:GLY:O	1:B:192:MET:HE2	2.03	0.57
1:G:113:VAL:HA	1:G:164:MET:HE1	1.87	0.57
1:C:87:GLN:HG3	1:D:113:VAL:HG12	1.89	0.55
1:F:206:ALA:C	1:F:207:ASN:HD22	2.10	0.55
1:B:122:ASN:OD1	1:B:165:LYS:NZ	2.40	0.54
1:C:192:MET:SD	1:C:218:VAL:HG12	2.47	0.54
1:C:87:GLN:NE2	2:C:539:HOH:O	2.41	0.53
1:B:192:MET:SD	1:B:218:VAL:HG12	2.48	0.53
1:F:207:ASN:N	1:F:207:ASN:HD22	2.07	0.53
1:H:166:ILE:C	1:H:167:ILE:HD13	2.29	0.52
1:F:87:GLN:H	1:F:87:GLN:NE2	2.02	0.52
1:H:192:MET:SD	1:H:218:VAL:CG1	2.98	0.52
1:H:85:LEU:HD13	1:H:87:GLN:HE21	1.74	0.51
1:E:159:LEU:HD11	1:E:164:MET:CE	2.40	0.51
1:E:192:MET:SD	1:E:218:VAL:HG12	2.50	0.51
1:C:85:LEU:HB3	1:C:87:GLN:HE22	1.75	0.51
1:H:167:ILE:HD13	1:H:167:ILE:N	2.25	0.51
1:E:191:PHE:HA	1:E:220:ARG:HD3	1.92	0.51
1:E:208:ILE:HG21	1:G:199:LEU:HD12	1.92	0.51
1:G:57:HIS:CE1	1:G:58:GLN:OE1	2.64	0.51
1:G:204:ALA:CB	1:G:216:ILE:CD1	2.89	0.50
1:E:113:VAL:HG22	1:E:164:MET:HE2	1.95	0.49
1:G:87:GLN:HG2	1:H:113:VAL:HG12	1.93	0.49
1:G:87:GLN:HG2	1:H:113:VAL:HG11	1.94	0.49
1:C:204:ALA:CB	1:C:216:ILE:CD1	2.89	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:175:ALA:O	1:D:176:THR:C	2.51	0.49
1:C:87:GLN:CG	1:D:113:VAL:HG12	2.42	0.49
1:E:200:MET:HG2	1:G:206:ALA:HB3	1.95	0.48
1:G:152:ILE:HD12	1:G:153:GLU:N	2.28	0.48
1:F:31:ARG:NH1	2:F:741:HOH:O	2.46	0.48
1:A:167:ILE:HG21	1:A:205:LEU:HD22	1.96	0.47
1:G:2:ILE:HD12	1:G:73:THR:HB	1.97	0.47
1:F:167:ILE:N	1:F:167:ILE:HD13	2.30	0.47
1:D:85:LEU:HB2	1:D:88:GLU:HG2	1.97	0.47
1:C:149:LYS:NZ	2:C:631:HOH:O	2.48	0.47
2:E:329:HOH:O	1:G:210:ASN:HB2	2.14	0.46
1:G:52:ARG:HG3	1:G:63:LEU:HD13	1.97	0.46
1:G:152:ILE:HD12	1:G:152:ILE:C	2.34	0.46
1:G:176:THR:HG22	1:G:177:GLU:N	2.31	0.45
1:C:204:ALA:CB	1:C:216:ILE:HD13	2.46	0.45
1:D:28:LEU:O	1:D:49:TYR:HA	2.17	0.45
1:E:204:ALA:HB1	1:E:216:ILE:HD11	1.93	0.45
1:H:5:THR:HA	1:H:29:THR:HG22	1.97	0.45
1:H:52:ARG:HA	1:H:52:ARG:HD3	1.86	0.44
1:E:30:GLY:O	1:E:51:ALA:HA	2.17	0.44
1:A:216:ILE:HG22	1:D:216:ILE:HG13	1.99	0.44
1:H:85:LEU:HB3	1:H:87:GLN:HE21	1.82	0.44
1:G:192:MET:SD	1:G:218:VAL:HG12	2.58	0.44
1:E:30:GLY:N	1:E:36:LEU:HD11	2.32	0.44
1:C:31:ARG:NH1	2:C:450:HOH:O	2.40	0.44
1:G:176:THR:CG2	1:G:177:GLU:N	2.80	0.44
1:F:220:ARG:C	1:H:210:ASN:O	2.56	0.44
1:H:165:LYS:NZ	1:H:207:ASN:OD1	2.36	0.43
1:F:28:LEU:O	1:F:49:TYR:HA	2.18	0.43
1:F:2:ILE:HD12	1:F:73:THR:HB	1.99	0.43
1:D:208:ILE:HG22	1:D:208:ILE:O	2.18	0.43
1:G:133:GLN:HB3	2:G:239:HOH:O	2.18	0.43
1:G:74:VAL:HG11	1:G:112:LEU:HD11	2.01	0.43
1:D:175:ALA:O	1:D:177:GLU:N	2.52	0.43
1:D:186:LEU:HD22	1:D:191:PHE:CZ	2.54	0.43
1:A:167:ILE:N	1:A:167:ILE:HD13	2.33	0.43
1:E:20:ASP:CB	1:E:43:LEU:HD22	2.49	0.43
1:G:204:ALA:HB1	1:G:216:ILE:CD1	2.49	0.42
1:G:122:ASN:OD1	1:G:165:LYS:CE	2.67	0.42
1:G:204:ALA:O	1:G:213:VAL:HG21	2.20	0.42
1:C:5:THR:HB	1:C:54:LEU:HD11	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:216:ILE:HG21	1:H:216:ILE:HD13	1.67	0.42
1:G:83:PHE:HB2	1:G:179:TRP:CE3	2.54	0.42
1:A:166:ILE:C	1:A:167:ILE:HD13	2.39	0.42
1:A:200:MET:SD	1:D:207:ASN:HB2	2.60	0.41
1:D:85:LEU:HB2	1:D:88:GLU:CG	2.50	0.41
1:C:5:THR:HA	1:C:29:THR:HG22	2.02	0.41
1:E:172:GLY:O	1:E:192:MET:CE	2.68	0.41
1:B:61:GLU:OE1	1:B:62:GLN:NE2	2.53	0.41
1:C:204:ALA:HB1	1:C:216:ILE:CD1	2.50	0.41
1:G:159:LEU:HD21	1:G:164:MET:HE2	2.01	0.41
1:C:66:GLN:CA	1:C:66:GLN:OE1	2.69	0.41
1:D:87:GLN:HE21	1:D:87:GLN:N	1.98	0.40
1:G:87:GLN:H	1:G:87:GLN:HG3	1.43	0.40
1:C:87:GLN:H	1:C:87:GLN:NE2	2.19	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/230 (87%)	197 (98%)	3 (2%)	0	100	100
1	B	198/230 (86%)	195 (98%)	3 (2%)	0	100	100
1	C	208/230 (90%)	204 (98%)	4 (2%)	0	100	100
1	D	216/230 (94%)	212 (98%)	3 (1%)	1 (0%)	34	21
1	E	200/230 (87%)	198 (99%)	2 (1%)	0	100	100
1	F	200/230 (87%)	197 (98%)	3 (2%)	0	100	100
1	G	226/230 (98%)	215 (95%)	10 (4%)	1 (0%)	39	27
1	H	205/230 (89%)	201 (98%)	4 (2%)	0	100	100
All	All	1653/1840 (90%)	1619 (98%)	32 (2%)	2 (0%)	56	46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	176	THR
1	G	188	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/191 (87%)	162 (97%)	5 (3%)	48	38
1	B	167/191 (87%)	165 (99%)	2 (1%)	78	76
1	C	172/191 (90%)	166 (96%)	6 (4%)	43	31
1	D	177/191 (93%)	171 (97%)	6 (3%)	44	33
1	E	168/191 (88%)	166 (99%)	2 (1%)	78	76
1	F	167/191 (87%)	158 (95%)	9 (5%)	27	15
1	G	188/191 (98%)	177 (94%)	11 (6%)	24	12
1	H	171/191 (90%)	166 (97%)	5 (3%)	50	40
All	All	1377/1528 (90%)	1331 (97%)	46 (3%)	45	34

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	GLU
1	A	61	GLU
1	A	160	LYS
1	A	199	LEU
1	A	220	ARG
1	B	137	GLN
1	B	220	ARG
1	C	37	SER
1	C	66	GLN
1	C	87	GLN
1	C	133	GLN
1	C	199	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	207	ASN
1	D	8	SER
1	D	44	SER
1	D	87	GLN
1	D	165	LYS
1	D	207	ASN
1	D	220	ARG
1	E	56	SER
1	E	133	GLN
1	F	31	ARG
1	F	33	GLU
1	F	61	GLU
1	F	87	GLN
1	F	162	LYS
1	F	167	ILE
1	F	207	ASN
1	F	216	ILE
1	F	220	ARG
1	G	33	GLU
1	G	34	SER
1	G	62	GLN
1	G	68	ASP
1	G	87	GLN
1	G	167	ILE
1	G	176	THR
1	G	177	GLU
1	G	184	LYS
1	G	199	LEU
1	G	220	ARG
1	H	68	ASP
1	H	87	GLN
1	H	133	GLN
1	H	199	LEU
1	H	216	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	207	ASN
1	B	45	ASN
1	B	62	GLN
1	B	137	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	87	GLN
1	C	133	GLN
1	D	45	ASN
1	D	87	GLN
1	D	133	GLN
1	D	219	ASN
1	E	133	GLN
1	E	137	GLN
1	F	87	GLN
1	F	137	GLN
1	F	202	HIS
1	F	219	ASN
1	G	57	HIS
1	G	58	GLN
1	G	66	GLN
1	H	87	GLN
1	H	133	GLN
1	H	219	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	204/230 (88%)	0.14	2 (0%) 84 86	16, 27, 40, 50	0
1	B	204/230 (88%)	0.09	6 (2%) 55 59	15, 27, 42, 49	0
1	C	212/230 (92%)	0.28	13 (6%) 25 27	17, 29, 45, 60	0
1	D	220/230 (95%)	0.37	11 (5%) 32 35	17, 32, 49, 57	0
1	E	204/230 (88%)	0.09	2 (0%) 84 86	21, 32, 44, 56	0
1	F	204/230 (88%)	0.15	3 (1%) 76 79	20, 31, 43, 49	0
1	G	228/230 (99%)	0.49	14 (6%) 25 27	22, 39, 55, 61	0
1	H	209/230 (90%)	0.31	4 (1%) 70 73	21, 34, 45, 62	0
All	All	1685/1840 (91%)	0.24	55 (3%) 50 53	15, 31, 49, 62	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	178	PHE	8.4
1	C	178	PHE	6.9
1	C	208	ILE	6.5
1	E	191	PHE	6.5
1	D	208	ILE	4.6
1	D	186	LEU	4.5
1	H	179	TRP	4.4
1	G	179	TRP	4.4
1	D	176	THR	4.1
1	C	179	TRP	4.0
1	D	49	TYR	4.0
1	G	188	THR	4.0
1	F	191	PHE	3.7
1	C	221	GLU	3.6
1	D	189	SER	3.3
1	B	210	ASN	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	68	ASP	3.2
1	C	209	GLY	3.2
1	G	43	LEU	3.1
1	G	42	CYS	3.0
1	G	210	ASN	3.0
1	B	196	ASP	2.9
1	C	190	SER	2.9
1	D	175	ALA	2.9
1	G	186	LEU	2.9
1	C	189	SER	2.8
1	G	176	THR	2.8
1	C	211	GLY	2.7
1	D	191	PHE	2.7
1	H	31	ARG	2.7
1	A	191	PHE	2.6
1	G	185	SER	2.6
1	F	44	SER	2.5
1	C	210	ASN	2.5
1	D	180	GLU	2.5
1	G	178	PHE	2.4
1	A	68	ASP	2.4
1	G	21	ALA	2.4
1	G	226	HIS	2.3
1	C	207	ASN	2.3
1	G	180	GLU	2.3
1	E	220	ARG	2.3
1	D	38	THR	2.3
1	G	224	HIS	2.2
1	B	220	ARG	2.2
1	F	172	GLY	2.1
1	C	191	PHE	2.1
1	D	23	GLY	2.1
1	B	191	PHE	2.1
1	G	41	ASN	2.1
1	H	41	ASN	2.1
1	C	175	ALA	2.1
1	B	173	GLY	2.1
1	B	172	GLY	2.0
1	C	68	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.