



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:03 PM GMT

PDB ID : 4H1W
Title : E1 structure of the (SR) Ca²⁺-ATPase in complex with Sarcolipin
Authors : Bublitz, M.; Winther, A.-M.L.; Karlsen, J.; Moller, J.V.; Hansen, J.B.; Buch-Pedersen, M.J.; Nissen, P.
Deposited on : 2012-09-11
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	994	 3% 75% 23% ..
2	B	31	 6% 77% 23%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERCA1a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	985	7604	4836	1278	1433	57	0	0	0

- Molecule 2 is a protein called Sarcolipin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	31	265	175	43	45	2	0	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	K	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Mg	0	0
			3	3		

- Molecule 5 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SERCA1a



- Molecule 2: Sarcolipin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	85.87Å 139.54Å 141.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.01 – 3.10 46.51 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.4 (43.01-3.10) 99.4 (46.51-3.10)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 3.12Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.191 , 0.247 0.199 , 0.248	Depositor DCC
R_{free} test set	1591 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	69.4	Xtrriage
Anisotropy	0.607	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 63.3	EDS
Estimated twinning fraction	0.009 for -h,l,k	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Outliers	0 of 31391 reflections	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7890	wwPDB-VP
Average B, all atoms (Å ²)	105.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, ACP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/7743	0.62	1/10496 (0.0%)
2	B	0.28	0/269	0.43	0/364
All	All	0.43	0/8012	0.61	1/10860 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	992	LEU	CA-CB-CG	5.05	126.92	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7604	0	7705	154	0
2	B	265	0	284	6	0
3	A	1	0	0	0	0
4	A	3	0	0	0	0
5	A	9	0	2	2	0
6	A	8	0	0	0	0
All	All	7890	0	7991	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:654:THR:HG22	1:A:656:ARG:H	1.32	0.92
1:A:253:LEU:HD21	1:A:311:LEU:HB3	1.60	0.81
1:A:308:PRO:HA	1:A:309:GLU:HB2	1.62	0.81
1:A:342:LEU:HD12	1:A:716:ILE:HD13	1.66	0.76
1:A:86:THR:HB	1:A:89:VAL:HG22	1.68	0.75
1:A:240:ALA:HA	1:A:241:ALA:HB3	1.69	0.74
1:A:86:THR:OG1	1:A:86:THR:O	2.05	0.72
1:A:507:ALA:HB1	1:A:573:ARG:HH12	1.53	0.71
1:A:371:LYS:H	1:A:378:SER:HB3	1.58	0.68
1:A:802:LEU:HB2	1:A:803:PRO:HD3	1.76	0.68
1:A:412:GLU:OE1	1:A:529:ARG:HD2	1.95	0.65
1:A:876:CYS:SG	1:A:882:HIS:NE2	2.73	0.61
1:A:73:PHE:CE1	1:A:88:PHE:HB3	2.35	0.61
1:A:369:ILE:HG13	1:A:528:VAL:HG13	1.84	0.60
1:A:416:ILE:HG21	1:A:564:LEU:HB3	1.84	0.60
1:A:165:ILE:HG22	1:A:191:THR:HG22	1.83	0.60
1:A:129:VAL:HG12	1:A:151:VAL:HG12	1.83	0.60
1:A:420:CYS:O	1:A:515:LYS:HE2	2.03	0.59
1:A:811:PRO:HG3	1:A:929:VAL:CG1	2.34	0.58
1:A:631:THR:HG22	1:A:635:ILE:HD11	1.86	0.58
1:A:932:TRP:HE1	2:B:5:THR:HG1	1.52	0.58
1:A:816:ILE:HG23	1:A:817:MET:HG3	1.86	0.57
1:A:567:ARG:NH1	1:A:587:TYR:O	2.36	0.57
1:A:529:ARG:NH2	1:A:568:ASP:OD2	2.37	0.57
1:A:302:LEU:HD11	1:A:772:VAL:HA	1.88	0.55
1:A:270:ALA:O	1:A:274:ILE:HG13	2.06	0.55
1:A:936:SER:HB3	2:B:8:LEU:HD11	1.86	0.55
1:A:811:PRO:HG3	1:A:929:VAL:HG12	1.88	0.55
1:A:174:ARG:NH1	1:A:186:SER:OG	2.35	0.55
1:A:116:ILE:HD12	1:A:336:LEU:HD21	1.88	0.55
1:A:273:LEU:HA	1:A:276:ILE:HB	1.87	0.55
1:A:880:HIS:CG	1:A:881:PRO:HD3	2.43	0.54
1:A:232:ILE:HD11	1:A:236:ARG:HE	1.72	0.53
1:A:926:PRO:O	1:A:929:VAL:HG23	2.09	0.53
1:A:791:GLN:HB3	1:A:901:LEU:HD13	1.90	0.53
1:A:353:THR:N	5:A:1005:ACP:O1G	2.33	0.53
1:A:881:PRO:HD2	1:A:882:HIS:CD2	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:TYR:HB3	1:A:425:LEU:HD21	1.90	0.53
1:A:245:ASP:HB3	1:A:246:LYS:HA	1.90	0.52
1:A:250:GLN:O	1:A:254:ASP:HB2	2.08	0.52
1:A:809:PHE:CE1	2:B:4:SER:HB2	2.45	0.52
1:A:508:VAL:HG12	1:A:509:GLY:H	1.75	0.51
1:A:69:ALA:HB1	1:A:91:PRO:HG3	1.91	0.51
1:A:799:THR:HA	1:A:803:PRO:HD2	1.92	0.51
1:A:579:ASP:OD1	1:A:580:ASP:N	2.44	0.51
1:A:978:ILE:O	1:A:982:GLU:HB2	2.11	0.51
1:A:394:GLU:HG3	1:A:396:LEU:HD21	1.93	0.50
1:A:491:ARG:HB2	1:A:585:MET:HG3	1.92	0.50
1:A:167:SER:OG	1:A:169:LYS:NZ	2.45	0.50
1:A:193:PRO:O	1:A:195:PRO:HD3	2.11	0.50
1:A:510:ASN:O	1:A:511:LYS:HD3	2.12	0.49
1:A:491:ARG:NH1	1:A:588:GLU:OE2	2.46	0.49
1:A:86:THR:N	1:A:87:ALA:HB3	2.27	0.49
1:A:240:ALA:HB1	1:A:242:THR:HG23	1.95	0.49
1:A:524:ARG:HD2	1:A:588:GLU:O	2.12	0.49
1:A:250:GLN:NE2	1:A:316:THR:OG1	2.46	0.49
1:A:515:LYS:HB2	1:A:564:LEU:HD23	1.94	0.49
1:A:962:LEU:HB2	1:A:967:TRP:NE1	2.28	0.49
1:A:604:ARG:HB3	1:A:607:VAL:HG22	1.95	0.49
1:A:724:THR:O	1:A:728:LYS:HG3	2.13	0.49
1:A:558:THR:HB	1:A:631:THR:HG23	1.95	0.49
1:A:247:THR:OG1	1:A:250:GLN:HB2	2.12	0.49
1:A:762:ARG:HH22	1:A:915:SER:HA	1.78	0.49
1:A:61:LEU:HB3	1:A:304:VAL:HG22	1.95	0.48
1:A:275:ASN:O	1:A:278:HIS:N	2.44	0.48
1:A:283:VAL:N	1:A:284:HIS:HA	2.28	0.48
1:A:654:THR:HG22	1:A:656:ARG:N	2.13	0.48
1:A:457:THR:HG21	1:A:474:VAL:HG21	1.94	0.48
1:A:962:LEU:HB2	1:A:967:TRP:CD1	2.48	0.48
1:A:577:VAL:C	1:A:578:LEU:HD23	2.34	0.48
1:A:880:HIS:ND1	1:A:881:PRO:HD3	2.27	0.48
1:A:863:PRO:O	1:A:865:VAL:HG23	2.14	0.48
1:A:202:GLN:HG3	1:A:202:GLN:O	2.14	0.48
1:A:174:ARG:HB3	1:A:216:ALA:HB3	1.94	0.48
1:A:93:VAL:HG11	1:A:956:ILE:HG21	1.96	0.47
1:A:950:VAL:HG22	1:A:952:PRO:HD2	1.96	0.47
1:A:869:GLN:HB3	1:A:872:HIS:H	1.79	0.47
1:A:88:PHE:O	1:A:91:PRO:HD2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ASN:HB3	1:A:143:ARG:HA	1.95	0.47
1:A:629:LYS:O	1:A:633:ILE:HG13	2.15	0.47
1:A:855:TRP:HA	1:A:859:ALA:HB2	1.97	0.47
1:A:946:LEU:HD22	2:B:19:VAL:HG11	1.97	0.47
1:A:985:LYS:O	1:A:989:ARG:HG3	2.16	0.47
1:A:802:LEU:HB3	1:A:936:SER:HB2	1.96	0.46
1:A:950:VAL:C	1:A:952:PRO:HD2	2.36	0.46
1:A:844:VAL:O	1:A:848:THR:HG23	2.15	0.46
1:A:102:ALA:O	1:A:106:VAL:HG23	2.15	0.46
1:A:239:MET:HB3	1:A:240:ALA:HA	1.98	0.46
1:A:635:ILE:O	1:A:639:ILE:HG12	2.16	0.46
1:A:898:THR:HG21	1:A:960:LYS:H	1.81	0.46
1:A:843:TYR:OH	1:A:976:PRO:HG2	2.15	0.46
1:A:486:GLU:O	1:A:491:ARG:NH2	2.49	0.45
1:A:836:ARG:HG2	1:A:984:LEU:HD13	1.97	0.45
1:A:40:GLU:OE1	1:A:143:ARG:NE	2.50	0.45
1:A:962:LEU:HD12	1:A:967:TRP:CE2	2.51	0.45
1:A:326:MET:HB3	1:A:331:ALA:HB3	1.99	0.45
1:A:112:ALA:O	1:A:116:ILE:HG12	2.17	0.45
1:A:62:VAL:HG13	1:A:98:LEU:HD13	1.98	0.45
1:A:774:CYS:HB2	1:A:849:VAL:HG13	1.98	0.45
1:A:815:ASP:OD2	1:A:924:ARG:NH2	2.49	0.45
1:A:181:THR:OG1	1:A:183:GLU:OE2	2.32	0.45
1:A:380:ASN:OD1	1:A:397:LYS:NZ	2.44	0.45
1:A:463:SER:OG	1:A:466:GLU:HG2	2.18	0.44
1:A:239:MET:SD	1:A:241:ALA:HB2	2.58	0.44
1:A:950:VAL:O	1:A:951:ASP:HB2	2.18	0.44
1:A:572:LYS:HB3	1:A:574:GLU:OE1	2.18	0.44
1:A:762:ARG:NH2	1:A:915:SER:HA	2.32	0.43
1:A:369:ILE:HG13	1:A:528:VAL:CG1	2.48	0.43
1:A:775:ILE:O	1:A:778:THR:HG22	2.18	0.43
1:A:505:ARG:N	1:A:506:ALA:HB3	2.33	0.43
1:A:549:ILE:HG23	1:A:561:CYS:SG	2.59	0.43
1:A:89:VAL:HG21	1:A:956:ILE:HG12	2.01	0.43
1:A:254:ASP:O	1:A:258:GLU:HG2	2.19	0.43
1:A:239:MET:HB3	1:A:240:ALA:CA	2.49	0.42
1:A:245:ASP:HB3	1:A:246:LYS:CA	2.49	0.42
1:A:53:VAL:HG11	1:A:103:ILE:HG12	2.01	0.42
1:A:916:LEU:HA	1:A:916:LEU:HD23	1.85	0.42
1:A:281:ASP:OD1	1:A:875:GLN:HB2	2.18	0.42
1:A:407:PHE:O	1:A:411:VAL:HG23	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:788:ILE:HG23	1:A:789:PRO:HD2	2.01	0.42
1:A:268:CYS:O	1:A:271:VAL:HG12	2.19	0.42
1:A:756:ASN:HA	1:A:759:GLN:HG2	2.01	0.42
1:A:306:ALA:O	1:A:768:ASN:ND2	2.52	0.42
1:A:308:PRO:HB2	1:A:311:LEU:HD11	2.01	0.42
1:A:245:ASP:HB3	1:A:246:LYS:HG2	2.02	0.42
1:A:240:ALA:HA	1:A:241:ALA:CB	2.43	0.42
1:A:319:LEU:HD13	1:A:336:LEU:HD23	2.02	0.42
1:A:61:LEU:HA	1:A:61:LEU:HD23	1.89	0.42
1:A:407:PHE:HB2	1:A:410:LEU:HB2	2.01	0.42
2:B:17:ILE:O	2:B:21:LEU:HG	2.19	0.42
1:A:124:PRO:O	1:A:126:MET:HG2	2.20	0.42
1:A:253:LEU:HD12	1:A:828:LEU:HD21	2.02	0.42
1:A:962:LEU:HA	1:A:966:GLN:NE2	2.34	0.42
1:A:361:MET:HB2	1:A:444:ALA:HB2	2.01	0.42
1:A:811:PRO:HG3	1:A:929:VAL:HG11	2.02	0.41
1:A:775:ILE:HA	1:A:775:ILE:HD13	1.76	0.41
2:B:17:ILE:HD13	2:B:20:ILE:HD12	2.02	0.41
1:A:79:GLU:OE2	1:A:79:GLU:N	2.53	0.41
1:A:363:VAL:HG11	1:A:448:LEU:HD22	2.03	0.41
1:A:910:CYS:HB3	1:A:978:ILE:HG13	2.03	0.41
1:A:865:VAL:HG12	1:A:868:HIS:HB3	2.03	0.41
1:A:658:PHE:CZ	1:A:666:GLN:HB3	2.56	0.41
1:A:305:ALA:HB2	1:A:793:LEU:HD23	2.03	0.41
1:A:251:GLN:O	1:A:255:GLU:HG3	2.21	0.41
1:A:651:ARG:NH2	1:A:674:CYS:SG	2.94	0.41
1:A:948:LEU:HD23	1:A:948:LEU:HA	1.80	0.41
1:A:412:GLU:OE2	1:A:529:ARG:NH1	2.55	0.41
1:A:529:ARG:HH22	1:A:568:ASP:CG	2.25	0.40
1:A:881:PRO:HG2	1:A:882:HIS:NE2	2.36	0.40
1:A:633:ILE:O	1:A:637:ARG:HG3	2.21	0.40
1:A:352:LYS:HB3	5:A:1005:ACP:O1G	2.22	0.40
1:A:248:PRO:O	1:A:252:LYS:HG3	2.21	0.40
1:A:415:THR:HA	1:A:475:ILE:HG21	2.03	0.40
1:A:984:LEU:HA	1:A:984:LEU:HD23	1.93	0.40
1:A:774:CYS:SG	1:A:775:ILE:N	2.95	0.40
1:A:794:TRP:O	1:A:798:VAL:HG23	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	979/994 (98%)	906 (92%)	66 (7%)	7 (1%)	26	65
2	B	29/31 (94%)	29 (100%)	0	0	100	100
All	All	1008/1025 (98%)	935 (93%)	66 (6%)	7 (1%)	26	65

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	309	GLU
1	A	951	ASP
1	A	802	LEU
1	A	558	THR
1	A	282	PRO
1	A	374	GLY
1	A	881	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	833/840 (99%)	811 (97%)	22 (3%)	54	83
2	B	31/31 (100%)	31 (100%)	0	100	100
All	All	864/871 (99%)	842 (98%)	22 (2%)	55	84

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	VAL
1	A	33	LEU
1	A	86	THR
1	A	108	GLN
1	A	149	ASP
1	A	170	SER
1	A	202	GLN
1	A	210	SER
1	A	225	THR
1	A	237	ASP
1	A	309	GLU
1	A	360	GLN
1	A	441	THR
1	A	490	ASP
1	A	491	ARG
1	A	515	LYS
1	A	532	THR
1	A	559	LEU
1	A	583	ARG
1	A	607	VAL
1	A	760	PHE
1	A	813	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACP	A	1005	4	6,8,33	2.70	4 (66%)	12,13,52	2.61	6 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsions and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ACP	A	1005	4	-	0/6/6/38	0/0/0/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1005	ACP	PB-O2B	-2.66	1.48	1.54
5	A	1005	ACP	PG-O3G	-2.59	1.48	1.54
5	A	1005	ACP	PB-O1B	3.44	1.58	1.50
5	A	1005	ACP	PG-O1G	3.70	1.58	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1005	ACP	O2G-PG-O1G	-4.51	100.86	112.40
5	A	1005	ACP	O3A-PB-O1B	-4.04	102.08	112.40
5	A	1005	ACP	O3A-PB-C3B	-2.28	100.86	106.40
5	A	1005	ACP	O3G-PG-O2G	-2.05	102.13	108.13
5	A	1005	ACP	O3G-PG-C3B	3.03	113.75	106.40
5	A	1005	ACP	O2B-PB-C3B	4.36	116.97	106.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1005	ACP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	985/994 (99%)	-0.27	27 (2%) 58 34	55, 90, 175, 263	0
2	B	31/31 (100%)	0.24	2 (6%) 22 8	121, 144, 218, 223	0
All	All	1016/1025 (99%)	-0.26	29 (2%) 55 31	55, 92, 180, 263	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	241	ALA	7.4
1	A	504	SER	5.2
1	A	242	THR	4.6
1	A	243	GLU	4.2
1	A	244	GLN	4.2
1	A	75	LEU	4.0
1	A	875	GLN	3.9
1	A	71	ILE	3.9
1	A	240	ALA	3.8
1	A	284	HIS	3.6
1	A	245	ASP	3.4
2	B	24	LEU	3.2
1	A	866	THR	3.1
1	A	883	PHE	2.9
1	A	505	ARG	2.9
1	A	503	SER	2.9
1	A	74	VAL	2.9
1	A	73	PHE	2.8
1	A	507	ALA	2.8
1	A	239	MET	2.8
1	A	238	GLN	2.6
2	B	20	ILE	2.6
1	A	878	GLU	2.5
1	A	888	CYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	45	GLU	2.4
1	A	237	ASP	2.3
1	A	70	CYS	2.2
1	A	854	TRP	2.2
1	A	184	SER	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q < 0.9
5	ACP	A	1005	9/31	0.94	0.23	1.21	41,116,221,222	1
4	MG	A	1004	1/1	0.48	0.27	0.62	204,204,204,204	0
4	MG	A	1003	1/1	0.87	0.17	-1.29	147,147,147,147	0
3	K	A	1001	1/1	0.99	0.08	-2.75	73,73,73,73	0
4	MG	A	1002	1/1	0.99	0.23	-	84,84,84,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.