



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:05 AM GMT

PDB ID : 3H46
Title : Glycerol Kinase H232E with Glycerol
Authors : Yeh, J.I.; Kettering, R.D.
Deposited on : 2009-04-17
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	O	506	<div> <div>9%</div> <div>81%</div> <div>14%</div> <div>• •</div> </div>
1	X	506	<div> <div>9%</div> <div>81%</div> <div>15%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	O	507	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7981 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	500	Total	C	N	O	S	0	0	0
			3879	2459	646	760	14			
1	O	500	Total	C	N	O	S	0	0	0
			3879	2459	646	760	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	232	GLU	HIS	ENGINEERED	UNP O34153
O	232	GLU	HIS	ENGINEERED	UNP O34153

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	X	1	Total	O S	0	0
			5	4 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	O	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	X	1	Total	C	O	0	0
			6	3	3		
3	O	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	X	1	Total	C	O	0	0
			4	2	2		
4	O	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	X	97	Total	O	0	0
			97	97		
5	O	96	Total	O	0	0
			96	96		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycerol kinase



• Molecule 1: Glycerol kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	96.68Å 199.55Å 56.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.75 10.00 – 1.75	Depositor EDS
% Data completeness (in resolution range)	72.0 (10.00-1.75) 72.0 (10.00-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 1.75Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.194 , 0.228 0.199 , 0.233	Depositor DCC
R_{free} test set	4004 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	22.3	Xtriage
Anisotropy	0.147	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.49 , 52.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 79736 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7981	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 57.61 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.3096e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	O	0.71	1/3959 (0.0%)	0.76	9/5366 (0.2%)
1	X	0.71	2/3959 (0.1%)	0.82	6/5366 (0.1%)
All	All	0.71	3/7918 (0.0%)	0.79	15/10732 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	284	ASP	CB-CG	6.44	1.65	1.51
1	X	457	ASP	CG-OD2	6.20	1.39	1.25
1	O	284	ASP	CB-CG	5.84	1.64	1.51

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	457	ASP	CB-CG-OD1	-15.87	104.02	118.30
1	X	284	ASP	CB-CG-OD2	13.68	130.62	118.30
1	X	457	ASP	CB-CG-OD2	13.53	130.48	118.30
1	O	457	ASP	CB-CG-OD2	9.19	126.57	118.30
1	X	189	ARG	NE-CZ-NH2	-9.07	115.76	120.30
1	O	457	ASP	CB-CG-OD1	-8.27	110.86	118.30
1	O	322	ARG	NE-CZ-NH2	-6.86	116.87	120.30
1	X	457	ASP	CB-CA-C	5.98	122.36	110.40
1	O	284	ASP	CB-CG-OD2	5.96	123.67	118.30
1	O	189	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	O	143	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	X	284	ASP	OD1-CG-OD2	-5.53	112.79	123.30
1	O	457	ASP	CB-CA-C	5.07	120.54	110.40
1	O	143	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	O	284	ASP	OD1-CG-OD2	-5.01	113.79	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	O	3879	0	3782	91	0
1	X	3879	0	3782	86	0
2	O	5	0	0	0	0
2	X	5	0	0	0	0
3	O	6	0	8	0	0
3	X	6	0	8	0	0
4	O	4	0	6	0	0
4	X	4	0	6	1	0
5	O	96	0	0	1	0
5	X	97	0	0	1	0
All	All	7981	0	7592	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:20:ILE:HD13	1:O:31:SER:CB	1.58	1.33
1:O:20:ILE:CD1	1:O:31:SER:HB2	1.74	1.18
1:O:18:ARG:NH2	1:O:20:ILE:HG13	1.62	1.15
1:O:18:ARG:NH1	1:O:441:ALA:HB2	1.71	1.06
1:O:20:ILE:HD13	1:O:31:SER:HB2	1.06	1.05
1:O:18:ARG:HH12	1:O:441:ALA:CB	1.71	1.03
1:O:20:ILE:CD1	1:O:31:SER:CB	2.31	1.02
1:O:18:ARG:HH12	1:O:441:ALA:HB3	1.20	1.02
1:O:18:ARG:NH1	1:O:441:ALA:CB	2.22	1.01
1:X:232:GLU:HA	1:O:234:TYR:HE1	1.23	0.99
1:X:132:VAL:O	1:X:191:MET:HE1	1.65	0.96
1:X:123:GLU:HG3	1:X:127:GLU:OE1	1.64	0.95
1:X:18:ARG:CZ	1:X:438:GLU:HG2	1.96	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:12:GLN:HE22	1:O:83:GLN:HE21	1.15	0.92
1:O:20:ILE:HD13	1:O:31:SER:HB3	1.50	0.91
1:X:232:GLU:HA	1:O:234:TYR:CE1	2.05	0.90
1:X:234:TYR:HE1	1:O:232:GLU:HA	1.33	0.90
1:X:234:TYR:CE1	1:O:232:GLU:HA	2.07	0.89
1:X:132:VAL:O	1:X:191:MET:CE	2.20	0.89
1:O:279:GLU:O	1:O:280:PRO:O	1.89	0.88
1:X:12:GLN:HE22	1:X:83:GLN:HE21	1.24	0.86
1:X:234:TYR:N	1:X:234:TYR:HD2	1.75	0.84
1:X:18:ARG:NH1	1:X:20:ILE:HD11	1.94	0.83
1:X:221:ASN:HD22	1:X:294:GLY:H	1.29	0.80
1:O:282:LEU:HD12	1:O:283:SER:H	1.47	0.77
1:X:426:ILE:HD12	1:X:427:LEU:N	1.99	0.77
1:O:221:ASN:HD22	1:O:294:GLY:H	1.32	0.77
1:X:234:TYR:N	1:X:234:TYR:CD2	2.47	0.76
1:O:12:GLN:HE21	1:O:166:ILE:HG21	1.51	0.75
1:O:18:ARG:NH2	1:O:20:ILE:CG1	2.47	0.75
1:O:20:ILE:CD1	1:O:31:SER:HB3	2.09	0.75
1:X:18:ARG:HH11	1:X:20:ILE:HD11	1.53	0.73
1:O:432:GLN:NE2	1:O:467:GLU:HB3	2.03	0.73
1:X:18:ARG:NH1	1:X:438:GLU:HG2	2.04	0.72
1:X:85:GLU:OE2	1:X:189:ARG:HD2	1.93	0.69
1:O:18:ARG:HH21	1:O:20:ILE:HG13	1.55	0.68
1:O:92:LYS:HE3	1:O:159:GLY:O	1.94	0.67
1:O:232:GLU:C	1:O:234:TYR:H	1.98	0.66
1:X:232:GLU:C	1:X:234:TYR:H	1.98	0.66
1:X:221:ASN:ND2	1:X:294:GLY:H	1.93	0.65
1:O:18:ARG:HH22	1:O:20:ILE:HG13	1.56	0.65
1:X:12:GLN:HE21	1:X:166:ILE:HG21	1.62	0.64
1:O:221:ASN:ND2	1:O:294:GLY:H	1.96	0.64
1:O:51:ASN:HD21	1:O:96:GLN:HE22	1.45	0.64
1:O:282:LEU:CD1	1:O:283:SER:H	2.11	0.63
1:O:85:GLU:OE2	1:O:189:ARG:HD2	1.98	0.63
1:O:72:PRO:HG2	1:O:234:TYR:CG	2.33	0.63
1:O:55:ASN:HA	1:O:58:GLN:HE21	1.64	0.63
1:X:126:HIS:NE2	1:X:284:ASP:OD2	2.32	0.62
1:O:231:TYR:CD1	1:O:231:TYR:N	2.67	0.62
1:X:467:GLU:HA	1:X:467:GLU:OE1	1.99	0.62
1:X:72:PRO:HG2	1:X:234:TYR:CG	2.36	0.61
1:X:235:GLY:HA2	1:X:236:SER:HB2	1.83	0.60
1:X:59:SER:HB3	4:X:3122:EDO:H22	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:360:GLU:HB2	1:O:498:LYS:HD2	1.83	0.60
1:X:433:ARG:O	1:X:468:GLY:HA3	2.02	0.59
1:O:126:HIS:HE2	1:O:284:ASP:CG	2.04	0.59
1:O:126:HIS:NE2	1:O:284:ASP:OD1	2.23	0.59
1:X:231:TYR:HB2	1:O:71:ARG:HD3	1.85	0.59
1:O:370:ARG:NH2	5:O:581:HOH:O	2.33	0.58
1:X:18:ARG:NH2	1:X:438:GLU:HG2	2.17	0.57
1:X:232:GLU:O	1:X:234:TYR:N	2.31	0.57
1:O:18:ARG:HH21	1:O:20:ILE:CG1	2.16	0.57
1:O:20:ILE:HD11	1:O:31:SER:HB2	1.79	0.57
1:O:18:ARG:NH1	1:O:438:GLU:HB3	2.20	0.57
1:O:85:GLU:OE2	1:O:189:ARG:CD	2.54	0.56
1:X:126:HIS:HE2	1:X:284:ASP:CG	2.09	0.56
1:X:232:GLU:C	1:X:234:TYR:N	2.59	0.55
1:O:230:SER:C	1:O:232:GLU:H	2.09	0.55
1:O:234:TYR:N	1:O:234:TYR:CD2	2.73	0.55
1:X:18:ARG:NH2	1:X:438:GLU:CG	2.71	0.54
1:O:356:TYR:CZ	1:O:491:VAL:HG11	2.43	0.54
1:X:281:GLN:HE21	1:X:281:GLN:HA	1.72	0.54
1:O:12:GLN:NE2	1:O:83:GLN:HE21	1.96	0.53
1:O:282:LEU:CD1	1:O:283:SER:N	2.71	0.53
1:O:143:ARG:HD3	1:O:143:ARG:O	2.08	0.53
1:O:20:ILE:CG2	1:O:28:LYS:HG3	2.40	0.52
1:X:235:GLY:CA	1:X:236:SER:HB2	2.39	0.52
1:O:234:TYR:N	1:O:234:TYR:HD2	2.08	0.52
1:X:132:VAL:O	1:X:191:MET:HE2	2.08	0.52
1:X:18:ARG:NH1	1:X:20:ILE:CD1	2.70	0.52
1:X:397:LYS:HG2	1:X:404:ILE:HD12	1.91	0.52
1:O:457:ASP:OD2	1:O:460:GLU:OE2	2.28	0.51
1:X:281:GLN:OE1	1:X:400:SER:HA	2.09	0.51
1:O:20:ILE:HG23	1:O:28:LYS:HG3	1.93	0.50
1:O:81:THR:OG1	1:O:246:ASP:HA	2.11	0.50
1:X:263:LYS:HD2	1:X:263:LYS:C	2.31	0.50
1:O:389:SER:HB2	1:O:423:GLN:HE22	1.76	0.50
1:X:282:LEU:HD12	1:X:282:LEU:N	2.26	0.50
1:O:263:LYS:C	1:O:263:LYS:HD2	2.31	0.50
1:O:232:GLU:O	1:O:234:TYR:N	2.45	0.50
1:O:18:ARG:NH1	1:O:441:ALA:HB3	1.97	0.49
1:X:231:TYR:N	1:X:231:TYR:CD1	2.80	0.49
1:X:426:ILE:HD12	1:X:427:LEU:H	1.76	0.49
1:O:502:LYS:HB3	1:O:502:LYS:NZ	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:331:GLU:HG2	1:X:416:ASN:ND2	2.27	0.49
1:X:281:GLN:OE1	1:X:400:SER:CB	2.61	0.49
1:X:85:GLU:OE2	1:X:189:ARG:CD	2.60	0.49
1:O:492:ALA:O	1:O:496:THR:HG23	2.13	0.48
1:O:232:GLU:O	1:O:234:TYR:CD2	2.66	0.48
1:O:327:SER:N	1:O:328:PRO:HD2	2.29	0.47
1:O:232:GLU:C	1:O:234:TYR:N	2.67	0.47
1:O:20:ILE:HD12	1:O:28:LYS:HD2	1.95	0.47
1:X:467:GLU:OE1	1:X:467:GLU:CA	2.62	0.47
1:O:397:LYS:HB3	1:O:397:LYS:HE2	1.55	0.47
1:X:12:GLN:NE2	1:X:83:GLN:HE21	2.04	0.47
1:O:54:TRP:CD1	1:O:173:LYS:HE2	2.49	0.47
1:X:18:ARG:HH22	1:X:438:GLU:HB3	1.80	0.47
1:O:181:VAL:HG21	1:O:219:LYS:HD2	1.97	0.47
1:X:341:ASN:HD21	1:X:383:GLN:HE22	1.63	0.47
1:X:340:ASP:N	1:X:340:ASP:OD2	2.47	0.47
1:O:229:ARG:O	1:O:230:SER:O	2.33	0.47
1:X:18:ARG:CZ	1:X:438:GLU:CG	2.84	0.46
1:O:51:ASN:HD21	1:O:96:GLN:NE2	2.14	0.46
1:X:234:TYR:H	1:X:234:TYR:HD2	1.61	0.46
1:X:175:THR:HB	1:X:178:GLN:HB2	1.98	0.46
1:O:78:ILE:HD11	1:O:233:PHE:CZ	2.51	0.45
1:X:116:LEU:HD11	1:X:208:LEU:HD21	1.98	0.45
1:X:426:ILE:HD12	1:X:426:ILE:C	2.37	0.45
1:X:400:SER:C	1:X:402:ILE:H	2.20	0.45
1:X:397:LYS:HE3	1:X:397:LYS:HB3	1.38	0.45
1:O:457:ASP:OD1	1:O:460:GLU:CD	2.55	0.45
1:O:402:ILE:HG22	1:O:403:ASP:O	2.16	0.45
1:X:397:LYS:CG	1:X:404:ILE:HD12	2.47	0.44
1:X:4:LYS:HE3	1:X:4:LYS:HB3	1.60	0.44
1:O:81:THR:HG21	1:O:440:THR:HG22	1.98	0.44
1:O:279:GLU:O	1:O:280:PRO:C	2.49	0.44
1:X:354:ALA:HB2	1:X:357:TRP:CZ2	2.53	0.44
1:O:3:GLU:N	1:O:73:GLU:O	2.51	0.44
1:X:184:TYR:HB3	1:X:291:ILE:HG21	2.00	0.44
1:X:125:ILE:HD12	1:X:133:ILE:HG12	1.99	0.43
1:O:370:ARG:HG3	1:O:370:ARG:O	2.18	0.43
1:X:81:THR:HG21	1:X:440:THR:HG22	1.99	0.43
1:X:501:ALA:O	1:X:502:LYS:HB3	2.17	0.43
1:X:143:ARG:HD2	5:X:573:HOH:O	2.19	0.43
1:O:501:ALA:O	1:O:502:LYS:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:235:GLY:HA2	1:X:236:SER:CB	2.45	0.43
1:O:233:PHE:C	1:O:234:TYR:HD2	2.21	0.43
1:X:20:ILE:HG13	1:X:31:SER:HB2	2.01	0.43
1:X:356:TYR:CZ	1:X:491:VAL:HG11	2.54	0.43
1:X:323:MET:HG3	1:X:374:LYS:HG3	2.01	0.42
1:O:386:ALA:O	1:O:426:ILE:HD11	2.19	0.42
1:O:6:TYR:CE1	1:O:29:ILE:HG13	2.53	0.42
1:X:327:SER:HB2	1:X:328:PRO:HD3	2.01	0.42
1:X:276:THR:HG21	1:X:281:GLN:HB2	2.01	0.42
1:X:282:LEU:CD1	1:X:282:LEU:N	2.82	0.42
1:X:279:GLU:C	1:X:280:PRO:O	2.58	0.42
1:X:51:ASN:HD21	1:X:96:GLN:HE22	1.66	0.42
1:O:157:ASP:OD1	1:O:211:PRO:HG3	2.19	0.42
1:O:127:GLU:O	1:O:196:HIS:CE1	2.73	0.42
1:X:263:LYS:HE3	1:X:273:VAL:CG2	2.50	0.42
1:O:116:LEU:HD22	1:O:207:LEU:HD21	2.00	0.42
1:X:183:ASP:OD1	1:X:243:MET:HG2	2.19	0.42
1:O:116:LEU:HB3	1:O:133:ILE:HD13	2.02	0.42
1:X:386:ALA:HA	1:X:423:GLN:NE2	2.35	0.42
1:O:458:LEU:O	1:O:462:LYS:HD3	2.20	0.41
1:X:281:GLN:OE1	1:X:400:SER:CA	2.68	0.41
1:X:469:GLN:NE2	1:X:470:MET:O	2.52	0.41
1:X:42:LYS:HD3	1:X:45:TRP:CZ2	2.55	0.41
1:O:475:MET:HA	1:O:476:PRO:HD3	1.95	0.41
1:O:331:GLU:O	1:O:331:GLU:OE2	2.39	0.41
1:X:386:ALA:HA	1:X:423:GLN:HE22	1.86	0.41
1:X:433:ARG:HD2	1:X:437:LEU:HD21	2.01	0.41
1:O:150:GLU:H	1:O:150:GLU:HG2	1.48	0.41
1:X:235:GLY:HA2	1:X:236:SER:O	2.21	0.40
1:X:282:LEU:H	1:X:282:LEU:CD1	2.34	0.40
1:X:387:TYR:HB3	1:X:487:TRP:CD2	2.57	0.40
1:O:42:LYS:HE3	1:O:42:LYS:HB3	1.72	0.40
1:O:230:SER:C	1:O:232:GLU:N	2.73	0.40
1:O:92:LYS:CE	1:O:159:GLY:O	2.65	0.40
1:X:87:THR:HG23	1:X:163:PHE:CE1	2.57	0.40
1:O:354:ALA:HB2	1:O:357:TRP:CZ2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	O	498/506 (98%)	482 (97%)	13 (3%)	3 (1%)	30	12
1	X	498/506 (98%)	479 (96%)	16 (3%)	3 (1%)	30	12
All	All	996/1012 (98%)	961 (96%)	29 (3%)	6 (1%)	30	12

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	O	230	SER
1	O	280	PRO
1	X	230	SER
1	X	233	PHE
1	O	233	PHE
1	X	280	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	405/410 (99%)	390 (96%)	15 (4%)	41	16
1	X	405/410 (99%)	391 (96%)	14 (4%)	43	17
All	All	810/820 (99%)	781 (96%)	29 (4%)	42	16

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	12	GLN
1	X	73	GLU
1	X	123	GLU
1	X	231	TYR
1	X	234	TYR
1	X	263	LYS
1	X	281	GLN
1	X	340	ASP
1	X	415	LYS
1	X	429	ILE
1	X	458	LEU
1	X	461	LEU
1	X	467	GLU
1	X	469	GLN
1	O	12	GLN
1	O	150	GLU
1	O	230	SER
1	O	231	TYR
1	O	233	PHE
1	O	234	TYR
1	O	263	LYS
1	O	279	GLU
1	O	282	LEU
1	O	284	ASP
1	O	398	LYS
1	O	415	LYS
1	O	458	LEU
1	O	461	LEU
1	O	462	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	12	GLN
1	X	96	GLN
1	X	178	GLN
1	X	180	HIS
1	X	221	ASN
1	X	296	ASN
1	X	329	GLN
1	X	383	GLN
1	X	423	GLN
1	X	469	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	489	GLN
1	O	12	GLN
1	O	55	ASN
1	O	58	GLN
1	O	96	GLN
1	O	180	HIS
1	O	196	HIS
1	O	221	ASN
1	O	329	GLN
1	O	383	GLN
1	O	423	GLN
1	O	432	GLN
1	O	489	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	O	1000	-	5,5,5	0.34	0	5,5,5	1.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	O	3123	-	3,3,3	0.54	0	2,2,2	0.30	0
2	SO4	O	507	-	4,4,4	0.22	0	6,6,6	0.38	0
3	GOL	X	1001	-	5,5,5	0.36	0	5,5,5	0.28	0
4	EDO	X	3122	-	3,3,3	0.62	0	2,2,2	0.42	0
2	SO4	X	507	-	4,4,4	0.42	0	6,6,6	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	O	1000	-	-	0/4/4/4	0/0/0/0
4	EDO	O	3123	-	-	0/1/1/1	0/0/0/0
2	SO4	O	507	-	-	0/0/0/0	0/0/0/0
3	GOL	X	1001	-	-	0/4/4/4	0/0/0/0
4	EDO	X	3122	-	-	0/1/1/1	0/0/0/0
2	SO4	X	507	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	X	3122	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	O	500/506 (98%)	0.44	44 (8%) 12 15	12, 23, 44, 61	0
1	X	500/506 (98%)	0.46	45 (9%) 12 14	12, 23, 45, 64	0
All	All	1000/1012 (98%)	0.45	89 (8%) 12 14	12, 23, 44, 64	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	234	TYR	11.0
1	X	234	TYR	10.6
1	X	235	GLY	6.5
1	X	123	GLU	6.2
1	X	232	GLU	5.5
1	X	467	GLU	5.4
1	O	282	LEU	5.4
1	O	466	GLU	5.4
1	O	231	TYR	5.3
1	O	230	SER	5.1
1	X	282	LEU	4.9
1	X	233	PHE	4.5
1	O	340	ASP	4.5
1	O	233	PHE	4.5
1	O	501	ALA	4.4
1	X	236	SER	4.3
1	O	3	GLU	4.3
1	O	500	LYS	4.3
1	X	3	GLU	4.2
1	X	340	ASP	4.2
1	O	229	ARG	4.1
1	X	466	GLU	4.1
1	X	438	GLU	4.1
1	X	501	ALA	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	18	ARG	3.9
1	O	325	GLU	3.9
1	X	73	GLU	3.8
1	O	467	GLU	3.8
1	X	230	SER	3.8
1	X	231	TYR	3.8
1	X	502	LYS	3.5
1	X	281	GLN	3.5
1	O	235	GLY	3.4
1	X	120	GLY	3.4
1	X	402	ILE	3.3
1	O	232	GLU	3.3
1	O	438	GLU	3.2
1	X	279	GLU	3.2
1	O	73	GLU	3.1
1	O	150	GLU	3.0
1	X	325	GLU	3.0
1	X	500	LYS	3.0
1	O	178	GLN	2.9
1	X	332	GLU	2.9
1	O	398	LYS	2.9
1	O	332	GLU	2.8
1	O	459	ASP	2.8
1	X	71	ARG	2.8
1	X	229	ARG	2.7
1	X	403	ASP	2.7
1	X	461	LEU	2.7
1	X	338	LYS	2.7
1	O	237	GLU	2.6
1	O	279	GLU	2.6
1	O	71	ARG	2.5
1	O	4	LYS	2.5
1	O	403	ASP	2.5
1	O	281	GLN	2.5
1	X	18	ARG	2.4
1	O	5	ASN	2.4
1	X	119	ASP	2.4
1	X	206	ASP	2.4
1	O	461	LEU	2.4
1	O	401	GLY	2.3
1	O	284	ASP	2.3
1	O	402	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	118	VAL	2.3
1	X	237	GLU	2.3
1	X	4	LYS	2.3
1	O	27	LYS	2.3
1	X	401	GLY	2.3
1	X	459	ASP	2.3
1	O	331	GLU	2.2
1	X	280	PRO	2.2
1	X	27	LYS	2.2
1	O	463	SER	2.2
1	X	203	GLU	2.2
1	X	118	VAL	2.2
1	X	415	LYS	2.1
1	O	436	ASN	2.1
1	O	70	ILE	2.1
1	O	236	SER	2.1
1	O	156	ALA	2.1
1	O	460	GLU	2.1
1	X	178	GLN	2.1
1	X	93	THR	2.0
1	X	457	ASP	2.0
1	X	398	LYS	2.0
1	O	457	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	O	507	5/5	0.96	0.14	4.37	30,31,33,34	0
2	SO4	X	507	5/5	0.96	0.09	1.04	33,33,34,35	0
4	EDO	X	3122	4/4	0.85	0.11	0.22	32,32,33,35	0
3	GOL	X	1001	6/6	0.97	0.09	-0.27	12,15,17,19	0
4	EDO	O	3123	4/4	0.87	0.10	-0.38	38,38,38,38	0
3	GOL	O	1000	6/6	0.97	0.08	-0.40	11,16,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.