



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2016 – 07:46 AM EDT

PDB ID : 5H8Z
Title : Crystal structure of the C49A C353A mutant Fenna-Matthews-Olson Protein from *Chlorobaculum Tepidum*
Authors : Lu, X.; Cuneo, M.J.; Myles, D.A.A.
Deposited on : 2015-12-25
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027674
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027674


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4533 (1.80-1.80)
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	<div> <div>2%</div> <div> <div></div> <div>96%</div> <div>..</div> </div> </div>
1	C	365	<div> <div>2%</div> <div> <div></div> <div>94%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BCL	A	401[A]	-	-	-	X
2	BCL	A	401[B]	-	-	-	X
2	BCL	A	408[B]	-	-	-	X
2	BCL	C	408[B]	-	-	-	X

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7201 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriochlorophyll a protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	9	0
			2818	1791	488	534	5			
1	C	358	Total	C	N	O	S	0	8	0
			2802	1780	487	529	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	49	ALA	CYS	engineered mutation	UNP Q46393
A	353	ALA	CYS	engineered mutation	UNP Q46393
C	49	ALA	CYS	engineered mutation	UNP Q46393
C	353	ALA	CYS	engineered mutation	UNP Q46393

- Molecule 2 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Mg	N	O	
			71	60	1	4	6	1
2	A	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	A	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	A	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	A	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	A	1	Total	C	Mg	N	O	
			76	62	1	4	9	1
2	A	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	A	1	Total	C	Mg	N	O	
			46	35	1	4	6	1
2	C	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	C	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	C	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	C	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	C	1	Total	C	Mg	N	O	
			76	62	1	4	9	1
2	C	1	Total	C	Mg	N	O	
			66	55	1	4	6	0
2	C	1	Total	C	Mg	N	O	
			46	35	1	4	6	1

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	279	Total	O		
			279	279	0	0
3	C	261	Total	O		
			261	261	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bacteriochlorophyll a protein



- Molecule 1: Bacteriochlorophyll a protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 3 2	Depositor
Cell constants a, b, c, α , β , γ	168.36 Å 168.36 Å 168.36 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.84 – 1.80 19.84 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.84-1.80) 95.1 (19.84-1.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.71 (at 1.80 Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.159 , 0.189 0.156 , 0.182	Depositor DCC
R_{free} test set	1900 reflections (2.65%)	DCC
Wilson B-factor (Å ²)	21.8	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7201	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/2888	0.67	0/3925
1	C	0.69	2/2872 (0.1%)	0.68	0/3904
All	All	0.69	2/5760 (0.0%)	0.68	0/7829

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	110	SER	C-N	8.86	1.54	1.34
1	C	241	GLU	CD-OE2	-5.24	1.19	1.25

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	111	HIS	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2818	0	2683	6	0
1	C	2802	0	2663	7	0
2	A	523	0	439	17	0
2	C	518	0	487	15	0
3	A	279	0	0	1	0
3	C	261	0	0	1	0
All	All	7201	0	6272	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:407:BCL:HMB1	2:C:407:BCL:HBB2	1.83	0.60
2:A:402:BCL:HBB3	2:A:402:BCL:HMB1	1.84	0.59
2:A:407:BCL:HBB2	2:A:407:BCL:HMB1	1.85	0.58
1:C:284:LEU:HD23	1:C:365:ALA:HB2	1.90	0.54
1:C:263:GLN:NE2	3:C:501:HOH:O	2.19	0.52
1:C:106:VAL:HB	2:C:401:BCL:HED2	1.94	0.50
2:A:403:BCL:CBB	2:A:403:BCL:HHC	2.42	0.49
2:C:404:BCL:CBB	2:C:404:BCL:HMB1	2.43	0.49
1:A:18:ILE:HD11	2:A:404:BCL:HAA1	1.94	0.49
2:A:405:BCL:H62	2:A:405:BCL:H102	1.55	0.49
2:C:405:BCL:HBB2	2:C:405:BCL:HMB1	1.96	0.48
1:A:76:ASP:OD2	3:A:501:HOH:O	2.20	0.48
2:A:408[B]:BCL:HMB1	2:A:408[B]:BCL:HBB3	1.95	0.48
2:C:403:BCL:HHC	2:C:403:BCL:CBB	2.46	0.46
1:A:40:PRO:HG2	1:A:45:LEU:HD21	1.96	0.46
2:C:408[B]:BCL:HBB3	2:C:408[B]:BCL:HMB1	1.98	0.46
2:A:404:BCL:HBB3	2:A:404:BCL:HMB1	1.97	0.46
2:C:405:BCL:H193	2:C:407:BCL:H18	1.98	0.46
1:A:242:LEU:C	1:A:242:LEU:HD12	2.36	0.45
2:C:401:BCL:HMB1	2:C:401:BCL:HBB2	1.98	0.45
1:C:286:ARG:HB3	1:C:363:LEU:HD23	1.99	0.45
2:C:403:BCL:H42	2:C:405:BCL:H151	1.97	0.45
1:C:40:PRO:HG2	1:C:45:LEU:HD21	1.99	0.44
2:A:405:BCL:HMB1	2:A:405:BCL:HBB2	1.98	0.44
2:C:402:BCL:HMB1	2:C:402:BCL:HBB3	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:404:BCL:HBB3	2:C:404:BCL:HMB1	2.00	0.44
2:A:402:BCL:HMB1	2:A:402:BCL:CBB	2.49	0.43
2:C:402:BCL:H162	2:C:402:BCL:H203	1.73	0.43
2:A:403:BCL:H61	2:A:403:BCL:H102	1.83	0.42
2:A:402:BCL:HAC2	2:A:407:BCL:H71	2.00	0.42
1:C:317:LEU:HD11	1:C:323:ILE:HG13	2.02	0.42
1:C:152:VAL:HB	2:C:401:BCL:HBB3	2.00	0.42
2:A:405:BCL:HHC	2:A:405:BCL:OBB	2.21	0.41
2:C:403:BCL:HHC	2:C:403:BCL:HBB2	2.02	0.41
2:A:402:BCL:H122	2:A:402:BCL:H162	1.94	0.41
2:A:407:BCL:HMB1	2:A:407:BCL:CBB	2.51	0.40
1:A:284:LEU:HD23	1:A:365:ALA:HB2	2.04	0.40
2:A:402:BCL:H91	2:A:403:BCL:H101	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	365/365 (100%)	357 (98%)	8 (2%)	0	100	100
1	C	364/365 (100%)	358 (98%)	6 (2%)	0	100	100
All	All	729/730 (100%)	715 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/299 (97%)	289 (100%)	1 (0%)	94	94
1	C	287/299 (96%)	287 (100%)	0	100	100
All	All	577/598 (96%)	576 (100%)	1 (0%)	95	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BCL	A	401[A]	-	55,74,74	1.36	4 (7%)	55,115,115	1.45	8 (14%)
2	BCL	A	401[B]	-	55,74,74	1.38	4 (7%)	55,115,115	1.43	8 (14%)
2	BCL	A	402	3	55,74,74	1.20	5 (9%)	55,115,115	1.29	7 (12%)
2	BCL	A	403	-	55,74,74	1.54	8 (14%)	55,115,115	1.71	11 (20%)
2	BCL	A	404	-	55,74,74	1.25	3 (5%)	55,115,115	1.32	9 (16%)
2	BCL	A	405	1	55,74,74	1.15	2 (3%)	55,115,115	1.34	9 (16%)
2	BCL	A	406[C]	-	55,74,74	1.24	2 (3%)	55,115,115	1.45	9 (16%)
2	BCL	A	406[D]	-	55,74,74	1.25	2 (3%)	55,115,115	1.43	9 (16%)
2	BCL	A	407	-	55,74,74	1.45	4 (7%)	55,115,115	1.68	12 (21%)
2	BCL	A	408[B]	1	32,54,74	1.50	2 (6%)	31,91,115	1.68	8 (25%)
2	BCL	C	401	-	55,74,74	1.21	3 (5%)	55,115,115	1.39	9 (16%)
2	BCL	C	402	3	55,74,74	1.29	3 (5%)	55,115,115	1.35	7 (12%)
2	BCL	C	403	-	55,74,74	1.48	3 (5%)	55,115,115	1.49	9 (16%)
2	BCL	C	404	-	55,74,74	1.28	4 (7%)	55,115,115	1.40	10 (18%)
2	BCL	C	405	1	55,74,74	1.39	3 (5%)	55,115,115	1.68	10 (18%)
2	BCL	C	406[C]	-	55,74,74	1.36	5 (9%)	55,115,115	1.46	10 (18%)
2	BCL	C	406[D]	-	55,74,74	1.39	5 (9%)	55,115,115	1.46	10 (18%)
2	BCL	C	407	-	55,74,74	1.27	3 (5%)	55,115,115	1.29	7 (12%)
2	BCL	C	408[B]	1	32,54,74	1.68	3 (9%)	31,91,115	1.70	9 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BCL	A	401[A]	-	-	0/37/137/137	0/0/9/9
2	BCL	A	401[B]	-	-	0/37/137/137	0/0/9/9
2	BCL	A	402	3	-	0/37/137/137	0/0/9/9
2	BCL	A	403	-	-	0/37/137/137	0/0/9/9
2	BCL	A	404	-	-	0/37/137/137	0/0/9/9
2	BCL	A	405	1	-	0/37/137/137	0/0/9/9
2	BCL	A	406[C]	-	-	0/37/137/137	0/0/9/9
2	BCL	A	406[D]	-	-	0/37/137/137	0/0/9/9
2	BCL	A	407	-	-	0/37/137/137	0/0/9/9
2	BCL	A	408[B]	1	-	0/11/113/137	0/0/9/9
2	BCL	C	401	-	-	0/37/137/137	0/0/9/9
2	BCL	C	402	3	-	0/37/137/137	0/0/9/9

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BCL	C	403	-	-	0/37/137/137	0/0/9/9
2	BCL	C	404	-	-	0/37/137/137	0/0/9/9
2	BCL	C	405	1	-	0/37/137/137	0/0/9/9
2	BCL	C	406[C]	-	-	0/37/137/137	0/0/9/9
2	BCL	C	406[D]	-	-	0/37/137/137	0/0/9/9
2	BCL	C	407	-	-	0/37/137/137	0/0/9/9
2	BCL	C	408[B]	1	-	0/11/113/137	0/0/9/9

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	403	BCL	C2-C3	-3.75	1.23	1.32
2	C	405	BCL	O2A-CGA	-2.86	1.24	1.33
2	A	402	BCL	O2A-CGA	-2.79	1.24	1.33
2	C	406[C]	BCL	O2A-CGA	-2.34	1.26	1.33
2	C	406[D]	BCL	O2A-CGA	-2.34	1.26	1.33
2	A	403	BCL	C6-C5	-2.19	1.43	1.52
2	A	403	BCL	C2-C3	-2.19	1.27	1.32
2	A	403	BCL	C3B-CAB	-2.13	1.43	1.49
2	A	407	BCL	O1A-CGA	-2.12	1.16	1.22
2	C	407	BCL	O2A-CGA	-2.11	1.27	1.33
2	A	401[A]	BCL	CAA-C2A	2.05	1.58	1.54
2	A	401[B]	BCL	CAA-C2A	2.05	1.58	1.54
2	A	402	BCL	C5-C3	2.06	1.56	1.51
2	C	408[B]	BCL	OBBD-CAB	2.10	1.29	1.22
2	A	401[A]	BCL	C9-C8	2.11	1.60	1.52
2	A	401[B]	BCL	C9-C8	2.11	1.60	1.52
2	C	404	BCL	C1-C2	2.15	1.55	1.49
2	C	401	BCL	CAA-C2A	2.16	1.58	1.54
2	A	407	BCL	C1-C2	2.20	1.55	1.49
2	C	406[C]	BCL	C3C-C4C	2.21	1.54	1.51
2	C	406[D]	BCL	C3C-C4C	2.21	1.54	1.51
2	A	403	BCL	CAC-C3C	2.31	1.58	1.54
2	A	402	BCL	OBBD-CAD	2.43	1.26	1.22
2	C	404	BCL	C5-C3	2.50	1.57	1.51
2	C	402	BCL	CHB-C4A	2.55	1.37	1.33
2	A	404	BCL	C1-C2	2.65	1.57	1.49
2	A	403	BCL	C5-C3	2.76	1.57	1.51
2	C	406[C]	BCL	CAC-C3C	2.76	1.59	1.54
2	C	406[D]	BCL	CAC-C3C	2.76	1.59	1.54
2	C	402	BCL	OBBD-CAD	3.05	1.26	1.22
2	C	401	BCL	CHB-C4A	3.24	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	403	BCL	OBD-CAD	3.27	1.27	1.22
2	A	404	BCL	CHB-C4A	3.36	1.38	1.33
2	C	407	BCL	CHB-C4A	3.51	1.38	1.33
2	A	401[A]	BCL	CHB-C4A	3.59	1.38	1.33
2	A	401[B]	BCL	CHB-C4A	3.59	1.38	1.33
2	A	407	BCL	CHB-C4A	3.76	1.38	1.33
2	A	402	BCL	CHC-C1C	3.80	1.38	1.33
2	C	405	BCL	CHB-C4A	3.89	1.38	1.33
2	A	405	BCL	CHB-C4A	4.05	1.39	1.33
2	A	402	BCL	CHB-C4A	4.07	1.39	1.33
2	A	408[B]	BCL	CHB-C4A	4.10	1.39	1.33
2	A	406[C]	BCL	CHB-C4A	4.24	1.39	1.33
2	A	406[D]	BCL	CHB-C4A	4.24	1.39	1.33
2	C	403	BCL	CHB-C4A	4.28	1.39	1.33
2	C	406[C]	BCL	CHB-C4A	4.33	1.39	1.33
2	C	406[D]	BCL	CHB-C4A	4.33	1.39	1.33
2	C	408[B]	BCL	CHB-C4A	4.33	1.39	1.33
2	C	404	BCL	CHB-C4A	4.41	1.39	1.33
2	A	405	BCL	CHC-C1C	4.53	1.39	1.33
2	A	406[C]	BCL	CHC-C1C	5.21	1.40	1.33
2	A	406[D]	BCL	CHC-C1C	5.21	1.40	1.33
2	C	404	BCL	CHC-C1C	5.23	1.40	1.33
2	C	401	BCL	CHC-C1C	5.33	1.40	1.33
2	C	407	BCL	CHC-C1C	5.61	1.41	1.33
2	A	403	BCL	CHB-C4A	5.63	1.41	1.33
2	A	403	BCL	CHC-C1C	5.69	1.41	1.33
2	A	404	BCL	CHC-C1C	5.92	1.41	1.33
2	A	408[B]	BCL	CHC-C1C	5.98	1.41	1.33
2	C	406[C]	BCL	CHC-C1C	6.13	1.41	1.33
2	C	406[D]	BCL	CHC-C1C	6.13	1.41	1.33
2	C	403	BCL	CHC-C1C	6.14	1.41	1.33
2	A	401[A]	BCL	CHC-C1C	6.42	1.42	1.33
2	A	401[B]	BCL	CHC-C1C	6.42	1.42	1.33
2	C	408[B]	BCL	CHC-C1C	6.60	1.42	1.33
2	C	402	BCL	CHC-C1C	6.74	1.42	1.33
2	C	405	BCL	CHC-C1C	7.12	1.43	1.33
2	A	407	BCL	CHC-C1C	7.18	1.43	1.33

All (171) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	403	BCL	C6-C7-C8	-6.19	96.32	115.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	405	BCL	C4-C3-C5	-5.01	107.74	115.37
2	A	406[C]	BCL	C16-C15-C13	-4.54	101.42	115.46
2	A	406[D]	BCL	C16-C15-C13	-4.54	101.42	115.46
2	A	401[A]	BCL	OBD-CAD-CBD	-3.88	120.08	125.94
2	A	401[B]	BCL	OBD-CAD-CBD	-3.88	120.08	125.94
2	A	401[A]	BCL	CMB-C2B-C1B	-3.84	121.78	128.31
2	A	401[B]	BCL	CMB-C2B-C1B	-3.84	121.78	128.31
2	A	402	BCL	CMB-C2B-C1B	-3.79	121.86	128.31
2	C	403	BCL	OBD-CAD-CBD	-3.78	120.23	125.94
2	C	402	BCL	CMB-C2B-C1B	-3.77	121.91	128.31
2	C	401	BCL	OBD-CAD-CBD	-3.77	120.26	125.94
2	C	406[C]	BCL	CMB-C2B-C1B	-3.71	122.00	128.31
2	C	406[D]	BCL	CMB-C2B-C1B	-3.71	122.00	128.31
2	A	403	BCL	CMB-C2B-C1B	-3.69	122.03	128.31
2	A	407	BCL	O2A-CGA-O1A	-3.68	113.87	123.51
2	C	403	BCL	CMB-C2B-C1B	-3.67	122.08	128.31
2	C	404	BCL	OBD-CAD-CBD	-3.45	120.73	125.94
2	C	405	BCL	OBD-CAD-CBD	-3.42	120.77	125.94
2	A	404	BCL	CMB-C2B-C1B	-3.36	122.60	128.31
2	A	403	BCL	OBD-CAD-CBD	-3.34	120.89	125.94
2	A	405	BCL	CMB-C2B-C1B	-3.31	122.68	128.31
2	C	408[B]	BCL	CMB-C2B-C1B	-3.30	122.71	128.31
2	A	402	BCL	OBD-CAD-CBD	-3.21	121.09	125.94
2	A	407	BCL	CMB-C2B-C1B	-3.21	122.85	128.31
2	A	408[B]	BCL	CMB-C2B-C1B	-3.21	122.86	128.31
2	C	402	BCL	OBD-CAD-CBD	-3.20	121.10	125.94
2	A	405	BCL	OBD-CAD-CBD	-3.12	121.23	125.94
2	A	406[C]	BCL	CMB-C2B-C1B	-3.11	123.02	128.31
2	A	406[D]	BCL	CMB-C2B-C1B	-3.11	123.02	128.31
2	A	408[B]	BCL	OBD-CAD-CBD	-3.10	121.26	125.94
2	A	406[C]	BCL	OBD-CAD-CBD	-3.07	121.30	125.94
2	C	401	BCL	CMB-C2B-C1B	-3.04	123.13	128.31
2	A	403	BCL	CHA-C1A-NA	-3.02	118.66	126.21
2	C	406[C]	BCL	OBD-CAD-CBD	-2.97	121.45	125.94
2	C	407	BCL	OBD-CAD-CBD	-2.93	121.52	125.94
2	C	406[C]	BCL	C6-C7-C8	-2.92	106.43	115.46
2	C	406[D]	BCL	C6-C7-C8	-2.92	106.43	115.46
2	C	405	BCL	CHA-C1A-NA	-2.91	118.94	126.21
2	A	404	BCL	OBD-CAD-CBD	-2.87	121.61	125.94
2	C	407	BCL	CMB-C2B-C1B	-2.85	123.46	128.31
2	A	401[A]	BCL	CHA-C1A-NA	-2.84	119.09	126.21
2	A	401[B]	BCL	CHA-C1A-NA	-2.84	119.09	126.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	405	BCL	C7-C6-C5	-2.84	104.77	113.16
2	C	406[D]	BCL	OBD-CAD-CBD	-2.78	121.74	125.94
2	C	403	BCL	C6-C7-C8	-2.76	106.91	115.46
2	A	405	BCL	CHA-C1A-NA	-2.76	119.30	126.21
2	C	404	BCL	CMB-C2B-C1B	-2.76	123.62	128.31
2	C	405	BCL	CMB-C2B-C1B	-2.74	123.64	128.31
2	C	403	BCL	CHA-C1A-NA	-2.74	119.35	126.21
2	C	401	BCL	CHA-C1A-NA	-2.74	119.36	126.21
2	C	408[B]	BCL	OBD-CAD-CBD	-2.72	121.83	125.94
2	C	404	BCL	CHA-C1A-NA	-2.72	119.41	126.21
2	A	407	BCL	OBD-CAD-CBD	-2.70	121.86	125.94
2	A	404	BCL	CHA-C1A-NA	-2.69	119.47	126.21
2	A	406[D]	BCL	OBD-CAD-CBD	-2.69	121.88	125.94
2	C	408[B]	BCL	CHA-C1A-NA	-2.69	119.49	126.21
2	A	408[B]	BCL	CHA-C1A-NA	-2.65	119.59	126.21
2	C	402	BCL	CHA-C1A-NA	-2.64	119.62	126.21
2	C	408[B]	BCL	O2D-CGD-O1D	-2.61	118.27	123.77
2	C	406[D]	BCL	CHA-C1A-NA	-2.60	119.70	126.21
2	A	402	BCL	CHA-C1A-NA	-2.59	119.72	126.21
2	A	408[B]	BCL	O2D-CGD-O1D	-2.54	118.43	123.77
2	C	407	BCL	CHA-C1A-NA	-2.51	119.93	126.21
2	A	407	BCL	CHA-C1A-NA	-2.51	119.93	126.21
2	A	407	BCL	C11-C10-C8	-2.49	107.75	115.46
2	A	406[D]	BCL	CHA-C1A-NA	-2.44	120.10	126.21
2	C	406[C]	BCL	CHA-C1A-NA	-2.43	120.13	126.21
2	C	401	BCL	OBB-CAB-CBB	-2.40	114.40	120.14
2	A	407	BCL	C4-C3-C5	-2.39	111.73	115.37
2	A	406[C]	BCL	OBB-CAB-CBB	-2.35	114.51	120.14
2	A	406[D]	BCL	OBB-CAB-CBB	-2.35	114.51	120.14
2	A	405	BCL	C4-C3-C5	-2.34	111.81	115.37
2	A	404	BCL	CAC-C3C-C4C	-2.32	107.43	112.58
2	A	406[C]	BCL	CHA-C1A-NA	-2.27	120.53	126.21
2	C	406[C]	BCL	OBB-CAB-CBB	-2.27	114.72	120.14
2	C	406[D]	BCL	OBB-CAB-CBB	-2.27	114.72	120.14
2	C	407	BCL	C6-C7-C8	-2.25	108.48	115.46
2	C	403	BCL	O2A-CGA-O1A	-2.17	117.81	123.51
2	A	403	BCL	C11-C12-C13	-2.15	108.79	115.46
2	C	404	BCL	C11-C12-C13	-2.14	108.83	115.46
2	C	403	BCL	CBA-CAA-C2A	-2.12	108.48	113.96
2	C	404	BCL	C6-C7-C8	-2.12	108.89	115.46
2	C	401	BCL	CAA-CBA-CGA	-2.07	107.29	113.28
2	A	404	BCL	OBB-CAB-CBB	-2.06	115.23	120.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	402	BCL	OBB-CAB-CBB	-2.03	115.28	120.14
2	A	403	BCL	C5-C3-C2	-2.03	117.20	120.98
2	A	402	BCL	CGD-CBD-CHA	2.03	117.86	110.88
2	C	402	BCL	CMD-C2D-C3D	2.04	129.07	125.09
2	A	406[C]	BCL	CMD-C2D-C3D	2.05	129.10	125.09
2	A	401[A]	BCL	OBD-CAD-C3D	2.06	131.74	128.09
2	A	401[B]	BCL	OBD-CAD-C3D	2.06	131.74	128.09
2	A	407	BCL	C7-C6-C5	2.07	119.27	113.16
2	A	405	BCL	O1D-CGD-CBD	2.07	127.86	124.64
2	A	406[D]	BCL	CMD-C2D-C3D	2.13	129.25	125.09
2	A	407	BCL	C10-C8-C7	2.13	122.61	111.62
2	C	405	BCL	CMB-C2B-C3B	2.15	129.28	125.09
2	C	407	BCL	O2D-CGD-CBD	2.15	114.31	111.22
2	A	404	BCL	O2D-CGD-CBD	2.15	114.32	111.22
2	A	406[C]	BCL	C6-C5-C3	2.15	116.62	112.76
2	A	406[D]	BCL	C6-C5-C3	2.15	116.62	112.76
2	C	406[C]	BCL	C4A-NA-C1A	2.16	109.12	106.38
2	C	406[D]	BCL	C4A-NA-C1A	2.16	109.12	106.38
2	C	401	BCL	CMB-C2B-C3B	2.17	129.34	125.09
2	C	408[B]	BCL	CGD-CBD-CHA	2.17	118.34	110.88
2	A	406[C]	BCL	CMB-C2B-C3B	2.18	129.34	125.09
2	A	406[D]	BCL	CMB-C2B-C3B	2.18	129.34	125.09
2	C	406[C]	BCL	C6-C5-C3	2.19	116.70	112.76
2	C	406[D]	BCL	C6-C5-C3	2.19	116.70	112.76
2	A	407	BCL	CMB-C2B-C3B	2.21	129.41	125.09
2	C	404	BCL	O2D-CGD-CBD	2.24	114.45	111.22
2	A	405	BCL	CMD-C2D-C3D	2.24	129.47	125.09
2	C	407	BCL	CMB-C2B-C3B	2.32	129.62	125.09
2	A	401[A]	BCL	CED-O2D-CGD	2.37	121.59	115.97
2	A	401[B]	BCL	CED-O2D-CGD	2.37	121.59	115.97
2	A	408[B]	BCL	O2D-CGD-CBD	2.37	114.63	111.22
2	C	403	BCL	CMD-C2D-C3D	2.37	129.73	125.09
2	A	404	BCL	CMB-C2B-C3B	2.38	129.74	125.09
2	C	404	BCL	C6-C5-C3	2.40	117.07	112.76
2	A	403	BCL	CMD-C2D-C3D	2.41	129.81	125.09
2	C	406[C]	BCL	CMB-C2B-C3B	2.42	129.81	125.09
2	C	406[D]	BCL	CMB-C2B-C3B	2.42	129.81	125.09
2	C	407	BCL	C2A-C1A-CHA	2.42	127.69	123.80
2	C	404	BCL	CMB-C2B-C3B	2.43	129.84	125.09
2	C	408[B]	BCL	OBB-CAB-C3B	2.46	124.74	119.97
2	A	408[B]	BCL	CMB-C2B-C3B	2.48	129.94	125.09
2	C	408[B]	BCL	CMB-C2B-C3B	2.49	129.95	125.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	402	BCL	CMB-C2B-C3B	2.52	130.02	125.09
2	A	408[B]	BCL	CGD-CBD-CHA	2.52	119.54	110.88
2	C	405	BCL	C5-C3-C2	2.54	125.71	120.98
2	A	402	BCL	CMD-C2D-C3D	2.55	130.08	125.09
2	A	407	BCL	C2A-C1A-CHA	2.56	127.92	123.80
2	A	402	BCL	C2A-C1A-CHA	2.57	127.94	123.80
2	A	404	BCL	CMD-C2D-C3D	2.58	130.14	125.09
2	C	401	BCL	C2A-C3A-C4A	2.59	104.50	101.84
2	A	408[B]	BCL	C2A-C1A-CHA	2.61	128.00	123.80
2	C	402	BCL	C2A-C1A-CHA	2.61	128.00	123.80
2	C	403	BCL	CMB-C2B-C3B	2.62	130.22	125.09
2	A	401[A]	BCL	C6-C5-C3	2.65	117.51	112.76
2	A	401[B]	BCL	C6-C5-C3	2.65	117.51	112.76
2	A	407	BCL	O2A-CGA-CBA	2.65	120.01	111.85
2	A	405	BCL	CMB-C2B-C3B	2.66	130.30	125.09
2	A	403	BCL	CMB-C2B-C3B	2.67	130.32	125.09
2	C	406[C]	BCL	C11-C10-C8	2.69	123.79	115.46
2	C	406[D]	BCL	C11-C10-C8	2.69	123.79	115.46
2	C	403	BCL	C2A-C1A-CHA	2.77	128.26	123.80
2	C	406[C]	BCL	C2A-C1A-CHA	2.82	128.34	123.80
2	A	405	BCL	C6-C5-C3	2.82	117.83	112.76
2	C	405	BCL	CMD-C2D-C3D	2.84	130.65	125.09
2	A	402	BCL	CMB-C2B-C3B	2.90	130.76	125.09
2	A	401[A]	BCL	CMB-C2B-C3B	2.90	130.77	125.09
2	A	401[B]	BCL	CMB-C2B-C3B	2.90	130.77	125.09
2	C	404	BCL	CMD-C2D-C3D	2.92	130.80	125.09
2	A	405	BCL	C2A-C1A-CHA	2.93	128.51	123.80
2	C	408[B]	BCL	O2D-CGD-CBD	2.94	115.46	111.22
2	A	406[C]	BCL	C2A-C1A-CHA	2.98	128.59	123.80
2	C	405	BCL	C2A-C1A-CHA	2.98	128.60	123.80
2	A	403	BCL	C6-C5-C3	2.99	118.13	112.76
2	A	404	BCL	C2A-C1A-CHA	3.06	128.73	123.80
2	C	408[B]	BCL	C2A-C1A-CHA	3.09	128.78	123.80
2	C	401	BCL	C2A-C1A-CHA	3.11	128.81	123.80
2	A	403	BCL	C2A-C1A-CHA	3.12	128.83	123.80
2	C	406[D]	BCL	C2A-C1A-CHA	3.13	128.84	123.80
2	A	403	BCL	C4-C3-C5	3.17	120.19	115.37
2	C	404	BCL	C2A-C1A-CHA	3.17	128.91	123.80
2	A	406[D]	BCL	C2A-C1A-CHA	3.24	129.02	123.80
2	A	401[A]	BCL	C2A-C1A-CHA	3.35	129.19	123.80
2	A	401[B]	BCL	C2A-C1A-CHA	3.35	129.19	123.80
2	C	401	BCL	C6-C5-C3	3.39	118.84	112.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	405	BCL	C6-C5-C3	4.96	121.67	112.76
2	A	407	BCL	C6-C5-C3	6.61	124.64	112.76

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	402	BCL	6	0
2	A	403	BCL	3	0
2	A	404	BCL	2	0
2	A	405	BCL	4	0
2	A	407	BCL	3	0
2	A	408[B]	BCL	1	0
2	C	401	BCL	3	0
2	C	402	BCL	3	0
2	C	403	BCL	3	0
2	C	404	BCL	2	0
2	C	405	BCL	3	0
2	C	407	BCL	2	0
2	C	408[B]	BCL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	358/365 (98%)	-0.38	6 (1%) 73 69	12, 22, 35, 57	0
1	C	358/365 (98%)	-0.35	6 (1%) 73 69	14, 22, 37, 68	0
All	All	716/730 (98%)	-0.36	12 (1%) 73 69	12, 22, 37, 68	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	214	PRO	5.7
1	A	214	PRO	4.1
1	C	212	SER	4.0
1	C	9	VAL	3.1
1	A	213	GLY	2.6
1	C	213	GLY	2.6
1	A	282	GLY	2.6
1	C	215	LYS	2.6
1	A	9	VAL	2.4
1	C	62	LYS	2.3
1	A	212	SER	2.3
1	A	366	GLN	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BCL	C	408[B]	46/66	0.74	0.24	4.41	23,34,49,59	46
2	BCL	A	401[B]	66/66	0.97	0.13	4.29	16,20,22,23	5
2	BCL	A	408[B]	46/66	0.77	0.22	4.21	24,32,47,54	46
2	BCL	A	401[A]	66/66	0.97	0.13	2.15	16,20,22,23	5
2	BCL	C	401	66/66	0.97	0.13	1.81	17,21,24,27	0
2	BCL	C	405	66/66	0.95	0.10	1.33	15,19,41,51	0
2	BCL	A	402	66/66	0.96	0.09	1.09	12,18,28,30	0
2	BCL	C	402	66/66	0.96	0.10	1.07	14,19,31,42	0
2	BCL	C	404	66/66	0.97	0.10	0.89	11,17,27,35	0
2	BCL	C	403	66/66	0.97	0.09	0.86	12,16,24,28	0
2	BCL	A	406[D]	66/66	0.97	0.10	0.79	14,18,27,31	10
2	BCL	A	406[C]	66/66	0.97	0.10	0.79	14,18,27,31	10
2	BCL	A	403	66/66	0.97	0.09	0.63	11,15,23,28	0
2	BCL	C	406[C]	66/66	0.96	0.10	0.49	16,19,31,37	10
2	BCL	A	405	66/66	0.96	0.09	0.38	13,18,33,36	0
2	BCL	A	407	66/66	0.96	0.08	0.20	11,15,26,38	0
2	BCL	C	406[D]	66/66	0.96	0.10	0.20	16,19,31,37	10
2	BCL	A	404	66/66	0.97	0.09	0.17	10,15,21,23	0
2	BCL	C	407	66/66	0.97	0.07	-0.27	13,17,30,39	0

6.5 Other polymers ⓘ

There are no such residues in this entry.