WORLDWIDE PDB PROTEIN DATA BANK

wwPDB X-ray Structure Validation Summary Report (i)

Aug 15, 2016 – 12:18 PM EDT

PDB ID	:	5H9O
Title	:	Complex of Murine endoplasmic reticulum alpha-glucosidase II with D-Glucose
Authors	:	Caputo, A.T.; Roversi, P.; Alonzi, D.S.; Kiappes, J.L.; Zitzmann, N.
Deposited on	:	2015-12-29
Resolution	:	2.37 Å(reported)

The following versions of software and data (see references (i)) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027939
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027939

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	857	.%　96%　・
1	C	857	2%　96%　・
2	B	88	16%　100%
2	D	88	17%　94%　5% ・

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	TAR	C	1021	-	-	-	X
3	NAG	A	1001	-	-	X	-
3	NAG	C	1001	-	-	X	-
4	EDO	A	1005	-	-	-	X
4	EDO	C	1004	-	-	-	X
4	EDO	C	1005	-	-	-	X
4	EDO	C	1006	-	-	X	X
5	FMT	A	1007	-	-	-	X
5	FMT	A	1011	-	-	-	X
5	FMT	A	1014	-	-	-	X
5	FMT	A	1019	-	-	-	X
5	FMT	C	1008	-	-	-	X
5	FMT	C	1014	-	-	-	X
6	PG4	A	1016	-	-	-	X
6	PG4	B	201	-	-	-	X
6	PG4	C	1017	-	-	-	X
7	P6G	A	1017	-	-	-	X
7	P6G	A	1018	-	-	-	X
7	P6G	A	1022	-	-	-	X
7	P6G	C	1018	-	-	-	X
7	P6G	C	1019	-	-	-	X
8	OXM	A	1020	-	-	-	X

2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 30841 atoms, of which 14798 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutral alpha-glucosidase AB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	857	Total 13720	C 4471	H 6743	N 1206	O 1270	S 30	0	12	0
1	C	857	Total 13705	C 4467	H 6735	N 1205	O 1268	S 30	0	11	0

There are 154 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	TRP	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ILE	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ARG	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	TYR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	TRP	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ILE	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ARG	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	MET	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	TYR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3

• Molecule 2 is a protein called Glucosidase 2 subunit beta.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	88	Total 1201	C 399	H 538	N 106	O 148	S 10	0	0	0
2	D	88	Total 1218	C 399	H 555	N 106	O 148	S 10	0	0	0

• Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 14	C 8	N 1	O 5	0	0
3	A	1	Total 14	C 8	N 1	O 5	0	0
3	C	1	Total 14	C 8	N 1	O 5	0	0
3	C	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).

EDO

O2

OH

C1

C2

HO

O1

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 4	C 2	O 2	0	0
4	A	1	Total 4	C 2	O 2	0	0
4	A	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 4	C 2	O 2	0	0
4	C	1	Total 10	C 2	H 6 O 2	0	0

- Molecule 5 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).

FMT

C

OH O2

O

O1

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 3	C 1	O 2		0	0
5	A	1	Total 5	C 1	H 2	O 2	0	0
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 1	C 1			0	0
5	C	1	Total 2	O 2			0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 3	C 1	O 2		0	0
5	C	1	Total 3	C 1	O 2		0	0

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total 17	C 5	H 9	O 3	0	0
6	A	1	Total 20	C 6	H 11	O 3	0	0
6	B	1	Total 24	C 7	H 13	O 4	0	0
6	B	1	Total 17	C 6	H 8	O 3	0	0
6	C	1	Total 17	C 5	H 9	O 3	0	0
6	C	1	Total 20	C 6	H 11	O 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	D	1	Total	C	H	O	0	0
			17	6	8	3		

- Molecule 7 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			45	12	26	7		
7	A	1	Total	C	H	O	0	0
			30	9	16	5		
7	A	1	Total	C	H	O	0	0
			45	12	26	7		
7	C	1	Total	C	H	O	0	0
			45	12	26	7		
7	C	1	Total	C	H	O	0	0
			45	12	26	7		

- Molecule 8 is OXAMIC ACID (three-letter code: OXM) (formula: $C_2H_3NO_3$).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	H	N	O	0	0
			8	2	2	1	3		

• Molecule 9 is ALPHA-D-GLUCOSE (three-letter code: GLC) (formula: $C_6H_{12}O_6$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			24	6	12	6		
9	C	1	Total	C	H	O	0	0
			24	6	12	6		

• Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	2	Total 2	Ca 2	0	0
10	D	2	Total 2	Ca 2	0	0

- Molecule 11 is D(-)-TARTARIC ACID (three-letter code: TAR) (formula: $C_4H_6O_6$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	C	1	Total 14	C 4	H 4	O 6	0	0

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	210	Total 210	O 210	0	0
12	B	17	Total 17	O 17	0	0
12	C	191	Total 191	O 191	0	0
12	D	13	Total 13	O 13	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Neutral alpha-glucosidase AB

Chain A:

- Molecule 1: Neutral alpha-glucosidase AB

Chain C:

- Molecule 2: Glucosidase 2 subunit beta

Chain B:

- Molecule 2: Glucosidase 2 subunit beta

Chain D:

4   Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	102.14Å 170.74Å 125.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	87.66 – 2.37 87.66 – 2.37	Depositor EDS
% Data completeness (in resolution range)	99.3 (87.66-2.37) 99.3 (87.66-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.24	Depositor
$<I/\sigma(I)>$ [1]	1.81 (at 2.37Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.221 , 0.253 0.235 , 0.268	Depositor DCC
R_{free} test set	4422 reflections (5.21%)	DCC
Wilson B-factor (Å^2)	25.2	Xtriage
Anisotropy	0.270	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.41 , 48.4	EDS
L-test for twinning[2]	$<|L|> = 0.49$, $<L^2> = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.92	EDS
Total number of atoms	30841	wwPDB-VP
Average B, all atoms (Å^2)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.10 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.0910e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

---

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $<|L|>$, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, TAR, FMT, GLC, EDO, OXM, PG4, P6G, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
1	A	0.48	0/7225	0.69	4/9830 (0.0%)
1	C	0.53	0/7215	0.69	0/9818
2	B	0.49	0/677	0.69	0/920
2	D	0.61	0/677	0.77	1/920 (0.1%)
All	All	0.51	0/15794	0.69	5/21488 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	467	ARG	CB-CG-CD	7.16	130.22	111.60
1	A	467	ARG	CA-CB-CG	-6.11	99.97	113.40
2	D	34	SER	C-N-CA	5.75	136.07	121.70
1	A	788	GLN	CB-CG-CD	5.08	124.80	111.60
1	A	34	ASP	N-CA-CB	5.06	119.71	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6977	6743	6755	18	0
1	C	6970	6735	6747	29	0

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	663	538	568	0	0
2	D	663	555	568	1	0
3	A	28	0	26	7	0
3	C	28	0	26	7	0
4	A	12	0	18	3	0
4	C	20	6	29	14	0
5	A	30	2	17	0	0
5	C	24	0	12	1	0
6	A	17	20	20	0	0
6	B	20	21	21	0	0
6	C	17	20	20	0	0
6	D	9	8	8	0	0
7	A	52	68	68	0	0
7	C	38	52	52	1	0
8	A	6	2	2	0	0
9	A	12	12	12	1	0
9	C	12	12	12	1	0
10	B	2	0	0	0	0
10	D	2	0	0	0	0
11	C	10	4	4	0	0
12	A	210	0	0	0	0
12	B	17	0	0	0	0
12	C	191	0	0	1	0
12	D	13	0	0	0	0
All	All	16043	14798	14985	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 58 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:ASN:HD21	3:A:1001:NAG:C1	1.25	1.46
1:C:97:ASN:HD21	3:C:1001:NAG:C1	1.27	1.44
1:A:97:ASN:ND2	3:A:1001:NAG:C1	2.10	1.14
1:C:97:ASN:ND2	3:C:1001:NAG:C1	2.11	1.14
1:C:848:ASP:HB3	4:C:1006:EDO:H22	1.26	1.11

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	863/857 (101%)	837 (97%)	26 (3%)	0	100	100
1	C	862/857 (101%)	836 (97%)	26 (3%)	0	100	100
2	B	86/88 (98%)	84 (98%)	2 (2%)	0	100	100
2	D	86/88 (98%)	81 (94%)	5 (6%)	0	100	100
All	All	1897/1890 (100%)	1838 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	760/748 (102%)	749 (99%)	11 (1%)	74	88
1	C	759/748 (102%)	751 (99%)	8 (1%)	80	91
2	B	77/77 (100%)	77 (100%)	0	100	100
2	D	77/77 (100%)	74 (96%)	3 (4%)	39	57
All	All	1673/1650 (101%)	1651 (99%)	22 (1%)	76	89

5 of 22 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	685	TRP
1	C	294	GLU
2	D	34	SER

Continued on next page...

Mol	Chain	Res	Type
1	A	788	GLN
1	C	259	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	ASN
1	A	97	ASN
1	A	725	GLN
1	C	97	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 51 ligands modelled in this entry, 4 are monoatomic and 1 is modelled with single atom - leaving 46 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#|Z| > 2$	Counts	RMSZ	$\#|Z| > 2$
3	NAG	A	1001	-	14,14,15	0.34	0	15,19,21	1.03	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\lvert Z\rvert>2$	Counts	RMSZ	$\#\lvert Z\rvert>2$
3	NAG	A	1002	-	14,14,15	0.39	0	15,19,21	0.66	0
4	EDO	A	1003	-	3,3,3	0.92	0	2,2,2	0.46	0
4	EDO	A	1004	-	3,3,3	0.73	0	2,2,2	0.25	0
4	EDO	A	1005	-	3,3,3	0.73	0	2,2,2	0.16	0
5	FMT	A	1006	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1007	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1008	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1009	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1010	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1011	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1012	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1013	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	A	1014	-	0,2,2	0.00	-	0,1,1	0.00	-
6	PG4	A	1015	-	7,7,12	0.27	0	6,6,11	0.18	0
6	PG4	A	1016	-	8,8,12	0.36	0	7,7,11	0.34	0
7	P6G	A	1017	-	18,18,18	0.17	0	17,17,17	0.21	0
7	P6G	A	1018	-	13,13,18	0.24	0	12,12,17	0.30	0
5	FMT	A	1019	-	2,2,2	1.47	0	1,1,1	1.21	0
8	OXM	A	1020	-	2,5,5	0.42	0	2,6,6	0.25	0
9	GLC	A	1021	-	12,12,12	0.22	0	17,17,17	0.85	<mark>1 (5%)</mark>
7	P6G	A	1022	-	18,18,18	0.33	0	17,17,17	0.40	0
6	PG4	B	201	-	10,10,12	0.31	0	9,9,11	0.44	0
6	PG4	B	204	-	8,8,12	0.38	0	7,7,11	0.38	0
3	NAG	C	1001	-	14,14,15	0.30	0	15,19,21	1.04	<mark>1 (6%)</mark>
3	NAG	C	1002	-	14,14,15	0.40	0	15,19,21	0.65	0
4	EDO	C	1003	-	3,3,3	0.49	0	2,2,2	0.48	0
4	EDO	C	1004	-	3,3,3	0.64	0	2,2,2	0.27	0
4	EDO	C	1005	-	3,3,3	0.89	0	2,2,2	0.10	0
4	EDO	C	1006	-	3,3,3	0.82	0	2,2,2	0.25	0
5	FMT	C	1007	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1008	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1010	-	0,0,2	0.00	-	0,0,1	0.00	-
5	FMT	C	1011	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1012	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1013	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1014	-	0,2,2	0.00	-	0,1,1	0.00	-
5	FMT	C	1015	-	0,2,2	0.00	-	0,1,1	0.00	-
6	PG4	C	1016	-	7,7,12	0.25	0	6,6,11	0.19	0
6	PG4	C	1017	-	8,8,12	0.39	0	7,7,11	0.34	0
7	P6G	C	1018	-	18,18,18	0.28	0	17,17,17	0.41	0
7	P6G	C	1019	-	18,18,18	0.30	0	17,17,17	0.24	0
4	EDO	C	1020	-	3,3,3	0.58	0	2,2,2	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#|Z| > 2	Counts	RMSZ	#|Z| > 2
11	TAR	C	1021	-	3,9,9	0.22	0	6,12,12	0.95	0
9	GLC	C	1022	-	12,12,12	0.59	0	17,17,17	0.63	0
6	PG4	D	203	-	8,8,12	0.42	0	7,7,11	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1001	-	-	0/6/23/26	0/1/1/1
3	NAG	A	1002	-	-	0/6/23/26	0/1/1/1
4	EDO	A	1003	-	-	0/1/1/1	0/0/0/0
4	EDO	A	1004	-	-	0/1/1/1	0/0/0/0
4	EDO	A	1005	-	-	0/1/1/1	0/0/0/0
5	FMT	A	1006	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1007	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1008	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1009	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1010	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1011	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1012	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1013	-	-	0/0/0/0	0/0/0/0
5	FMT	A	1014	-	-	0/0/0/0	0/0/0/0
6	PG4	A	1015	-	-	0/5/5/10	0/0/0/0
6	PG4	A	1016	-	-	0/6/6/10	0/0/0/0
7	P6G	A	1017	-	-	0/16/16/16	0/0/0/0
7	P6G	A	1018	-	-	0/11/11/16	0/0/0/0
5	FMT	A	1019	-	-	0/0/0/0	0/0/0/0
8	OXM	A	1020	-	-	0/0/4/4	0/0/0/0
9	GLC	A	1021	-	-	0/2/22/22	0/1/1/1
7	P6G	A	1022	-	-	0/16/16/16	0/0/0/0
6	PG4	B	201	-	-	0/8/8/10	0/0/0/0
6	PG4	B	204	-	-	0/6/6/10	0/0/0/0
3	NAG	C	1001	-	-	0/6/23/26	0/1/1/1
3	NAG	C	1002	-	-	0/6/23/26	0/1/1/1
4	EDO	C	1003	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1004	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1005	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1006	-	-	0/1/1/1	0/0/0/0
5	FMT	C	1007	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1008	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1010	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	FMT	C	1011	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1012	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1013	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1014	-	-	0/0/0/0	0/0/0/0
5	FMT	C	1015	-	-	0/0/0/0	0/0/0/0
6	PG4	C	1016	-	-	0/5/5/10	0/0/0/0
6	PG4	C	1017	-	-	0/6/6/10	0/0/0/0
7	P6G	C	1018	-	-	0/16/16/16	0/0/0/0
7	P6G	C	1019	-	-	0/16/16/16	0/0/0/0
4	EDO	C	1020	-	-	0/1/1/1	0/0/0/0
11	TAR	C	1021	-	-	0/4/12/12	0/0/0/0
9	GLC	C	1022	-	-	0/2/22/22	0/1/1/1
6	PG4	D	203	-	-	0/6/6/10	0/0/0/0

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	C	1001	NAG	C1-O5-C5	-3.18	107.47	112.14
3	A	1001	NAG	C1-O5-C5	-3.09	107.60	112.14
9	A	1021	GLC	O2-C2-C3	2.05	114.99	110.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 35 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	NAG	7	0
3	A	1002	NAG	4	0
4	A	1005	EDO	3	0
9	A	1021	GLC	1	0
3	C	1001	NAG	7	0
3	C	1002	NAG	4	0
4	C	1005	EDO	3	0
4	C	1006	EDO	11	0
5	C	1010	FMT	1	0
7	C	1018	P6G	1	0
9	C	1022	GLC	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2
1	C	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	185:ARG	C	244:GLU	N	15.76
1	C	185:ARG	C	244:GLU	N	15.19
1	A	350:ASN	C	370:THR	N	7.78
1	C	350:ASN	C	370:THR	N	7.77

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	857/857 (100%)	0.18	11 (1%)	79	81	13, 28, 53, 81	0
1	C	857/857 (100%)	0.23	17 (1%)	68	71	15, 29, 60, 86	0
2	B	88/88 (100%)	0.97	14 (15%)	3	3	19, 43, 80, 91	0
2	D	88/88 (100%)	0.86	15 (17%)	2	2	25, 45, 76, 99	0
All	All	1890/1890 (100%)	0.28	57 (3%)	54	57	13, 29, 62, 99	0

The worst 5 of 57 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	43	THR	8.7
2	D	81	GLY	7.8
2	B	31	TYR	6.5
2	B	44	ALA	6.3
2	D	34	SER	5.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å^2)	Q<0.9
5	FMT	A	1007	3/3	0.61	0.50	20.43	58,58,63,65	0
5	FMT	C	1008	3/3	0.66	0.43	16.52	63,63,65,65	0
5	FMT	A	1011	3/3	0.45	0.73	15.12	70,70,74,77	0
5	FMT	C	1014	3/3	0.80	0.71	13.01	76,76,76,77	0
8	OXM	A	1020	6/6	0.66	0.40	12.59	42,55,58,58	0
5	FMT	A	1019	3/3	0.85	0.42	11.21	32,33,34,34	0
6	PG4	A	1016	9/13	0.70	0.38	10.78	49,67,77,77	0
4	EDO	C	1005	4/4	0.58	0.47	10.29	35,42,45,48	0
11	TAR	C	1021	10/10	0.66	0.38	10.28	89,91,98,99	0
7	P6G	A	1022	19/19	0.72	0.29	8.75	41,67,75,76	0
7	P6G	C	1018	19/19	0.61	0.29	6.77	55,82,93,93	0
6	PG4	B	201	11/13	0.56	0.47	6.24	55,75,88,89	0
4	EDO	C	1006	4/4	0.96	0.23	5.75	15,19,22,26	0
4	EDO	A	1005	4/4	0.83	0.34	5.43	35,37,37,39	0
7	P6G	A	1017	19/19	0.70	0.39	5.07	68,76,92,93	0
6	PG4	C	1017	9/13	0.79	0.28	4.96	34,54,66,66	0
4	EDO	C	1004	4/4	0.57	0.45	4.10	63,65,66,66	0
7	P6G	A	1018	14/19	0.84	0.22	3.65	32,39,63,64	0
7	P6G	C	1019	19/19	0.49	0.38	3.47	68,90,107,107	0
5	FMT	A	1014	3/3	0.53	0.24	3.31	73,73,74,74	0
5	FMT	A	1008	3/3	0.70	0.27	1.95	52,52,55,55	0
5	FMT	C	1009	1/3	0.70	0.22	1.40	30,30,30,30	0
6	PG4	C	1016	8/13	0.71	0.25	1.39	78,79,81,81	0
4	EDO	A	1003	4/4	0.81	0.17	1.00	35,39,40,40	0
5	FMT	C	1011	3/3	0.86	0.21	0.93	35,35,41,46	0
4	EDO	A	1004	4/4	0.81	0.25	0.92	49,53,54,58	0
5	FMT	C	1010	2/3	0.76	0.20	0.72	27,27,27,29	0
6	PG4	A	1015	8/13	0.74	0.22	0.63	62,63,66,66	0
6	PG4	B	204	9/13	0.70	0.22	0.56	57,59,68,68	0
6	PG4	D	203	9/13	0.82	0.21	0.53	59,61,62,62	0
3	NAG	A	1001	14/15	0.91	0.16	0.41	19,40,43,44	0
3	NAG	C	1001	14/15	0.92	0.16	0.11	26,32,34,35	0
4	EDO	C	1020	4/4	0.91	0.15	-0.28	38,41,46,46	0
4	EDO	C	1003	4/4	0.88	0.14	-0.45	32,33,36,40	0
9	GLC	C	1022	12/12	0.94	0.13	-0.55	17,22,24,24	0
9	GLC	A	1021	12/12	0.95	0.12	-0.57	13,21,32,36	0
5	FMT	A	1012	3/3	0.86	0.14	-0.87	35,35,35,39	0
10	CA	D	201	1/1	0.99	0.10	-1.18	25,25,25,25	0
10	CA	B	202	1/1	0.99	0.10	-1.80	27,27,27,27	0
10	CA	B	203	1/1	0.97	0.10	-1.95	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å²)	Q<0.9
5	FMT	A	1009	3/3	0.94	0.10	-2.16	49,49,51,51	0
10	CA	D	202	1/1	0.99	0.10	-2.46	23,23,23,23	0
5	FMT	A	1010	3/3	0.90	0.23	-	51,51,53,54	0
5	FMT	A	1006	3/3	0.89	0.14	-	34,34,40,43	0
5	FMT	A	1013	3/3	0.94	0.12	-	42,42,43,43	0
3	NAG	A	1002	14/15	0.82	0.19	-	38,50,55,59	0
5	FMT	C	1007	3/3	0.90	0.17	-	41,41,41,42	0
5	FMT	C	1012	3/3	0.90	0.25	-	48,48,48,49	0
5	FMT	C	1015	3/3	0.73	0.20	-	56,56,58,59	0
3	NAG	C	1002	14/15	0.74	0.24	-	44,54,58,60	0
5	FMT	C	1013	3/3	0.85	0.17	-	55,55,56,58	0

6.5 Other polymers (i)

There are no such residues in this entry.