



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 05:09 PM GMT

PDB ID : 4HCX
Title : Structure of ICDH-1 from M.tuberculosis complexed with NADPH & Mn²⁺
Authors : Hazra, S.; Blanchard, J.
Deposited on : 2012-10-01
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	5130 (2.20-2.16)
Clashscore	102246	5965 (2.20-2.16)
Ramachandran outliers	100387	5863 (2.20-2.16)
Sidechain outliers	100360	5864 (2.20-2.16)
RSRZ outliers	91569	5142 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 6670 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	402	3130	2000	522	595	13	0	0	0
1	B	402	3130	2001	518	598	13	0	0	0

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mn	0	0
			1	1		
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	48	21	7	17	3	0	0
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total Cl		0	0
			1	1		
4	A	1	Total Cl		0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	178	Total O		0	0
			178	178		
5	B	132	Total O		0	0
			132	132		



3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isocitrate dehydrogenase [NADP]



- Molecule 1: Isocitrate dehydrogenase [NADP]



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	90.14 Å 92.70 Å 102.89 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.18 44.68 – 2.18	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.18) 98.6 (44.68-2.18)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.95 (at 2.18 Å)	Xtriage
Refinement program	Phenix	Depositor
R , R_{free}	0.205 , 0.262 0.210 , 0.268	Depositor DCC
R_{free} test set	2306 reflections (5.39%)	DCC
Wilson B-factor (Å ²)	29.9	Xtriage
Anisotropy	0.146	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.6	EDS
Estimated twinning fraction	0.028 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 45109 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6670	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, MN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.96	0/3203	0.95	12/4352 (0.3%)
1	B	0.94	2/3203 (0.1%)	0.92	6/4353 (0.1%)
All	All	0.95	2/6406 (0.0%)	0.94	18/8705 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	76	CYS	CB-SG	-6.21	1.71	1.82
1	B	322	TYR	CD2-CE2	-5.29	1.31	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	143	ARG	NE-CZ-NH2	-7.79	116.40	120.30
1	A	143	ARG	NE-CZ-NH2	-6.95	116.82	120.30
1	B	296	SER	C-N-CA	6.61	138.23	121.70
1	A	197	ARG	NE-CZ-NH2	-6.61	117.00	120.30
1	A	384	GLY	C-N-CD	6.55	142.16	128.40
1	A	296	SER	C-N-CA	6.22	137.25	121.70
1	A	303	GLY	N-CA-C	-6.04	98.00	113.10
1	A	346	ARG	NE-CZ-NH2	-5.87	117.36	120.30
1	A	52	ARG	NE-CZ-NH1	5.78	123.19	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	303	GLY	N-CA-C	-5.75	98.74	113.10
1	B	380	ALA	C-N-CA	-5.71	107.42	121.70
1	B	262	LEU	CA-CB-CG	5.65	128.29	115.30
1	A	350	ASP	N-CA-C	5.49	125.81	111.00
1	A	85	ARG	NE-CZ-NH1	-5.40	117.60	120.30
1	A	385	PRO	CA-N-CD	-5.30	104.08	111.50
1	B	197	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	A	197	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	208	TRP	CA-CB-CG	5.02	123.24	113.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	243	GLU	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3130	0	3062	71	1
1	B	3130	0	3060	114	2
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	48	0	24	2	0
3	B	48	0	24	6	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	178	0	0	11	1
5	B	132	0	0	10	0
All	All	6670	0	6170	183	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:LYS:HD2	1:B:92:LYS:N	1.52	1.15
1:B:193:ARG:CB	1:B:193:ARG:HH11	1.64	1.09
1:A:243:GLU:N	1:A:244:ALA:HB3	1.71	1.05
1:B:193:ARG:HH11	1:B:193:ARG:HB3	1.23	1.02
1:B:370:VAL:HG13	1:B:375:MET:HE2	1.41	1.00
1:B:92:LYS:HD2	1:B:92:LYS:H	1.23	0.99
1:B:193:ARG:HB2	1:B:193:ARG:NH1	1.76	0.98
1:A:242:PHE:C	1:A:244:ALA:HB3	1.86	0.94
1:A:243:GLU:N	1:A:244:ALA:CB	2.30	0.94
1:A:388:ASP:OD2	5:A:674:HOH:O	1.85	0.94
1:B:193:ARG:CB	1:B:193:ARG:NH1	2.30	0.94
1:B:331:ASN:ND2	1:B:378:ASP:OD2	2.00	0.93
1:B:21:MET:HE1	1:B:319:TYR:HA	1.49	0.92
1:A:146:ASN:HD22	1:B:222:TYR:H	1.22	0.85
1:B:35:LEU:N	1:B:36:PRO:CD	2.44	0.80
3:B:502:NDP:O1A	5:B:686:HOH:O	2.01	0.78
1:B:370:VAL:HG13	1:B:375:MET:CE	2.15	0.77
1:B:21:MET:HE3	1:B:328:THR:HG21	1.68	0.75
1:B:194:ASP:HB3	5:B:729:HOH:O	1.87	0.72
1:B:116:VAL:HG23	1:B:122:ARG:HE	1.53	0.72
1:B:373:GLY:O	1:B:374:LYS:HB2	1.88	0.71
1:A:282:ASP:OD2	1:B:255:ASP:HB3	1.91	0.71
1:B:21:MET:CE	1:B:319:TYR:HA	2.21	0.70
1:B:387:GLN:O	1:B:387:GLN:CD	2.29	0.70
1:B:404:GLU:O	1:B:406:GLU:N	2.25	0.69
1:B:239:LYS:HE2	1:B:243:GLU:OE2	1.93	0.69
1:A:347:GLY:O	1:A:351:GLY:HA2	1.93	0.67
1:B:163:ASP:CB	1:B:165:SER:OG	2.43	0.67
1:B:31:ASP:O	1:B:36:PRO:HG3	1.96	0.65
1:B:103:ARG:HD2	1:B:110:ILE:HD11	1.78	0.64
1:B:387:GLN:NE2	1:B:387:GLN:O	2.30	0.64
1:A:209:PRO:HB3	1:A:248:THR:HG22	1.80	0.64
1:B:197:ARG:NH2	1:B:237:GLU:OE2	2.21	0.64
1:B:21:MET:HE2	1:B:318:HIS:C	2.18	0.63
1:A:346:ARG:HD2	1:A:350:ASP:OD2	1.98	0.62
1:B:387:GLN:HA	1:B:387:GLN:OE1	2.00	0.62
1:B:75:LYS:HE3	1:B:99:ASN:OD1	1.99	0.62
1:A:103:ARG:HH11	1:A:103:ARG:HG3	1.64	0.62
1:A:112:ARG:HD3	1:A:296:SER:HB3	1.82	0.61
1:A:243:GLU:N	1:A:244:ALA:HB2	2.13	0.61
1:B:290:SER:OG	1:B:378:ASP:OD1	2.13	0.61
1:B:395:PHE:CZ	1:B:399:ILE:HD11	2.36	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:GLU:CA	1:A:244:ALA:CB	2.78	0.60
1:B:389:TRP:HZ3	1:B:391:ASN:OD1	1.83	0.60
1:A:359:ALA:O	1:A:363:GLU:HG3	2.01	0.60
1:A:241:GLN:N	1:A:241:GLN:OE1	2.35	0.59
1:A:404:GLU:O	1:A:406:GLU:N	2.35	0.59
1:B:163:ASP:HB2	1:B:165:SER:OG	2.01	0.59
1:B:395:PHE:CE1	1:B:399:ILE:HD11	2.39	0.58
1:B:35:LEU:N	1:B:36:PRO:HD2	2.19	0.58
1:B:9:VAL:HG23	1:B:38:LEU:HD22	1.88	0.56
1:A:127:TRP:CZ3	1:A:287:GLY:HA3	2.41	0.56
3:B:502:NDP:O1A	3:B:502:NDP:O1N	2.23	0.56
1:A:390:LEU:HD23	1:A:395:PHE:HA	1.88	0.56
1:B:21:MET:HE2	1:B:319:TYR:N	2.21	0.56
1:A:78:THR:H	3:A:502:NDP:H71N	1.54	0.56
1:A:302:ASP:N	1:A:303:GLY:HA2	2.21	0.56
1:A:127:TRP:HZ3	1:A:287:GLY:HA3	1.71	0.55
1:A:240:ALA:O	1:A:244:ALA:HB1	2.07	0.55
1:A:103:ARG:NH1	1:A:103:ARG:HG3	2.22	0.55
1:A:389:TRP:HA	5:A:653:HOH:O	2.07	0.55
1:A:128:THR:HG22	1:A:129:LYS:HG3	1.88	0.55
1:A:194:ASP:HB3	5:A:768:HOH:O	2.07	0.54
1:B:116:VAL:CG2	1:B:122:ARG:HE	2.21	0.54
1:A:302:ASP:H	1:A:303:GLY:HA2	1.72	0.54
1:B:395:PHE:CE1	1:B:399:ILE:CD1	2.92	0.54
1:B:387:GLN:OE1	1:B:387:GLN:CA	2.54	0.53
1:B:118:SER:HB3	5:B:721:HOH:O	2.07	0.53
1:A:248:THR:HG23	5:A:668:HOH:O	2.09	0.53
1:B:362:LEU:O	1:B:366:VAL:HG23	2.07	0.53
1:B:298:LEU:HD23	1:B:298:LEU:C	2.29	0.53
1:B:16:LEU:HD23	1:B:75:LYS:HD2	1.91	0.53
1:A:346:ARG:O	1:A:346:ARG:HD3	2.09	0.52
1:A:151:GLN:HB2	1:A:152:PRO:HD2	1.91	0.52
1:A:300:THR:CG2	1:A:301:ALA:N	2.72	0.52
1:A:69:LYS:HD3	1:A:70:HIS:CE1	2.45	0.52
1:A:337:PHE:HA	1:A:340:THR:OG1	2.11	0.51
3:B:502:NDP:PA	5:B:686:HOH:O	2.67	0.51
1:B:163:ASP:CB	1:B:165:SER:HG	2.23	0.51
1:B:214:THR:HB	1:B:223:ASP:HB3	1.94	0.50
1:B:92:LYS:NZ	5:B:638:HOH:O	2.45	0.50
1:B:387:GLN:O	1:B:388:ASP:O	2.30	0.50
1:B:193:ARG:HB2	1:B:193:ARG:CZ	2.40	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ASN:ND2	1:B:222:TYR:H	2.01	0.50
1:A:362:LEU:O	1:A:366:VAL:HG23	2.12	0.50
1:A:209:PRO:HD2	1:A:267:GLY:O	2.12	0.50
1:A:94:MET:SD	5:A:665:HOH:O	2.59	0.50
1:B:22:THR:HG23	1:B:315:VAL:HG23	1.94	0.50
1:B:384:GLY:C	1:B:386:GLU:H	2.15	0.50
1:B:390:LEU:N	1:B:390:LEU:HD12	2.27	0.50
1:B:381:ILE:O	1:B:382:LEU:C	2.48	0.50
1:B:20:GLU:HA	1:B:319:TYR:CE1	2.47	0.49
1:B:35:LEU:N	1:B:36:PRO:HD3	2.23	0.49
1:B:21:MET:HE1	1:B:322:TYR:HB3	1.94	0.49
1:B:346:ARG:HD2	1:B:350:ASP:OD2	2.13	0.49
1:B:404:GLU:C	1:B:406:GLU:H	2.16	0.49
1:B:16:LEU:HD11	1:B:63:ALA:HB1	1.95	0.49
1:A:150:ASP:O	1:A:151:GLN:HB3	2.12	0.49
1:A:240:ALA:O	1:A:244:ALA:CB	2.61	0.48
1:A:246:GLY:HA3	5:A:662:HOH:O	2.13	0.48
1:B:21:MET:CE	1:B:318:HIS:C	2.81	0.48
1:A:142:TYR:CD1	1:A:142:TYR:N	2.81	0.48
1:A:210:VAL:HG22	1:A:269:VAL:HB	1.95	0.47
1:B:393:GLU:OE1	1:B:393:GLU:N	2.37	0.47
1:B:212:LEU:HD22	1:B:230:PHE:CG	2.49	0.47
1:A:346:ARG:C	1:A:346:ARG:HD3	2.35	0.47
1:A:256:ASP:OD1	5:A:740:HOH:O	2.20	0.47
1:B:370:VAL:CG1	1:B:375:MET:HE2	2.29	0.47
1:B:118:SER:CB	5:B:721:HOH:O	2.63	0.47
1:B:302:ASP:N	1:B:303:GLY:HA2	2.29	0.47
1:A:78:THR:O	3:A:502:NDP:H2N	2.15	0.46
1:B:401:ASP:O	1:B:404:GLU:HB3	2.15	0.46
1:A:374:LYS:O	1:A:395:PHE:HE1	1.98	0.46
1:B:326:LYS:O	5:B:692:HOH:O	2.20	0.46
1:B:118:SER:N	5:B:721:HOH:O	2.12	0.46
1:B:346:ARG:CD	1:B:350:ASP:OD2	2.63	0.46
1:B:112:ARG:HD3	1:B:296:SER:HB3	1.97	0.46
1:B:19:ASP:CB	1:B:79:ILE:HG13	2.46	0.46
1:B:21:MET:CE	1:B:319:TYR:CA	2.93	0.45
1:A:56:ASP:HA	1:A:95:TRP:CH2	2.50	0.45
1:A:291:LEU:HB3	1:A:312:HIS:HB3	1.98	0.45
1:B:122:ARG:N	1:B:122:ARG:HD3	2.31	0.45
1:A:344:GLN:NE2	5:A:614:HOH:O	2.48	0.45
1:A:207:LYS:HA	1:A:247:LEU:HD21	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:LYS:HD3	1:A:193:ARG:CZ	2.46	0.45
1:A:120:VAL:CG1	1:A:382:LEU:HD12	2.47	0.45
1:B:299:MET:HG2	1:B:300:THR:O	2.16	0.45
1:B:332:PRO:CG	1:B:396:LEU:HD13	2.46	0.45
1:A:12:PRO:HB3	1:A:41:ARG:HG2	1.98	0.45
1:B:387:GLN:O	1:B:387:GLN:CG	2.64	0.45
1:B:34:ILE:C	1:B:36:PRO:HD2	2.37	0.45
1:A:126:GLY:HA3	5:A:672:HOH:O	2.17	0.45
1:B:17:ASP:HB3	1:B:46:ASP:OD1	2.17	0.45
1:A:367:ILE:HD13	5:A:713:HOH:O	2.16	0.45
1:B:38:LEU:HD11	1:B:358:PHE:CE2	2.52	0.45
1:A:135:ARG:O	1:A:136:HIS:C	2.55	0.44
1:A:213:SER:HA	1:A:252:ARG:O	2.17	0.44
1:B:404:GLU:C	1:B:406:GLU:N	2.67	0.44
1:B:78:THR:O	3:B:502:NDP:H2N	2.18	0.44
1:B:393:GLU:H	1:B:393:GLU:CD	2.18	0.44
1:B:173:VAL:HG22	1:B:174:SER:N	2.33	0.43
1:A:242:PHE:CD2	1:A:247:LEU:HB3	2.53	0.43
1:B:384:GLY:O	1:B:386:GLU:N	2.51	0.43
1:B:7:ILE:HB	1:B:38:LEU:HD23	2.01	0.43
1:B:113:GLU:OE1	1:B:202:TYR:OH	2.23	0.43
1:A:143:ARG:HD3	1:A:186:TYR:OH	2.19	0.43
1:A:262:LEU:HD12	1:A:262:LEU:HA	1.85	0.43
1:A:300:THR:HG22	1:A:301:ALA:N	2.34	0.43
1:B:302:ASP:H	1:B:303:GLY:HA2	1.84	0.43
1:B:393:GLU:O	1:B:397:ASP:HB2	2.18	0.42
1:B:119:ASN:OD1	1:B:371:GLU:HA	2.19	0.42
1:A:241:GLN:C	1:A:244:ALA:HB1	2.40	0.42
1:A:404:GLU:C	1:A:406:GLU:N	2.73	0.42
1:B:120:VAL:CG1	1:B:382:LEU:HD12	2.50	0.42
1:B:393:GLU:O	1:B:397:ASP:N	2.47	0.42
1:A:234:TYR:O	1:A:239:LYS:N	2.51	0.42
1:B:82:ASP:OD1	1:B:82:ASP:C	2.57	0.42
1:B:384:GLY:C	1:B:386:GLU:N	2.73	0.42
1:A:404:GLU:C	1:A:406:GLU:H	2.22	0.42
1:B:21:MET:CE	1:B:322:TYR:HB3	2.50	0.42
1:B:163:ASP:HB3	1:B:165:SER:OG	2.17	0.42
1:A:204:LEU:O	1:A:207:LYS:HE2	2.19	0.42
1:A:146:ASN:HD21	1:B:221:ALA:H	1.68	0.42
1:B:78:THR:H	3:B:502:NDP:H71N	1.68	0.42
1:B:196:ALA:HA	1:B:230:PHE:CZ	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:ASP:HB3	1:B:165:SER:H	1.85	0.41
1:B:149:VAL:HG23	1:B:149:VAL:O	2.20	0.41
1:B:113:GLU:CG	5:B:695:HOH:O	2.68	0.41
1:B:373:GLY:O	1:B:374:LYS:CB	2.64	0.41
1:B:263:LYS:NZ	1:B:263:LYS:HB2	2.36	0.41
1:B:313:GLY:CA	3:B:502:NDP:O2A	2.69	0.41
1:B:168:ILE:HA	5:B:674:HOH:O	2.20	0.41
1:B:401:ASP:O	1:B:404:GLU:CB	2.69	0.41
1:B:397:ASP:O	1:B:400:ALA:HB3	2.20	0.41
1:A:58:GLN:O	1:A:59:VAL:C	2.58	0.41
1:A:163:ASP:OD1	1:A:163:ASP:C	2.59	0.41
1:B:196:ALA:HB2	1:B:230:PHE:CD1	2.56	0.40
1:B:183:LEU:C	1:B:183:LEU:HD23	2.42	0.40
1:A:147:PHE:HA	1:B:221:ALA:CB	2.51	0.40
1:B:273:LYS:HE2	1:B:273:LYS:HB3	1.94	0.40
1:A:54:ALA:HA	5:A:694:HOH:O	2.20	0.40
1:B:337:PHE:HA	1:B:340:THR:OG1	2.21	0.40
1:B:208:TRP:CE3	1:B:208:TRP:HA	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:401:ASP:OD2	5:A:674:HOH:O[2_455]	1.93	0.27
1:A:56:ASP:OD1	1:B:143:ARG:NH2[2_444]	1.98	0.22

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	400/409 (98%)	377 (94%)	18 (4%)	5 (1%)	15 10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	400/409 (98%)	372 (93%)	19 (5%)	9 (2%)	8 3
All	All	800/818 (98%)	749 (94%)	37 (5%)	14 (2%)	11 6

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	297	VAL
1	A	372	SER
1	A	405	LYS
1	B	378	ASP
1	B	388	ASP
1	B	405	LYS
1	A	244	ALA
1	B	163	ASP
1	B	297	VAL
1	B	385	PRO
1	B	374	LYS
1	A	128	THR
1	B	232	ARG
1	B	233	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	329/341 (96%)	312 (95%)	17 (5%)	29 31
1	B	330/341 (97%)	313 (95%)	17 (5%)	29 31
All	All	659/682 (97%)	625 (95%)	34 (5%)	29 31

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	PRO
1	A	43	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	122	ARG
1	A	128	THR
1	A	183	LEU
1	A	187	ASN
1	A	189	LYS
1	A	190	GLU
1	A	194	ASP
1	A	217	THR
1	A	237	GLU
1	A	247	LEU
1	A	263	LYS
1	A	297	VAL
1	A	307	GLU
1	A	315	VAL
1	A	392	SER
1	B	92	LYS
1	B	113	GLU
1	B	122	ARG
1	B	148	LYS
1	B	165	SER
1	B	190	GLU
1	B	205	ASN
1	B	242	PHE
1	B	255	ASP
1	B	263	LYS
1	B	297	VAL
1	B	300	THR
1	B	320	ARG
1	B	335	SER
1	B	344	GLN
1	B	364	SER
1	B	397	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	ASN
1	A	146	ASN
1	A	344	GLN
1	A	402	ASN
1	B	402	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NDP	A	502	-	42,52,52	1.74	10 (23%)	55,80,80	2.30	14 (25%)
3	NDP	B	502	-	42,52,52	1.71	8 (19%)	55,80,80	2.48	15 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDP	A	502	-	-	0/30/77/77	0/5/5/5
3	NDP	B	502	-	-	0/30/77/77	0/5/5/5

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	NDP	C4N-C5N	-4.86	1.38	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	NDP	C4N-C5N	-3.96	1.40	1.49
3	B	502	NDP	O3B-C3B	-2.91	1.36	1.43
3	B	502	NDP	O2D-C2D	-2.83	1.36	1.43
3	A	502	NDP	O3B-C3B	-2.66	1.36	1.43
3	A	502	NDP	O2D-C2D	-2.60	1.36	1.43
3	A	502	NDP	C2D-C3D	-2.22	1.47	1.53
3	A	502	NDP	C1D-N1N	2.10	1.52	1.46
3	B	502	NDP	O4D-C1D	2.25	1.47	1.42
3	A	502	NDP	O4D-C1D	2.38	1.47	1.42
3	A	502	NDP	C6A-N6A	2.42	1.42	1.34
3	B	502	NDP	C2A-N3A	2.44	1.36	1.32
3	A	502	NDP	C2N-C3N	2.51	1.40	1.34
3	B	502	NDP	C6A-N6A	2.81	1.43	1.34
3	B	502	NDP	C6N-C5N	3.82	1.40	1.33
3	B	502	NDP	C7N-N7N	3.95	1.44	1.33
3	A	502	NDP	C7N-N7N	4.49	1.46	1.33
3	A	502	NDP	C6N-C5N	5.02	1.43	1.33

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	NDP	N3A-C2A-N1A	-12.80	119.09	128.89
3	A	502	NDP	N3A-C2A-N1A	-11.82	119.85	128.89
3	B	502	NDP	PN-O3-PA	-5.16	118.24	132.73
3	B	502	NDP	C3N-C2N-N1N	-4.81	116.25	123.14
3	A	502	NDP	C4B-O4B-C1B	-3.75	105.60	109.72
3	A	502	NDP	C3N-C2N-N1N	-3.73	117.80	123.14
3	A	502	NDP	C1D-N1N-C2N	-3.64	114.57	120.91
3	B	502	NDP	C4B-O4B-C1B	-3.30	106.09	109.72
3	B	502	NDP	C1D-N1N-C2N	-3.07	115.56	120.91
3	A	502	NDP	C4N-C5N-C6N	-3.01	117.62	122.58
3	B	502	NDP	C4A-C5A-N7A	-2.56	107.13	109.48
3	B	502	NDP	C4N-C5N-C6N	-2.35	118.71	122.58
3	B	502	NDP	C3B-C2B-C1B	-2.09	98.68	102.73
3	A	502	NDP	C4D-O4D-C1D	-2.02	105.07	109.52
3	B	502	NDP	C6N-N1N-C2N	2.07	123.85	118.52
3	B	502	NDP	O2B-C2B-C3B	2.10	119.67	111.51
3	B	502	NDP	C2D-C3D-C4D	2.20	107.14	102.61
3	A	502	NDP	C2D-C3D-C4D	2.25	107.25	102.61
3	B	502	NDP	C2A-N1A-C6A	2.27	122.82	118.77
3	A	502	NDP	O2B-C2B-C3B	2.28	120.37	111.51
3	A	502	NDP	O4B-C1B-N9A	2.37	113.07	108.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	NDP	O3-PN-O5D	2.41	109.34	102.94
3	A	502	NDP	O3B-C3B-C2B	2.69	118.94	111.16
3	A	502	NDP	O4D-C4D-C3D	2.72	110.62	105.15
3	B	502	NDP	C2D-C1D-N1N	2.78	120.84	113.34
3	A	502	NDP	C5N-C4N-C3N	2.81	120.27	112.52
3	B	502	NDP	O4B-C4B-C3B	2.86	110.91	105.15
3	A	502	NDP	O4B-C4B-C3B	2.95	111.08	105.15
3	B	502	NDP	C5N-C4N-C3N	2.97	120.69	112.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	NDP	2	0
3	B	502	NDP	6	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	402/409 (98%)	-0.14	2 (0%) 91 92	15, 31, 48, 64	0
1	B	402/409 (98%)	0.02	8 (1%) 68 69	17, 34, 55, 73	0
All	All	804/818 (98%)	-0.06	10 (1%) 81 81	15, 33, 54, 73	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	404	GLU	3.4
1	B	405	LYS	2.6
1	B	322	TYR	2.5
1	B	103	ARG	2.4
1	A	405	LYS	2.4
1	B	193	ARG	2.3
1	A	389	TRP	2.2
1	B	317	ARG	2.1
1	B	388	ASP	2.0
1	B	400	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	CL	A	503	1/1	0.98	0.10	0.70	40,40,40,40	0
3	NDP	B	502	48/48	0.94	0.11	-0.36	30,38,46,48	0
3	NDP	A	502	48/48	0.96	0.09	-0.68	23,31,42,46	0
4	CL	B	503	1/1	0.99	0.04	-7.81	33,33,33,33	0
2	MN	A	501	1/1	1.00	0.09	-	31,31,31,31	0
2	MN	B	501	1/1	1.00	0.13	-	31,31,31,31	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.