



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:09 PM GMT

PDB ID : 4HD0  
Title : Mre11 ATLD17/18 mutation retains Tel1/ATM activity but blocks DNA double-strand break repair  
Authors : Limbo, O.; Moiani, D.; Kertokalio, A.; Wyman, C.; Tainer, J.A.; Russell, P.  
Deposited on : 2012-10-01  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	<div> <div>4%</div> <div>61%</div> <div>27%</div> <div>7%</div> <div>• •</div> </div>
1	B	339	<div> <div>7%</div> <div>58%</div> <div>24%</div> <div>9%</div> <div>• 6%</div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA double-strand break repair protein Mre11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	48	3	0
			2765	1792	471	497	5			
1	B	319	Total	C	N	O	S	96	2	0
			2667	1734	456	472	5			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	-4	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	-3	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	-2	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	-1	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	0	HIS	-	EXPRESSION TAG	UNP Q8U1N9
A	204	ARG	LEU	ENGINEERED MUTATION	UNP Q8U1N9
B	-5	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	-4	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	-3	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	-2	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	-1	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	0	HIS	-	EXPRESSION TAG	UNP Q8U1N9
B	204	ARG	LEU	ENGINEERED MUTATION	UNP Q8U1N9

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mn	0	0
			2	2		
2	A	2	Total	Mn	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	40	Total 40	O 40	0	0
3	B	24	Total 24	O 24	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA double-strand break repair protein Mre11



- Molecule 1: DNA double-strand break repair protein Mre11



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.04Å 70.19Å 81.49Å 90.00° 109.31° 90.00°	Depositor
Resolution (Å)	45.00 – 2.30 45.61 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (45.00-2.30) 99.5 (45.61-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.96 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, $R_{free}$	0.223 , 0.277 0.219 , 0.273	Depositor DCC
$R_{free}$ test set	1633 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.5	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 45.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 32059 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5500	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.35% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.17	6/2845 (0.2%)	1.01	11/3836 (0.3%)
1	B	1.18	12/2735 (0.4%)	0.99	10/3685 (0.3%)
All	All	1.17	18/5580 (0.3%)	1.00	21/7521 (0.3%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	152	GLU	CG-CD	26.14	1.91	1.51
1	A	90	ARG	CA-CB	-17.89	1.14	1.53
1	B	113	LYS	CD-CE	-17.65	1.07	1.51
1	B	112	GLU	CB-CG	13.52	1.77	1.52
1	B	248	ARG	CG-CD	-12.07	1.21	1.51
1	B	287	LYS	CB-CG	-11.78	1.20	1.52
1	B	331	TRP	CA-CB	-10.90	1.29	1.53
1	A	298	LYS	CB-CG	-10.08	1.25	1.52
1	B	177	ARG	CD-NE	-9.72	1.29	1.46
1	B	243	ILE	CB-CG1	8.11	1.76	1.54
1	A	246	LYS	CB-CG	-7.64	1.31	1.52
1	A	188	PHE	CG-CD2	-7.43	1.27	1.38
1	B	290	LYS	CB-CG	-6.32	1.35	1.52
1	B	286	ARG	CB-CG	-6.29	1.35	1.52
1	B	327	LYS	CD-CE	6.08	1.66	1.51
1	A	188	PHE	CG-CD1	5.30	1.46	1.38
1	B	155	LYS	CB-CG	5.28	1.66	1.52
1	B	243	ILE	CG1-CD1	5.04	1.85	1.50

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	177	ARG	CD-NE-CZ	-9.68	110.05	123.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	331	TRP	CB-CA-C	-9.59	91.21	110.40
1	B	237	ARG	CD-NE-CZ	-9.46	110.35	123.60
1	B	286	ARG	CA-CB-CG	-9.01	93.57	113.40
1	A	310	LYS	CB-CG-CD	8.88	134.69	111.60
1	A	298	LYS	CB-CG-CD	8.78	134.43	111.60
1	B	110	ARG	NE-CZ-NH1	7.33	123.97	120.30
1	A	177	ARG	NE-CZ-NH1	-6.94	116.83	120.30
1	A	177	ARG	NE-CZ-NH2	6.76	123.68	120.30
1	B	110	ARG	NE-CZ-NH2	-6.62	116.99	120.30
1	A	152	GLU	CB-CG-CD	-6.37	97.01	114.20
1	B	287	LYS	CB-CG-CD	6.27	127.90	111.60
1	A	8	ASP	CB-CG-OD1	6.14	123.83	118.30
1	A	176	VAL	CB-CA-C	-6.05	99.90	111.40
1	B	112	GLU	CA-CB-CG	-5.97	100.26	113.40
1	A	204	ARG	CG-CD-NE	-5.83	99.56	111.80
1	B	248	ARG	CB-CG-CD	5.75	126.55	111.60
1	A	188	PHE	CB-CG-CD2	5.45	124.61	120.80
1	A	8	ASP	CB-CG-OD2	-5.33	113.50	118.30
1	B	309	ARG	N-CA-CB	-5.07	101.47	110.60
1	A	309	ARG	CB-CG-CD	-5.02	98.56	111.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2765	0	2757	139	2
1	B	2667	0	2667	141	1
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	40	0	0	5	0
3	B	24	0	0	0	0
All	All	5500	0	5424	280	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 27.

All (280) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:ARG:NE	1:B:131:VAL:HG21	1.30	1.39
1:B:110:ARG:CD	1:B:131:VAL:HG21	1.50	1.38
1:A:177:ARG:NH2	1:A:188:PHE:HB3	1.43	1.33
1:B:110:ARG:HD2	1:B:131:VAL:CG2	1.59	1.31
1:B:286:ARG:HA	1:B:287:LYS:CB	1.63	1.26
1:B:286:ARG:CA	1:B:287:LYS:HB3	1.66	1.23
1:B:287:LYS:N	1:B:288:ALA:HB2	1.49	1.23
1:A:186:ASP:CG	1:A:187:TYR:HA	1.57	1.22
1:B:110:ARG:CD	1:B:131:VAL:CG2	2.17	1.15
1:B:269:LYS:HZ1	1:B:270:VAL:N	1.43	1.15
1:A:180:SER:OG	1:A:186:ASP:O	1.64	1.14
1:B:160:ARG:HH21	1:B:160:ARG:HG3	1.00	1.13
1:B:155:LYS:O	1:B:156:GLU:HG2	1.48	1.11
1:B:269:LYS:NZ	1:B:270:VAL:H	1.51	1.09
1:B:287:LYS:CA	1:B:288:ALA:HB2	1.81	1.09
1:B:284:GLU:HG2	1:B:285:ILE:HD13	1.33	1.08
1:B:287:LYS:HA	1:B:288:ALA:CB	1.82	1.08
1:A:332:ARG:HH11	1:A:332:ARG:HB3	1.17	1.08
1:B:31:ASN:ND2	1:B:268:ILE:HD13	1.68	1.08
1:A:151:PHE:O	1:A:152:GLU:HB3	1.52	1.07
1:B:88:THR:HG22	1:B:89:GLN:HB2	1.32	1.07
1:B:154:ASN:O	1:B:157:ILE:HG22	1.55	1.06
1:B:289:ILE:HG23	1:B:293:ILE:CD1	1.84	1.06
1:B:262:LYS:C	1:B:262:LYS:HD2	1.76	1.05
1:B:287:LYS:CA	1:B:288:ALA:CB	2.35	1.05
1:B:289:ILE:HG23	1:B:293:ILE:HD11	1.39	1.04
1:A:180:SER:CB	1:A:186:ASP:O	2.06	1.04
1:A:111:LYS:HE3	1:A:111:LYS:H	1.19	1.03
1:A:187:TYR:O	1:A:189:GLU:N	1.92	1.03
1:A:73:GLU:HG3	1:A:74:HIS:CD2	1.93	1.03
1:B:88:THR:CG2	1:B:89:GLN:HB2	1.89	1.02
1:B:88:THR:HG22	1:B:89:GLN:CB	1.93	0.98
1:A:187:TYR:C	1:A:189:GLU:H	1.64	0.97
1:B:269:LYS:HZ2	1:B:269:LYS:HA	1.27	0.97
1:B:110:ARG:NE	1:B:131:VAL:CG2	2.26	0.96
1:B:110:ARG:HD2	1:B:131:VAL:HG22	1.47	0.95
1:B:110:ARG:HE	1:B:131:VAL:HG21	1.18	0.94
1:A:177:ARG:CZ	1:A:188:PHE:HB3	1.96	0.94

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:88:THR:HA	1:B:89:GLN:HB2	1.50	0.94
1:A:177:ARG:NH2	1:A:188:PHE:CB	2.31	0.93
1:A:177:ARG:HH21	1:A:188:PHE:HB3	1.20	0.93
1:A:186:ASP:CB	1:A:187:TYR:HA	1.99	0.93
1:A:307:GLY:O	1:A:308:TRP:HB2	1.66	0.93
1:B:88:THR:CA	1:B:89:GLN:HB2	2.01	0.91
1:B:262:LYS:O	1:B:262:LYS:HD2	1.69	0.91
1:B:287:LYS:H	1:B:288:ALA:HB2	1.10	0.90
1:B:269:LYS:NZ	1:B:269:LYS:HA	1.86	0.90
1:B:160:ARG:NH2	1:B:160:ARG:HG3	1.77	0.90
1:B:122:GLU:OE2	1:B:132:LYS:HE3	1.71	0.89
1:A:186:ASP:OD1	1:A:187:TYR:HA	1.73	0.88
1:B:285:ILE:HA	1:B:286:ARG:HB2	1.56	0.88
1:A:88:THR:HB	1:A:90:ARG:O	1.72	0.88
1:B:244:LYS:CG	1:B:245:PHE:H	1.86	0.88
1:B:287:LYS:HA	1:B:288:ALA:HB3	1.52	0.88
1:A:332:ARG:NH1	1:A:332:ARG:HB3	1.90	0.87
1:A:329:ASP:O	1:A:330:THR:HG23	1.73	0.86
1:A:111:LYS:H	1:A:111:LYS:CE	1.87	0.86
1:A:313:ASP:OD1	1:A:315:THR:HG23	1.73	0.86
1:A:189:GLU:O	1:A:190:ILE:HG12	1.75	0.86
1:B:189:GLU:O	1:B:190:ILE:HG13	1.74	0.86
1:A:184:GLY:O	1:A:185:GLU:HG2	1.76	0.85
1:B:155:LYS:O	1:B:156:GLU:CG	2.24	0.85
1:A:204:ARG:HG2	1:A:222:TYR:CZ	2.11	0.85
1:A:180:SER:HB3	1:A:186:ASP:O	1.78	0.84
1:B:244:LYS:HE3	1:B:291:ARG:HG3	1.60	0.84
1:B:285:ILE:CA	1:B:286:ARG:HB2	2.09	0.83
1:B:287:LYS:H	1:B:288:ALA:CB	1.91	0.83
1:A:70:ILE:O	1:A:73:GLU:HG2	1.77	0.83
1:A:243:ILE:HG22	1:A:244:LYS:CG	2.10	0.82
1:A:176:VAL:HG22	1:A:222:TYR:OH	1.78	0.82
1:A:177:ARG:HD3	1:A:188:PHE:HA	1.61	0.82
1:A:190:ILE:HG22	1:A:190:ILE:O	1.78	0.81
1:B:287:LYS:N	1:B:288:ALA:CB	2.40	0.81
1:B:31:ASN:ND2	1:B:268:ILE:CD1	2.44	0.80
1:B:89:GLN:OE1	1:B:89:GLN:HA	1.80	0.80
1:B:269:LYS:NZ	1:B:270:VAL:N	2.19	0.80
1:B:285:ILE:HB	1:B:312:PHE:CE1	2.17	0.79
1:B:31:ASN:HD21	1:B:268:ILE:CD1	1.95	0.79
1:B:204:ARG:HG2	1:B:222:TYR:CZ	2.17	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:ILE:HD12	1:B:309:ARG:O	1.84	0.78
1:B:289:ILE:HG23	1:B:293:ILE:HD13	1.66	0.78
1:A:177:ARG:HH21	1:A:188:PHE:CB	1.96	0.77
1:B:284:GLU:HG2	1:B:285:ILE:CD1	2.14	0.77
1:B:152:GLU:O	1:B:153:ALA:HB3	1.84	0.77
1:B:31:ASN:HD21	1:B:268:ILE:HD13	1.46	0.77
1:B:313:ASP:OD1	1:B:315:THR:HG22	1.85	0.77
1:A:187:TYR:OH	1:A:207:ILE:CD1	2.33	0.76
1:A:243:ILE:HG22	1:A:244:LYS:HG3	1.66	0.76
1:A:151:PHE:O	1:A:152:GLU:CB	2.28	0.75
1:A:186:ASP:OD1	1:A:188:PHE:CE2	2.40	0.74
1:A:209:LYS:NZ	3:A:538:HOH:O	2.17	0.74
1:A:189:GLU:O	1:A:190:ILE:CG1	2.35	0.74
1:A:187:TYR:OH	1:A:207:ILE:HD11	1.87	0.74
1:B:155:LYS:C	1:B:156:GLU:HG2	2.08	0.74
1:B:31:ASN:HD22	1:B:268:ILE:HD13	1.48	0.74
1:B:110:ARG:HE	1:B:131:VAL:CG2	1.95	0.74
1:B:287:LYS:HA	1:B:288:ALA:HB2	1.54	0.73
1:B:88:THR:HA	1:B:89:GLN:CB	2.19	0.73
1:B:176:VAL:HG23	1:B:222:TYR:OH	1.88	0.73
1:B:285:ILE:CA	1:B:286:ARG:CB	2.68	0.72
1:A:187:TYR:C	1:A:189:GLU:N	2.35	0.71
1:A:111:LYS:N	1:A:111:LYS:HE3	2.01	0.71
1:A:286:ARG:HH21	1:A:316:GLU:CG	2.04	0.71
1:B:284:GLU:CG	1:B:285:ILE:HD13	2.16	0.70
1:B:174:GLN:OE1	1:B:190:ILE:HD11	1.91	0.70
1:B:152:GLU:O	1:B:153:ALA:CB	2.37	0.70
1:B:252:ASN:HB3	1:B:267:GLU:HG3	1.73	0.70
1:A:189:GLU:O	1:A:190:ILE:CB	2.39	0.70
1:A:237:ARG:NH2	3:A:540:HOH:O	2.24	0.70
1:A:186:ASP:CB	1:A:187:TYR:CA	2.69	0.69
1:B:88:THR:CB	1:B:89:GLN:HB2	2.22	0.69
1:B:151:PHE:CE2	1:B:189:GLU:OE1	2.46	0.69
1:A:286:ARG:HD3	1:A:317:ILE:CG1	2.23	0.69
1:B:278:ILE:O	1:B:306:ILE:O	2.10	0.68
1:B:244:LYS:CG	1:B:245:PHE:N	2.57	0.68
1:A:70:ILE:O	1:A:73:GLU:CG	2.42	0.67
1:A:185:GLU:OE2	1:A:185:GLU:HA	1.93	0.67
1:B:244:LYS:HG2	1:B:245:PHE:H	1.57	0.67
1:B:96[A]:ASN:HD22	1:B:96[A]:ASN:C	1.95	0.66
1:A:286:ARG:HH21	1:A:316:GLU:CD	2.00	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:TYR:CD2	1:A:187:TYR:N	2.61	0.65
1:B:244:LYS:HG3	1:B:245:PHE:H	1.60	0.65
1:A:243:ILE:HG22	1:A:244:LYS:HG2	1.78	0.64
1:B:96[A]:ASN:O	1:B:96[A]:ASN:ND2	2.28	0.64
1:B:285:ILE:N	1:B:286:ARG:CB	2.60	0.64
1:B:151:PHE:O	1:B:155:LYS:N	2.30	0.64
1:A:88:THR:CB	1:A:90:ARG:O	2.46	0.64
1:B:34:GLU:O	1:B:38:GLN:HG2	1.98	0.64
1:A:282:GLU:OE1	1:A:286:ARG:NH1	2.31	0.63
1:A:210:ARG:CZ	3:A:527:HOH:O	2.46	0.63
1:B:285:ILE:N	1:B:286:ARG:HB2	2.14	0.63
1:B:160:ARG:HH21	1:B:160:ARG:CG	1.91	0.63
1:A:117:GLU:O	1:A:118:TYR:CG	2.52	0.63
1:A:190:ILE:O	1:A:190:ILE:CG2	2.47	0.63
1:B:156:GLU:O	1:B:160:ARG:HG2	2.00	0.62
1:A:242:GLY:O	1:A:243:ILE:HB	1.99	0.62
1:A:189:GLU:O	1:A:190:ILE:HB	2.00	0.61
1:A:111:LYS:CD	1:A:111:LYS:N	2.63	0.61
1:A:180:SER:OG	1:A:186:ASP:C	2.39	0.61
1:A:184:GLY:O	1:A:185:GLU:CG	2.48	0.61
1:A:20:GLN:O	1:A:24:GLU:HG3	2.01	0.61
1:A:177:ARG:HD3	1:A:188:PHE:CA	2.30	0.61
1:B:289:ILE:CG2	1:B:293:ILE:HD11	2.24	0.61
1:B:262:LYS:O	1:B:262:LYS:CD	2.45	0.61
1:B:89:GLN:O	1:B:90:ARG:O	2.18	0.61
1:B:93:SER:H	1:B:96[B]:ASN:HD22	1.48	0.61
1:A:111:LYS:HE3	1:A:112:GLU:OE2	2.01	0.60
1:A:73:GLU:HG3	1:A:74:HIS:HD2	1.58	0.60
1:A:286:ARG:NH2	1:A:316:GLU:CD	2.55	0.60
1:A:239:GLU:HG2	1:A:277:LYS:HB3	1.83	0.60
1:A:304:LEU:HB3	1:A:306:ILE:HD11	1.83	0.59
1:B:138:LEU:HD12	1:B:167:ASN:O	2.02	0.59
1:B:88:THR:CA	1:B:89:GLN:CB	2.78	0.59
1:B:93:SER:H	1:B:96[B]:ASN:ND2	2.01	0.59
1:A:180:SER:O	1:A:183:ARG:O	2.21	0.58
1:B:286:ARG:HA	1:B:287:LYS:HB3	0.73	0.58
1:B:96[A]:ASN:ND2	1:B:96[A]:ASN:C	2.57	0.58
1:A:307:GLY:O	1:A:308:TRP:CB	2.49	0.58
1:A:111:LYS:CD	1:A:111:LYS:H	2.17	0.58
1:B:285:ILE:HB	1:B:312:PHE:HE1	1.65	0.57
1:B:141:HIS:HD2	1:B:199:TYR:OH	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:HIS:ND1	1:A:229:TRP:CD2	2.72	0.57
1:B:204:ARG:HG2	1:B:222:TYR:CE2	2.39	0.57
1:B:88:THR:HG22	1:B:89:GLN:HB3	1.83	0.57
1:A:177:ARG:CZ	1:A:188:PHE:HD1	2.18	0.56
1:B:155:LYS:O	1:B:156:GLU:CB	2.52	0.56
1:A:204:ARG:HG2	1:A:222:TYR:CE1	2.40	0.56
1:A:111:LYS:N	1:A:111:LYS:CE	2.63	0.56
1:A:180:SER:HG	1:A:186:ASP:C	2.06	0.56
1:A:188:PHE:O	1:A:190:ILE:N	2.39	0.55
1:B:292:LEU:HD22	1:B:296:ILE:HD11	1.87	0.55
1:B:89:GLN:OE1	1:B:89:GLN:CA	2.54	0.55
1:A:22:GLU:OE1	3:A:514:HOH:O	2.18	0.55
1:A:79:PHE:HB3	1:A:107:ILE:HD12	1.87	0.55
1:A:65:ILE:O	1:A:69[B]:GLN:NE2	2.39	0.55
1:A:204:ARG:CG	1:A:222:TYR:CZ	2.88	0.54
1:A:306:ILE:O	1:A:330:THR:HA	2.08	0.54
1:A:276:VAL:HG21	1:A:292:LEU:HD21	1.87	0.54
1:B:276:VAL:HB	1:B:304:LEU:HD23	1.89	0.53
1:B:269:LYS:CE	1:B:269:LYS:HA	2.34	0.53
1:A:186:ASP:HB3	1:A:187:TYR:CA	2.37	0.53
1:B:252:ASN:CB	1:B:267:GLU:HG3	2.39	0.53
1:A:271:ARG:HD3	1:A:301:TYR:CD1	2.44	0.53
1:A:286:ARG:NH2	1:A:316:GLU:CG	2.71	0.52
1:A:188:PHE:C	1:A:190:ILE:H	2.12	0.52
1:B:274:ILE:HD13	1:B:296:ILE:HG23	1.91	0.52
1:A:187:TYR:O	1:A:188:PHE:HD2	1.93	0.52
1:A:208:HIS:CE1	1:A:229:TRP:CD2	2.98	0.52
1:B:136:LYS:HB2	1:B:137:ASP:OD2	2.11	0.51
1:A:187:TYR:C	1:A:188:PHE:CD2	2.84	0.51
1:B:54:SER:OG	1:B:89:GLN:HG2	2.09	0.51
1:A:20:GLN:NE2	1:A:301:TYR:OH	2.43	0.51
1:B:269:LYS:NZ	1:B:269:LYS:CA	2.67	0.51
1:A:329:ASP:O	1:A:330:THR:CG2	2.53	0.50
1:B:155:LYS:C	1:B:156:GLU:CG	2.75	0.50
1:A:179:VAL:HG11	1:A:207:ILE:HD13	1.92	0.50
1:B:148:SER:HA	1:B:189:GLU:HG3	1.93	0.50
1:A:242:GLY:O	1:A:243:ILE:CB	2.58	0.50
1:A:111:LYS:NZ	1:A:112:GLU:OE2	2.45	0.49
1:A:186:ASP:HB3	1:A:187:TYR:CB	2.42	0.49
1:A:286:ARG:HD3	1:A:317:ILE:HG12	1.92	0.49
1:A:286:ARG:HD3	1:A:317:ILE:HG13	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:206:HIS:O	1:B:208:HIS:HD2	1.95	0.49
1:A:73:GLU:CG	1:A:74:HIS:CD2	2.82	0.48
1:B:195:LEU:HB2	1:B:215:TYR:CE2	2.48	0.48
1:B:152:GLU:HG2	1:B:152:GLU:O	2.12	0.48
1:A:144:LYS:HE3	1:A:146:MET:CE	2.43	0.48
1:B:262:LYS:C	1:B:262:LYS:CD	2.59	0.48
1:B:284:GLU:C	1:B:286:ARG:HB2	2.34	0.48
1:A:204:ARG:HB2	1:A:221:VAL:O	2.14	0.48
1:B:146:MET:SD	1:B:150:TRP:CD2	3.07	0.48
1:A:188:PHE:C	1:A:190:ILE:N	2.66	0.48
1:B:92:PRO:HA	1:B:96[B]:ASN:HD22	1.79	0.47
1:A:177:ARG:CZ	1:A:188:PHE:CD1	2.97	0.47
1:A:111:LYS:CE	1:A:112:GLU:OE2	2.62	0.47
1:A:110:ARG:HA	1:A:111:LYS:HE2	1.96	0.47
1:A:105:TYR:HB3	1:A:119:LEU:HD21	1.97	0.47
1:A:306:ILE:N	1:A:306:ILE:HD13	2.29	0.47
1:B:227:GLU:OE1	1:B:270:VAL:HG22	2.15	0.46
1:A:187:TYR:HB2	1:A:189:GLU:HB2	1.96	0.46
1:B:271:ARG:HD3	1:B:301:TYR:CE1	2.50	0.46
1:A:205:GLY:O	1:A:206:HIS:CB	2.63	0.46
1:A:303:ARG:NH2	1:A:305[B]:ASN:OD1	2.49	0.46
1:B:109:MET:CE	1:B:130:LEU:HD13	2.47	0.45
1:B:273:PHE:C	1:B:274:ILE:HG13	2.37	0.45
1:B:174:GLN:HB2	1:B:189:GLU:OE2	2.16	0.45
1:B:212:GLU:HG3	1:B:221:VAL:HG22	1.97	0.45
1:B:65:ILE:O	1:B:69:GLN:HG2	2.15	0.45
1:A:331:TRP:C	1:A:332:ARG:HG2	2.37	0.45
1:B:289:ILE:O	1:B:293:ILE:HD13	2.17	0.45
1:B:105:TYR:HB3	1:B:119:LEU:HD21	1.99	0.45
1:A:286:ARG:CD	1:A:317:ILE:HG13	2.47	0.44
1:A:234:TYR:HE2	1:A:237:ARG:HH11	1.65	0.44
1:A:156:GLU:O	1:A:160:ARG:HD2	2.17	0.44
1:B:227:GLU:CD	1:B:270:VAL:HG22	2.38	0.44
1:A:282:GLU:CG	1:A:286:ARG:HH11	2.30	0.44
1:B:38:GLN:O	1:B:40:ASN:N	2.50	0.44
1:A:111:LYS:N	1:A:111:LYS:HD3	2.32	0.44
1:B:240:TRP:CZ3	1:B:242:GLY:HA2	2.52	0.44
1:A:110:ARG:HB2	1:A:111:LYS:HE3	1.99	0.44
1:A:204:ARG:CB	1:A:221:VAL:O	2.66	0.44
1:B:82:GLU:HB2	1:B:144:LYS:HB2	1.99	0.44
1:A:286:ARG:NH2	1:A:316:GLU:OE2	2.50	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:LYS:HE3	1:A:146:MET:HE2	2.00	0.44
1:A:42:ASP:HB3	1:A:135:TYR:CZ	2.52	0.44
1:A:292:LEU:HG	1:A:296:ILE:HD11	1.99	0.43
1:A:314:LEU:CD2	1:A:328:ILE:HD13	2.47	0.43
1:A:177:ARG:NE	1:A:188:PHE:HD1	2.15	0.43
1:B:269:LYS:HZ1	1:B:270:VAL:H	0.64	0.43
1:B:289:ILE:O	1:B:290:LYS:C	2.57	0.43
1:B:252:ASN:HB2	1:B:265:PHE:HE2	1.84	0.43
1:B:271:ARG:HA	1:B:272:PRO:HD2	1.79	0.43
1:A:199:TYR:HB2	1:A:202:TYR:CZ	2.53	0.42
1:B:136:LYS:HB2	1:B:137:ASP:H	1.47	0.42
1:B:244:LYS:HG2	1:B:245:PHE:N	2.29	0.42
1:B:285:ILE:O	1:B:285:ILE:HG12	2.19	0.42
1:A:137:ASP:OD1	1:A:137:ASP:N	2.39	0.42
1:B:151:PHE:CD2	1:B:189:GLU:CD	2.93	0.42
1:A:262:LYS:HA	1:A:263:PRO:HD2	1.86	0.42
1:A:195:LEU:HB2	1:A:215:TYR:CE2	2.55	0.42
1:A:210:ARG:NH2	3:A:527:HOH:O	2.52	0.41
1:A:65:ILE:HG22	1:A:69[B]:GLN:HE22	1.85	0.41
1:B:119:LEU:HD23	1:B:133:GLY:HA2	2.03	0.41
1:B:150:TRP:O	1:B:154:ASN:HB2	2.21	0.41
1:A:208:HIS:CE1	1:A:229:TRP:CE3	3.09	0.41
1:A:167:ASN:HA	1:A:200:LEU:HD11	2.02	0.41
1:B:205:GLY:O	1:B:206:HIS:CB	2.68	0.41
1:B:315:THR:O	1:B:318:LYS:HB2	2.21	0.41
1:B:176:VAL:HG12	1:B:191:GLY:HA2	2.03	0.41
1:A:88:THR:CG2	1:A:93:SER:HA	2.51	0.40
1:A:30:LYS:HB2	1:A:67:LEU:HD22	2.02	0.40
1:A:67:LEU:HA	1:A:67:LEU:HD23	1.88	0.40
1:A:170:LEU:HD22	1:A:196:PRO:HG2	2.04	0.40
1:A:99:GLU:HG3	1:A:104:VAL:O	2.21	0.40
1:A:158:LEU:HD11	1:A:190:ILE:HG13	2.02	0.40
1:A:180:SER:OG	1:A:187:TYR:N	2.54	0.40
1:B:157:ILE:HD11	1:B:161:LEU:HD12	2.02	0.40
1:B:110:ARG:HD3	1:B:110:ARG:HH21	1.70	0.40
1:B:275:ASP:CG	1:B:303:ARG:HH11	2.25	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:267:GLU:O	1:A:291:ARG:NH1[2_555]	2.06	0.14
1:A:177:ARG:NH1	1:B:34:GLU:OE2[2_544]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/339 (98%)	303 (91%)	19 (6%)	11 (3%)	5	3
1	B	315/339 (93%)	283 (90%)	18 (6%)	14 (4%)	3	1
All	All	648/678 (96%)	586 (90%)	37 (6%)	25 (4%)	4	2

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	185	GLU
1	A	186	ASP
1	A	188	PHE
1	A	189	GLU
1	A	190	ILE
1	A	243	ILE
1	A	282	GLU
1	A	308	TRP
1	A	309	ARG
1	B	90	ARG
1	B	190	ILE
1	B	206	HIS
1	B	287	LYS
1	B	288	ALA
1	A	91	GLY
1	A	206	HIS
1	B	153	ALA
1	B	156	GLU
1	B	285	ILE

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	89	GLN
1	B	113	LYS
1	B	286	ARG
1	B	39	GLU
1	B	307	GLY
1	B	310	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/297 (99%)	245 (84%)	48 (16%)	3	2
1	B	282/297 (95%)	231 (82%)	51 (18%)	2	2
All	All	575/594 (97%)	476 (83%)	99 (17%)	2	2

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	18	LYS
1	A	75	SER
1	A	89	GLN
1	A	90	ARG
1	A	101	PHE
1	A	109	MET
1	A	111	LYS
1	A	112	GLU
1	A	114	VAL
1	A	117	GLU
1	A	132	LYS
1	A	148	SER
1	A	152	GLU
1	A	155	LYS
1	A	156	GLU
1	A	157	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	161	LEU
1	A	176	VAL
1	A	177	ARG
1	A	187	TYR
1	A	188	PHE
1	A	190	ILE
1	A	204	ARG
1	A	210	ARG
1	A	214	SER
1	A	235	GLU
1	A	237	ARG
1	A	239	GLU
1	A	244	LYS
1	A	246	LYS
1	A	247	GLU
1	A	259	GLU
1	A	268	ILE
1	A	270	VAL
1	A	286	ARG
1	A	298	LYS
1	A	305[A]	ASN
1	A	305[B]	ASN
1	A	308	TRP
1	A	309	ARG
1	A	310	LYS
1	A	315	THR
1	A	318	LYS
1	A	319	GLU
1	A	327	LYS
1	A	331	TRP
1	A	332	ARG
1	B	18	LYS
1	B	20[A]	GLN
1	B	20[B]	GLN
1	B	27	GLU
1	B	38	GLN
1	B	63	LYS
1	B	88	THR
1	B	89	GLN
1	B	90	ARG
1	B	96[A]	ASN
1	B	96[B]	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	111	LYS
1	B	112	GLU
1	B	113	LYS
1	B	143	MET
1	B	146	MET
1	B	152	GLU
1	B	157	ILE
1	B	160	ARG
1	B	161	LEU
1	B	163	ARG
1	B	174	GLN
1	B	177	ARG
1	B	190	ILE
1	B	204	ARG
1	B	237	ARG
1	B	240	TRP
1	B	243	ILE
1	B	246	LYS
1	B	248	ARG
1	B	259	GLU
1	B	262	LYS
1	B	267	GLU
1	B	269	LYS
1	B	270	VAL
1	B	285	ILE
1	B	286	ARG
1	B	287	LYS
1	B	292	LEU
1	B	296	ILE
1	B	298	LYS
1	B	305	ASN
1	B	306	ILE
1	B	308	TRP
1	B	309	ARG
1	B	316	GLU
1	B	320	LEU
1	B	322	ASN
1	B	327	LYS
1	B	331	TRP
1	B	332	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	74	HIS
1	A	174	GLN
1	B	31	ASN
1	B	38	GLN
1	B	141	HIS
1	B	167	ASN
1	B	322	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	332/339 (97%)	0.25	15 (4%) 37 46	18, 36, 55, 76	12 (3%)
1	B	318/339 (93%)	0.48	25 (7%) 15 22	17, 36, 68, 87	19 (5%)
All	All	650/678 (95%)	0.36	40 (6%) 24 32	17, 36, 61, 87	31 (4%)

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	285	ILE	5.7
1	B	284	GLU	5.1
1	B	189	GLU	4.8
1	B	279	LYS	4.4
1	B	291	ARG	4.0
1	A	190	ILE	4.0
1	A	187	TYR	3.6
1	B	110	ARG	3.4
1	A	188	PHE	3.3
1	B	320	LEU	3.3
1	A	186	ASP	3.2
1	A	332	ARG	3.1
1	B	317	ILE	3.0
1	B	269	LYS	2.9
1	B	288	ALA	2.8
1	B	190	ILE	2.8
1	B	122	GLU	2.7
1	B	246	LYS	2.7
1	A	117	GLU	2.6
1	A	329	ASP	2.5
1	A	330	THR	2.4
1	A	292	LEU	2.4
1	A	189	GLU	2.3
1	B	306	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	308	TRP	2.3
1	A	242	GLY	2.3
1	B	243	ILE	2.3
1	B	307	GLY	2.2
1	B	90	ARG	2.2
1	A	183	ARG	2.2
1	B	31	ASN	2.2
1	B	286	ARG	2.1
1	B	289	ILE	2.1
1	B	321	LEU	2.1
1	A	331	TRP	2.1
1	B	240	TRP	2.1
1	A	73	GLU	2.1
1	B	102	GLY	2.0
1	B	245	PHE	2.0
1	B	287	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MN	B	401	1/1	0.98	0.06	-1.80	41,41,41,41	0
2	MN	B	402	1/1	0.96	0.05	-2.04	48,48,48,48	0
2	MN	A	401	1/1	0.91	0.05	-4.02	52,52,52,52	0
2	MN	A	402	1/1	0.98	0.05	-4.37	41,41,41,41	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.