



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 27, 2016 – 05:06 PM EDT

PDB ID : 5HIE
Title : BRAF Kinase domain b3aC loop deletion mutant in complex with dabrafenib
Authors : Whalen, D.M.; Foster, S.A.; Ozen, A.; Wongchenko, M.; Yin, J.; Schaefer, G.; Mayfield, J.; Chmielecki, J.; Stephens, P.; Albacker, L.; Yan, Y.; Song, K.; Hatzivassiliou, G.; Eigenbrot, C.; Yu, C.; Shaw, A.S.; Manning, G.; Skelton, N.J.; Hymowitz, S.G.; Malek, S.
Deposited on : 2016-01-11
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027939
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	<div> <div></div> <div>77%8%15%</div> </div>
1	B	302	<div> <div>%</div> <div>79%6%14%</div> </div>
1	C	302	<div> <div>6%</div> <div>75%8%16%</div> </div>
1	D	302	<div> <div>%</div> <div>73%10%16%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	1	0
			2076	1332	365	366	13			
1	B	259	Total	C	N	O	S	0	0	0
			2074	1330	363	368	13			
1	C	253	Total	C	N	O	S	0	0	0
			2029	1303	353	360	13			
1	D	253	Total	C	N	O	S	0	1	0
			2032	1305	353	360	14			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	MET	-	initiating methionine	UNP P15056
A	421	ASP	-	expression tag	UNP P15056
A	422	ARG	-	expression tag	UNP P15056
A	423	GLY	-	expression tag	UNP P15056
A	424	SER	-	expression tag	UNP P15056
A	425	HIS	-	expression tag	UNP P15056
A	426	HIS	-	expression tag	UNP P15056
A	427	HIS	-	expression tag	UNP P15056
A	428	HIS	-	expression tag	UNP P15056
A	429	HIS	-	expression tag	UNP P15056
A	430	HIS	-	expression tag	UNP P15056
A	431	GLY	-	expression tag	UNP P15056
A	?	-	ASN	deletion	UNP P15056
A	?	-	VAL	deletion	UNP P15056
A	?	-	THR	deletion	UNP P15056
A	?	-	ALA	deletion	UNP P15056
A	?	-	PRO	deletion	UNP P15056
B	420	MET	-	initiating methionine	UNP P15056
B	421	ASP	-	expression tag	UNP P15056
B	422	ARG	-	expression tag	UNP P15056
B	423	GLY	-	expression tag	UNP P15056

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	424	SER	-	expression tag	UNP P15056
B	425	HIS	-	expression tag	UNP P15056
B	426	HIS	-	expression tag	UNP P15056
B	427	HIS	-	expression tag	UNP P15056
B	428	HIS	-	expression tag	UNP P15056
B	429	HIS	-	expression tag	UNP P15056
B	430	HIS	-	expression tag	UNP P15056
B	431	GLY	-	expression tag	UNP P15056
B	?	-	ASN	deletion	UNP P15056
B	?	-	VAL	deletion	UNP P15056
B	?	-	THR	deletion	UNP P15056
B	?	-	ALA	deletion	UNP P15056
B	?	-	PRO	deletion	UNP P15056
C	420	MET	-	initiating methionine	UNP P15056
C	421	ASP	-	expression tag	UNP P15056
C	422	ARG	-	expression tag	UNP P15056
C	423	GLY	-	expression tag	UNP P15056
C	424	SER	-	expression tag	UNP P15056
C	425	HIS	-	expression tag	UNP P15056
C	426	HIS	-	expression tag	UNP P15056
C	427	HIS	-	expression tag	UNP P15056
C	428	HIS	-	expression tag	UNP P15056
C	429	HIS	-	expression tag	UNP P15056
C	430	HIS	-	expression tag	UNP P15056
C	431	GLY	-	expression tag	UNP P15056
C	?	-	ASN	deletion	UNP P15056
C	?	-	VAL	deletion	UNP P15056
C	?	-	THR	deletion	UNP P15056
C	?	-	ALA	deletion	UNP P15056
C	?	-	PRO	deletion	UNP P15056
D	420	MET	-	initiating methionine	UNP P15056
D	421	ASP	-	expression tag	UNP P15056
D	422	ARG	-	expression tag	UNP P15056
D	423	GLY	-	expression tag	UNP P15056
D	424	SER	-	expression tag	UNP P15056
D	425	HIS	-	expression tag	UNP P15056
D	426	HIS	-	expression tag	UNP P15056
D	427	HIS	-	expression tag	UNP P15056
D	428	HIS	-	expression tag	UNP P15056
D	429	HIS	-	expression tag	UNP P15056
D	430	HIS	-	expression tag	UNP P15056
D	431	GLY	-	expression tag	UNP P15056

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	ASN	deletion	UNP P15056
D	?	-	VAL	deletion	UNP P15056
D	?	-	THR	deletion	UNP P15056
D	?	-	ALA	deletion	UNP P15056
D	?	-	PRO	deletion	UNP P15056

- Molecule 2 is Dabrafenib (three-letter code: P06) (formula: $C_{23}H_{20}F_3N_5O_2S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			35	23	3	5	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			35	23	3	5	2	2		
2	C	1	Total	C	F	N	O	S	0	0
			35	23	3	5	2	2		
2	D	1	Total	C	F	N	O	S	0	0
			35	23	3	5	2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	20	Total	O	0	0
			20	20		
3	B	14	Total	O	0	0
			14	14		
3	C	6	Total	O	0	0
			6	6		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	9	Total	O	0	0
			9	9		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-protein kinase B-raf




- Molecule 1: Serine/threonine-protein kinase B-raf




- Molecule 1: Serine/threonine-protein kinase B-raf



- Molecule 1: Serine/threonine-protein kinase B-raf





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.41 Å 127.79 Å 83.14 Å 90.00° 105.79° 90.00°	Depositor
Resolution (Å)	35.28 – 3.00 49.92 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.0 (35.28-3.00) 98.0 (49.92-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 3.01 Å)	Xtriage
Refinement program	BUSTER 2.11.5	Depositor
R, R_{free}	0.194 , 0.221 0.199 , 0.224	Depositor DCC
R_{free} test set	1304 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	50.5	Xtriage
Anisotropy	0.406	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8400	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: P06

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2123	0.65	0/2861
1	B	0.41	0/2118	0.63	0/2855
1	C	0.42	0/2073	0.63	0/2795
1	D	0.41	0/2079	0.63	0/2803
All	All	0.42	0/8393	0.64	0/11314

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2076	0	2128	13	0
1	B	2074	0	2120	12	0
1	C	2029	0	2068	14	0
1	D	2032	0	2073	15	0
2	A	35	0	20	3	0
2	B	35	0	20	1	0
2	C	35	0	20	2	0
2	D	35	0	20	2	0
3	A	20	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	14	0	0	0	0
3	C	6	0	0	0	0
3	D	9	0	0	0	0
All	All	8400	0	8469	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:450:TRP:HE1	1:C:506:ARG:HE	1.20	0.89
1:C:594:ASP:H	2:C:801:P06:H17	1.27	0.81
1:A:627:MET:HG3	1:A:632:PRO:HG3	1.73	0.69
1:B:594:ASP:H	2:B:801:P06:H17	1.43	0.67
1:D:594:ASP:H	2:D:801:P06:H17	1.41	0.66
1:A:594:ASP:H	2:A:801:P06:H17	1.44	0.64
1:C:626:ARG:HD2	1:C:670:GLY:O	2.00	0.62
1:B:450:TRP:CD1	1:B:506:ARG:HD3	2.36	0.60
1:D:495:LEU:HD22	1:D:525:LEU:HD21	1.86	0.58
1:A:617:ILE:HD13	1:A:666:ILE:HG13	1.90	0.54
1:C:457:ILE:HD12	1:C:476:TRP:HB2	1.90	0.53
1:D:617:ILE:HD13	1:D:666:ILE:HG13	1.90	0.53
1:C:678:LEU:HG	1:C:693:MET:CE	2.40	0.52
1:B:617:ILE:HD13	1:B:666:ILE:HG13	1.90	0.52
1:C:617:ILE:HD13	1:C:666:ILE:HG13	1.91	0.52
1:D:516:PHE:HB2	2:D:801:P06:H19	1.92	0.51
1:D:495:LEU:HG	1:D:499:LYS:HE2	1.93	0.50
1:A:675:SER:O	1:D:658:ASN:HB2	2.12	0.50
1:B:498:PHE:HE2	1:B:505:LEU:HD13	1.77	0.50
1:C:678:LEU:HG	1:C:693:MET:HE2	1.91	0.50
1:B:503:GLY:O	1:B:507:LYS:HB2	2.12	0.50
1:D:522:LYS:HA	1:D:523:PRO:C	2.33	0.48
1:D:538:TYR:HB3	1:D:580:ASN:HD22	1.78	0.48
1:A:505:LEU:HD23	2:A:801:P06:H20	1.96	0.48
1:A:615:GLY:N	1:B:614:SER:HG	2.12	0.47
1:B:582:ILE:HG23	1:B:590:VAL:HG13	1.97	0.46
1:A:582:ILE:HG23	1:A:590:VAL:HG13	1.97	0.46
1:A:686:PRO:HG2	1:A:717:LEU:HD21	1.98	0.46
1:C:582:ILE:HG23	1:C:590:VAL:HG13	1.98	0.45
1:C:707:PHE:HA	1:C:710:ILE:HB	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:686:PRO:HG2	1:B:717:LEU:HD21	1.99	0.44
1:D:686:PRO:HG2	1:D:717:LEU:HD21	1.99	0.44
1:A:514:LEU:HD11	2:A:801:P06:H2	1.99	0.44
1:D:582:ILE:HG23	1:D:590:VAL:HG13	1.99	0.43
1:D:450:TRP:HE1	1:D:506:ARG:HD2	1.84	0.43
1:C:483:LYS:HG2	1:C:485:LEU:HD23	1.99	0.43
1:A:707:PHE:HA	1:A:710:ILE:HB	1.99	0.42
1:B:553:LEU:HD11	1:B:682:ARG:NH2	2.34	0.42
1:C:471:VAL:HG21	2:C:801:P06:N15	2.35	0.42
1:C:686:PRO:HG2	1:C:717:LEU:HD21	2.02	0.42
1:D:453:PRO:HB2	1:D:456:GLN:HG3	2.02	0.41
1:A:616:SER:HA	3:A:912:HOH:O	2.19	0.41
1:B:498:PHE:CE2	1:B:505:LEU:HD13	2.54	0.41
1:D:700:LYS:HE2	1:D:703:GLU:HG2	2.02	0.41
1:A:601:LYS:NZ	1:B:601:LYS:HD3	2.36	0.40
1:B:675:SER:O	1:C:658:ASN:HB2	2.21	0.40
1:C:502:VAL:HG12	1:C:504:VAL:HG23	2.02	0.40
1:D:457:ILE:HD12	1:D:476:TRP:HB2	2.02	0.40
1:D:707:PHE:HA	1:D:710:ILE:HB	2.03	0.40
1:A:625:ILE:HG23	1:A:666:ILE:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/302 (84%)	248 (97%)	7 (3%)	0	100	100
1	B	255/302 (84%)	243 (95%)	11 (4%)	1 (0%)	39	80
1	C	249/302 (82%)	238 (96%)	11 (4%)	0	100	100
1	D	250/302 (83%)	241 (96%)	9 (4%)	0	100	100
All	All	1009/1208 (84%)	970 (96%)	38 (4%)	1 (0%)	56	90

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	507	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/267 (85%)	221 (97%)	7 (3%)	47	83
1	B	228/267 (85%)	224 (98%)	4 (2%)	66	91
1	C	223/267 (84%)	218 (98%)	5 (2%)	60	88
1	D	224/267 (84%)	217 (97%)	7 (3%)	47	83
All	All	903/1068 (85%)	880 (98%)	23 (2%)	54	86

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	485	LEU
1	A	578	LYS
1	A	580	ASN
1	A	600	VAL
1	A	617	ILE
1	A	656	TYR
1	A	709	GLN
1	B	485	LEU
1	B	600	VAL
1	B	617	ILE
1	B	656	TYR
1	C	485	LEU
1	C	505	LEU
1	C	579	SER
1	C	617	ILE
1	C	656	TYR
1	D	493	GLN
1	D	505	LEU
1	D	578	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	617	ILE
1	D	656	TYR
1	D	719	ARG
1	D	720	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	494	GLN
1	A	581	ASN
1	B	581	ASN
1	B	664	GLN
1	C	456	GLN
1	C	494	GLN
1	C	581	ASN
1	D	456	GLN
1	D	580	ASN
1	D	581	ASN
1	D	664	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	P06	A	801	-	33,38,38	0.89	1 (3%)	39,58,58	2.38	8 (20%)
2	P06	B	801	-	33,38,38	0.86	2 (6%)	39,58,58	2.68	10 (25%)
2	P06	C	801	-	33,38,38	0.85	1 (3%)	39,58,58	2.46	9 (23%)
2	P06	D	801	-	33,38,38	0.86	1 (3%)	39,58,58	2.70	11 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	P06	A	801	-	-	0/16/25/25	0/4/4/4
2	P06	B	801	-	-	0/16/25/25	0/4/4/4
2	P06	C	801	-	-	0/16/25/25	0/4/4/4
2	P06	D	801	-	-	0/16/25/25	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	P06	S42-N40	2.15	1.67	1.63
2	D	801	P06	C1-N9	2.28	1.38	1.34
2	B	801	P06	C1-N9	2.31	1.38	1.34
2	C	801	P06	C1-N9	2.36	1.39	1.34
2	A	801	P06	C1-N9	2.40	1.39	1.34

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	P06	N6-C1-N3	-5.23	120.53	125.86
2	B	801	P06	N6-C1-N3	-5.18	120.59	125.86
2	D	801	P06	N6-C1-N3	-5.03	120.74	125.86
2	A	801	P06	N6-C1-N3	-4.83	120.94	125.86
2	A	801	P06	C4-C7-N6	-4.34	118.80	123.88
2	B	801	P06	C4-C7-N6	-4.28	118.87	123.88
2	D	801	P06	C4-C7-N6	-3.80	119.42	123.88
2	C	801	P06	C4-C7-N6	-3.75	119.49	123.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	P06	C4-C2-N3	-3.04	117.59	121.98
2	B	801	P06	C4-C2-N3	-2.71	118.07	121.98
2	C	801	P06	C4-C2-N3	-2.60	118.23	121.98
2	D	801	P06	O55-S42-C43	-2.49	105.09	108.72
2	A	801	P06	C4-C2-N3	-2.09	118.96	121.98
2	D	801	P06	F39-C32-C31	2.00	121.00	117.88
2	C	801	P06	C12-C2-N3	2.02	118.96	116.58
2	C	801	P06	N9-C1-N3	2.11	120.68	117.20
2	A	801	P06	N9-C1-N6	2.14	119.34	117.35
2	B	801	P06	O54-S42-O55	2.15	122.39	119.54
2	D	801	P06	C17-C14-N15	2.17	124.75	123.02
2	D	801	P06	C4-C2-C12	2.26	123.48	120.63
2	C	801	P06	C46-C43-C49	2.43	118.36	116.62
2	B	801	P06	C46-C43-C49	2.55	118.44	116.62
2	C	801	P06	C17-C14-N15	2.63	125.11	123.02
2	D	801	P06	N9-C1-N6	2.67	119.84	117.35
2	B	801	P06	C4-C2-C12	2.90	124.29	120.63
2	B	801	P06	N9-C1-N6	3.10	120.25	117.35
2	A	801	P06	C46-C43-C49	3.11	118.84	116.62
2	B	801	P06	C17-C14-N15	3.61	125.90	123.02
2	A	801	P06	C17-C14-N15	3.81	126.06	123.02
2	D	801	P06	C46-C43-C49	3.93	119.42	116.62
2	D	801	P06	C7-N6-C1	5.83	121.43	116.37
2	C	801	P06	C7-N6-C1	6.42	121.94	116.37
2	B	801	P06	C7-N6-C1	6.43	121.95	116.37
2	A	801	P06	C7-N6-C1	6.54	122.05	116.37
2	A	801	P06	C2-N3-C1	8.61	120.51	116.32
2	C	801	P06	C2-N3-C1	10.17	121.26	116.32
2	B	801	P06	C2-N3-C1	11.15	121.74	116.32
2	D	801	P06	C2-N3-C1	11.50	121.91	116.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	P06	3	0
2	B	801	P06	1	0
2	C	801	P06	2	0
2	D	801	P06	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/302 (85%)	-0.53	0 100 100	28, 43, 73, 114	0
1	B	259/302 (85%)	-0.46	3 (1%) 81 55	29, 43, 79, 120	0
1	C	253/302 (83%)	0.06	18 (7%) 19 7	36, 72, 120, 138	0
1	D	253/302 (83%)	-0.35	3 (1%) 81 55	32, 51, 93, 125	0
All	All	1023/1208 (84%)	-0.32	24 (2%) 64 33	28, 51, 104, 138	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	722	PRO	5.0
1	D	506	ARG	3.6
1	B	614	SER	3.3
1	D	722	PRO	3.1
1	C	519	TYR	3.0
1	C	500	ASN	3.0
1	C	518	GLY	2.9
1	C	628	GLN	2.9
1	C	629	ASP	2.9
1	C	492	PRO	2.8
1	C	587	ASP	2.7
1	C	451	GLU	2.7
1	C	498	PHE	2.6
1	C	526	ALA	2.6
1	C	507	LYS	2.5
1	C	450	TRP	2.4
1	C	506	ARG	2.3
1	B	628	GLN	2.2
1	D	496	GLN	2.2
1	C	501	GLU	2.2
1	B	722	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	493	GLN	2.0
1	C	449	ASP	2.0
1	C	497	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	P06	A	801	35/35	0.98	0.19	-0.10	24,34,40,41	0
2	P06	D	801	35/35	0.98	0.16	-0.49	27,34,40,41	0
2	P06	C	801	35/35	0.94	0.18	-0.52	50,54,65,68	0
2	P06	B	801	35/35	0.99	0.15	-1.25	27,33,37,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.