



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:12 PM GMT

PDB ID : 4HJ1
Title : Crystal structure of glycoprotein C from Rift Valley Fever Virus (glycosylated)
Authors : Dessau, M.; Modis, Y.
Deposited on : 2012-10-12
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	<div> <div>6%</div> <div>87%</div> <div>11%</div> <div>.</div> </div>
1	B	432	<div> <div>27%</div> <div>82%</div> <div>15%</div> <div>..</div> </div>
1	C	432	<div> <div>15%</div> <div>85%</div> <div>13%</div> <div>.</div> </div>
1	D	432	<div> <div>9%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	D	1210	-	-	X	X
7	BMA	D	1205	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 14382 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENVELOPE GLYCOPROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	0	2	0
			3279	2036	561	653	29			
1	B	427	Total	C	N	O	S	0	0	0
			3242	2011	557	645	29			
1	C	430	Total	C	N	O	S	0	1	0
			3271	2031	561	649	30			
1	D	431	Total	C	N	O	S	0	5	0
			3296	2046	562	658	30			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	688	ASP	-	EXPRESSION TAG	UNP A2T075
A	689	PRO	-	EXPRESSION TAG	UNP A2T075
A	690	GLY	-	EXPRESSION TAG	UNP A2T075
B	688	ASP	-	EXPRESSION TAG	UNP A2T075
B	689	PRO	-	EXPRESSION TAG	UNP A2T075
B	690	GLY	-	EXPRESSION TAG	UNP A2T075
C	688	ASP	-	EXPRESSION TAG	UNP A2T075
C	689	PRO	-	EXPRESSION TAG	UNP A2T075
C	690	GLY	-	EXPRESSION TAG	UNP A2T075
D	688	ASP	-	EXPRESSION TAG	UNP A2T075
D	689	PRO	-	EXPRESSION TAG	UNP A2T075
D	690	GLY	-	EXPRESSION TAG	UNP A2T075

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is a polymer of unknown type called SUGAR (4-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0

- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	3	Total C N O 39 22 2 15	0	0

- Molecule 7 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	5	Total C N O 61 34 2 25	0	0
7	D	5	Total C N O 61 34 2 25	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	332	Total O 332 332	0	0
8	B	111	Total O 111 111	0	0
8	C	170	Total O 170 170	0	0
8	D	324	Total O 324 324	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ENVELOPE GLYCOPROTEIN




• Molecule 1: ENVELOPE GLYCOPROTEIN





• Molecule 1: ENVELOPE GLYCOPROTEIN





● Molecule 1: ENVELOPE GLYCOPROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	128.68Å 56.37Å 140.19Å 90.00° 96.55° 90.00°	Depositor
Resolution (Å)	29.76 – 1.90 29.75 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.3 (29.76-1.90) 97.4 (29.75-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.214 , 0.255 0.215 , 0.257	Depositor DCC
R_{free} test set	7722 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	33.0	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	1 of 154031 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14382	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.67 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.9715e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BMA, NAG, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3345	0.69	1/4523 (0.0%)
1	B	0.39	1/3302 (0.0%)	0.56	0/4463
1	C	0.40	0/3331	0.59	0/4502
1	D	0.51	0/3368	0.66	2/4553 (0.0%)
All	All	0.45	1/13346 (0.0%)	0.63	3/18041 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1097	PHE	CG-CD2	-6.11	1.29	1.38

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1047	ARG	NE-CZ-NH2	-6.47	117.06	120.30
1	D	772	LEU	CA-CB-CG	5.33	127.55	115.30
1	D	881	ARG	NE-CZ-NH1	5.02	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3279	0	3155	39	0
1	B	3242	0	3111	39	0
1	C	3271	0	3145	36	0
1	D	3296	0	3168	52	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
2	C	14	0	13	0	0
2	D	14	0	13	0	0
3	A	50	0	43	1	0
4	A	12	0	13	1	0
4	B	12	0	13	0	0
4	C	12	0	13	0	0
4	D	24	0	26	3	0
5	A	6	0	8	0	0
5	B	6	0	8	0	0
5	C	6	0	8	0	0
5	D	12	0	16	10	0
6	B	39	0	34	0	0
7	C	61	0	52	0	0
7	D	61	0	52	3	0
8	A	332	0	0	12	0
8	B	111	0	0	1	0
8	C	170	0	0	7	0
8	D	324	0	0	11	0
All	All	14382	0	12917	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:912:GLY:HA3	5:D:1210:GOL:H11	1.41	1.02
1:B:1060:LEU:HA	1:B:1101:CYS:HB3	1.53	0.89
1:B:1104:ASP:HB3	1:B:1105:GLU:HA	1.53	0.89
1:B:1102:ASP:HB3	1:B:1104:ASP:N	1.90	0.83
1:A:753:GLU:HG2	1:A:1002:PHE:CE1	2.13	0.82
1:D:1004:LYS:HE3	7:D:1206:BMA:O3	1.81	0.81
1:B:1039:CYS:HA	1:B:1114:LEU:HG	1.61	0.80
1:D:1087:HIS:HD2	8:D:1422:HOH:O	1.66	0.78
1:D:753[A]:GLU:HG2	1:D:1002:PHE:CE1	2.20	0.77
1:B:1104:ASP:CB	1:B:1105:GLU:HA	2.12	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:711:THR:HG21	1:D:741:GLN:HE22	1.54	0.73
1:A:735:LYS:HD2	1:A:742[A]:THR:HG22	1.71	0.73
1:A:805:GLU:HG2	8:A:1516:HOH:O	1.89	0.72
1:B:1060:LEU:O	1:B:1072:VAL:HA	1.89	0.71
1:B:792:ARG:HG2	1:B:792:ARG:HH11	1.53	0.71
5:D:1210:GOL:O3	8:D:1621:HOH:O	2.09	0.71
1:D:696:GLN:NE2	1:D:735:LYS:HD3	2.06	0.71
1:B:1065:LYS:HD2	1:B:1068:SER:HB2	1.72	0.70
1:A:688:ASP:N	1:A:689:PRO:HD3	2.07	0.69
1:D:753[A]:GLU:HG2	1:D:1002:PHE:CD1	2.27	0.69
1:A:892:LEU:CD2	8:A:1632:HOH:O	2.41	0.69
1:A:891:SER:HB2	1:A:1012:THR:OG1	1.93	0.68
1:B:778:HIS:NE2	1:B:785:VAL:HG23	2.09	0.67
1:A:892:LEU:C	1:A:892:LEU:HD23	2.14	0.67
1:A:706:THR:HG22	1:A:711:THR:HB	1.77	0.67
1:B:1062:ALA:HA	1:B:1099:TYR:HA	1.75	0.67
1:D:707:GLU:HG3	1:D:708:GLY:N	2.10	0.67
1:D:700:ARG:HG3	1:D:700:ARG:HH11	1.59	0.66
1:C:722:ARG:HD2	8:C:1366:HOH:O	1.94	0.66
1:D:778:HIS:CE1	4:D:1208:MES:H72	2.30	0.66
1:B:1104:ASP:HB3	1:B:1105:GLU:CA	2.23	0.65
1:A:803:VAL:HG12	8:A:1542:HOH:O	1.97	0.64
1:A:695:ILE:HG12	1:A:721:ILE:HD12	1.80	0.64
1:B:754:LEU:HD11	1:B:895:GLU:O	1.98	0.63
1:A:688:ASP:N	3:A:1205:BMA:HO6	1.96	0.62
1:C:805:GLU:HG2	8:C:1444:HOH:O	2.00	0.62
1:D:970:ILE:HD11	1:D:975:VAL:HG21	1.82	0.61
1:A:695:ILE:HG13	1:A:732:LEU:HD12	1.81	0.61
1:D:912:GLY:CA	5:D:1210:GOL:H11	2.25	0.61
1:C:897:ILE:HB	1:C:900:SER:HB3	1.82	0.61
1:B:1029:CYS:HB3	1:B:1054:SER:HB2	1.81	0.60
1:D:707:GLU:HG3	1:D:708:GLY:H	1.65	0.60
1:B:1029:CYS:HB3	1:B:1054:SER:CB	2.31	0.60
1:C:688:ASP:N	1:C:689:PRO:HD3	2.16	0.60
1:A:892:LEU:HD23	1:A:893:ASP:N	2.16	0.60
1:A:753:GLU:HG2	1:A:1002:PHE:HE1	1.67	0.60
1:D:970:ILE:CD1	1:D:975:VAL:HG21	2.33	0.59
1:A:688:ASP:N	1:A:689:PRO:CD	2.65	0.59
1:B:792:ARG:HG2	1:B:792:ARG:NH1	2.15	0.59
1:C:891:SER:HB2	1:C:1012:THR:OG1	2.03	0.59
1:D:700:ARG:NH1	1:D:700:ARG:HG3	2.16	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:980[B]:SER:OG	5:D:1210:GOL:H31	2.03	0.58
1:C:973:PHE:O	1:C:977:GLU:HG2	2.02	0.58
1:C:885:TRP:HH2	1:C:888:VAL:HG22	1.68	0.58
1:B:1060:LEU:HA	1:B:1101:CYS:CB	2.31	0.58
1:B:1031:ALA:HA	1:B:1051:SER:O	2.04	0.58
1:D:912:GLY:HA3	5:D:1210:GOL:C1	2.27	0.58
1:A:892:LEU:CD1	8:A:1632:HOH:O	2.51	0.58
1:D:980[A]:SER:HB2	5:D:1210:GOL:H31	1.86	0.57
1:D:913:TYR:O	5:D:1210:GOL:H32	2.04	0.57
1:A:892:LEU:HD22	8:A:1632:HOH:O	2.02	0.57
1:C:935:ASN:HB2	8:C:1334:HOH:O	2.05	0.56
1:D:1087:HIS:CD2	8:D:1422:HOH:O	2.49	0.55
1:C:703:THR:HG23	8:C:1352:HOH:O	2.05	0.55
1:A:698:SER:OG	1:A:700:ARG:HG2	2.07	0.55
1:C:1008:GLN:NE2	8:C:1470:HOH:O	2.38	0.55
1:A:1048:VAL:HG11	1:A:1086:LEU:HD22	1.88	0.55
1:A:708:GLY:O	1:A:709:VAL:HG22	2.07	0.54
1:C:892:LEU:HB3	1:C:1010:ASP:HB2	1.90	0.54
1:D:970:ILE:CD1	1:D:975:VAL:CG2	2.87	0.53
1:D:758[B]:GLU:HG3	1:D:759:GLY:N	2.20	0.53
1:D:1053:THR:HG23	1:D:1079:THR:HG22	1.91	0.52
1:C:1062:ALA:HB3	1:C:1071:ILE:HB	1.92	0.52
1:A:892:LEU:C	1:A:892:LEU:CD2	2.78	0.52
1:A:776:ARG:HD3	4:A:1206:MES:O1S	2.09	0.52
1:C:1035:ASN:OD1	1:C:1049:CYS:HB2	2.11	0.51
1:D:769:PRO:HG3	1:D:967:THR:HG23	1.91	0.51
1:C:735:LYS:O	1:C:735:LYS:HE2	2.11	0.51
1:D:911:LYS:HE2	8:D:1621:HOH:O	2.11	0.51
1:B:1103:GLY:O	1:B:1104:ASP:HB2	2.09	0.50
1:D:821:TRP:CZ2	1:D:826:PHE:HA	2.46	0.50
1:D:913:TYR:H	5:D:1210:GOL:C1	2.25	0.50
1:A:1087:HIS:HD2	8:A:1449:HOH:O	1.95	0.49
1:C:688:ASP:N	1:C:689:PRO:CD	2.75	0.49
1:D:707:GLU:HG2	1:D:709:VAL:HG12	1.95	0.49
1:A:753:GLU:HG2	1:A:1002:PHE:CD1	2.46	0.49
1:C:707:GLU:HG3	1:C:707:GLU:O	2.12	0.49
1:B:1053:THR:HG22	1:B:1079:THR:HA	1.95	0.49
1:D:778:HIS:HE1	4:D:1208:MES:H72	1.75	0.48
1:B:785:VAL:HA	1:B:786:ASN:HA	1.67	0.48
1:C:892:LEU:O	1:C:1009:ALA:HA	2.14	0.48
1:B:1095:GLU:HB3	1:B:1110:VAL:HG22	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1106:ARG:HB2	1:C:1107:PRO:HD2	1.96	0.47
1:C:923:ILE:O	1:C:925:ARG:HG3	2.14	0.47
1:D:859:LEU:HD23	1:D:890:LEU:HD21	1.96	0.47
1:A:711:THR:HG21	1:A:741:GLN:HE22	1.79	0.47
1:B:1064:ASN:ND2	1:B:1096:GLU:O	2.47	0.47
1:D:699:SER:HA	8:D:1435:HOH:O	2.13	0.47
1:C:736:GLY:HA3	1:C:741:GLN:HE21	1.80	0.47
1:A:759:GLY:HA3	1:A:853:ILE:HG23	1.95	0.47
1:D:711:THR:HG21	1:D:741:GLN:NE2	2.25	0.46
1:C:989:THR:OG1	1:C:1004:LYS:HD2	2.15	0.46
1:B:729:GLU:OE2	1:B:746:LYS:HB3	2.16	0.46
1:B:1061:SER:HA	1:B:1071:ILE:O	2.15	0.46
1:D:913:TYR:O	5:D:1210:GOL:C3	2.63	0.46
1:B:1102:ASP:HB3	1:B:1103:GLY:C	2.35	0.46
1:C:847:LEU:HD12	1:C:972:PRO:HB2	1.98	0.46
1:A:770:LYS:HD3	8:A:1618:HOH:O	2.16	0.46
1:A:693:GLU:HG2	8:A:1395:HOH:O	2.16	0.46
1:B:1023:VAL:HA	1:B:1024:GLY:HA2	1.72	0.45
1:A:925:ARG:HG2	1:A:928:PHE:CD1	2.52	0.45
1:D:711:THR:CG2	1:D:741:GLN:NE2	2.80	0.45
1:A:978:ARG:HD3	8:A:1350:HOH:O	2.15	0.45
1:B:1105:GLU:O	1:B:1106:ARG:HG2	2.16	0.45
1:D:1004:LYS:HE3	7:D:1206:BMA:HO3	1.80	0.45
1:A:922:GLU:HG2	1:A:922:GLU:H	1.53	0.44
1:C:1040:TYR:HB3	1:C:1114:LEU:HD23	1.99	0.44
1:B:1085:ILE:O	1:B:1086:LEU:HD12	2.18	0.44
1:D:709:VAL:HG13	1:D:710:ASN:OD1	2.17	0.44
1:D:743:LYS:HD2	1:D:1021:ASP:O	2.18	0.44
1:C:876:GLY:H	1:C:879:SER:HB2	1.81	0.44
1:A:788:CYS:HB2	1:A:832:CYS:SG	2.58	0.44
1:C:1095:GLU:HB2	1:C:1110:VAL:CG2	2.47	0.44
1:B:752:SER:HB3	1:B:1003:SER:HB2	2.00	0.44
1:A:742[B]:THR:HB	1:A:1059:SER:HG	1.81	0.44
1:C:1109:LEU:HG	8:C:1455:HOH:O	2.17	0.44
1:B:777:CYS:HB3	8:B:1404:HOH:O	2.17	0.44
1:B:770:LYS:HG3	1:B:840:GLN:OE1	2.17	0.44
1:C:1095:GLU:HB2	1:C:1110:VAL:HG23	2.00	0.43
1:D:735:LYS:HG2	8:D:1496:HOH:O	2.18	0.43
1:D:785:VAL:HG11	4:D:1208:MES:H32	1.99	0.43
1:D:753[A]:GLU:HG2	1:D:1002:PHE:HE1	1.80	0.43
1:B:722:ARG:NH2	1:B:1008:GLN:HA	2.32	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:967:THR:HB	1:B:969:LEU:HG	1.99	0.43
1:D:688:ASP:N	8:D:1606:HOH:O	2.52	0.43
1:A:892:LEU:HD13	8:A:1632:HOH:O	2.18	0.43
1:C:1008:GLN:HE22	1:D:819:GLY:H	1.67	0.43
1:C:706:THR:HG23	1:C:711:THR:HG22	2.01	0.43
1:D:1035:ASN:HD22	7:D:1202:NAG:H83	1.84	0.42
1:D:700:ARG:NH2	8:D:1430:HOH:O	2.52	0.42
1:C:1115:ILE:H	1:C:1115:ILE:HG13	1.74	0.42
1:A:722:ARG:NH1	8:A:1632:HOH:O	2.35	0.42
1:D:819:GLY:HA3	1:D:829:ASN:O	2.20	0.42
1:A:1057:THR:HG23	8:A:1310:HOH:O	2.20	0.42
1:B:989:THR:O	1:B:1001:ALA:HA	2.19	0.42
1:A:735:LYS:NZ	1:A:739:GLU:O	2.53	0.42
1:A:693:GLU:OE2	1:B:821:TRP:HD1	2.02	0.42
1:D:714:ARG:HA	1:D:1018:PHE:O	2.20	0.41
1:B:1102:ASP:N	1:B:1103:GLY:HA2	2.35	0.41
1:C:885:TRP:CH2	1:C:888:VAL:HG22	2.52	0.41
1:C:1064:ASN:HA	1:C:1096:GLU:O	2.20	0.41
5:D:1210:GOL:H12	8:D:1577:HOH:O	2.20	0.41
1:C:801:SER:C	1:C:803:VAL:H	2.24	0.41
1:D:1031:ALA:HA	1:D:1051:SER:O	2.20	0.41
1:B:1027:VAL:HG21	1:B:1055:THR:HB	2.02	0.41
1:D:693:GLU:HG2	8:D:1434:HOH:O	2.20	0.41
1:B:1085:ILE:H	1:B:1085:ILE:HG13	1.69	0.41
1:B:1017:ASN:HD22	1:B:1017:ASN:HA	1.59	0.41
1:D:996:ASN:ND2	8:D:1577:HOH:O	2.53	0.41
1:C:714:ARG:NH2	8:C:1377:HOH:O	2.54	0.41
1:D:753[A]:GLU:OE1	1:D:1002:PHE:HE1	2.04	0.40
1:D:791:TRP:CE2	1:D:795:GLU:HG3	2.57	0.40
1:A:1066:ASP:OD1	1:A:1066:ASP:N	2.55	0.40
1:C:890:LEU:CD2	1:C:1009:ALA:HB1	2.51	0.40
1:D:843:ARG:HD2	1:D:973:PHE:CE1	2.57	0.40
1:C:993:SER:HB3	1:C:996:ASN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/432 (100%)	417 (97%)	10 (2%)	4 (1%)	21	9
1	B	425/432 (98%)	404 (95%)	17 (4%)	4 (1%)	21	9
1	C	429/432 (99%)	413 (96%)	13 (3%)	3 (1%)	26	14
1	D	434/432 (100%)	422 (97%)	11 (2%)	1 (0%)	52	42
All	All	1719/1728 (100%)	1656 (96%)	51 (3%)	12 (1%)	26	14

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	960	ILE
1	B	960	ILE
1	C	785	VAL
1	C	960	ILE
1	D	960	ILE
1	A	708	GLY
1	A	709	VAL
1	B	1091	PRO
1	C	802	PHE
1	B	1107	PRO
1	B	1027	VAL
1	A	785	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/372 (100%)	356 (95%)	17 (5%)	33	21
1	B	368/372 (99%)	345 (94%)	23 (6%)	22	10
1	C	371/372 (100%)	359 (97%)	12 (3%)	46	35
1	D	376/372 (101%)	361 (96%)	15 (4%)	38	26
All	All	1488/1488 (100%)	1421 (96%)	67 (4%)	34	21

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	710	ASN
1	A	711	THR
1	A	720	LEU
1	A	740	ASP
1	A	743	LYS
1	A	874	ASP
1	A	891	SER
1	A	892	LEU
1	A	922	GLU
1	A	923	ILE
1	A	941	LEU
1	A	994	LYS
1	A	1017	ASN
1	A	1050	LEU
1	A	1080	LYS
1	A	1086	LEU
1	A	1111	LYS
1	B	696	GLN
1	B	700	ARG
1	B	711	THR
1	B	712	LYS
1	B	714	ARG
1	B	725	SER
1	B	740	ASP
1	B	742	THR
1	B	842	VAL
1	B	911	LYS
1	B	925	ARG
1	B	937	GLU
1	B	977	GLU
1	B	997	ARG
1	B	1016	ASP
1	B	1017	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1029	CYS
1	B	1030	ASP
1	B	1064	ASN
1	B	1072	VAL
1	B	1085	ILE
1	B	1086	LEU
1	B	1096	GLU
1	C	707	GLU
1	C	711	THR
1	C	722	ARG
1	C	735	LYS
1	C	792	ARG
1	C	879	SER
1	C	911	LYS
1	C	994	LYS
1	C	1016	ASP
1	C	1029	CYS
1	C	1036	LEU
1	C	1066	ASP
1	D	700	ARG
1	D	711	THR
1	D	737	VAL
1	D	740	ASP
1	D	761	SER
1	D	772	LEU
1	D	941	LEU
1	D	970	ILE
1	D	996	ASN
1	D	1017	ASN
1	D	1047	ARG
1	D	1057	THR
1	D	1065	LYS
1	D	1079	THR
1	D	1086	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	710	ASN
1	A	1043	ASN
1	B	996	ASN
1	B	1017	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1063	HIS
1	B	1064	ASN
1	C	741	GLN
1	C	1008	GLN
1	D	696	GLN
1	D	778	HIS
1	D	784	HIS
1	D	829	ASN
1	D	996	ASN
1	D	1017	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

17 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1202	1,3	14,14,15	0.61	0	15,19,21	1.21	1 (6%)
3	NAG	A	1203	3	14,14,15	0.71	0	15,19,21	1.11	1 (6%)
3	BMA	A	1204	3	11,11,12	0.79	0	14,15,17	1.29	3 (21%)
3	BMA	A	1205	3	11,11,12	0.74	0	14,15,17	1.91	3 (21%)
6	NAG	B	1202	1,6	14,14,15	0.56	0	15,19,21	1.10	0
6	NAG	B	1203	6	14,14,15	0.41	0	15,19,21	1.62	3 (20%)
6	BMA	B	1204	6	11,11,12	1.05	1 (9%)	14,15,17	1.24	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	C	1202	1,7	14,14,15	0.47	0	15,19,21	1.33	3 (20%)
7	NAG	C	1203	7	14,14,15	0.55	0	15,19,21	1.17	1 (6%)
7	BMA	C	1204	7	11,11,12	0.49	0	14,15,17	0.98	1 (7%)
7	BMA	C	1205	7	11,11,12	0.48	0	14,15,17	1.44	2 (14%)
7	BMA	C	1206	7	11,11,12	0.50	0	14,15,17	2.09	2 (14%)
7	NAG	D	1202	1,7	14,14,15	0.51	0	15,19,21	1.14	2 (13%)
7	NAG	D	1203	7	14,14,15	0.76	0	15,19,21	1.31	1 (6%)
7	BMA	D	1204	7	11,11,12	0.89	1 (9%)	14,15,17	3.32	6 (42%)
7	BMA	D	1205	7	11,11,12	0.67	0	14,15,17	2.79	5 (35%)
7	BMA	D	1206	7	11,11,12	0.49	0	14,15,17	2.04	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1202	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	1203	3	-	0/6/23/26	0/1/1/1
3	BMA	A	1204	3	-	0/2/19/22	0/1/1/1
3	BMA	A	1205	3	-	0/2/19/22	0/1/1/1
6	NAG	B	1202	1,6	-	0/6/23/26	0/1/1/1
6	NAG	B	1203	6	-	0/6/23/26	0/1/1/1
6	BMA	B	1204	6	-	0/2/19/22	0/1/1/1
7	NAG	C	1202	1,7	-	0/6/23/26	0/1/1/1
7	NAG	C	1203	7	-	0/6/23/26	0/1/1/1
7	BMA	C	1204	7	-	0/2/19/22	0/1/1/1
7	BMA	C	1205	7	-	0/2/19/22	1/1/1/1
7	BMA	C	1206	7	-	0/2/19/22	0/1/1/1
7	NAG	D	1202	1,7	-	0/6/23/26	0/1/1/1
7	NAG	D	1203	7	-	0/6/23/26	0/1/1/1
7	BMA	D	1204	7	-	0/2/19/22	0/1/1/1
7	BMA	D	1205	7	-	0/2/19/22	0/1/1/1
7	BMA	D	1206	7	-	0/2/19/22	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	D	1204	BMA	O5-C1	2.21	1.47	1.43
6	B	1204	BMA	O5-C1	3.02	1.48	1.43

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	1206	BMA	C1-O5-C5	-6.17	104.42	112.25
7	D	1204	BMA	C3-C4-C5	-5.73	100.21	110.20
7	D	1203	NAG	O4-C4-C5	-3.60	99.70	109.24
7	C	1202	NAG	C4-C3-C2	-3.29	106.12	111.23
7	D	1204	BMA	C1-C2-C3	-3.12	105.85	109.54
6	B	1204	BMA	C1-C2-C3	-3.06	105.92	109.54
3	A	1204	BMA	O5-C5-C6	-2.77	101.35	107.35
3	A	1203	NAG	O4-C4-C5	-2.67	102.16	109.24
3	A	1202	NAG	O7-C7-C8	-2.59	117.31	122.06
7	D	1202	NAG	O7-C7-C8	-2.31	117.83	122.06
6	B	1203	NAG	C6-C5-C4	-2.22	107.53	113.02
3	A	1204	BMA	C1-C2-C3	-2.03	107.14	109.54
7	C	1202	NAG	O7-C7-C8	-2.02	118.36	122.06
7	C	1202	NAG	C8-C7-N2	2.04	120.02	116.11
7	C	1205	BMA	C1-C2-C3	2.14	112.07	109.54
7	D	1206	BMA	O5-C1-C2	2.16	114.36	110.86
7	C	1204	BMA	O5-C5-C6	2.19	112.10	107.35
7	D	1202	NAG	C8-C7-N2	2.24	120.39	116.11
7	D	1205	BMA	C2-C3-C4	2.31	114.97	111.04
7	D	1206	BMA	O5-C5-C6	2.37	112.48	107.35
3	A	1204	BMA	C6-C5-C4	2.48	119.12	113.02
6	B	1203	NAG	C1-O5-C5	2.97	116.02	112.25
7	C	1203	NAG	C4-C3-C2	3.03	115.95	111.23
3	A	1205	BMA	O5-C1-C2	3.46	116.47	110.86
3	A	1205	BMA	C1-O5-C5	3.62	116.84	112.25
6	B	1203	NAG	C3-C4-C5	3.77	116.77	110.20
7	C	1206	BMA	C3-C4-C5	3.84	116.89	110.20
7	D	1205	BMA	C1-C2-C3	3.99	114.26	109.54
3	A	1205	BMA	C1-C2-C3	4.16	114.46	109.54
7	C	1205	BMA	C1-O5-C5	4.29	117.69	112.25
7	D	1205	BMA	C3-C4-C5	4.37	117.81	110.20
7	D	1204	BMA	O3-C3-C2	4.40	117.95	110.00
7	D	1204	BMA	O5-C5-C6	4.47	117.03	107.35
7	D	1204	BMA	O3-C3-C4	4.66	120.83	110.34
7	D	1205	BMA	O5-C1-C2	4.92	118.84	110.86
7	D	1205	BMA	C1-O5-C5	6.03	119.90	112.25
7	C	1206	BMA	C1-O5-C5	6.15	120.05	112.25
7	D	1204	BMA	O5-C1-C2	6.31	121.10	110.86

There are no chirality outliers.

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	C	1205	BMA	C1-C2-C3-C4-C5-O5

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1205	BMA	1	0
7	D	1202	NAG	1	0
7	D	1206	BMA	2	0

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	1201	1	14,14,15	0.50	0	15,19,21	1.17	2 (13%)
4	MES	A	1206	-	11,12,12	0.68	0	14,16,16	7.45	8 (57%)
5	GOL	A	1207	-	5,5,5	0.16	0	5,5,5	0.58	0
2	NAG	B	1201	1	14,14,15	0.47	0	15,19,21	1.07	0
4	MES	B	1205	-	11,12,12	0.67	0	14,16,16	1.15	0
5	GOL	B	1206	-	5,5,5	0.28	0	5,5,5	0.31	0
2	NAG	C	1201	1	14,14,15	0.51	0	15,19,21	1.17	2 (13%)
4	MES	C	1207	-	11,12,12	0.52	0	14,16,16	7.33	5 (35%)
5	GOL	C	1208	-	5,5,5	0.17	0	5,5,5	0.41	0
2	NAG	D	1201	1	14,14,15	0.45	0	15,19,21	0.87	0
4	MES	D	1207	-	11,12,12	0.65	0	14,16,16	6.97	7 (50%)
4	MES	D	1208	-	11,12,12	0.63	0	14,16,16	7.74	4 (28%)
5	GOL	D	1209	-	5,5,5	0.33	0	5,5,5	0.48	0
5	GOL	D	1210	-	5,5,5	0.11	0	5,5,5	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1201	1	-	0/6/23/26	0/1/1/1
4	MES	A	1206	-	-	0/6/14/14	0/1/1/1
5	GOL	A	1207	-	-	0/4/4/4	0/0/0/0
2	NAG	B	1201	1	-	0/6/23/26	0/1/1/1
4	MES	B	1205	-	-	0/6/14/14	0/1/1/1
5	GOL	B	1206	-	-	0/4/4/4	0/0/0/0
2	NAG	C	1201	1	-	0/6/23/26	0/1/1/1
4	MES	C	1207	-	-	0/6/14/14	0/1/1/1
5	GOL	C	1208	-	-	0/4/4/4	0/0/0/0
2	NAG	D	1201	1	-	0/6/23/26	0/1/1/1
4	MES	D	1207	-	-	0/6/14/14	0/1/1/1
4	MES	D	1208	-	-	0/6/14/14	0/1/1/1
5	GOL	D	1209	-	-	0/4/4/4	0/0/0/0
5	GOL	D	1210	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1207	MES	O3S-S-O1S	-12.74	81.97	111.61
4	D	1208	MES	O3S-S-O2S	-12.61	82.26	111.61
4	A	1206	MES	O3S-S-O2S	-11.79	84.17	111.61
4	D	1207	MES	O3S-S-O2S	-11.00	86.00	111.61
4	A	1206	MES	O3S-S-O1S	-10.97	86.08	111.61
4	D	1208	MES	O3S-S-O1S	-10.84	86.37	111.61
4	C	1207	MES	O3S-S-O1S	-9.21	90.18	111.61
4	C	1207	MES	O3S-S-O2S	-6.97	95.40	111.61
4	D	1207	MES	C2-C3-N4	-3.75	104.44	110.12
4	C	1207	MES	C7-C8-S	-3.46	101.81	112.51
4	D	1207	MES	C6-C5-N4	-2.96	105.64	110.12
4	A	1206	MES	C7-N4-C3	-2.34	105.26	111.27
4	A	1206	MES	C7-N4-C5	-2.04	106.04	111.27
2	C	1201	NAG	C1-O5-C5	2.06	114.86	112.25
2	A	1201	NAG	C1-O5-C5	2.06	114.86	112.25
4	D	1207	MES	O2S-S-O1S	2.12	121.20	113.48
2	C	1201	NAG	C3-C2-N2	2.18	115.78	110.56
2	A	1201	NAG	C2-N2-C7	2.45	126.19	123.04
4	A	1206	MES	C6-C5-N4	2.45	113.84	110.12
4	A	1206	MES	C5-N4-C3	3.59	116.66	108.90
4	D	1207	MES	O1S-S-C8	13.11	118.09	106.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1207	MES	O2S-S-C8	13.77	118.65	106.91
4	A	1206	MES	O2S-S-C8	14.51	119.29	106.91
4	D	1208	MES	O1S-S-C8	15.02	119.72	106.91
4	C	1207	MES	O1S-S-C8	16.13	120.67	106.91
4	A	1206	MES	O1S-S-C8	16.27	120.78	106.91
4	D	1208	MES	O2S-S-C8	18.00	122.27	106.91
4	C	1207	MES	O2S-S-C8	18.36	122.57	106.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1206	MES	1	0
4	D	1208	MES	3	0
5	D	1210	GOL	10	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/432 (99%)	0.37	25 (5%) 26 29	22, 37, 68, 100	0
1	B	427/432 (98%)	1.62	117 (27%) 1 1	35, 70, 169, 214	0
1	C	430/432 (99%)	0.71	63 (14%) 3 3	28, 52, 110, 139	0
1	D	431/432 (99%)	0.49	38 (8%) 12 14	21, 39, 71, 128	0
All	All	1719/1728 (99%)	0.80	243 (14%) 4 4	21, 49, 120, 214	0

All (243) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	706	THR	13.8
1	B	709	VAL	13.4
1	B	1023	VAL	12.4
1	B	1067	GLY	10.8
1	B	737	VAL	10.5
1	B	1088	PHE	10.2
1	A	709	VAL	9.7
1	D	709	VAL	9.5
1	B	1025	ALA	9.2
1	D	708	GLY	9.0
1	B	1024	GLY	8.8
1	B	1101	CYS	8.7
1	B	1100	SER	8.5
1	C	709	VAL	8.5
1	B	710	ASN	8.3
1	B	1099	TYR	8.3
1	C	802	PHE	8.1
1	B	708	GLY	7.9
1	B	785	VAL	7.8
1	B	711	THR	7.7
1	B	1041	SER	7.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1107	PRO	7.6
1	B	704	CYS	7.5
1	B	1098	MET	7.4
1	B	1114	LEU	6.9
1	C	1027	VAL	6.9
1	B	1029	CYS	6.7
1	C	706	THR	6.7
1	B	1090	VAL	6.5
1	B	1106	ARG	6.5
1	A	996	ASN	6.5
1	B	1091	PRO	6.4
1	B	1055	THR	6.4
1	B	1056	GLY	6.4
1	C	708	GLY	6.4
1	B	878	SER	6.4
1	B	803	VAL	6.4
1	B	805	GLU	6.3
1	B	712	LYS	6.3
1	A	995	GLY	6.2
1	B	705	SER	6.0
1	B	1040	TYR	6.0
1	B	802	PHE	6.0
1	B	1113	THR	6.0
1	A	708	GLY	5.8
1	B	1110	VAL	5.7
1	D	995	GLY	5.6
1	B	1069	LEU	5.6
1	D	710	ASN	5.6
1	A	779	LEU	5.5
1	C	1117	ILE	5.4
1	C	1032	ALA	5.4
1	D	707	GLU	5.4
1	B	1060	LEU	5.4
1	B	1108	LEU	5.4
1	B	713	CYS	5.3
1	B	1052	ILE	5.2
1	C	1096	GLU	5.1
1	B	736	GLY	5.1
1	C	1111	LYS	5.1
1	B	1027	VAL	5.1
1	D	1025	ALA	5.1
1	C	1090	VAL	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1030	ASP	5.0
1	C	737	VAL	5.0
1	D	706	THR	5.0
1	C	1110	VAL	5.0
1	B	1103	GLY	4.9
1	B	1078	GLY	4.8
1	B	1028	SER	4.7
1	B	738	LYS	4.7
1	C	1025	ALA	4.6
1	B	1105	GLU	4.6
1	B	994	LYS	4.6
1	B	1111	LYS	4.6
1	B	1071	ILE	4.5
1	B	995	GLY	4.4
1	D	694	LEU	4.4
1	D	1023	VAL	4.3
1	B	1064	ASN	4.3
1	D	994	LYS	4.3
1	D	996	ASN	4.3
1	B	1059	SER	4.2
1	D	802	PHE	4.2
1	B	1094	GLU	4.2
1	B	715	LEU	4.1
1	A	710	ASN	4.1
1	C	803	VAL	4.1
1	B	1070	HIS	4.1
1	B	1066	ASP	4.1
1	B	1095	GLU	4.0
1	B	1089	THR	4.0
1	B	1092	GLU	4.0
1	C	1026	ALA	4.0
1	B	1068	SER	3.9
1	C	1065	LYS	3.9
1	C	710	ASN	3.9
1	C	1116	ALA	3.8
1	B	735	LYS	3.8
1	B	1086	LEU	3.8
1	D	789	LEU	3.8
1	C	738	LYS	3.8
1	C	1114	LEU	3.8
1	B	1109	LEU	3.7
1	B	1065	LYS	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	694	LEU	3.7
1	C	707	GLU	3.7
1	C	1056	GLY	3.7
1	A	785	VAL	3.7
1	B	1026	ALA	3.7
1	D	805	GLU	3.6
1	D	1041	SER	3.6
1	B	1062	ALA	3.6
1	B	1031	ALA	3.5
1	C	1089	THR	3.5
1	C	1034	LEU	3.5
1	C	1079	THR	3.4
1	B	1039	CYS	3.4
1	D	803	VAL	3.4
1	B	911	LYS	3.4
1	C	1002	PHE	3.4
1	C	705	SER	3.4
1	C	853	ILE	3.4
1	B	1097	PHE	3.3
1	B	910	GLY	3.3
1	C	1055	THR	3.3
1	C	704	CYS	3.3
1	A	694	LEU	3.3
1	B	702	THR	3.3
1	A	994	LYS	3.3
1	B	739	GLU	3.2
1	B	1054	SER	3.2
1	B	740	ASP	3.2
1	D	695	ILE	3.2
1	A	1073	LEU	3.2
1	B	1079	THR	3.1
1	A	707	GLU	3.1
1	B	1093	VAL	3.1
1	B	696	GLN	3.0
1	D	705	SER	3.0
1	B	1022	PHE	3.0
1	B	707	GLU	3.0
1	B	741	GLN	3.0
1	C	995	GLY	3.0
1	D	1118	ASP	2.9
1	B	734	LEU	2.9
1	D	997	ARG	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1041	SER	2.9
1	A	1066	ASP	2.9
1	A	706	THR	2.9
1	B	948	LEU	2.9
1	B	792	ARG	2.9
1	B	1042	CYS	2.9
1	C	1023	VAL	2.8
1	B	699	SER	2.8
1	B	759	GLY	2.8
1	B	1045	GLY	2.8
1	D	1115	ILE	2.8
1	A	804	GLY	2.8
1	C	1068	SER	2.8
1	B	1020	VAL	2.8
1	D	737	VAL	2.8
1	B	1087	HIS	2.8
1	C	1063	HIS	2.8
1	A	1115	ILE	2.7
1	A	730	ALA	2.7
1	C	994	LYS	2.7
1	A	695	ILE	2.7
1	B	1104	ASP	2.7
1	A	1025	ALA	2.7
1	B	996	ASN	2.7
1	B	1061	SER	2.7
1	D	1073	LEU	2.7
1	C	1103	GLY	2.7
1	C	740	ASP	2.6
1	C	1066	ASP	2.6
1	C	1091	PRO	2.6
1	A	997	ARG	2.6
1	C	711	THR	2.6
1	B	877	ALA	2.6
1	C	741	GLN	2.6
1	C	1115	ILE	2.6
1	C	694	LEU	2.6
1	C	1108	LEU	2.6
1	A	1118	ASP	2.5
1	C	739	GLU	2.5
1	C	1042	CYS	2.5
1	B	888	VAL	2.5
1	B	1085	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1040	TYR	2.5
1	D	1024	GLY	2.5
1	A	1065	LYS	2.5
1	B	717	GLY	2.5
1	B	1036	LEU	2.5
1	D	1117	ILE	2.4
1	C	1029	CYS	2.4
1	C	792	ARG	2.4
1	C	935	ASN	2.3
1	B	1072	VAL	2.3
1	C	1067	GLY	2.3
1	D	721	ILE	2.3
1	D	700	ARG	2.3
1	D	804	GLY	2.3
1	B	784	HIS	2.3
1	A	784	HIS	2.3
1	B	946	SER	2.3
1	C	736	GLY	2.3
1	B	786	ASN	2.2
1	C	801	SER	2.2
1	C	877	ALA	2.2
1	D	1113	THR	2.2
1	D	853	ILE	2.2
1	C	878	SER	2.2
1	D	704	CYS	2.2
1	B	714	ARG	2.2
1	B	1096	GLU	2.2
1	D	711	THR	2.2
1	D	1090	VAL	2.2
1	A	1083	CYS	2.2
1	C	786	ASN	2.2
1	A	1117	ILE	2.2
1	D	1013	LEU	2.2
1	B	1077	ASN	2.1
1	C	1031	ALA	2.1
1	C	1102	ASP	2.1
1	C	1107	PRO	2.1
1	B	760	GLN	2.1
1	B	1037	THR	2.1
1	D	720	LEU	2.1
1	B	1044	ALA	2.1
1	B	795	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	892	LEU	2.1
1	C	1057	THR	2.1
1	B	1038	GLY	2.1
1	D	738	LYS	2.0
1	C	805	GLU	2.0
1	B	1002	PHE	2.0
1	A	1113	THR	2.0
1	B	1112	GLY	2.0
1	C	1030	ASP	2.0
1	B	1073	LEU	2.0
1	D	703	THR	2.0
1	D	699	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	BMA	D	1205	11/12	0.66	0.21	6.57	64,73,76,76	0
7	NAG	C	1202	14/15	0.83	0.17	0.63	75,78,90,93	0
7	NAG	C	1203	14/15	0.80	0.14	0.39	69,78,84,92	0
6	NAG	B	1203	14/15	0.87	0.12	-0.09	75,81,83,88	0
6	NAG	B	1202	14/15	0.80	0.13	-0.40	79,83,91,92	0
3	NAG	A	1202	14/15	0.95	0.10	-0.70	37,39,52,57	0
7	NAG	D	1202	14/15	0.94	0.10	-0.84	37,38,48,53	0
7	NAG	D	1203	14/15	0.94	0.10	-0.86	35,36,44,44	0
3	NAG	A	1203	14/15	0.92	0.11	-1.75	34,38,46,51	0
6	BMA	B	1204	11/12	0.59	0.14	-	88,93,96,99	0
7	BMA	D	1206	11/12	0.79	0.35	-	94,103,107,109	0
7	BMA	C	1206	11/12	0.64	0.44	-	108,113,115,116	0
3	BMA	A	1204	11/12	0.79	0.20	-	101,104,105,106	0
3	BMA	A	1205	11/12	0.83	0.18	-	102,103,104,104	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	BMA	C	1205	11/12	0.64	0.29	-	105,110,113,115	0
7	BMA	D	1204	11/12	0.81	0.17	-	51,64,73,84	0
7	BMA	C	1204	11/12	0.81	0.27	-	98,102,107,109	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	GOL	D	1210	6/6	0.79	0.33	2.90	33,39,47,47	0
4	MES	A	1206	12/12	0.91	0.18	1.84	52,57,60,60	12
4	MES	D	1208	12/12	0.93	0.19	1.78	55,63,70,71	12
5	GOL	B	1206	6/6	0.90	0.13	1.27	69,70,71,71	0
4	MES	C	1207	12/12	0.94	0.15	0.98	33,40,49,49	12
4	MES	B	1205	12/12	0.96	0.17	0.77	59,67,74,75	0
4	MES	D	1207	12/12	0.95	0.12	-0.12	69,76,81,81	0
5	GOL	C	1208	6/6	0.96	0.08	-0.23	47,54,57,62	0
5	GOL	D	1209	6/6	0.94	0.09	-0.81	35,39,40,43	0
5	GOL	A	1207	6/6	0.94	0.08	-0.84	35,36,39,41	0
2	NAG	D	1201	14/15	0.81	0.29	-	79,89,94,95	0
2	NAG	B	1201	14/15	0.64	0.34	-	129,141,158,160	0
2	NAG	C	1201	14/15	0.71	0.37	-	103,110,114,115	0
2	NAG	A	1201	14/15	0.83	0.31	-	82,96,99,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.