



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:52 PM GMT

PDB ID : 1HNY  
Title : The structure of human pancreatic alpha-amylase at 1.8 angstroms resolution and comparisons with related enzymes  
Authors : Luo, Y.; Brayer, G.D.  
Deposited on : 1995-06-28  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	496	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4307 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HUMAN PANCREATIC ALPHA-AMYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3946	2497	696	733	20			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	359	Total	O	0	0
			359	359		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: HUMAN PANCREATIC ALPHA-AMYLASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.04Å 74.80Å 137.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 1.80	Depositor
% Data completeness (in resolution range)	81.9 (8.00-1.80)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ, X-PLOR 2.1	Depositor
R, $R_{free}$	0.174 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4307	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PCA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.99	0/4053	1.75	95/5506 (1.7%)

There are no bond length outliers.

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	ARG	NE-CZ-NH1	16.74	128.67	120.30
1	A	195	ARG	NE-CZ-NH2	-15.87	112.36	120.30
1	A	337	ARG	NE-CZ-NH1	10.20	125.40	120.30
1	A	392	ARG	NE-CZ-NH2	-10.11	115.25	120.30
1	A	276	TYR	CB-CG-CD1	9.97	126.98	121.00
1	A	158	ARG	NE-CZ-NH2	-9.83	115.39	120.30
1	A	346	ARG	NE-CZ-NH2	-9.82	115.39	120.30
1	A	319	ARG	NE-CZ-NH2	-9.54	115.53	120.30
1	A	161	ARG	NE-CZ-NH1	9.48	125.04	120.30
1	A	343	ARG	NE-CZ-NH1	9.11	124.86	120.30
1	A	291	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	A	424	ARG	NE-CZ-NH1	8.81	124.70	120.30
1	A	237	LEU	CB-CA-C	8.79	126.90	110.20
1	A	303	ARG	NE-CZ-NH1	8.76	124.68	120.30
1	A	147	ASP	CB-CG-OD1	8.75	126.17	118.30
1	A	10	ARG	NE-CZ-NH2	-8.66	115.97	120.30
1	A	291	ARG	CD-NE-CZ	8.24	135.14	123.60
1	A	356	ASP	CB-CG-OD1	8.17	125.65	118.30
1	A	424	ARG	NE-CZ-NH2	-8.11	116.24	120.30
1	A	286	PHE	CB-CG-CD2	-8.10	115.13	120.80
1	A	286	PHE	CB-CG-CD1	8.08	126.45	120.80
1	A	80	ARG	CD-NE-CZ	8.00	134.80	123.60
1	A	14	VAL	CB-CA-C	-7.99	96.22	111.40
1	A	195	ARG	NE-CZ-NH1	7.94	124.27	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	161	ARG	NE-CZ-NH2	-7.90	116.35	120.30
1	A	346	ARG	NE-CZ-NH1	7.87	124.23	120.30
1	A	30	ARG	NE-CZ-NH2	7.85	124.22	120.30
1	A	158	ARG	NE-CZ-NH1	7.82	124.21	120.30
1	A	239	GLY	N-CA-C	7.81	132.63	113.10
1	A	56	ARG	NE-CZ-NH1	7.70	124.15	120.30
1	A	212	ASP	CB-CG-OD1	7.57	125.12	118.30
1	A	267	ARG	NE-CZ-NH2	7.54	124.07	120.30
1	A	92	ARG	NE-CZ-NH1	7.52	124.06	120.30
1	A	92	ARG	NE-CZ-NH2	-7.50	116.55	120.30
1	A	392	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	A	236	ASP	CB-CG-OD2	7.31	124.88	118.30
1	A	387	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	A	327	PHE	CB-CG-CD2	-7.23	115.74	120.80
1	A	20	ARG	CD-NE-CZ	7.22	133.71	123.60
1	A	165	LEU	CA-CB-CG	6.94	131.26	115.30
1	A	276	TYR	CB-CG-CD2	-6.91	116.86	121.00
1	A	248	PHE	CB-CG-CD2	-6.45	116.29	120.80
1	A	89	VAL	CG1-CB-CG2	-6.43	100.61	110.90
1	A	131	TYR	CB-CG-CD1	6.43	124.86	121.00
1	A	2	TYR	CB-CG-CD1	6.42	124.85	121.00
1	A	124	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	A	421	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	A	30	ARG	CD-NE-CZ	6.29	132.40	123.60
1	A	56	ARG	NE-CZ-NH2	-6.24	117.18	120.30
1	A	248	PHE	CB-CG-CD1	6.16	125.11	120.80
1	A	80	ARG	NE-CZ-NH1	-6.14	117.23	120.30
1	A	398	ARG	NE-CZ-NH2	6.12	123.36	120.30
1	A	337	ARG	NH1-CZ-NH2	-6.10	112.69	119.40
1	A	258	TYR	CB-CG-CD2	6.10	124.66	121.00
1	A	237	LEU	O-C-N	-6.00	113.01	123.20
1	A	215	HIS	CA-CB-CG	5.97	123.74	113.60
1	A	67	TYR	CB-CG-CD1	5.95	124.57	121.00
1	A	252	ARG	NE-CZ-NH1	5.95	123.27	120.30
1	A	67	TYR	CB-CG-CD2	-5.91	117.45	121.00
1	A	20	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	369	GLU	CA-CB-CG	5.86	126.30	113.40
1	A	176	ARG	CD-NE-CZ	5.85	131.79	123.60
1	A	305	HIS	CA-CB-CG	5.83	123.51	113.60
1	A	290	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	237	LEU	CA-C-N	5.71	127.61	116.20
1	A	124	ARG	CD-NE-CZ	5.69	131.56	123.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	147	ASP	CB-CG-OD2	-5.66	113.20	118.30
1	A	305	HIS	C-N-CA	5.63	134.12	122.30
1	A	246	ASP	CB-CG-OD1	5.60	123.34	118.30
1	A	389	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	A	350	ASN	CA-CB-CG	5.54	125.58	113.40
1	A	342	TYR	N-CA-CB	5.53	120.56	110.60
1	A	10	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	329	LEU	CA-CB-CG	5.50	127.95	115.30
1	A	449	TYR	CB-CG-CD2	-5.49	117.71	121.00
1	A	358	VAL	O-C-N	5.46	132.48	123.20
1	A	451	ASP	CB-CG-OD2	5.46	123.21	118.30
1	A	65	VAL	CA-CB-CG1	5.44	119.06	110.90
1	A	231	TYR	CA-CB-CG	5.44	123.73	113.40
1	A	432	ASP	CB-CG-OD2	-5.43	113.41	118.30
1	A	346	ARG	CD-NE-CZ	5.40	131.16	123.60
1	A	329	LEU	CB-CG-CD1	5.37	120.12	111.00
1	A	441	GLN	N-CA-CB	5.37	120.26	110.60
1	A	17	PHE	CB-CG-CD2	-5.36	117.05	120.80
1	A	246	ASP	CB-CG-OD2	-5.36	113.48	118.30
1	A	82	MET	CG-SD-CE	5.35	108.76	100.20
1	A	131	TYR	CA-CB-CG	5.26	123.40	113.40
1	A	341	SER	N-CA-CB	-5.25	102.63	110.50
1	A	340	SER	CB-CA-C	5.24	120.06	110.10
1	A	231	TYR	N-CA-CB	5.23	120.01	110.60
1	A	327	PHE	O-C-N	5.17	130.97	122.70
1	A	418	ALA	N-CA-CB	5.16	117.33	110.10
1	A	167	ASP	CB-CG-OD2	5.13	122.92	118.30
1	A	278	LYS	CA-CB-CG	5.06	124.52	113.40
1	A	61	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3946	0	3718	38	0
2	A	1	0	0	0	0
3	A	1	0	0	0	0
4	A	359	0	0	6	0
All	All	4307	0	3718	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:LYS:HD3	1:A:409:TRP:CD1	2.31	0.66
1:A:121:PRO:HB3	4:A:838:HOH:O	1.95	0.66
1:A:274:MET:H	1:A:415:ASN:HD22	1.47	0.62
1:A:51:ILE:HD12	1:A:60:GLU:HB3	1.82	0.61
1:A:308:GLY:HA3	1:A:312:ILE:HD11	1.82	0.60
1:A:278:LYS:HD3	1:A:409:TRP:CG	2.37	0.60
1:A:95:VAL:HG11	1:A:186:LEU:HD13	1.84	0.60
1:A:274:MET:H	1:A:415:ASN:ND2	2.00	0.59
1:A:227:LYS:HE2	1:A:227:LYS:HA	1.84	0.59
1:A:26:LEU:O	1:A:30:ARG:HG2	2.02	0.59
1:A:49:VAL:HG21	1:A:107:VAL:HG11	1.85	0.58
1:A:153:ASP:OD2	1:A:156:GLN:HB2	2.06	0.54
1:A:51:ILE:HD12	1:A:60:GLU:CB	2.39	0.53
1:A:9:GLY:HA2	4:A:669:HOH:O	2.08	0.53
1:A:300:ASP:O	1:A:305:HIS:HB2	2.12	0.50
1:A:153:ASP:O	1:A:157:VAL:HG23	2.11	0.50
1:A:28:CYS:HA	1:A:32:LEU:HB2	1.95	0.48
1:A:227:LYS:HD2	4:A:823:HOH:O	2.13	0.48
1:A:4:PRO:HA	1:A:229:PHE:CG	2.50	0.47
1:A:266:ILE:HG22	1:A:320:LEU:HD22	1.97	0.47
1:A:216:ASN:ND2	1:A:227:LYS:HE3	2.30	0.47
1:A:476:HIS:HD2	4:A:833:HOH:O	1.97	0.46
1:A:240:GLU:HB3	1:A:241:PRO:HD2	1.99	0.45
1:A:33:ALA:HB1	1:A:89:VAL:HG12	1.99	0.44
1:A:51:ILE:HD13	1:A:59:TRP:CZ3	2.54	0.43
1:A:301:ASN:HB3	1:A:307:ALA:HB3	1.99	0.43
1:A:344:TRP:HB2	1:A:345:PRO:HD2	2.01	0.43
1:A:241:PRO:HD2	4:A:670:HOH:O	2.18	0.43
1:A:287:VAL:HB	1:A:288:PRO:HD2	2.02	0.42
1:A:273:LYS:HA	1:A:415:ASN:HD21	1.85	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:MET:HG2	1:A:487:PHE:CD1	2.54	0.42
1:A:216:ASN:HD22	1:A:227:LYS:CE	2.33	0.42
1:A:457:LYS:HE3	4:A:689:HOH:O	2.19	0.42
1:A:436:PHE:HE1	1:A:477:PHE:HB2	1.85	0.42
1:A:211:LEU:HA	1:A:214:LEU:HD22	2.02	0.41
1:A:51:ILE:HD13	1:A:59:TRP:HZ3	1.86	0.41
1:A:33:ALA:HB3	1:A:34:PRO:HD3	2.03	0.41
1:A:437:SER:HA	1:A:477:PHE:O	2.21	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	494/496 (100%)	477 (97%)	16 (3%)	1 (0%)	52	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	306	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/418 (100%)	410 (98%)	8 (2%)	65	52

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	VAL
1	A	115	CYS
1	A	124	ARG
1	A	165	LEU
1	A	214	LEU
1	A	243	LYS
1	A	329	LEU
1	A	411	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	152	ASN
1	A	216	ASN
1	A	415	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	PCA	A	1	1	7,8,9	2.33	3 (42%)	9,10,12	2.12	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PCA	A	1	1	-	0/0/11/13	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	PCA	CB-CG	-4.95	1.41	1.53
1	A	1	PCA	CD-N	2.11	1.40	1.33
1	A	1	PCA	OE-CD	2.34	1.28	1.23

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1	PCA	CB-CA-C	-3.32	108.22	112.76
1	A	1	PCA	O-C-CA	-2.74	118.21	125.44
1	A	1	PCA	CB-CG-CD	4.03	112.42	104.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.