



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:14 PM GMT

PDB ID : 4HNE  
Title : Crystal structure of the catalytic domain of human type II alpha Phosphatidylinositol 4-kinase (PI4KIIalpha) in complex with ADP  
Authors : Zhou, Q.; Zhai, Y.; Zhang, K.; Chen, C.; Sun, F.  
Deposited on : 2012-10-19  
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2184 (3.00-2.92)
Clashscore	102246	2552 (3.00-2.92)
Ramachandran outliers	100387	2468 (3.00-2.92)
Sidechain outliers	100360	2471 (3.00-2.92)
RSRZ outliers	91569	2201 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 3% 67% 22% • 8%
1	B	384	 8% 66% 20% • 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ADP	B	500	-	-	-	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5724 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphatidylinositol 4-kinase type 2-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	353	Total	C	N	O	S	4	0	0
			2867	1853	498	511	5			
1	B	341	Total	C	N	O	S	12	0	0
			2763	1786	475	497	5			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	70	GLY	-	EXPRESSION TAG	UNP Q9BTU6
A	71	PRO	-	EXPRESSION TAG	UNP Q9BTU6
A	72	LEU	-	EXPRESSION TAG	UNP Q9BTU6
A	73	GLY	-	EXPRESSION TAG	UNP Q9BTU6
A	74	SER	-	EXPRESSION TAG	UNP Q9BTU6
A	75	PRO	-	EXPRESSION TAG	UNP Q9BTU6
A	76	GLU	-	EXPRESSION TAG	UNP Q9BTU6
A	77	PHE	-	EXPRESSION TAG	UNP Q9BTU6
A	174	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
A	175	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
A	177	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
A	178	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
B	70	GLY	-	EXPRESSION TAG	UNP Q9BTU6
B	71	PRO	-	EXPRESSION TAG	UNP Q9BTU6
B	72	LEU	-	EXPRESSION TAG	UNP Q9BTU6
B	73	GLY	-	EXPRESSION TAG	UNP Q9BTU6
B	74	SER	-	EXPRESSION TAG	UNP Q9BTU6
B	75	PRO	-	EXPRESSION TAG	UNP Q9BTU6
B	76	GLU	-	EXPRESSION TAG	UNP Q9BTU6
B	77	PHE	-	EXPRESSION TAG	UNP Q9BTU6
B	174	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
B	175	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
B	177	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6
B	178	SER	CYS	ENGINEERED MUTATION	UNP Q9BTU6

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	21	Total O 21 21	0	0
3	B	19	Total O 19 19	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Phosphatidylinositol 4-kinase type 2-alpha



#### • Molecule 1: Phosphatidylinositol 4-kinase type 2-alpha



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	191.82Å 191.82Å 157.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.95 48.06 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.95) 99.3 (48.06-2.95)	Depositor EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 2.96Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.208 , 0.251 0.207 , 0.250	Depositor DCC
$R_{free}$ test set	1562 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	65.8	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 42.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 30878 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5724	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.54	4/2943 (0.1%)	0.62	0/3989
1	B	0.54	4/2837 (0.1%)	0.64	3/3848 (0.1%)
All	All	0.54	8/5780 (0.1%)	0.63	3/7837 (0.0%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	359	TRP	CD2-CE2	5.74	1.48	1.41
1	B	314	TRP	CD2-CE2	5.65	1.48	1.41
1	A	314	TRP	CD2-CE2	5.33	1.47	1.41
1	B	359	TRP	CD2-CE2	5.29	1.47	1.41
1	B	166	TRP	CD2-CE2	5.29	1.47	1.41
1	A	166	TRP	CD2-CE2	5.25	1.47	1.41
1	A	169	TRP	CD2-CE2	5.21	1.47	1.41
1	B	273	TRP	CD2-CE2	5.08	1.47	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	100	GLU	CB-CG-CD	9.44	139.69	114.20
1	B	100	GLU	CA-CB-CG	7.86	130.68	113.40
1	B	76	GLU	CA-CB-CG	-5.07	102.24	113.40

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2867	0	2856	56	0
1	B	2763	0	2736	48	1
2	A	27	0	12	2	0
2	B	27	0	12	2	0
3	A	21	0	0	0	0
3	B	19	0	0	0	0
All	All	5724	0	5616	104	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:LYS:NZ	1:A:437:ASN:HD22	1.50	1.07
1:A:131:TYR:CD1	1:A:131:TYR:N	2.30	0.93
1:A:381:LYS:HZ1	1:A:437:ASN:HD22	1.17	0.93
1:A:131:TYR:H	1:A:131:TYR:HD1	0.92	0.83
1:B:293:GLN:HB3	1:B:342:VAL:HG13	1.60	0.82
1:A:293:GLN:HB3	1:A:342:VAL:HG13	1.62	0.81
1:A:381:LYS:NZ	1:A:437:ASN:ND2	2.27	0.80
1:B:191:LEU:HD11	1:B:408:ASP:HB2	1.67	0.77
1:A:307:THR:HB	1:A:349:LEU:O	1.85	0.77
1:A:209:PRO:O	1:A:211:THR:HG22	1.85	0.75
1:A:280:GLU:CG	1:A:280:GLU:O	2.39	0.71
1:A:416:PHE:HA	1:A:419:GLN:HE21	1.54	0.71
1:B:211:THR:HG22	1:B:261:GLN:HG3	1.71	0.71
1:A:197:SER:HB2	1:A:211:THR:HG23	1.73	0.69
1:A:128:GLU:OE2	1:A:141:LYS:NZ	2.22	0.69
1:A:219:GLU:O	1:A:228:ARG:NH2	2.26	0.68
1:A:381:LYS:HZ1	1:A:437:ASN:ND2	1.89	0.67
1:A:131:TYR:N	1:A:131:TYR:HD1	1.76	0.66
1:A:381:LYS:HZ3	1:A:437:ASN:HD22	1.39	0.65
2:A:500:ADP:H8	2:A:500:ADP:H5'1	1.63	0.64
1:B:416:PHE:HA	1:B:419:GLN:HE21	1.63	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:309:ARG:HH12	1:B:347:ASN:HD21	1.45	0.62
1:B:310:GLY:HA2	1:B:365:TYR:HB2	1.81	0.62
1:B:309:ARG:HH12	1:B:347:ASN:ND2	1.98	0.62
1:A:381:LYS:HZ3	1:A:437:ASN:ND2	1.94	0.61
1:B:305:ARG:HG3	1:B:305:ARG:O	1.99	0.61
1:B:146:ARG:HD3	1:B:146:ARG:H	1.65	0.61
1:A:237:ALA:HB2	1:A:251:ILE:HD11	1.83	0.61
1:A:278:GLU:OE1	1:A:278:GLU:HA	1.98	0.61
1:A:320:CYS:HB2	1:A:321:PRO:HD3	1.82	0.61
1:A:279:ALA:O	1:A:281:PRO:HD3	2.01	0.60
2:A:500:ADP:C8	2:A:500:ADP:H5'1	2.35	0.60
1:B:319:ASP:OD1	1:B:320:CYS:N	2.30	0.60
1:A:280:GLU:HG2	1:A:280:GLU:O	2.02	0.60
1:A:309:ARG:HH12	1:A:347:ASN:HD21	1.48	0.59
1:B:102:ASN:HD21	1:B:215:TYR:H	1.49	0.59
1:B:127:PRO:HB3	1:B:140:VAL:HA	1.85	0.59
1:A:154:LYS:HD2	1:A:190:TYR:CE1	2.38	0.58
1:A:284:GLU:OE2	1:B:284:GLU:OE1	2.22	0.58
1:A:164:PRO:O	1:A:165:LYS:C	2.40	0.57
1:A:305:ARG:NH2	1:A:362:TYR:O	2.37	0.57
1:B:185:VAL:HG23	1:B:353:LEU:HD23	1.87	0.56
1:A:305:ARG:HG3	1:A:305:ARG:O	2.06	0.55
1:A:309:ARG:HH12	1:A:347:ASN:ND2	2.06	0.53
1:A:211:THR:HG21	1:A:261:GLN:HE21	1.74	0.53
1:A:430:LEU:HD22	1:A:434:LEU:HD22	1.92	0.52
1:A:284:GLU:HG2	1:B:291:LEU:HD12	1.92	0.51
1:A:308:ASP:O	1:A:313:ASN:OD1	2.29	0.50
1:A:438:LYS:NZ	1:A:442:HIS:HB3	2.26	0.50
1:B:183:CYS:HB2	1:B:354:LYS:HG3	1.94	0.50
1:A:281:PRO:HG2	1:B:373:LYS:HB3	1.93	0.49
1:B:211:THR:HG21	1:B:261:GLN:HE21	1.77	0.49
1:B:210:ARG:NH1	1:B:210:ARG:HB2	2.28	0.49
1:A:304:ILE:HD12	1:A:350:ALA:CB	2.44	0.48
1:B:130:ILE:HG12	1:B:137:SER:O	2.14	0.47
1:B:163:ASN:HD22	1:B:165:LYS:HB2	1.80	0.47
1:A:130:ILE:O	1:A:130:ILE:HG22	2.14	0.47
1:A:277:PHE:HA	1:A:280:GLU:O	2.16	0.46
1:B:136:GLY:O	1:B:152:LYS:HA	2.16	0.46
1:A:130:ILE:HG22	1:A:133:GLY:H	1.81	0.46
1:B:131:TYR:HB2	1:B:134:SER:HB3	1.98	0.46
1:B:166:TRP:O	1:B:169:TRP:HB3	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:ILE:H	1:B:147:ILE:HD12	1.81	0.45
1:B:310:GLY:HA2	1:B:365:TYR:CB	2.46	0.45
1:B:209:PRO:O	1:B:211:THR:HG22	2.17	0.45
1:B:197:SER:HB2	1:B:211:THR:HG23	1.99	0.45
1:B:120:ALA:HB2	1:B:143:PRO:HD3	1.97	0.45
1:B:129:ARG:HD2	1:B:135:SER:HB2	1.99	0.45
1:A:155:ASN:C	1:A:155:ASN:HD22	2.19	0.45
1:B:226:ILE:HD12	1:B:226:ILE:H	1.82	0.45
1:A:266:GLY:O	1:A:317:LYS:HG3	2.18	0.44
1:A:127:PRO:HA	1:A:139:PHE:O	2.17	0.44
1:A:313:ASN:HA	1:A:313:ASN:HD22	1.53	0.44
1:B:110:PHE:CE2	1:B:212:LYS:HB2	2.53	0.44
1:B:223:TYR:HB2	1:B:228:ARG:HH21	1.83	0.43
1:A:224:SER:O	1:A:228:ARG:HG3	2.17	0.43
1:B:121:ILE:HG13	1:B:122:GLU:N	2.33	0.43
1:B:345:ILE:HD13	2:B:500:ADP:H2'	2.00	0.43
1:A:155:ASN:HD22	1:A:156:GLU:N	2.16	0.43
1:B:293:GLN:CB	1:B:342:VAL:HG13	2.41	0.43
1:A:293:GLN:OE1	1:A:341:LYS:HE2	2.18	0.43
1:A:267:TYR:CG	1:A:317:LYS:HB2	2.54	0.43
1:A:280:GLU:HG3	1:A:280:GLU:O	2.14	0.43
1:B:228:ARG:HB2	1:B:228:ARG:HE	1.59	0.42
1:A:300:LEU:O	1:A:304:ILE:HG12	2.19	0.42
1:A:310:GLY:HA2	1:A:365:TYR:HB2	2.02	0.42
1:B:223:TYR:HB2	1:B:228:ARG:NH2	2.35	0.42
1:B:306:ASN:HD22	1:B:307:THR:N	2.17	0.42
1:A:142:ASP:HB2	1:A:143:PRO:CD	2.48	0.42
1:B:113:VAL:HG21	1:B:262:LEU:HD21	2.02	0.42
2:B:500:ADP:O5'	2:B:500:ADP:H8	2.03	0.42
1:B:151:PHE:CD2	1:B:153:PRO:HD3	2.55	0.42
1:B:142:ASP:OD1	1:B:143:PRO:HD2	2.20	0.41
1:B:309:ARG:NH1	1:B:347:ASN:ND2	2.67	0.41
1:B:379:GLU:N	1:B:379:GLU:OE2	2.52	0.41
1:A:218:SER:O	1:A:223:TYR:HE2	2.02	0.41
1:A:96:GLN:OE1	1:A:99:ARG:NH2	2.53	0.41
1:A:438:LYS:HZ2	1:A:442:HIS:HB3	1.86	0.41
1:B:101:ARG:HE	1:B:101:ARG:HB2	1.31	0.40
1:A:402:TYR:CE2	1:A:406:LYS:HD2	2.55	0.40
1:B:306:ASN:ND2	1:B:308:ASP:H	2.20	0.40
1:B:388:ILE:HB	1:B:427:ILE:HG23	2.04	0.40
1:B:129:ARG:HD3	1:B:138:TYR:CE1	2.57	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:PRO:O	1:A:77:PHE:HB2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:361:ALA:O	1:B:361:ALA:O[8_555]	1.94	0.26

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	345/384 (90%)	330 (96%)	15 (4%)	0	100	100
1	B	333/384 (87%)	312 (94%)	20 (6%)	1 (0%)	46	81
All	All	678/768 (88%)	642 (95%)	35 (5%)	1 (0%)	56	89

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	158	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/332 (91%)	269 (89%)	34 (11%)	7	27
1	B	292/332 (88%)	264 (90%)	28 (10%)	10	35
All	All	595/664 (90%)	533 (90%)	62 (10%)	9	30

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	106	GLU
1	A	119	LEU
1	A	129	ARG
1	A	130	ILE
1	A	131	TYR
1	A	132	GLN
1	A	155	ASN
1	A	162	LEU
1	A	163	ASN
1	A	167	THR
1	A	170	LEU
1	A	203	LEU
1	A	210	ARG
1	A	211	THR
1	A	226	ILE
1	A	235	ARG
1	A	247	ARG
1	A	248	PHE
1	A	289	GLN
1	A	290	LEU
1	A	292	LEU
1	A	305	ARG
1	A	307	THR
1	A	313	ASN
1	A	341	LYS
1	A	345	ILE
1	A	353	LEU
1	A	382	ASP
1	A	383	LEU
1	A	396	ASP
1	A	430	LEU
1	A	434	LEU
1	A	437	ASN
1	A	449	VAL
1	B	76	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	99	ARG
1	B	101	ARG
1	B	113	VAL
1	B	122	GLU
1	B	137	SER
1	B	146	ARG
1	B	170	LEU
1	B	186	LEU
1	B	203	LEU
1	B	210	ARG
1	B	211	THR
1	B	253	LEU
1	B	280	GLU
1	B	289	GLN
1	B	290	LEU
1	B	292	LEU
1	B	306	ASN
1	B	313	ASN
1	B	320	CYS
1	B	339	VAL
1	B	341	LYS
1	B	342	VAL
1	B	345	ILE
1	B	383	LEU
1	B	429	ASN
1	B	430	LEU
1	B	441	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	ASN
1	A	163	ASN
1	A	187	ASN
1	A	313	ASN
1	A	347	ASN
1	A	419	GLN
1	A	426	GLN
1	A	437	ASN
1	A	445	GLN
1	B	102	ASN
1	B	306	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	347	ASN
1	B	419	GLN
1	B	429	ASN
1	B	445	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	ADP	A	500	-	22,29,29	1.10	1 (4%)	27,45,45	1.86	4 (14%)
2	ADP	B	500	-	22,29,29	1.11	1 (4%)	27,45,45	1.82	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	500	-	-	0/12/32/32	0/3/3/3
2	ADP	B	500	-	-	0/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	ADP	C5-C4	3.59	1.48	1.40
2	B	500	ADP	C5-C4	3.61	1.48	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	ADP	N3-C2-N1	-6.69	123.78	128.89
2	B	500	ADP	N3-C2-N1	-6.53	123.89	128.89
2	A	500	ADP	C4-C5-N7	-3.56	106.20	109.48
2	B	500	ADP	C4-C5-N7	-3.54	106.22	109.48
2	B	500	ADP	C2'-C1'-N9	-2.68	110.19	114.29
2	A	500	ADP	PA-O3A-PB	-2.56	124.08	132.67
2	A	500	ADP	C2'-C3'-C4'	2.22	107.19	102.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	ADP	2	0
2	B	500	ADP	2	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	353/384 (91%)	0.23	11 (3%) 52 33	39, 58, 114, 190	1 (0%)
1	B	341/384 (88%)	0.53	31 (9%) 11 6	41, 68, 130, 210	3 (0%)
All	All	694/768 (90%)	0.38	42 (6%) 25 13	39, 63, 124, 210	4 (0%)

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	169	TRP	11.1
1	B	172	LYS	5.8
1	B	133	GLY	5.4
1	B	169	TRP	5.1
1	B	170	LEU	5.0
1	B	171	GLN	4.8
1	B	93	HIS	4.5
1	B	94	ALA	4.0
1	B	90	ALA	3.9
1	B	451	VAL	3.9
1	B	132	GLN	3.8
1	A	131	TYR	3.7
1	B	87	GLN	3.7
1	A	166	TRP	3.4
1	B	89	ALA	3.4
1	B	71	PRO	3.4
1	B	72	LEU	3.4
1	B	179	PHE	3.3
1	B	84	LEU	3.3
1	B	85	ALA	3.2
1	A	170	LEU	3.1
1	B	134	SER	2.9
1	B	127	PRO	2.9
1	B	83	ALA	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	81	ALA	2.8
1	B	86	ALA	2.7
1	B	144	GLN	2.6
1	B	319	ASP	2.6
1	B	125	ILE	2.5
1	B	92	ALA	2.5
1	B	145	GLY	2.5
1	B	82	GLN	2.4
1	B	124	CYS	2.4
1	A	320	CYS	2.4
1	A	321	PRO	2.3
1	A	86	ALA	2.3
1	A	146	ARG	2.3
1	A	125	ILE	2.3
1	B	166	TRP	2.3
1	B	135	SER	2.2
1	A	167	THR	2.1
1	B	126	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ADP	B	500	27/27	0.74	0.36	2.62	99,111,140,145	0
2	ADP	A	500	27/27	0.88	0.26	0.88	72,81,104,106	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.