



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:16 AM GMT

PDB ID : 3HR5
Title : M1prime peptide from IgE bound by humanized antibody 47H4 Fab
Authors : Eigenbrot, C.W.; Ultsch, M.H.
Deposited on : 2009-06-08
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>23%</div> <div>5%</div> </div> </div>
1	L	219	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>20%</div> <div>•</div> </div> </div>
1	P	219	<div> <div>2%</div> <div> <div></div> <div>76%</div> <div>21%</div> <div>•</div> </div> </div>
1	Q	219	<div> <div>%</div> <div> <div></div> <div>78%</div> <div>18%</div> <div>•</div> </div> </div>
2	B	226	<div> <div>3%</div> <div> <div></div> <div>79%</div> <div>16%</div> <div>• •</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	226	
2	I	226	
2	J	226	
3	R	35	
3	S	35	
3	T	35	
3	V	35	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	404	-	-	-	X
4	GOL	P	402	-	-	X	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab h47H4 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	219	Total	C	N	O	S	0	1	0
			1702	1063	290	342	7			
1	A	219	Total	C	N	O	S	0	2	0
			1713	1069	294	343	7			
1	P	219	Total	C	N	O	S	0	3	0
			1722	1074	295	346	7			
1	Q	219	Total	C	N	O	S	0	4	0
			1726	1077	295	347	7			

- Molecule 2 is a protein called Fab h47H4 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	220	Total	C	N	O	S	0	2	0
			1662	1049	274	331	8			
2	B	220	Total	C	N	O	S	0	1	0
			1656	1046	273	330	7			
2	I	220	Total	C	N	O	S	0	0	0
			1648	1042	272	327	7			
2	J	220	Total	C	N	O	S	0	2	0
			1660	1048	274	330	8			

- Molecule 3 is a protein called M1prime-derived peptide.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	R	9	Total	C	N	O	0	0	0
			71	40	17	14			
3	S	11	Total	C	N	O	0	0	0
			84	48	19	17			
3	T	11	Total	C	N	O	0	0	0
			86	51	19	16			
3	V	10	Total	C	N	O	0	0	0
			78	45	18	15			

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	P	1	Total	C	O	0	0
			6	3	3		
4	Q	1	Total	C	O	0	0
			6	3	3		
4	J	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	L	30	Total	O	0	0
			30	30		
5	H	49	Total	O	0	0
			49	49		
5	A	45	Total	O	0	0
			45	45		
5	B	53	Total	O	0	0
			53	53		
5	P	49	Total	O	0	0
			49	49		
5	I	15	Total	O	0	0
			15	15		
5	Q	35	Total	O	0	0
			35	35		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	J	35	Total	O	0	0
			35	35		
5	S	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab h47H4 light chain




- Molecule 1: Fab h47H4 light chain




- Molecule 1: Fab h47H4 light chain





- Molecule 1: Fab h47H4 light chain







- Molecule 2: Fab h47H4 heavy chain




- Molecule 2: Fab h47H4 heavy chain



- Molecule 2: Fab h47H4 heavy chain




- Molecule 2: Fab h47H4 heavy chain




- Molecule 3: M1prime-derived peptide







- Molecule 3: M1prime-derived peptide



- Molecule 3: M1prime-derived peptide



- Molecule 3: M1prime-derived peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.76Å 183.82Å 194.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 48.73 – 2.40	Depositor EDS
% Data completeness (in resolution range)	89.0 (50.00-2.40) 89.0 (48.73-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.213 , 0.253 0.210 , 0.249	Depositor DCC
R_{free} test set	1040 reflections (1.29%)	DCC
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 81769 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14144	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/1751	0.69	2/2376 (0.1%)
1	L	0.47	0/1740	0.66	2/2362 (0.1%)
1	P	0.48	0/1760	0.68	1/2388 (0.0%)
1	Q	0.49	0/1764	0.68	2/2393 (0.1%)
2	B	0.53	0/1696	0.73	1/2315 (0.0%)
2	H	0.53	0/1702	0.70	0/2323
2	I	0.49	0/1688	0.65	1/2304 (0.0%)
2	J	0.50	0/1700	0.67	0/2320
3	R	0.53	0/71	0.71	0/94
3	S	0.54	0/84	0.75	0/112
3	T	0.40	0/86	0.61	0/115
3	V	0.45	0/78	0.79	0/104
All	All	0.50	0/14120	0.68	9/19206 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	180	LEU	CA-CB-CG	8.72	135.36	115.30
1	P	180	LEU	CA-CB-CG	8.10	133.92	115.30
1	L	38	LEU	CA-CB-CG	-5.92	101.69	115.30
1	A	180	LEU	CA-CB-CG	5.36	127.62	115.30
2	B	4	LEU	CA-CB-CG	5.31	127.52	115.30
2	I	4	LEU	CA-CB-CG	5.27	127.42	115.30
1	A	186	LEU	CA-CB-CG	5.22	127.31	115.30
1	Q	140	LEU	CA-CB-CG	5.22	127.31	115.30
1	Q	180	LEU	CA-CB-CG	5.15	127.15	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1713	0	1663	49	0
1	L	1702	0	1650	36	0
1	P	1722	0	1667	36	0
1	Q	1726	0	1673	40	0
2	B	1656	0	1605	20	0
2	H	1662	0	1607	31	0
2	I	1648	0	1601	29	0
2	J	1660	0	1608	28	0
3	R	71	0	67	2	0
3	S	84	0	81	4	0
3	T	86	0	87	2	0
3	V	78	0	76	3	0
4	A	6	0	8	2	0
4	J	6	0	8	3	0
4	P	6	0	8	7	0
4	Q	6	0	8	0	0
5	A	45	0	0	3	0
5	B	53	0	0	3	0
5	H	49	0	0	2	0
5	I	15	0	0	1	0
5	J	35	0	0	1	0
5	L	30	0	0	1	0
5	P	49	0	0	4	0
5	Q	35	0	0	2	0
5	S	1	0	0	0	0
All	All	14144	0	13417	262	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (262) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:218:GLU:O	1:Q:219:CYS:OXT	1.54	1.24
1:L:45:PRO:HG2	1:L:170:GLU:HG2	1.27	1.13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:GLN:HG2	1:A:23[A]:CYS:SG	1.93	1.07
1:L:2:ILE:HD11	1:L:98:LEU:HD12	1.41	1.01
2:B:57:THR:HG21	3:S:10:GLN:OE1	1.63	0.97
1:L:43:GLN:HE22	2:H:39:GLN:HE22	1.18	0.91
1:L:45:PRO:CG	1:L:170:GLU:HG2	2.04	0.87
2:I:135:THR:O	2:I:136:SER:OG	1.93	0.86
2:H:135:THR:O	2:H:136:SER:OG	1.95	0.84
1:Q:29:LEU:O	1:Q:97:THR:HG21	1.77	0.84
2:J:171:PRO:HA	4:J:401:GOL:H11	1.59	0.84
1:L:6:GLN:HG3	1:L:23[A]:CYS:SG	2.18	0.83
2:I:87:ARG:O	2:I:115:VAL:HG11	1.80	0.81
1:L:2:ILE:HD11	1:L:98:LEU:CD1	2.12	0.80
1:L:6:GLN:CG	1:L:23[A]:CYS:SG	2.69	0.80
1:P:6:GLN:HG3	1:P:23[A]:CYS:SG	2.23	0.79
2:B:54:LEU:HD11	3:S:15:ARG:HG3	1.65	0.78
1:Q:43:GLN:HE22	2:J:39:GLN:HE22	1.33	0.76
1:P:43:GLN:HE22	2:I:39:GLN:HE22	1.33	0.75
1:P:45:PRO:HG3	1:P:170:GLU:HG2	1.69	0.74
1:A:110:GLU:HG3	1:A:178:TYR:OH	1.87	0.74
1:A:85:PRO:HA	1:A:111:ILE:HG21	1.69	0.74
2:I:204:HIS:HD2	2:I:207:SER:OG	1.69	0.73
1:L:88:PHE:CZ	1:L:170:GLU:HG3	2.24	0.72
2:I:12:VAL:HG21	2:I:18:LEU:HG	1.70	0.72
1:Q:130:LEU:O	1:Q:188:LYS:HD3	1.89	0.71
2:B:98:ARG:HD2	2:B:105:ASP:OD1	1.91	0.71
1:P:203:HIS:CD2	1:P:205:GLY:H	2.09	0.71
2:J:155:THR:HG22	5:J:227:HOH:O	1.90	0.71
1:A:42:GLN:HE22	4:A:404:GOL:H32	1.58	0.69
2:B:30:SER:O	2:B:53[A]:ASP:OD1	2.11	0.69
2:I:98:ARG:HD2	2:I:105:ASP:OD1	1.92	0.69
2:B:151:PRO:O	2:B:204:HIS:HE1	1.76	0.68
1:L:85:PRO:HA	1:L:111:ILE:HD12	1.76	0.68
2:H:151:PRO:O	2:H:204:HIS:HE1	1.77	0.68
1:A:2:ILE:HD11	1:A:98:LEU:HD13	1.74	0.67
1:A:203:HIS:CD2	1:A:205:GLY:H	2.12	0.67
1:P:169:THR:HG21	5:P:220:HOH:O	1.95	0.67
1:L:39:HIS:HD2	1:L:55:LYS:H	1.43	0.66
1:A:43:GLN:HE22	2:B:39:GLN:HE22	1.43	0.66
1:P:169:THR:HG22	1:P:170:GLU:O	1.95	0.66
1:L:6:GLN:HG2	1:L:23[A]:CYS:SG	2.35	0.65
1:P:203:HIS:HD2	1:P:205:GLY:H	1.43	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:135:THR:O	2:B:136:SER:OG	2.14	0.65
2:B:83:MET:HE2	2:B:86:LEU:HD21	1.78	0.64
1:Q:216:ARG:HG2	1:Q:217:GLY:N	2.12	0.64
2:H:71:SER:CB	4:P:402:GOL:H12	2.28	0.64
1:Q:6:GLN:HG2	1:Q:23[A]:CYS:SG	2.38	0.64
2:J:204:HIS:HD2	2:J:207:SER:OG	1.81	0.64
1:A:117:ALA:HB1	1:A:206:LEU:HD13	1.80	0.63
1:L:88:PHE:HZ	1:L:170:GLU:HG3	1.63	0.63
2:J:172:ALA:H	4:J:401:GOL:C1	2.12	0.63
1:Q:203:HIS:CD2	1:Q:205:GLY:H	2.16	0.63
1:A:3:GLN:HG2	1:A:26:SER:HB3	1.80	0.62
2:I:155:THR:HG22	5:I:233:HOH:O	1.99	0.62
1:P:37:TYR:HB2	1:P:97:THR:HG22	1.81	0.62
1:P:117:ALA:HB1	1:P:206:LEU:HD13	1.81	0.62
3:T:13:PRO:HG2	3:T:16:VAL:HG23	1.81	0.62
1:A:29:LEU:O	1:A:97:THR:HG21	2.00	0.62
1:P:68:SER:HB2	4:P:402:GOL:H11	1.82	0.61
1:P:88:PHE:HZ	1:P:170:GLU:HG3	1.65	0.61
1:L:39:HIS:CD2	1:L:55:LYS:H	2.17	0.61
2:I:83:MET:HE2	2:I:86:LEU:HD21	1.82	0.61
1:L:38:LEU:HG	1:L:39:HIS:N	2.12	0.61
2:J:151:PRO:O	2:J:204:HIS:HE1	1.84	0.60
1:Q:6:GLN:CG	1:Q:23[A]:CYS:SG	2.89	0.60
2:B:204:HIS:HD2	2:B:207:SER:OG	1.85	0.59
1:Q:203:HIS:HD2	1:Q:205:GLY:H	1.50	0.59
1:P:68:SER:HB2	4:P:402:GOL:C1	2.32	0.59
2:H:100:ASN:HB2	2:H:103:ALA:H	1.67	0.59
2:J:64:VAL:HG13	2:J:68:PHE:HB2	1.83	0.59
1:Q:38:LEU:HD22	1:Q:76:PHE:CG	2.37	0.59
1:P:88:PHE:CZ	1:P:170:GLU:HG3	2.38	0.58
1:Q:2:ILE:HD11	1:Q:98:LEU:HD13	1.85	0.58
1:P:6:GLN:NE2	1:P:91:TYR:O	2.36	0.58
5:P:297:HOH:O	2:I:133:LYS:HB2	2.03	0.58
1:P:196:VAL:HG22	1:P:215:ASN:ND2	2.18	0.58
2:H:204:HIS:HD2	2:H:207:SER:OG	1.87	0.58
2:B:1:GLU:O	2:B:26:GLY:HA3	2.04	0.58
2:B:32:TYR:O	2:B:72:ARG:NH2	2.38	0.57
2:I:98:ARG:CD	2:I:105:ASP:OD1	2.52	0.57
1:A:13:ALA:HB3	1:A:83:LEU:HD22	1.86	0.57
2:H:71:SER:HB2	4:P:402:GOL:H12	1.87	0.57
1:A:39:HIS:CD2	1:A:55:LYS:H	2.23	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:THR:HG22	1:A:75:ASP:OD2	2.04	0.56
2:J:135:THR:O	2:J:136:SER:OG	2.19	0.56
1:A:203:HIS:HD2	1:A:205:GLY:H	1.51	0.56
1:A:96:ASN:ND2	5:A:241:HOH:O	2.35	0.56
1:P:29:LEU:O	1:P:97:THR:HG21	2.05	0.56
1:A:39:HIS:HD2	1:A:55:LYS:H	1.52	0.56
1:A:85:PRO:HA	1:A:111:ILE:HD12	1.88	0.56
2:I:100:ASN:O	2:I:101:TRP:HB2	2.06	0.56
2:H:132:SER:O	2:H:134:SER:N	2.39	0.56
2:H:98:ARG:HD2	2:H:105:ASP:OD1	2.06	0.56
2:I:72:ARG:HD3	2:I:74:ASN:OD1	2.06	0.55
1:Q:98:LEU:HD23	3:V:7:ALA:HB1	1.89	0.55
2:J:4:LEU:HB3	2:J:96[A]:CYS:SG	2.46	0.55
1:A:45:PRO:CB	1:A:170:GLU:HG3	2.37	0.55
1:A:217:GLY:C	1:A:219:CYS:H	2.08	0.55
1:P:216:ARG:HG2	1:P:217:GLY:N	2.22	0.55
2:H:214:LYS:HE3	2:H:216:GLU:HG3	1.88	0.54
1:A:111:ILE:HG12	1:A:111:ILE:O	2.06	0.54
2:J:53:ASP:HB2	2:J:101:TRP:HZ2	1.73	0.54
2:B:155:THR:HG22	5:B:227:HOH:O	2.08	0.54
2:J:98:ARG:HD2	2:J:105:ASP:OD1	2.06	0.54
1:A:217:GLY:C	1:A:219:CYS:N	2.60	0.54
1:P:2:ILE:HD11	1:P:98:LEU:HD13	1.90	0.54
2:J:32:TYR:O	2:J:72:ARG:NH2	2.41	0.53
2:I:123:PRO:HB3	2:I:149:TYR:HB3	1.90	0.53
1:A:6:GLN:CG	1:A:23[A]:CYS:SG	2.84	0.53
1:P:45:PRO:CG	1:P:170:GLU:HG2	2.38	0.52
1:Q:216:ARG:HG2	1:Q:217:GLY:H	1.74	0.52
1:A:36:THR:HG21	5:A:243:HOH:O	2.08	0.52
1:Q:39:HIS:HE1	1:Q:96:ASN:HB2	1.73	0.52
2:H:64:VAL:HG13	2:H:68:PHE:HB2	1.92	0.52
2:H:3:GLN:HG2	2:H:25:SER:HB3	1.92	0.52
1:A:206:LEU:HG	1:A:210:VAL:HG23	1.92	0.52
2:J:99:ASP:OD2	3:V:11:ARG:NH2	2.27	0.52
2:H:12:VAL:HG21	2:H:18:LEU:HG	1.92	0.52
1:Q:37:TYR:HB2	1:Q:97:THR:HG22	1.92	0.51
1:P:196:VAL:HG22	1:P:215:ASN:HD21	1.75	0.51
1:Q:111:ILE:HG12	1:Q:171:GLN:OE1	2.10	0.51
2:B:53[A]:ASP:HB2	2:B:101:TRP:HZ2	1.76	0.51
1:P:69:GLY:O	4:P:402:GOL:O2	2.26	0.51
1:A:74:THR:HG21	5:A:221:HOH:O	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:6:GLN:O	1:L:105:GLN:NE2	2.44	0.50
2:J:100:ASN:HB2	2:J:103:ALA:H	1.77	0.50
2:I:151:PRO:O	2:I:204:HIS:HE1	1.94	0.50
1:A:45:PRO:HB3	1:A:170:GLU:HG3	1.93	0.50
1:A:39:HIS:HD2	1:A:54:TYR:HA	1.77	0.50
2:J:53:ASP:HB2	2:J:101:TRP:CZ2	2.47	0.50
1:A:38:LEU:HG	1:A:39:HIS:N	2.26	0.50
1:L:13:ALA:HB3	1:L:83:LEU:HD22	1.94	0.50
1:P:169:THR:CG2	5:P:220:HOH:O	2.58	0.50
2:H:32:TYR:O	2:H:72:ARG:NH2	2.41	0.50
3:S:11:ARG:HA	3:S:11:ARG:NE	2.27	0.49
2:I:64:VAL:HG13	2:I:68:PHE:HB2	1.93	0.49
1:Q:134:THR:HB	5:Q:259:HOH:O	2.11	0.49
1:Q:180:LEU:HD12	1:Q:181:SER:N	2.27	0.49
2:I:131:SER:HB3	2:I:134:SER:O	2.13	0.49
1:Q:43:GLN:NE2	2:J:39:GLN:HE22	2.04	0.49
1:A:166:GLU:HB3	1:A:180:LEU:HD11	1.95	0.49
1:Q:37:TYR:HB2	1:Q:97:THR:CG2	2.43	0.48
1:P:191:TYR:CZ	1:P:216:ARG:HG3	2.49	0.48
1:P:39:HIS:HD2	1:P:55:LYS:H	1.61	0.48
1:A:72:SER:O	1:A:74:THR:N	2.46	0.48
1:L:14:SER:O	1:L:17:ASP:HB2	2.13	0.48
1:Q:111:ILE:HD12	1:Q:176:SER:OG	2.13	0.48
1:A:113:ARG:HG2	1:A:114:THR:N	2.29	0.48
1:P:59[A]:ARG:HD3	5:P:249:HOH:O	2.13	0.48
2:J:34:ILE:CG2	2:J:79:LEU:HD22	2.43	0.48
1:L:203:HIS:CD2	1:L:205:GLY:H	2.32	0.48
1:L:33:ASN:HD22	1:L:33:ASN:C	2.17	0.47
1:P:38:LEU:HD13	1:P:76:PHE:CD1	2.49	0.47
2:I:4:LEU:HB3	2:I:96:CYS:SG	2.54	0.47
1:Q:117:ALA:HB1	1:Q:206:LEU:HD13	1.97	0.47
1:Q:146:PRO:O	1:Q:203:HIS:HE1	1.97	0.47
2:H:53[B]:ASP:OD2	3:R:14:ASP:N	2.45	0.47
1:A:168:VAL:HG22	1:A:180:LEU:HD22	1.97	0.47
1:L:145:TYR:CG	1:L:146:PRO:HA	2.51	0.46
1:P:39:HIS:CD2	1:P:55:LYS:H	2.33	0.46
1:A:113:ARG:HG2	1:A:114:THR:H	1.80	0.46
1:Q:6:GLN:HG3	1:Q:23[A]:CYS:SG	2.56	0.46
2:H:6:GLU:HG3	2:H:96[A]:CYS:SG	2.55	0.46
1:Q:191:TYR:CZ	1:Q:216:ARG:HG3	2.51	0.46
1:A:3:GLN:HG2	1:A:26:SER:CB	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:152[B]:GLN:OE1	1:Q:154:LYS:HG3	2.15	0.46
1:L:168:VAL:HG22	1:L:180:LEU:HD22	1.97	0.46
2:J:83:MET:HE2	2:J:86:LEU:HD21	1.98	0.46
2:I:131:SER:HB3	2:I:135:THR:HA	1.97	0.46
1:A:146:PRO:O	1:A:203:HIS:HE1	1.99	0.46
2:I:205:LYS:N	2:I:206:PRO:CD	2.79	0.46
1:P:71:GLY:HA3	1:P:76:PHE:HA	1.98	0.45
2:I:9:GLY:HA3	2:I:111:THR:OG1	2.16	0.45
1:A:147[B]:ARG:CZ	1:A:168:VAL:HG21	2.46	0.45
1:L:95:GLN:C	1:L:96:ASN:HD22	2.19	0.45
2:H:53[B]:ASP:N	2:H:53[B]:ASP:OD1	2.49	0.45
2:H:168:HIS:HB2	2:H:185:VAL:HG12	1.97	0.45
2:H:199:ILE:HG13	2:H:214:LYS:HA	1.98	0.45
2:B:62:ASP:O	2:B:65:THR:HG22	2.17	0.45
1:A:42:GLN:OE1	4:A:404:GOL:H11	2.17	0.45
2:H:68:PHE:HA	2:H:82:GLN:O	2.17	0.45
2:B:68:PHE:HA	2:B:82:GLN:O	2.16	0.45
2:J:204:HIS:CD2	2:J:207:SER:OG	2.66	0.44
2:H:72:ARG:HD3	2:H:74:ASN:OD1	2.17	0.44
2:B:132:SER:HB2	5:B:282:HOH:O	2.17	0.44
2:I:63:THR:HG23	2:I:64:VAL:HG23	2.00	0.44
3:T:11:ARG:NE	3:T:11:ARG:HA	2.32	0.44
1:A:39:HIS:CD2	1:A:54:TYR:HA	2.52	0.44
1:Q:37:TYR:HD1	1:Q:97:THR:HG22	1.83	0.44
1:L:60:PHE:CZ	2:H:105:ASP:HB2	2.53	0.44
2:I:88:ALA:HA	2:I:115:VAL:HG13	2.00	0.44
2:J:120:THR:HA	2:J:150:PHE:O	2.17	0.44
1:Q:218:GLU:O	1:Q:219:CYS:C	2.41	0.44
1:A:45:PRO:CG	1:A:170:GLU:HG3	2.48	0.44
2:H:51:ILE:HD11	4:P:402:GOL:H2	1.99	0.44
2:J:109:GLN:CD	2:J:109:GLN:H	2.21	0.44
1:A:43:GLN:NE2	2:B:39:GLN:HE22	2.11	0.43
2:I:68:PHE:HA	2:I:82:GLN:O	2.17	0.43
1:L:39:HIS:HD2	1:L:55:LYS:N	2.13	0.43
1:Q:49:PRO:HG2	2:J:107:TRP:CZ3	2.53	0.43
2:B:56:TYR:CD1	3:S:14:ASP:HB3	2.53	0.43
2:H:139:THR:HG22	5:H:283:HOH:O	2.18	0.43
1:Q:217:GLY:C	1:Q:219:CYS:H	2.20	0.43
2:I:100:ASN:HB2	2:I:103:ALA:H	1.84	0.43
1:Q:134:THR:HG22	1:Q:135:ALA:N	2.33	0.43
1:Q:130:LEU:HD12	1:Q:188:LYS:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:100:ASN:ND2	5:H:253:HOH:O	2.51	0.43
2:H:53[B]:ASP:CG	3:R:14:ASP:H	2.22	0.43
1:P:168:VAL:HG22	1:P:180:LEU:HD22	2.01	0.43
1:P:120:VAL:HA	1:P:140:LEU:O	2.17	0.43
1:Q:39:HIS:HD2	1:Q:55:LYS:H	1.67	0.43
1:L:156:ASP:O	1:L:157:ASN:HB2	2.19	0.43
2:H:143:GLY:HA2	2:H:158:TRP:CH2	2.54	0.42
2:J:130:PRO:HG3	2:J:142:LEU:HB3	2.01	0.42
1:L:38:LEU:HD22	1:L:76:PHE:CG	2.54	0.42
1:L:29:LEU:O	1:L:97:THR:HG21	2.19	0.42
2:I:2:VAL:HG13	2:I:27:PHE:CD1	2.53	0.42
1:P:52:LEU:HA	1:P:63:VAL:HG21	2.00	0.42
1:A:29:LEU:HD12	1:A:76:PHE:CE1	2.55	0.42
2:I:22:CYS:HB3	2:I:79:LEU:HB3	2.01	0.42
1:L:108:LYS:HG2	5:L:239:HOH:O	2.20	0.42
2:H:83:MET:HB3	2:H:86:LEU:HD21	2.02	0.42
1:A:113:ARG:HD3	1:A:114:THR:O	2.20	0.42
1:L:146:PRO:O	1:L:203:HIS:HE1	2.02	0.42
2:H:205:LYS:HE3	5:B:285:HOH:O	2.20	0.42
1:Q:10:SER:HA	1:Q:108:LYS:O	2.20	0.42
1:Q:218:GLU:C	1:Q:219:CYS:OXT	2.40	0.42
1:P:88:PHE:O	1:P:89:ALA:HB2	2.20	0.41
1:L:111:ILE:HG13	1:L:176:SER:OG	2.20	0.41
2:I:32:TYR:O	2:I:72:ARG:NH2	2.50	0.41
2:B:132:SER:O	2:B:133:LYS:HB3	2.20	0.41
1:P:188:LYS:HE3	1:P:192[A]:GLU:OE2	2.20	0.41
1:P:43:GLN:NE2	2:I:39:GLN:HE22	2.07	0.41
1:Q:37:TYR:CE1	3:V:11:ARG:HG3	2.54	0.41
1:Q:25:SER:HB3	1:Q:27:GLN:O	2.20	0.41
2:B:151:PRO:O	2:B:204:HIS:CE1	2.65	0.41
2:H:100:ASN:O	2:H:101:TRP:HB2	2.21	0.41
2:J:34:ILE:HG21	2:J:79:LEU:HD22	2.01	0.41
1:L:53:ILE:HA	1:L:58:ASN:O	2.20	0.41
1:A:168:VAL:HG22	1:A:180:LEU:HD13	2.03	0.41
1:L:113:ARG:HG2	1:L:114:THR:N	2.36	0.41
2:J:68:PHE:HA	2:J:82:GLN:O	2.21	0.41
1:A:63:VAL:HA	1:A:64:PRO:HD3	1.96	0.41
1:L:2:ILE:CD1	1:L:98:LEU:HD12	2.30	0.41
2:J:3:GLN:HG3	2:J:25:SER:HB3	2.03	0.41
2:H:188:VAL:HB	2:H:189:PRO:HD2	2.03	0.41
1:A:20:THR:HG23	1:A:77:THR:HG23	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:150:LYS:HB3	1:A:202:THR:HB	2.01	0.41
2:I:216:GLU:OE2	2:I:217:PRO:HD2	2.20	0.41
1:L:105:GLN:H	1:L:105:GLN:HG3	1.60	0.40
1:A:2:ILE:CD1	1:A:98:LEU:HD13	2.49	0.40
1:Q:25:SER:HB2	1:Q:74:THR:HA	2.03	0.40
2:J:172:ALA:N	4:J:401:GOL:C1	2.83	0.40
1:Q:43:GLN:HE22	2:J:39:GLN:NE2	2.09	0.40
1:P:39:HIS:HE1	1:P:96:ASN:HB2	1.85	0.40
1:Q:166:GLU:HG3	5:Q:241:HOH:O	2.20	0.40
1:P:68:SER:HB2	4:P:402:GOL:H32	2.03	0.40
1:L:31:HIS:HB3	1:L:33:ASN:ND2	2.36	0.40
1:A:12:SER:OG	1:A:110:GLU:OE2	2.40	0.40
1:L:85:PRO:O	1:L:111:ILE:HD12	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/219 (100%)	209 (95%)	9 (4%)	1 (0%)	34	48
1	L	218/219 (100%)	208 (95%)	10 (5%)	0	100	100
1	P	220/219 (100%)	210 (96%)	10 (4%)	0	100	100
1	Q	221/219 (101%)	214 (97%)	7 (3%)	0	100	100
2	B	219/226 (97%)	206 (94%)	12 (6%)	1 (0%)	34	48
2	H	220/226 (97%)	206 (94%)	11 (5%)	3 (1%)	14	19
2	I	218/226 (96%)	206 (94%)	10 (5%)	2 (1%)	21	30
2	J	220/226 (97%)	207 (94%)	10 (4%)	3 (1%)	14	19
3	R	7/35 (20%)	7 (100%)	0	0	100	100
3	S	9/35 (26%)	8 (89%)	1 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	T	9/35 (26%)	9 (100%)	0	0	100	100
3	V	8/35 (23%)	7 (88%)	1 (12%)	0	100	100
All	All	1788/1920 (93%)	1697 (95%)	81 (4%)	10 (1%)	30	43

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	53	ASP
2	J	53	ASP
2	H	133	LYS
2	H	131	SER
1	A	73	GLY
2	H	138	GLY
2	B	133	LYS
2	I	133	LYS
2	J	131	SER
2	J	138	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/196 (101%)	177 (89%)	21 (11%)	8	12
1	L	197/196 (100%)	179 (91%)	18 (9%)	12	17
1	P	199/196 (102%)	179 (90%)	20 (10%)	9	13
1	Q	200/196 (102%)	184 (92%)	16 (8%)	15	23
2	B	184/189 (97%)	168 (91%)	16 (9%)	13	19
2	H	185/189 (98%)	174 (94%)	11 (6%)	24	38
2	I	183/189 (97%)	172 (94%)	11 (6%)	24	37
2	J	185/189 (98%)	172 (93%)	13 (7%)	19	29
3	R	7/27 (26%)	7 (100%)	0	100	100
3	S	9/27 (33%)	9 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	T	9/27 (33%)	8 (89%)	1 (11%)	8	10
3	V	8/27 (30%)	8 (100%)	0	100	100
All	All	1564/1648 (95%)	1437 (92%)	127 (8%)	15	22

All (127) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1	ASP
1	L	5	THR
1	L	33	ASN
1	L	36	THR
1	L	55	LYS
1	L	96	ASN
1	L	97	THR
1	L	105	GLN
1	L	111	ILE
1	L	130	LEU
1	L	140	LEU
1	L	161	SER
1	L	164	SER
1	L	180	LEU
1	L	186	LEU
1	L	190	ASP
1	L	208	SER
1	L	219	CYS
2	H	12	VAL
2	H	17	SER
2	H	34	ILE
2	H	43	LYS
2	H	72	ARG
2	H	98	ARG
2	H	116	SER
2	H	174	LEU
2	H	179	LEU
2	H	185	VAL
2	H	213	LYS
1	A	12	SER
1	A	23[A]	CYS
1	A	23[B]	CYS
1	A	27	GLN
1	A	36	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	38	LEU
1	A	63	VAL
1	A	74	THR
1	A	97	THR
1	A	108	LYS
1	A	111	ILE
1	A	119	SER
1	A	128	GLU
1	A	130	LEU
1	A	140	LEU
1	A	159	LEU
1	A	180	LEU
1	A	186	LEU
1	A	206	LEU
1	A	208	SER
1	A	212	LYS
2	B	7	SER
2	B	12	VAL
2	B	43	LYS
2	B	57	THR
2	B	64	VAL
2	B	87	ARG
2	B	98	ARG
2	B	102	ASP
2	B	139	THR
2	B	155	THR
2	B	174	LEU
2	B	176	SER
2	B	179	LEU
2	B	185	VAL
2	B	218	LYS
2	B	219	SER
1	P	1	ASP
1	P	3	GLN
1	P	23[A]	CYS
1	P	23[B]	CYS
1	P	36	THR
1	P	38	LEU
1	P	61	SER
1	P	70	SER
1	P	74	THR
1	P	97	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	P	98	LEU
1	P	113	ARG
1	P	130	LEU
1	P	140	LEU
1	P	159	LEU
1	P	180	LEU
1	P	193	LYS
1	P	195	LYS
1	P	206	LEU
1	P	219	CYS
2	I	17	SER
2	I	43	LYS
2	I	64	VAL
2	I	87	ARG
2	I	98	ARG
2	I	139	THR
2	I	154	VAL
2	I	155	THR
2	I	174	LEU
2	I	179	LEU
2	I	213	LYS
1	Q	1	ASP
1	Q	36	THR
1	Q	70	SER
1	Q	74	THR
1	Q	94	SER
1	Q	96	ASN
1	Q	111	ILE
1	Q	130	LEU
1	Q	140	LEU
1	Q	159	LEU
1	Q	180	LEU
1	Q	186	LEU
1	Q	188	LYS
1	Q	206	LEU
1	Q	208	SER
1	Q	219	CYS
2	J	12	VAL
2	J	20	LEU
2	J	25	SER
2	J	43	LYS
2	J	71	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	J	87	ARG
2	J	98	ARG
2	J	139	THR
2	J	155	THR
2	J	174	LEU
2	J	179	LEU
2	J	185	VAL
2	J	205	LYS
3	T	9	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	33	ASN
1	L	39	HIS
1	L	96	ASN
1	L	203	HIS
1	L	215	ASN
2	H	39	GLN
2	H	204	HIS
1	A	39	HIS
1	A	203	HIS
1	A	215	ASN
2	B	39	GLN
2	B	204	HIS
1	P	39	HIS
1	P	165	GLN
1	P	203	HIS
1	P	215	ASN
2	I	39	GLN
2	I	204	HIS
1	Q	39	HIS
1	Q	58	ASN
1	Q	96	ASN
1	Q	203	HIS
1	Q	215	ASN
2	J	39	GLN
2	J	204	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	404	-	5,5,5	0.46	0	5,5,5	0.44	0
4	GOL	J	401	-	5,5,5	0.37	0	5,5,5	0.54	0
4	GOL	P	402	-	5,5,5	0.56	0	5,5,5	1.16	0
4	GOL	Q	403	-	5,5,5	0.40	0	5,5,5	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	404	-	-	0/4/4/4	0/0/0/0
4	GOL	J	401	-	-	0/4/4/4	0/0/0/0
4	GOL	P	402	-	-	0/4/4/4	0/0/0/0
4	GOL	Q	403	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	404	GOL	2	0
4	J	401	GOL	3	0
4	P	402	GOL	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/219 (100%)	-0.23	3 (1%) 78 77	30, 40, 54, 81	4 (1%)
1	L	219/219 (100%)	0.03	7 (3%) 51 51	30, 40, 54, 98	3 (1%)
1	P	219/219 (100%)	-0.13	4 (1%) 71 71	30, 39, 53, 105	4 (1%)
1	Q	219/219 (100%)	-0.10	3 (1%) 78 77	31, 39, 54, 101	4 (1%)
2	B	220/226 (97%)	-0.02	6 (2%) 58 57	26, 37, 62, 103	8 (3%)
2	H	220/226 (97%)	0.27	17 (7%) 16 16	25, 37, 64, 105	8 (3%)
2	I	220/226 (97%)	0.40	16 (7%) 18 18	27, 38, 63, 111	10 (4%)
2	J	220/226 (97%)	0.20	7 (3%) 51 51	26, 38, 61, 108	9 (4%)
3	R	9/35 (25%)	-0.48	0 100 100	37, 42, 54, 62	0
3	S	11/35 (31%)	-0.18	0 100 100	37, 42, 62, 80	1 (9%)
3	T	11/35 (31%)	0.21	0 100 100	37, 40, 46, 53	0
3	V	10/35 (28%)	0.01	0 100 100	37, 42, 51, 57	0
All	All	1797/1920 (93%)	0.05	63 (3%) 48 48	25, 39, 57, 111	51 (2%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	I	137	GLY	19.7
2	H	136	SER	17.5
2	J	137	GLY	16.2
2	B	136	SER	15.8
2	I	134	SER	15.1
2	J	136	SER	14.4
1	L	219	CYS	14.0
2	J	133	LYS	12.8
2	H	132	SER	12.6
2	J	135	THR	12.6
2	J	134	SER	12.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	218	GLU	11.7
2	I	131	SER	11.2
2	J	132	SER	10.2
2	I	135	THR	10.2
2	H	133	LYS	9.9
2	I	133	LYS	9.8
1	L	217	GLY	9.7
2	H	135	THR	9.6
2	B	134	SER	9.2
1	P	219	CYS	8.9
2	B	137	GLY	8.8
2	I	132	SER	8.5
2	B	135	THR	8.4
1	Q	219	CYS	8.0
2	B	132	SER	7.8
2	I	136	SER	7.8
2	H	220	CYS	7.2
2	H	134	SER	6.4
2	B	133	LYS	6.0
1	Q	217	GLY	5.6
2	H	131	SER	5.6
2	H	219	SER	5.5
1	P	217	GLY	5.4
2	H	216	GLU	4.2
2	H	195	THR	4.1
1	A	219	CYS	3.9
2	H	218	LYS	3.9
2	I	56	TYR	3.8
1	A	217	GLY	3.7
2	J	220	CYS	3.7
1	A	1	ASP	3.6
1	P	1	ASP	3.4
1	Q	218	GLU	3.3
2	H	191	SER	3.2
2	H	193	LEU	3.1
2	H	194	GLY	3.0
2	I	220	CYS	3.0
1	P	218	GLU	3.0
2	H	217	PRO	2.9
2	H	198	TYR	2.8
1	L	214	PHE	2.8
2	I	75	SER	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	I	65	THR	2.5
2	I	138	GLY	2.5
1	L	208	SER	2.4
2	H	137	GLY	2.4
2	I	17	SER	2.3
2	I	53	ASP	2.2
1	L	3	GLN	2.2
2	I	1	GLU	2.1
1	L	23[A]	CYS	2.1
2	I	55	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	GOL	P	402	6/6	0.93	0.37	12.61	34,40,44,45	0
4	GOL	A	404	6/6	0.83	0.18	2.22	60,62,62,63	0
4	GOL	Q	403	6/6	0.90	0.13	-0.58	49,53,56,57	0
4	GOL	J	401	6/6	0.95	0.11	-1.44	45,49,51,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.