



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:55 PM GMT

PDB ID : 1HX8
Title : CRYSTAL STRUCTURE OF N-TERMINAL DOMAIN OF DROSOPHILA AP180
Authors : Mao, Y.; Chen, J.; Maynard, J.A.; Zhang, B.; Quiocho, F.A.
Deposited on : 2001-01-12
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	<div> <div>7%</div> <div>69%</div> <div>18%</div> <div>• 10%</div> </div>
1	B	299	<div> <div>4%</div> <div>67%</div> <div>20%</div> <div>• 10%</div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SYNAPSE-ENRICHED CLATHRIN ADAPTOR PROTEIN LAP.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	270	Total	C	N	O	S	0	0	0
			2106	1340	360	389	17			
1	B	269	Total	C	N	O	S	0	0	0
			2124	1352	362	393	17			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	99	Total	O	0	0
			99	99		
3	B	93	Total	O	0	0
			93	93		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SYNAPSE-ENRICHED CLATHRIN ADAPTOR PROTEIN LAP



• Molecule 1: SYNAPSE-ENRICHED CLATHRIN ADAPTOR PROTEIN LAP



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	105.63 Å 106.93 Å 79.21 Å 90.00° 119.30° 90.00°	Depositor
Resolution (Å)	26.00 – 2.20 37.95 – 2.20	Depositor EDS
% Data completeness (in resolution range)	93.4 (26.00-2.20) 97.1 (37.95-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.91 (at 2.20 Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.211 , 0.253 0.224 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	36.7	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 56.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 37999 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4432	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2144	0.62	0/2888
1	B	0.53	0/2162	0.66	0/2911
All	All	0.52	0/4306	0.64	0/5799

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2106	0	2088	64	0
1	B	2124	0	2122	68	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	99	0	0	0	0
3	B	93	0	0	0	0
All	All	4432	0	4210	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:VAL:O	1:B:32:THR:HG22	1.55	1.06
1:A:240:ASN:HD21	1:A:243:HIS:H	1.09	0.96
1:B:240:ASN:HD21	1:B:242:LYS:HB3	1.35	0.90
1:A:204:ASN:O	1:A:208:ASN:ND2	2.07	0.87
1:B:202:LEU:HD12	1:B:271:VAL:HG11	1.60	0.83
1:B:22:GLN:HG3	1:B:60:HIS:HE1	1.42	0.82
1:B:133:MET:HE3	1:B:207:ILE:HB	1.62	0.80
1:A:100:ALA:O	1:A:152:ARG:HD3	1.84	0.78
1:B:26:LYS:HE3	1:B:26:LYS:HA	1.65	0.77
1:A:22:GLN:HE21	1:A:60:HIS:HE1	1.30	0.77
1:A:202:LEU:HD12	1:A:271:VAL:HG11	1.68	0.76
1:A:220:ARG:HG3	1:A:220:ARG:HH21	1.52	0.74
1:A:171:ARG:HH21	1:A:231:ASN:HA	1.51	0.73
1:B:133:MET:CE	1:B:207:ILE:HB	2.19	0.72
1:A:204:ASN:HD22	1:A:206:VAL:H	1.39	0.71
1:A:222:PHE:HE1	1:A:258:MET:SD	2.14	0.69
1:A:101:SER:C	1:A:103:ASN:H	1.95	0.69
1:B:204:ASN:HD22	1:B:206:VAL:H	1.40	0.68
1:B:240:ASN:ND2	1:B:242:LYS:H	1.91	0.68
1:A:22:GLN:NE2	1:A:60:HIS:HE1	1.91	0.68
1:A:53:GLU:OE1	1:A:55:ASN:HB2	1.94	0.67
1:B:171:ARG:NH2	1:B:234:GLU:OE1	2.26	0.66
1:A:240:ASN:HD21	1:A:243:HIS:N	1.89	0.65
1:A:258:MET:HA	1:A:258:MET:CE	2.27	0.65
1:A:240:ASN:HD22	1:A:240:ASN:C	2.00	0.65
1:A:22:GLN:HE21	1:A:60:HIS:CE1	2.14	0.64
1:A:258:MET:HA	1:A:258:MET:HE3	1.78	0.64
1:B:44:LEU:O	1:B:48:VAL:HG23	1.99	0.63
1:B:226:ASN:O	1:B:230:ILE:HG12	2.00	0.62
1:A:231:ASN:HD21	1:A:235:LYS:NZ	1.97	0.61
1:B:222:PHE:HE1	1:B:258:MET:SD	2.23	0.61
1:B:222:PHE:CE1	1:B:258:MET:SD	2.94	0.61
1:A:208:ASN:OD1	1:B:125:PRO:O	2.20	0.60
1:B:26:LYS:HE3	1:B:26:LYS:CA	2.33	0.59
1:A:101:SER:O	1:A:103:ASN:N	2.36	0.58
1:B:261:VAL:HG12	1:B:265:LEU:HD22	1.86	0.58
1:B:22:GLN:HG3	1:B:60:HIS:CE1	2.32	0.58
1:A:240:ASN:ND2	1:A:241:LYS:N	2.52	0.57
1:B:32:THR:HG21	1:B:68:ARG:HE	1.71	0.56
1:B:34:GLU:HG2	1:B:73:ASN:ND2	2.21	0.56
1:B:53:GLU:CG	1:B:56:VAL:HG23	2.35	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:ALA:O	1:B:66:ILE:HG12	2.05	0.56
1:A:92:ASN:OD1	1:A:94:ARG:HG3	2.06	0.56
1:B:154:MET:HE1	1:B:181:THR:HG23	1.88	0.55
1:B:154:MET:O	1:B:155:ALA:HB3	2.07	0.54
1:A:112:LEU:HD13	1:A:113:ASP:N	2.22	0.54
1:B:32:THR:CG2	1:B:68:ARG:HE	2.21	0.54
1:A:52:ASN:HA	1:A:92:ASN:ND2	2.24	0.52
1:B:240:ASN:ND2	1:B:242:LYS:HB3	2.16	0.52
1:A:240:ASN:ND2	1:A:243:HIS:H	1.93	0.51
1:B:204:ASN:HD22	1:B:206:VAL:N	2.07	0.51
1:A:22:GLN:NE2	1:A:25:ALA:H	2.08	0.51
1:B:154:MET:CE	1:B:181:THR:HG23	2.40	0.51
1:B:112:LEU:HD12	1:B:113:ASP:N	2.26	0.51
1:A:220:ARG:HG3	1:A:220:ARG:NH2	2.20	0.51
1:A:229:ILE:HG13	1:A:254:PHE:CD1	2.46	0.51
1:B:229:ILE:HG13	1:B:254:PHE:CD1	2.46	0.51
1:A:222:PHE:CE1	1:A:258:MET:SD	3.01	0.50
1:A:154:MET:O	1:A:155:ALA:HB3	2.11	0.50
1:A:127:GLY:HA2	1:B:271:VAL:HA	1.93	0.50
1:A:101:SER:C	1:A:103:ASN:N	2.62	0.50
1:A:176:GLU:HA	1:A:176:GLU:OE1	2.12	0.50
1:B:53:GLU:HG3	1:B:56:VAL:HG23	1.93	0.50
1:A:58:ILE:HB	1:A:59:PRO:HD3	1.94	0.50
1:B:240:ASN:HD22	1:B:242:LYS:H	1.60	0.49
1:B:202:LEU:CD1	1:B:271:VAL:HG11	2.36	0.49
1:A:226:ASN:O	1:A:230:ILE:HG12	2.12	0.49
1:A:112:LEU:HD11	1:A:114:LYS:HG3	1.95	0.48
1:B:129:MET:O	1:B:133:MET:HB2	2.13	0.48
1:B:240:ASN:HD21	1:B:242:LYS:CB	2.17	0.48
1:A:240:ASN:C	1:A:240:ASN:ND2	2.65	0.48
1:B:174:ASN:OD1	1:B:176:GLU:HB3	2.14	0.48
1:A:22:GLN:HE22	1:A:25:ALA:HB2	1.79	0.47
1:A:58:ILE:N	1:A:59:PRO:CD	2.77	0.47
1:B:26:LYS:HA	1:B:26:LYS:CE	2.39	0.47
1:B:265:LEU:HG	1:B:278:ILE:HG23	1.95	0.47
1:A:62:ALA:O	1:A:66:ILE:HG12	2.14	0.47
1:B:173:MET:HG2	1:B:177:LYS:HB3	1.97	0.47
1:B:154:MET:HE1	1:B:181:THR:OG1	2.15	0.47
1:A:192:LEU:HD23	1:A:192:LEU:C	2.35	0.46
1:B:240:ASN:ND2	1:B:242:LYS:N	2.60	0.46
1:B:32:THR:HG1	1:B:76:VAL:HG13	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:ILE:H	1:A:37:ILE:HD13	1.81	0.46
1:B:159:CYS:SG	1:B:221:LEU:HD13	2.55	0.46
1:B:26:LYS:O	1:B:30:LYS:HG2	2.16	0.46
1:B:32:THR:HG21	1:B:68:ARG:HG3	1.97	0.46
1:A:204:ASN:HD21	1:A:207:ILE:H	1.63	0.46
1:A:204:ASN:HD22	1:A:206:VAL:N	2.09	0.46
1:A:208:ASN:HB3	1:B:124:VAL:CG1	2.46	0.46
1:B:85:HIS:HD2	1:B:140:TYR:OH	1.98	0.46
1:B:204:ASN:HD21	1:B:207:ILE:H	1.63	0.46
1:B:190:ASP:O	1:B:194:GLU:HG2	2.16	0.45
1:A:240:ASN:ND2	1:A:243:HIS:HB2	2.31	0.45
1:B:204:ASN:ND2	1:B:207:ILE:H	2.14	0.45
1:A:274:ASP:HB2	1:A:277:ASP:OD2	2.17	0.45
1:A:52:ASN:HA	1:A:92:ASN:HD21	1.82	0.44
1:A:204:ASN:ND2	1:A:207:ILE:H	2.15	0.44
1:A:222:PHE:CE1	1:A:226:ASN:ND2	2.86	0.44
1:A:242:LYS:NZ	1:A:242:LYS:HB2	2.32	0.44
1:A:231:ASN:HD21	1:A:235:LYS:HZ2	1.64	0.44
1:B:58:ILE:N	1:B:59:PRO:CD	2.81	0.44
1:B:32:THR:OG1	1:B:32:THR:O	2.32	0.44
1:A:53:GLU:OE2	1:A:54:PRO:HD2	2.17	0.44
1:A:284:ALA:HA	1:A:285:PRO:HD3	1.78	0.44
1:B:34:GLU:HG3	1:B:76:VAL:CG2	2.48	0.43
1:B:57:SER:O	1:B:60:HIS:HB3	2.18	0.43
1:B:293:GLU:HA	1:B:293:GLU:OE1	2.19	0.43
1:B:32:THR:OG1	1:B:76:VAL:HG13	2.18	0.43
1:A:202:LEU:CD1	1:A:271:VAL:HG11	2.44	0.43
1:B:114:LYS:HB3	1:B:114:LYS:NZ	2.34	0.42
1:A:37:ILE:N	1:A:37:ILE:HD13	2.35	0.42
1:B:280:ASP:N	1:B:280:ASP:OD1	2.51	0.42
1:B:284:ALA:HA	1:B:285:PRO:HD3	1.87	0.42
1:A:231:ASN:HD21	1:A:235:LYS:HZ3	1.67	0.41
1:B:171:ARG:HA	1:B:171:ARG:HD2	1.88	0.41
1:B:112:LEU:HD12	1:B:113:ASP:H	1.83	0.41
1:B:124:VAL:HA	1:B:125:PRO:HD3	1.94	0.41
1:B:154:MET:O	1:B:155:ALA:CB	2.69	0.41
1:B:142:LYS:HE3	1:B:142:LYS:HB2	1.93	0.41
1:A:22:GLN:HE22	1:A:25:ALA:H	1.69	0.41
1:A:53:GLU:O	1:A:94:ARG:NH1	2.54	0.41
1:A:274:ASP:N	1:A:274:ASP:OD2	2.53	0.41
1:A:85:HIS:HD2	1:A:140:TYR:OH	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:GLY:HA3	1:B:209:MET:HE3	2.03	0.41
1:A:74:TRP:CD1	1:A:130:GLY:HA2	2.56	0.40
1:A:192:LEU:O	1:A:192:LEU:HD23	2.22	0.40
1:B:231:ASN:HD21	1:B:235:LYS:HE2	1.86	0.40
1:B:133:MET:HE1	1:B:207:ILE:CG2	2.52	0.40
1:A:58:ILE:HA	1:A:58:ILE:HD13	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/299 (88%)	248 (94%)	13 (5%)	3 (1%)	17	14
1	B	263/299 (88%)	252 (96%)	11 (4%)	0	100	100
All	All	527/598 (88%)	500 (95%)	24 (5%)	3 (1%)	30	29

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	SER
1	A	240	ASN
1	A	173	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/256 (89%)	210 (92%)	17 (8%)	17	17
1	B	232/256 (91%)	219 (94%)	13 (6%)	26	29
All	All	459/512 (90%)	429 (94%)	30 (6%)	21	23

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	37	ILE
1	A	78	TYR
1	A	85	HIS
1	A	107	ASN
1	A	112	LEU
1	A	148	SER
1	A	171	ARG
1	A	180	LYS
1	A	204	ASN
1	A	221	LEU
1	A	225	TYR
1	A	231	ASN
1	A	240	ASN
1	A	242	LYS
1	A	258	MET
1	A	293	GLU
1	B	26	LYS
1	B	47	LEU
1	B	58	ILE
1	B	78	TYR
1	B	85	HIS
1	B	107	ASN
1	B	133	MET
1	B	204	ASN
1	B	221	LEU
1	B	226	ASN
1	B	231	ASN
1	B	265	LEU
1	B	280	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	60	HIS
1	A	70	GLN
1	A	85	HIS
1	A	97	GLN
1	A	103	ASN
1	A	107	ASN
1	A	174	ASN
1	A	198	GLN
1	A	200	ASN
1	A	204	ASN
1	A	226	ASN
1	A	231	ASN
1	A	240	ASN
1	A	243	HIS
1	B	60	HIS
1	B	70	GLN
1	B	85	HIS
1	B	103	ASN
1	B	107	ASN
1	B	198	GLN
1	B	200	ASN
1	B	204	ASN
1	B	231	ASN
1	B	240	ASN
1	B	243	HIS
1	B	270	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	301	-	4,4,4	3.20	2 (50%)	6,6,6	0.86	0
2	SO4	B	302	-	4,4,4	3.37	2 (50%)	6,6,6	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	301	-	-	0/0/0/0	0/0/0/0
2	SO4	B	302	-	-	0/0/0/0	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	SO4	O3-S	-4.77	1.30	1.47
2	A	301	SO4	O3-S	-4.63	1.30	1.47
2	A	301	SO4	O1-S	4.25	1.61	1.47
2	B	302	SO4	O1-S	4.68	1.63	1.47

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	270/299 (90%)	0.32	20 (7%) 17 17	26, 48, 75, 89	0
1	B	269/299 (89%)	0.15	12 (4%) 37 36	24, 44, 71, 98	0
All	All	539/598 (90%)	0.24	32 (5%) 26 25	24, 46, 74, 98	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	123	GLY	6.5
1	B	122	MET	5.3
1	A	123	GLY	5.1
1	B	115	GLY	4.9
1	A	121	GLY	4.7
1	B	168	GLY	4.7
1	A	120	GLY	4.7
1	A	115	GLY	4.6
1	A	168	GLY	4.4
1	B	167	GLU	3.7
1	A	167	GLU	3.7
1	A	102	SER	3.4
1	A	274	ASP	3.4
1	A	22	GLN	3.1
1	A	241	LYS	3.0
1	B	116	THR	3.0
1	A	276	GLY	2.8
1	A	275	LYS	2.6
1	A	122	MET	2.6
1	A	161	VAL	2.4
1	B	274	ASP	2.4
1	B	55	ASN	2.3
1	B	46	TYR	2.3
1	A	57	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	298	THR	2.3
1	A	240	ASN	2.2
1	A	242	LYS	2.2
1	B	51	ALA	2.1
1	A	51	ALA	2.1
1	A	176	GLU	2.0
1	A	49	HIS	2.0
1	B	114	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	A	301	5/5	0.99	0.16	-0.37	39,40,43,43	0
2	SO4	B	302	5/5	0.97	0.16	-	69,70,70,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.