



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:18 PM GMT

PDB ID : 4HXB  
Title : Crystal structure of 6B9 FAB  
Authors : Johal, A.R.; Jarrell, H.C.; Khieu, N.H.; Letts, J.A.; Landry, R.C.; Jachymek, W.; Yang, Q.; Jennings, H.J.; Brisson, J.R.; Evans, S.V.  
Deposited on : 2012-11-09  
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4776 (2.50-2.42)
Clashscore	102246	1030 (2.48-2.44)
Ramachandran outliers	100387	1024 (2.48-2.44)
Sidechain outliers	100360	1024 (2.48-2.44)
RSRZ outliers	91569	4787 (2.50-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	219	 2% 71% 21% 8%
2	H	215	 3% 62% 28% 7% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CA	H	301	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6B9 FAB LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	219	Total	C	N	O	S	0	0	0
			1704	1064	290	343	7			

- Molecule 2 is a protein called 6B9 FAB HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	212	Total	C	N	O	S	0	1	0
			1617	1030	267	313	7			

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	1	Total	Ca	0	0
			1	1		
3	L	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	L	97	Total	O	0	0
			97	97		
4	H	84	Total	O	0	0
			84	84		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 6B9 FAB LIGHT CHAIN



#### • Molecule 2: 6B9 FAB HEAVY CHAIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 2 <sub>1</sub> 2 <sub>1</sub> 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.64Å 131.99Å 36.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.45 33.05 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-2.45) 99.5 (33.05-2.45)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.90 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.197 , 0.279 0.200 , 0.267	Depositor DCC
$R_{free}$ test set	848 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	30.2	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 41.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 16727 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	3504	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.98	1/1744 (0.1%)	0.98	5/2367 (0.2%)
2	H	1.02	2/1663 (0.1%)	1.04	6/2264 (0.3%)
All	All	1.00	3/3407 (0.1%)	1.01	11/4631 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1
2	H	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	98	VAL	C-N	12.76	1.63	1.34
2	H	195	CYS	CB-SG	-7.78	1.69	1.82
1	L	134	CYS	CB-SG	-7.63	1.69	1.82

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	98	VAL	O-C-N	-9.31	107.81	122.70
2	H	177	LEU	CA-CB-CG	9.26	136.61	115.30
1	L	211	ARG	NE-CZ-NH1	7.60	124.10	120.30
1	L	9	LEU	CA-CB-CG	7.33	132.16	115.30
2	H	94	ARG	NE-CZ-NH2	-6.56	117.02	120.30
2	H	18	VAL	CB-CA-C	-6.33	99.37	111.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	108	ARG	NE-CZ-NH2	5.97	123.29	120.30
2	H	98	VAL	CA-C-N	5.58	129.48	117.20
1	L	211	ARG	NE-CZ-NH2	-5.30	117.65	120.30
2	H	177	LEU	CB-CG-CD1	5.22	119.88	111.00
1	L	155	ARG	NE-CZ-NH2	-5.21	117.70	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	73	ALA	Peptide
1	L	41	GLY	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1704	0	1643	58	0
2	H	1617	0	1592	62	0
3	H	1	0	0	0	0
3	L	1	0	0	0	0
4	H	84	0	0	7	0
4	L	97	0	0	12	0
All	All	3504	0	3235	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:18:GLN:NE2	1:L:76:ARG:O	1.75	1.20
2:H:43:LYS:HG2	4:H:411:HOH:O	1.60	1.02
1:L:156:GLN:HB2	4:L:423:HOH:O	1.59	1.01
1:L:147:LYS:HG2	1:L:195:GLU:HB2	1.44	0.98

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:115:LYS:HE2	4:H:404:HOH:O	1.63	0.97
1:L:77:ARG:HH21	1:L:77:ARG:HG3	1.29	0.96
2:H:105:GLN:HE21	2:H:105:GLN:H	1.16	0.93
1:L:27(D):HIS:HD2	1:L:28:ASN:H	1.22	0.87
1:L:147:LYS:NZ	1:L:195:GLU:OE2	2.10	0.84
2:H:200:PRO:HA	4:H:438:HOH:O	1.81	0.81
1:L:191:SER:HB2	1:L:210:ASN:ND2	1.96	0.79
1:L:41:GLY:C	1:L:42:GLN:HE21	1.86	0.79
2:H:6:GLN:H	2:H:105:GLN:HE22	1.30	0.77
1:L:143:ASP:CG	4:L:416:HOH:O	2.24	0.74
2:H:73:ALA:N	2:H:74:SER:HB2	2.02	0.73
2:H:127:GLY:O	2:H:213:ARG:N	2.18	0.73
2:H:128:THR:HB	2:H:213:ARG:O	1.88	0.73
1:L:143:ASP:HB3	4:L:416:HOH:O	1.89	0.72
1:L:27(D):HIS:CD2	1:L:28:ASN:H	2.07	0.72
2:H:126:PRO:N	2:H:127:GLY:HA3	2.06	0.71
1:L:77:ARG:HG3	1:L:77:ARG:NH2	2.06	0.71
2:H:126:PRO:N	2:H:127:GLY:CA	2.54	0.71
1:L:155:ARG:HD2	4:L:467:HOH:O	1.90	0.71
1:L:147:LYS:HD3	1:L:195:GLU:O	1.90	0.70
1:L:143:ASP:CB	4:L:416:HOH:O	2.40	0.68
2:H:121:VAL:O	2:H:208:LYS:HE3	1.93	0.68
1:L:147:LYS:CG	1:L:195:GLU:HB2	2.21	0.67
2:H:123:PRO:HD3	2:H:208:LYS:HG2	1.76	0.67
1:L:61:ARG:NH2	1:L:79:GLU:HG3	2.11	0.65
2:H:155:ASN:O	2:H:196:ASN:OD1	2.14	0.65
1:L:212:ASN:HD22	1:L:212:ASN:H	1.44	0.64
2:H:105:GLN:N	2:H:105:GLN:HE21	1.93	0.64
2:H:105:GLN:NE2	2:H:105:GLN:H	1.90	0.63
1:L:210:ASN:O	1:L:213:GLU:HG2	2.01	0.60
2:H:126:PRO:CD	2:H:127:GLY:HA2	2.32	0.60
1:L:77:ARG:HH21	1:L:77:ARG:CG	2.11	0.59
1:L:191:SER:HB2	1:L:210:ASN:HD21	1.63	0.59
1:L:146:VAL:HG13	1:L:175:MET:HE3	1.85	0.59
2:H:172:SER:O	2:H:173:ASP:HB2	2.03	0.59
1:L:63:SER:CB	1:L:76:ARG:HH22	2.15	0.58
2:H:126:PRO:CD	2:H:127:GLY:CA	2.81	0.58
2:H:128:THR:HA	2:H:212:PRO:HB3	1.86	0.58
1:L:211:ARG:NE	4:L:454:HOH:O	2.25	0.58
1:L:124:GLN:HE22	1:L:131:SER:H	1.53	0.57
2:H:128:THR:HA	2:H:212:PRO:CB	2.35	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:33:GLY:HA2	2:H:52(A):THR:HG23	1.87	0.56
1:L:96:PRO:HD2	2:H:47:TRP:CD2	2.40	0.56
2:H:126:PRO:HD3	2:H:138:LEU:CD1	2.36	0.56
1:L:143:ASP:OD1	1:L:143:ASP:N	2.39	0.56
2:H:73:ALA:N	2:H:74:SER:CB	2.69	0.55
2:H:126:PRO:CB	2:H:127:GLY:HA2	2.37	0.55
2:H:126:PRO:HD2	2:H:127:GLY:CA	2.38	0.54
2:H:143[A]:LYS:HD3	2:H:176:THR:HG23	1.90	0.54
2:H:125:ALA:C	2:H:127:GLY:HA3	2.29	0.54
1:L:167:ASP:CG	4:L:437:HOH:O	2.47	0.53
1:L:166:GLN:HG3	1:L:173:TYR:CZ	2.45	0.52
2:H:50:TRP:CH2	2:H:52:LYS:HG2	2.45	0.52
1:L:63:SER:HB3	1:L:76:ARG:HH12	1.75	0.51
1:L:41:GLY:C	1:L:42:GLN:NE2	2.60	0.51
2:H:159:LEU:HD13	2:H:181:VAL:HG21	1.92	0.51
1:L:27(B):ILE:HD11	1:L:71:PHE:CE1	2.46	0.51
2:H:128:THR:CB	2:H:213:ARG:O	2.58	0.50
1:L:136:LEU:N	1:L:136:LEU:HD12	2.26	0.50
2:H:119:PRO:HB3	2:H:145:TYR:HB3	1.92	0.50
1:L:119:PRO:HB3	1:L:209:PHE:CZ	2.46	0.50
2:H:127:GLY:O	2:H:213:ARG:HG3	2.12	0.50
1:L:124:GLN:NE2	1:L:131:SER:H	2.10	0.49
1:L:18:GLN:HE22	1:L:77:ARG:HG2	1.77	0.49
1:L:48:ILE:HA	1:L:53:ASN:O	2.12	0.49
2:H:123:PRO:HD3	2:H:208:LYS:CG	2.42	0.49
1:L:83:LEU:HD11	4:L:434:HOH:O	2.12	0.49
2:H:126:PRO:HD2	2:H:127:GLY:HA2	1.94	0.49
2:H:141:LEU:HD11	2:H:143[A]:LYS:HE2	1.93	0.48
1:L:184:ASP:O	1:L:188:ARG:HG3	2.14	0.48
1:L:18:GLN:HE21	1:L:76:ARG:C	2.12	0.48
2:H:126:PRO:CD	2:H:127:GLY:HA3	2.43	0.48
2:H:141:LEU:CD1	2:H:143[A]:LYS:HE2	2.43	0.48
2:H:35:ASN:ND2	2:H:95:LEU:O	2.47	0.48
2:H:76:ASN:ND2	4:H:469:HOH:O	2.46	0.48
1:L:149:LYS:HE2	4:L:494:HOH:O	2.14	0.47
2:H:61:GLU:O	2:H:64:LYS:HG3	2.14	0.47
2:H:85:GLU:H	2:H:85:GLU:CD	2.17	0.47
1:L:18:GLN:HE22	1:L:77:ARG:CD	2.28	0.46
2:H:94:ARG:HG2	2:H:95:LEU:N	2.31	0.46
2:H:41:PRO:HD3	2:H:88:ALA:HA	1.97	0.46
1:L:23:CYS:HB2	1:L:35:TRP:CH2	2.50	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:18:GLN:HE22	1:L:77:ARG:HD3	1.80	0.46
2:H:143[A]:LYS:NZ	2:H:171:GLN:HE22	2.14	0.46
2:H:115:LYS:HG2	4:H:410:HOH:O	2.16	0.45
1:L:203:SER:HA	1:L:204:PRO:HD2	1.71	0.45
2:H:188:TRP:CD1	2:H:189:PRO:HA	2.52	0.45
1:L:61:ARG:O	1:L:76:ARG:HB2	2.16	0.45
1:L:45:LYS:CE	4:L:469:HOH:O	2.65	0.44
2:H:126:PRO:HB2	2:H:127:GLY:HA2	2.00	0.44
1:L:24:ARG:HG3	4:L:420:HOH:O	2.17	0.44
1:L:27(D):HIS:HD2	1:L:28:ASN:N	2.03	0.44
1:L:41:GLY:CA	1:L:42:GLN:HE21	2.31	0.44
1:L:18:GLN:HE22	1:L:77:ARG:CG	2.31	0.43
2:H:43:LYS:CG	4:H:411:HOH:O	2.37	0.43
2:H:163:VAL:HG22	2:H:181:VAL:HG23	2.01	0.43
1:L:3:LEU:HG	1:L:26:SER:HB3	1.99	0.42
2:H:188:TRP:CG	2:H:189:PRO:HA	2.54	0.42
1:L:3:LEU:CD1	1:L:24:ARG:HH12	2.32	0.42
2:H:72:GLU:C	2:H:74:SER:HB2	2.40	0.42
2:H:108:THR:CG2	4:H:406:HOH:O	2.67	0.42
1:L:183:LYS:O	1:L:187:GLU:HG3	2.20	0.42
2:H:18:VAL:HG22	2:H:82(C):LEU:HD11	2.01	0.41
2:H:126:PRO:HD3	2:H:138:LEU:HD12	2.03	0.41
1:L:32:TYR:O	1:L:90:GLN:HA	2.20	0.41
2:H:27:TYR:CD2	2:H:32:TYR:HD2	2.38	0.41
2:H:59:TYR:OH	2:H:68:ALA:HA	2.20	0.41
2:H:12:LYS:HG3	2:H:18:VAL:HG13	2.02	0.41
2:H:115:LYS:O	2:H:117:THR:HG22	2.21	0.40
2:H:136:VAL:HG23	2:H:185:SER:HA	2.03	0.40
1:L:18:GLN:CD	1:L:76:ARG:O	2.51	0.40
1:L:211:ARG:NH2	4:L:454:HOH:O	2.53	0.40
2:H:52:LYS:HB3	2:H:52:LYS:NZ	2.36	0.40
1:L:7:THR:HA	1:L:8:PRO:HA	1.92	0.40
2:H:1:GLN:CG	2:H:2:ILE:H	2.35	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	217/219 (99%)	207 (95%)	10 (5%)	0	100	100
2	H	209/215 (97%)	192 (92%)	12 (6%)	5 (2%)	7	4
All	All	426/434 (98%)	399 (94%)	22 (5%)	5 (1%)	16	17

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	75	ALA
2	H	98	VAL
2	H	128	THR
2	H	172	SER
2	H	95	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	196/196 (100%)	173 (88%)	23 (12%)	7	6
2	H	178/179 (99%)	146 (82%)	32 (18%)	2	1
All	All	374/375 (100%)	319 (85%)	55 (15%)	4	3

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	3	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	7	THR
1	L	9	LEU
1	L	18	GLN
1	L	20	SER
1	L	24	ARG
1	L	45	LYS
1	L	46	LEU
1	L	47	LEU
1	L	70	ASP
1	L	76	ARG
1	L	77	ARG
1	L	79	GLU
1	L	83	LEU
1	L	103	LYS
1	L	122	SER
1	L	143	ASP
1	L	147	LYS
1	L	169	LYS
1	L	175	MET
1	L	191	SER
1	L	199	LYS
1	L	212	ASN
2	H	1	GLN
2	H	3	GLN
2	H	11	LEU
2	H	17	THR
2	H	18	VAL
2	H	23	LYS
2	H	37	MET
2	H	43	LYS
2	H	61	GLU
2	H	64	LYS
2	H	71	LEU
2	H	80	LEU
2	H	84	ASN
2	H	94	ARG
2	H	95	LEU
2	H	105	GLN
2	H	115	LYS
2	H	117	THR
2	H	120	SER
2	H	135	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	H	136	VAL
2	H	141	LEU
2	H	143[A]	LYS
2	H	143[B]	LYS
2	H	150	VAL
2	H	172	SER
2	H	177	LEU
2	H	184	THR
2	H	192	SER
2	H	209	LYS
2	H	211	GLU
2	H	213	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	18	GLN
1	L	27(D)	HIS
1	L	42	GLN
1	L	93	HIS
1	L	124	GLN
1	L	190	ASN
1	L	210	ASN
1	L	212	ASN
2	H	81	GLN
2	H	82(A)	ASN
2	H	105	GLN
2	H	171	GLN
2	H	196	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	219/219 (100%)	-0.01	5 (2%) 64 66	7, 19, 32, 36	0
2	H	212/215 (98%)	0.07	6 (2%) 56 60	9, 19, 33, 47	0
All	All	431/434 (99%)	0.03	11 (2%) 59 62	7, 19, 33, 47	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	128	THR	12.2
2	H	43	LYS	3.5
2	H	129	ALA	3.2
1	L	5	THR	3.1
1	L	168	SER	3.0
2	H	127	GLY	2.9
1	L	126	THR	2.8
1	L	184	ASP	2.5
2	H	84	ASN	2.3
1	L	76	ARG	2.2
2	H	133	GLY	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CA	H	301	1/1	0.89	0.33	3.10	43,43,43,43	0
3	CA	L	301	1/1	0.97	0.07	-3.07	39,39,39,39	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.