



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:22 PM GMT

PDB ID : 4I54
Title : Crystal structure of clade A/E 93TH057 HIV-1 gp120 H375S core in complex with DMJ-II-121
Authors : Le-Khac, M.; Hendrickson, W.A.
Deposited on : 2012-11-28
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	
1	B	353	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	B	507	-	-	-	X
4	NAG	B	509	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5676 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	339	Total	C	N	O	S	0	0	0
			2654	1666	460	507	21			
1	B	339	Total	C	N	O	S	0	5	0
			2687	1684	467	515	21			

- Molecule 2 is AMINO({[(1R,2R)-1-({[(4-CHLORO-3-FLUOROPHENYL)AMINO](OXO)ACETYL}AMINO)-2,3-DIHYDRO-1H-INDEN-2-YL]METHYL}AMINO)METHANIMINIUM (three-letter code: 1C1) (formula: C₁₉H₂₀ClFN₅O₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	N	O	0	0
			28	19	1	1	5	2		
2	B	1	Total	C	Cl	F	N	O	0	0
			28	19	1	1	5	2		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	17	Total	O	0	0
			17	17		
5	B	8	Total	O	0	0
			8	8		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HIV-1 glycoprotein



• Molecule 1: HIV-1 glycoprotein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.32Å 68.78Å 94.44Å 90.00° 90.89° 90.00°	Depositor
Resolution (Å)	33.63 – 2.50 94.43 – 2.21	Depositor EDS
% Data completeness (in resolution range)	97.7 (33.63-2.50) 87.4 (94.43-2.21)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.196 , 0.261 0.234 , 0.287	Depositor DCC
R_{free} test set	1459 reflections (5.38%)	DCC
Wilson B-factor (Å ²)	-4.4	Xtriage
Anisotropy	5.009	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 32.3	EDS
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	18 of 37049 reflections (0.049%)	Xtriage
F_o, F_c correlation	0.60	EDS
Total number of atoms	5676	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1C1, EPE, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/2709	0.62	0/3678
1	B	0.38	0/2742	0.53	0/3722
All	All	0.44	0/5451	0.58	0/7400

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2654	0	2592	28	0
1	B	2687	0	2620	52	0
2	A	28	0	20	0	0
2	B	28	0	20	0	0
3	A	15	0	17	0	0
3	B	15	0	17	4	0
4	A	112	0	104	3	0
4	B	112	0	104	6	0
5	A	17	0	0	1	0
5	B	8	0	0	2	0
All	All	5676	0	5494	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:ASN:HD22	4:B:502:NAG:C1	1.39	1.34
1:B:234:ASN:ND2	4:B:502:NAG:C2	2.48	0.77
1:B:103:GLN:HB3	3:B:510:EPE:HO8	1.51	0.75
1:A:485:LYS:O	1:A:485:LYS:HG2	1.86	0.74
1:A:91:GLU:OE1	1:A:487:LYS:NZ	2.22	0.71
1:A:228:CYS:O	1:A:485:LYS:HG3	1.89	0.71
1:B:361:PHE:O	1:B:393:ASN:ND2	2.28	0.66
1:B:265:LEU:HD21	1:B:291:SER:HB3	1.77	0.66
1:A:227:LYS:HD2	1:A:486:TYR:HE1	1.61	0.66
1:B:119:CYS:N	1:B:205:CYS:SG	2.69	0.65
1:A:335:GLY:O	1:A:339:ASN:ND2	2.28	0.65
1:B:234:ASN:OD1	1:B:234:ASN:N	2.30	0.65
1:B:59:LYS:HB3	1:B:61:HIS:CE1	2.32	0.64
1:B:234:ASN:ND2	4:B:502:NAG:H2	2.13	0.63
1:B:269:GLU:HB3	4:B:505:NAG:H61	1.81	0.62
1:B:423:ILE:HG12	1:B:434:MET:HG3	1.81	0.61
1:B:363:PRO:O	1:B:469:ARG:NH1	2.34	0.60
1:B:46:LYS:NZ	1:B:490:GLN:OE1	2.34	0.60
1:B:82:GLN:HE22	1:B:246:GLN:HG2	1.68	0.59
1:A:207:LYS:HD2	1:A:439:ILE:HG23	1.84	0.59
4:A:509:NAG:H82	1:B:252:LYS:HE3	1.86	0.58
1:A:228:CYS:O	1:A:485:LYS:CD	2.52	0.57
1:A:324:GLY:N	5:A:609:HOH:O	2.38	0.57
1:A:228:CYS:O	1:A:485:LYS:CG	2.53	0.56
1:A:65:VAL:HG11	1:A:208:ILE:HD12	1.88	0.56
1:A:91:GLU:OE1	1:A:487:LYS:CE	2.53	0.55
1:A:327:ARG:NH2	1:A:422:GLN:OE1	2.34	0.54
1:B:59:LYS:HB2	1:B:62:GLU:HG3	1.90	0.54
1:B:101:VAL:HG21	1:B:480:ARG:HG2	1.90	0.53
1:A:227:LYS:HD2	1:A:486:TYR:CE1	2.41	0.53
1:B:260:LEU:HD12	1:B:451:GLY:HA3	1.90	0.53
4:A:505:NAG:HN2	1:B:61:HIS:CD2	2.27	0.52
1:B:364:PRO:HG2	1:B:372:THR:HA	1.92	0.52
1:B:234:ASN:HD21	4:B:502:NAG:C1	2.14	0.52
1:A:91:GLU:HB2	1:A:242:VAL:HG21	1.91	0.52
1:B:390:LEU:HD11	1:B:416:LEU:HD11	1.92	0.52
1:B:384:TYR:CE1	1:B:421:LYS:HB2	2.45	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:ASN:HB2	1:B:241:ASN:HB2	1.91	0.51
1:B:378:CYS:HB3	1:B:383:PHE:CE1	2.46	0.51
1:A:82:GLN:OE1	1:A:246:GLN:NE2	2.44	0.51
1:B:234:ASN:HD21	4:B:502:NAG:C2	2.22	0.51
1:B:103:GLN:OE1	3:B:510:EPE:O8	2.28	0.50
1:B:264:SER:O	1:B:287:HIS:NE2	2.26	0.50
1:A:485:LYS:O	1:A:485:LYS:CG	2.58	0.49
1:A:298:ARG:HD3	1:A:326:ILE:O	2.13	0.49
1:B:91:GLU:HG3	1:B:226:LEU:HD13	1.95	0.49
1:A:343:LYS:O	1:A:346:THR:OG1	2.31	0.47
1:B:342:LEU:O	1:B:345:VAL:HB	2.15	0.47
1:B:341:VAL:O	1:B:345:VAL:HG23	2.15	0.47
1:B:297:THR:OG1	5:B:608:HOH:O	2.21	0.47
1:B:103:GLN:HB3	3:B:510:EPE:O8	2.13	0.46
1:A:337:LYS:O	1:A:341:VAL:HG23	2.16	0.46
1:B:360:ILE:HD13	1:B:465:ASN:HB3	1.97	0.46
3:B:510:EPE:H52	3:B:510:EPE:H82	1.68	0.46
1:A:396:ILE:HD12	1:A:396:ILE:HA	1.81	0.46
1:B:384:TYR:O	5:B:607:HOH:O	2.21	0.45
1:B:457:ASP:HB2	1:B:467:THR:HB	1.98	0.44
1:B:201:ILE:HG22	1:B:203:GLN:HG3	1.98	0.44
1:B:229:ASN:HB2	1:B:241:ASN:CB	2.48	0.44
1:A:227:LYS:HA	1:A:485:LYS:O	2.18	0.44
1:A:226:LEU:O	1:A:486:TYR:HA	2.18	0.43
1:A:52:LEU:HD11	1:A:100:MET:HG2	1.99	0.43
1:B:274:SER:HB3	1:B:277:LEU:HG	1.99	0.43
1:B:439:ILE:HG13	1:B:443:ILE:HD11	1.99	0.43
1:B:277:LEU:HD23	1:B:277:LEU:HA	1.72	0.43
1:A:93:PHE:HB2	1:A:233:PHE:HZ	1.84	0.43
1:B:294:ILE:HD12	1:B:333:ILE:HD11	2.00	0.43
1:B:349:LEU:HD23	1:B:349:LEU:HA	1.83	0.43
1:A:122:LEU:HD23	1:A:200:VAL:HG22	2.01	0.43
1:B:52:LEU:HD21	1:B:488:VAL:HG21	2.01	0.42
1:A:65:VAL:HB	1:A:115:SER:HB3	2.01	0.42
1:B:419:LYS:HD3	1:B:419:LYS:HA	1.81	0.42
1:A:290:LYS:HB2	4:A:506:NAG:H82	2.02	0.42
1:B:280:ASN:ND2	1:B:458:GLY:HA3	2.35	0.42
1:B:426:MET:SD	1:B:430[A]:THR:OG1	2.77	0.41
1:B:350:LYS:HG2	1:B:355:ASN:HA	2.01	0.41
1:B:99:ASN:O	1:B:103:GLN:HG3	2.19	0.41
1:B:428[B]:GLN:OE1	1:B:428[B]:GLN:N	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:485:LYS:HE2	1:A:485:LYS:HB3	1.74	0.40
1:B:384:TYR:CG	1:B:421:LYS:HD3	2.56	0.40
1:B:231:LYS:HB3	1:B:268:GLU:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	333/353 (94%)	313 (94%)	19 (6%)	1 (0%)	46	68
1	B	338/353 (96%)	312 (92%)	23 (7%)	3 (1%)	21	37
All	All	671/706 (95%)	625 (93%)	42 (6%)	4 (1%)	30	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	268	GLU
1	B	241	ASN
1	A	276	ASN
1	B	357	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/311 (97%)	290 (96%)	13 (4%)	35	61
1	B	306/311 (98%)	290 (95%)	16 (5%)	29	51
All	All	609/622 (98%)	580 (95%)	29 (5%)	31	55

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	80	ASN
1	A	82	GLN
1	A	89	VAL
1	A	219	THR
1	A	252	LYS
1	A	297	THR
1	A	348	LYS
1	A	373	MET
1	A	394	THR
1	A	395	CYS
1	A	396	ILE
1	A	432	GLN
1	B	59	LYS
1	B	82	GLN
1	B	111	LEU
1	B	115	SER
1	B	116	LEU
1	B	208	ILE
1	B	219	THR
1	B	232	ASN
1	B	234	ASN
1	B	268	GLU
1	B	301	ASN
1	B	348	LYS
1	B	358	THR
1	B	379	ARG
1	B	455	THR
1	B	457	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	362	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	432	GLN
1	B	61	HIS
1	B	82	GLN
1	B	114	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	1C1	A	501	-	27,30,30	3.08	10 (37%)	33,42,42	2.86	15 (45%)
3	EPE	A	502	-	14,15,15	0.33	0	18,20,20	1.94	5 (27%)
4	NAG	A	503	1	14,14,15	0.41	0	15,19,21	1.28	2 (13%)
4	NAG	A	504	1	14,14,15	0.61	0	15,19,21	1.40	2 (13%)
4	NAG	A	505	1	14,14,15	0.72	0	15,19,21	1.11	1 (6%)
4	NAG	A	506	1	14,14,15	0.60	0	15,19,21	1.24	3 (20%)
4	NAG	A	507	1	14,14,15	0.41	0	15,19,21	2.35	1 (6%)
4	NAG	A	508	1	14,14,15	0.64	0	15,19,21	1.29	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	509	1	14,14,15	0.72	0	15,19,21	2.29	4 (26%)
4	NAG	A	510	1	14,14,15	0.49	0	15,19,21	1.03	0
2	1C1	B	501	-	27,30,30	3.16	10 (37%)	33,42,42	2.24	9 (27%)
4	NAG	B	502	1	14,14,15	0.45	0	15,19,21	1.13	1 (6%)
4	NAG	B	503	1	14,14,15	0.64	0	15,19,21	1.05	1 (6%)
4	NAG	B	504	1	14,14,15	0.47	0	15,19,21	1.00	1 (6%)
4	NAG	B	505	1	14,14,15	0.51	0	15,19,21	1.88	2 (13%)
4	NAG	B	506	1	14,14,15	0.56	0	15,19,21	1.13	2 (13%)
4	NAG	B	507	1	14,14,15	0.48	0	15,19,21	0.83	0
4	NAG	B	508	1	14,14,15	0.48	0	15,19,21	0.96	1 (6%)
4	NAG	B	509	1	14,14,15	0.43	0	15,19,21	0.75	1 (6%)
3	EPE	B	510	-	14,15,15	0.41	0	18,20,20	1.90	4 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1C1	A	501	-	-	0/15/29/29	0/3/3/3
3	EPE	A	502	-	-	0/9/19/19	0/1/1/1
4	NAG	A	503	1	-	0/6/23/26	0/1/1/1
4	NAG	A	504	1	-	0/6/23/26	0/1/1/1
4	NAG	A	505	1	-	0/6/23/26	0/1/1/1
4	NAG	A	506	1	-	0/6/23/26	0/1/1/1
4	NAG	A	507	1	-	0/6/23/26	0/1/1/1
4	NAG	A	508	1	-	1/6/23/26	0/1/1/1
4	NAG	A	509	1	-	0/6/23/26	0/1/1/1
4	NAG	A	510	1	-	0/6/23/26	0/1/1/1
2	1C1	B	501	-	-	0/15/29/29	0/3/3/3
4	NAG	B	502	1	-	0/6/23/26	0/1/1/1
4	NAG	B	503	1	-	0/6/23/26	0/1/1/1
4	NAG	B	504	1	-	0/6/23/26	0/1/1/1
4	NAG	B	505	1	-	0/6/23/26	0/1/1/1
4	NAG	B	506	1	-	0/6/23/26	0/1/1/1
4	NAG	B	507	1	-	0/6/23/26	0/1/1/1
4	NAG	B	508	1	-	0/6/23/26	0/1/1/1
4	NAG	B	509	1	-	0/6/23/26	0/1/1/1
3	EPE	B	510	-	-	0/9/19/19	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	1C1	C05-C13	-5.56	1.47	1.54
2	B	501	1C1	C05-C13	-4.35	1.48	1.54
2	B	501	1C1	C21-C20	-4.09	1.32	1.39
2	A	501	1C1	C21-C20	-3.83	1.32	1.39
2	B	501	1C1	C27-C20	-3.35	1.33	1.39
2	A	501	1C1	C27-C20	-3.34	1.33	1.39
2	B	501	1C1	C06-C05	-2.48	1.49	1.53
2	A	501	1C1	C06-C05	-2.39	1.49	1.53
2	B	501	1C1	C17-C15	-2.10	1.50	1.53
2	A	501	1C1	C17-C15	-2.02	1.50	1.53
2	A	501	1C1	C24-C22	4.22	1.45	1.38
2	A	501	1C1	C17-N19	4.69	1.46	1.35
2	B	501	1C1	C17-N19	4.80	1.46	1.35
2	B	501	1C1	C24-C22	5.28	1.46	1.38
2	A	501	1C1	C15-N14	5.68	1.46	1.34
2	B	501	1C1	C08-C07	5.97	1.50	1.39
2	A	501	1C1	C08-C07	6.01	1.50	1.39
2	B	501	1C1	C15-N14	6.30	1.47	1.34
2	B	501	1C1	C11-C12	8.04	1.50	1.39
2	A	501	1C1	C11-C12	8.15	1.50	1.39

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	1C1	C22-C24-CL1	-6.21	114.38	120.06
2	A	501	1C1	C12-C13-N14	-5.81	106.29	114.36
2	A	501	1C1	C21-C22-C24	-5.79	114.01	121.95
2	B	501	1C1	C12-C13-N14	-4.75	107.76	114.36
4	B	505	NAG	C2-N2-C7	-4.20	117.64	123.04
2	B	501	1C1	C21-C22-C24	-4.20	116.19	121.95
2	B	501	1C1	O18-C17-C15	-3.46	116.90	121.31
2	A	501	1C1	O18-C17-C15	-3.25	117.17	121.31
4	A	509	NAG	C6-C5-C4	-2.92	105.81	113.02
3	A	502	EPE	C5-C6-N1	-2.87	105.48	110.63
2	B	501	1C1	C04-C05-C06	-2.79	106.80	113.99
4	B	506	NAG	C4-C3-C2	-2.61	107.17	111.23
4	A	506	NAG	C2-N2-C7	-2.61	119.68	123.04
4	A	508	NAG	C2-N2-C7	-2.37	120.00	123.04
4	B	503	NAG	C2-N2-C7	-2.33	120.04	123.04
2	A	501	1C1	C10-C11-C12	-2.30	118.03	121.02
4	A	503	NAG	C6-C5-C4	-2.26	107.43	113.02
2	A	501	1C1	C09-C08-C07	-2.24	117.44	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	1C1	O16-C15-N14	-2.17	119.11	123.01
2	A	501	1C1	C04-C05-C06	-2.14	108.47	113.99
4	A	509	NAG	C3-C2-N2	-2.10	105.52	110.56
4	A	506	NAG	C6-C5-C4	-2.09	107.87	113.02
2	A	501	1C1	C27-C20-C21	2.11	122.20	119.69
4	A	505	NAG	C4-C3-C2	2.16	114.58	111.23
4	B	506	NAG	C2-N2-C7	2.18	125.84	123.04
3	B	510	EPE	O2S-S-C10	2.20	108.78	106.91
3	B	510	EPE	C2-C3-N4	2.23	114.63	110.63
3	B	510	EPE	C7-N4-C3	2.26	117.07	111.27
4	B	509	NAG	C1-O5-C5	2.27	115.13	112.25
3	A	502	EPE	C2-C3-N4	2.31	114.77	110.63
4	A	506	NAG	C1-O5-C5	2.39	115.28	112.25
4	B	508	NAG	C1-O5-C5	2.44	115.35	112.25
4	B	502	NAG	C1-O5-C5	2.45	115.36	112.25
2	B	501	1C1	C13-N14-C15	2.54	126.20	122.05
2	B	501	1C1	C15-C17-N19	2.55	116.45	112.30
4	A	509	NAG	C2-N2-C7	2.73	126.54	123.04
3	A	502	EPE	C7-N4-C5	2.76	118.34	111.27
2	A	501	1C1	C26-C24-CL1	2.90	124.39	118.39
2	A	501	1C1	C26-C24-C22	2.96	121.22	119.07
4	A	504	NAG	C1-O5-C5	3.02	116.08	112.25
4	A	503	NAG	O5-C5-C6	3.03	113.91	107.35
4	A	504	NAG	C2-N2-C7	3.22	127.18	123.04
4	B	504	NAG	C1-O5-C5	3.32	116.46	112.25
4	A	508	NAG	C1-O5-C5	3.46	116.63	112.25
2	B	501	1C1	F23-C22-C24	3.52	122.10	119.01
2	A	501	1C1	C17-C15-N14	3.52	116.41	113.34
3	A	502	EPE	O1S-S-C10	3.54	109.92	106.91
2	A	501	1C1	C15-C17-N19	3.88	118.62	112.30
2	A	501	1C1	F23-C22-C21	3.93	125.98	118.59
3	A	502	EPE	C5-N4-C3	4.20	117.99	108.90
2	B	501	1C1	C17-C15-N14	4.34	117.12	113.34
4	B	505	NAG	C1-O5-C5	4.83	118.38	112.25
3	B	510	EPE	C5-N4-C3	5.64	121.11	108.90
2	B	501	1C1	C20-C21-C22	5.84	123.13	118.82
4	A	509	NAG	C1-O5-C5	7.09	121.25	112.25
2	A	501	1C1	C20-C21-C22	7.16	124.10	118.82
4	A	507	NAG	C1-O5-C5	8.42	122.94	112.25

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	508	NAG	O7-C7-N2-C2

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	505	NAG	1	0
4	A	506	NAG	1	0
4	A	509	NAG	1	0
4	B	502	NAG	5	0
4	B	505	NAG	1	0
3	B	510	EPE	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	339/353 (96%)	0.28	7 (2%) 67 71	28, 43, 78, 107	0
1	B	339/353 (96%)	0.84	41 (12%) 6 5	41, 68, 114, 138	0
All	All	678/706 (96%)	0.56	48 (7%) 19 21	28, 55, 105, 138	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	324	GLY	7.1
1	B	462	ASN	5.8
1	B	353	PHE	4.9
1	B	360	ILE	4.4
1	B	396	ILE	4.1
1	B	459	GLY	4.0
1	B	123	THR	4.0
1	B	358	THR	3.9
1	B	394	THR	3.8
1	B	366	GLY	3.7
1	B	277	LEU	3.6
1	B	492	GLU	3.6
1	B	359	ILE	3.5
1	B	430[A]	THR	3.3
1	B	278	THR	3.3
1	B	349	LEU	3.3
1	A	123	THR	3.1
1	B	350	LYS	3.0
1	A	124	GLY	3.0
1	B	468	PHE	2.9
1	B	259	LEU	2.9
1	B	395	CYS	2.9
1	B	228	CYS	2.8
1	B	265	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	351	GLU	2.7
1	B	122	LEU	2.7
1	B	390	LEU	2.6
1	B	481	SER	2.6
1	B	200	VAL	2.6
1	B	245	VAL	2.6
1	B	232	ASN	2.5
1	A	396	ILE	2.5
1	B	281	ALA	2.5
1	A	198	GLY	2.5
1	B	392	ASN	2.5
1	B	391	PHE	2.4
1	B	92	ASN	2.3
1	B	231	LYS	2.3
1	A	429	GLY	2.3
1	B	461	ASN	2.3
1	B	230	ASP	2.2
1	B	124	GLY	2.2
1	A	376	PHE	2.1
1	B	357	LYS	2.1
1	B	233	PHE	2.1
1	B	60	ALA	2.1
1	B	286	VAL	2.1
1	B	254	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	NAG	B	509	14/15	0.49	0.44	5.14	64,89,101,106	0
4	NAG	B	507	14/15	0.72	0.32	4.09	70,79,90,91	0
4	NAG	A	508	14/15	0.63	0.26	1.63	62,74,81,83	0
4	NAG	B	502	14/15	0.75	0.30	1.46	82,95,99,99	0
2	1C1	A	501	28/28	0.84	0.21	0.71	28,41,59,64	0
4	NAG	A	507	14/15	0.72	0.21	0.56	46,62,74,74	0
4	NAG	B	505	14/15	0.71	0.20	0.34	58,65,84,86	0
3	EPE	A	502	15/15	0.95	0.18	0.09	32,37,52,65	0
3	EPE	B	510	15/15	0.87	0.20	0.08	43,65,81,93	0
4	NAG	A	506	14/15	0.87	0.16	0.05	34,58,72,73	0
4	NAG	B	503	14/15	0.90	0.17	0.03	37,44,53,54	0
2	1C1	B	501	28/28	0.86	0.18	-0.06	48,58,91,97	0
4	NAG	A	509	14/15	0.91	0.14	-0.12	33,43,48,61	0
4	NAG	B	506	14/15	0.75	0.15	-0.36	46,69,87,91	0
4	NAG	B	508	14/15	0.74	0.21	-0.37	75,99,120,124	0
4	NAG	A	504	14/15	0.88	0.15	-0.39	28,42,45,47	0
4	NAG	A	503	14/15	0.88	0.15	-0.44	47,62,74,77	0
4	NAG	B	504	14/15	0.71	0.25	-	87,97,102,105	0
4	NAG	A	505	14/15	0.70	0.17	-	41,61,66,67	0
4	NAG	A	510	14/15	0.81	0.18	-	44,63,73,76	0

6.5 Other polymers [i](#)

There are no such residues in this entry.