



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:22 PM GMT

PDB ID : 4I5M  
Title : Selective & Brain-Permeable Polo-like Kinase-2 (Plk-2) Inhibitors that Reduce -Synuclein Phosphorylation in Rat Brain  
Authors : Aubele, D.L.; Hom, R.K.; Adler, M.; Galembo Jr., R.A.; Bowers, S.; Truong, A.P.; Pan, H.; Beroza, P.; Neitz, R.J.; Yao, N.; Lin, M.; Tonn, G.; Zhang, H.; Bova, M.P.; Ren, Z.; Tam, D.; Ruslim, L.; Baker, J.; Diep, L.; Fitzgerald, K.; Hoffman, J.; Motter, R.; Fauss, D.; Tanaka, P.; Dappen, M.; Jagodzinski, J.; Chan, W.; Konradi, A.W.; Latimer, L.; Zhu, Y.L.; Artis, D.R.; Sham, H.L.; Anderson, J.P.; Bergeron, M.  
Deposited on : 2012-11-28  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4533 (1.80-1.80)
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2533 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase PLK2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	S	0	0	0
			2227	1419	397	399	12			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	MET	-	EXPRESSION TAG	UNP Q9NYY3
A	25	MET	-	EXPRESSION TAG	UNP Q9NYY3
A	26	HIS	-	EXPRESSION TAG	UNP Q9NYY3
A	27	HIS	-	EXPRESSION TAG	UNP Q9NYY3
A	54	SER	CYS	ENGINEERED MUTATION	UNP Q9NYY3
A	58	THR	VAL	ENGINEERED MUTATION	UNP Q9NYY3
A	90	SER	ALA	ENGINEERED MUTATION	UNP Q9NYY3
A	187	SER	ALA	ENGINEERED MUTATION	UNP Q9NYY3
A	230	ALA	CYS	ENGINEERED MUTATION	UNP Q9NYY3
A	262	SER	CYS	ENGINEERED MUTATION	UNP Q9NYY3
A	306	THR	LEU	ENGINEERED MUTATION	UNP Q9NYY3

- Molecule 2 is 4-{|(7R)-8-CYCLOPENTYL-7-ETHYL-5-METHYL-6-OXO-5,6,7,8-TETRAHYDROPTERIDIN-2-YL}AMINO}-3-METHOXY-N-(1-METHYLPYPERIDIN-4-YL)BENZAMIDE (three-letter code: R78) (formula: C<sub>28</sub>H<sub>39</sub>N<sub>7</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			38	28	7	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	268	Total	O	0	0
			268	268		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase PLK2



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.33Å 60.22Å 53.21Å 90.00° 107.40° 90.00°	Depositor
Resolution (Å)	39.34 – 1.80 30.11 – 1.80	Depositor EDS
% Data completeness (in resolution range)	86.5 (39.34-1.80) 86.5 (30.11-1.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.15 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.320 , 0.392 0.312 , 0.381	Depositor DCC
$R_{free}$ test set	1485 reflections (6.18%)	DCC
Wilson B-factor (Å <sup>2</sup> )	28.6	Xtriage
Anisotropy	0.109	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 30.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 25317 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	2533	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: R78

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.65	2/2280 (0.1%)	0.78	5/3074 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	3	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	317	SER	CB-OG	-5.42	1.35	1.42
1	A	146	LYS	CB-CG	-5.14	1.38	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	264	ARG	CB-CA-C	9.98	130.36	110.40
1	A	74	THR	N-CA-C	-6.79	92.68	111.00
1	A	49	THR	CB-CA-C	-6.64	93.67	111.60
1	A	124	GLU	N-CA-C	5.95	127.07	111.00
1	A	74	THR	CB-CA-C	5.25	125.79	111.60

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	48	THR	CB
1	A	58	THR	CB

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atom
1	A	124	GLU	CA

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	124	GLU	Peptide
1	A	264	ARG	Peptide
1	A	311	PRO	Peptide
1	A	324	ASP	Peptide
1	A	50	GLY	Peptide
1	A	74	THR	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2227	0	2234	105	4
2	A	38	0	39	2	0
3	A	268	0	0	16	3
All	All	2533	0	2273	107	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:MET:CE	1:A:316:SER:HB3	1.65	1.27
1:A:188:MET:HE2	1:A:316:SER:HB3	1.14	1.13
1:A:188:MET:HE3	1:A:316:SER:HA	1.25	1.09
1:A:188:MET:CE	1:A:316:SER:CB	2.31	1.08
1:A:188:MET:CE	1:A:316:SER:HA	1.85	1.06
1:A:313:ARG:HG2	3:A:606:HOH:O	1.51	1.06
1:A:188:MET:HE2	1:A:316:SER:CB	1.88	1.04
1:A:146:LYS:HE3	3:A:648:HOH:O	1.58	1.01
1:A:188:MET:HE3	1:A:316:SER:CA	1.92	0.97

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:THR:HB	1:A:75:ASN:HB2	1.47	0.97
1:A:123:LYS:HB3	3:A:609:HOH:O	1.62	0.96
1:A:123:LYS:HB2	1:A:124:GLU:OE1	1.65	0.95
1:A:73:LEU:O	1:A:74:THR:O	1.88	0.91
1:A:188:MET:CE	1:A:316:SER:CA	2.47	0.91
1:A:220:PRO:HB3	1:A:264:ARG:O	1.71	0.89
1:A:91:LYS:HB2	1:A:94:GLN:NE2	1.89	0.87
1:A:91:LYS:HB2	1:A:94:GLN:HE21	1.37	0.85
1:A:146:LYS:HE2	3:A:582:HOH:O	1.80	0.81
1:A:74:THR:HB	1:A:75:ASN:CB	2.12	0.79
1:A:138:MET:CE	1:A:190:LEU:HD11	2.12	0.79
1:A:91:LYS:HD2	1:A:94:GLN:HE22	1.48	0.78
1:A:216:ASN:O	1:A:253:THR:HG23	1.90	0.71
1:A:188:MET:HE3	1:A:316:SER:CB	2.13	0.71
1:A:91:LYS:CD	1:A:94:GLN:NE2	2.57	0.68
1:A:58:THR:HG22	1:A:68:TYR:CE2	2.27	0.68
1:A:97:LYS:HE2	1:A:196:GLY:O	1.94	0.68
1:A:112:HIS:CE1	1:A:159:GLN:HE21	2.12	0.67
1:A:91:LYS:CD	1:A:94:GLN:HE22	2.08	0.67
1:A:138:MET:HE2	1:A:190:LEU:CD1	2.25	0.66
1:A:42:ARG:HD2	1:A:55:ARG:HG2	1.79	0.65
1:A:188:MET:HE2	1:A:316:SER:CA	2.21	0.65
1:A:100:LYS:HZ2	1:A:104:LEU:HD13	1.62	0.65
1:A:123:LYS:CD	3:A:671:HOH:O	2.44	0.65
1:A:146:LYS:N	1:A:146:LYS:HD3	2.11	0.64
1:A:100:LYS:HE2	1:A:200:ARG:HH22	1.63	0.64
1:A:185:ASN:ND2	1:A:189:GLU:H	1.96	0.63
1:A:138:MET:HA	1:A:141:ILE:HG12	1.82	0.62
1:A:123:LYS:HD3	3:A:671:HOH:O	2.00	0.62
1:A:264:ARG:H	1:A:265:GLU:HB3	1.65	0.61
1:A:138:MET:CE	1:A:190:LEU:CD1	2.79	0.60
1:A:138:MET:HE1	1:A:156:TYR:HB3	1.83	0.60
1:A:312:ASP:HB2	1:A:313:ARG:HA	1.83	0.59
1:A:200:ARG:H	1:A:200:ARG:HD2	1.70	0.57
1:A:185:ASN:HD22	1:A:185:ASN:C	2.07	0.57
1:A:123:LYS:HD2	3:A:671:HOH:O	2.04	0.56
1:A:123:LYS:NZ	1:A:123:LYS:CB	2.69	0.56
1:A:185:ASN:HD21	1:A:189:GLU:H	1.52	0.56
1:A:73:LEU:C	1:A:74:THR:O	2.37	0.55
1:A:100:LYS:CE	1:A:200:ARG:HH22	2.19	0.55
1:A:123:LYS:HA	3:A:609:HOH:O	2.05	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLU:N	1:A:124:GLU:OE1	2.40	0.54
1:A:159:GLN:NE2	1:A:190:LEU:H	2.06	0.54
1:A:171:GLU:HB2	1:A:201:LEU:HD22	1.89	0.54
1:A:312:ASP:CB	1:A:313:ARG:HA	2.39	0.53
1:A:112:HIS:HE1	1:A:159:GLN:HE21	1.57	0.53
1:A:91:LYS:HD3	1:A:94:GLN:NE2	2.23	0.52
1:A:253:THR:HG22	1:A:253:THR:O	2.08	0.52
1:A:123:LYS:C	1:A:124:GLU:OE1	2.47	0.52
1:A:91:LYS:CB	1:A:94:GLN:NE2	2.68	0.52
1:A:248:ARG:HD2	3:A:543:HOH:O	2.09	0.52
1:A:109:HIS:HA	1:A:115:GLN:HE22	1.75	0.51
2:A:401:R78:N2	2:A:401:R78:H20	2.26	0.51
1:A:123:LYS:CB	3:A:609:HOH:O	2.36	0.51
1:A:274:LEU:HD21	1:A:282:ILE:HD12	1.91	0.51
1:A:91:LYS:HD2	1:A:94:GLN:NE2	2.18	0.51
1:A:123:LYS:CA	3:A:609:HOH:O	2.58	0.51
1:A:145:ARG:O	1:A:146:LYS:HB2	2.13	0.49
1:A:145:ARG:C	1:A:146:LYS:HD3	2.33	0.49
1:A:70:MET:HE3	3:A:683:HOH:O	2.12	0.49
1:A:64:PHE:HB2	1:A:88:ARG:HH11	1.78	0.49
1:A:100:LYS:NZ	1:A:100:LYS:CB	2.75	0.48
1:A:138:MET:HE2	1:A:190:LEU:HD12	1.94	0.48
1:A:264:ARG:N	1:A:265:GLU:HB3	2.28	0.48
1:A:317:SER:O	1:A:321:THR:HG22	2.14	0.48
1:A:84:ILE:HB	1:A:126:ILE:HB	1.96	0.47
1:A:74:THR:N	1:A:75:ASN:HB3	2.29	0.47
1:A:267:ARG:HB3	3:A:690:HOH:O	2.15	0.47
1:A:100:LYS:CB	1:A:100:LYS:HZ3	2.28	0.47
1:A:116:PHE:HZ	1:A:119:TYR:HB3	1.80	0.47
1:A:146:LYS:HG2	3:A:648:HOH:O	2.15	0.47
1:A:220:PRO:CB	1:A:264:ARG:O	2.55	0.47
1:A:123:LYS:NZ	1:A:123:LYS:HB2	2.31	0.46
1:A:123:LYS:HZ2	1:A:123:LYS:HB2	1.79	0.46
1:A:100:LYS:NZ	1:A:104:LEU:HD13	2.29	0.46
1:A:276:ALA:HB3	1:A:277:PRO:HD3	1.99	0.45
1:A:171:GLU:O	1:A:171:GLU:HG2	2.16	0.44
1:A:325:PHE:HD1	1:A:325:PHE:HA	1.47	0.44
1:A:159:GLN:HE22	1:A:190:LEU:H	1.64	0.43
1:A:92:PRO:HA	1:A:95:ARG:HD3	2.00	0.43
1:A:228:HIS:CE1	1:A:232:SER:HB2	2.53	0.43
1:A:68:TYR:CD1	1:A:83:ILE:HD12	2.53	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:312:ASP:HB2	1:A:313:ARG:CA	2.48	0.43
1:A:263:ILE:HA	3:A:503:HOH:O	2.19	0.43
1:A:254:THR:HB	1:A:256:LEU:HD13	2.02	0.42
1:A:310:THR:HG22	1:A:311:PRO:O	2.20	0.42
1:A:155:TYR:HE1	1:A:312:ASP:HB3	1.83	0.42
1:A:142:LEU:HD22	1:A:179:LEU:CD1	2.49	0.42
1:A:122:ASP:OD1	1:A:122:ASP:C	2.58	0.41
1:A:91:LYS:H	1:A:94:GLN:HE22	1.68	0.41
1:A:138:MET:HG3	1:A:182:PHE:HB2	2.03	0.41
1:A:100:LYS:NZ	1:A:103:GLU:OE1	2.54	0.41
1:A:243:THR:O	1:A:247:GLY:N	2.54	0.41
1:A:134:SER:OG	1:A:186:GLU:HG2	2.20	0.40
1:A:179:LEU:HG	3:A:647:HOH:O	2.20	0.40
1:A:123:LYS:CB	1:A:124:GLU:OE1	2.52	0.40
2:A:401:R78:H11	2:A:401:R78:H4	1.83	0.40
1:A:108:LEU:HD21	1:A:172:ILE:HD12	2.03	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:PHE:CE1	3:A:759:HOH:O[2_556]	0.83	1.37
1:A:325:PHE:CD1	3:A:759:HOH:O[2_556]	1.72	0.48
1:A:325:PHE:CZ	3:A:759:HOH:O[2_556]	2.07	0.13
1:A:316:SER:OG	1:A:324:ASP:OD1[2_556]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	269/308 (87%)	247 (92%)	18 (7%)	4 (2%)	<b>13</b> <b>3</b>

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	LYS
1	A	74	THR
1	A	310	THR
1	A	309	PHE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	245/278 (88%)	226 (92%)	19 (8%)	16 4

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	ARG
1	A	73	LEU
1	A	100	LYS
1	A	119	TYR
1	A	123	LYS
1	A	146	LYS
1	A	147	VAL
1	A	167	LEU
1	A	170	GLN
1	A	171	GLU
1	A	185	ASN
1	A	186	GLU
1	A	200	ARG
1	A	201	LEU
1	A	216	ASN
1	A	225	LYS
1	A	303	ASP
1	A	316	SER
1	A	325	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	GLN
1	A	115	GLN
1	A	125	ASN
1	A	159	GLN
1	A	170	GLN
1	A	181	ASN
1	A	185	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	R78	A	401	-	40,42,42	1.04	3 (7%)	46,60,60	2.41	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R78	A	401	-	-	0/20/57/57	0/5/5/5

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	R78	O1-C6	2.07	1.26	1.22
2	A	401	R78	C6-N4	2.46	1.42	1.38
2	A	401	R78	C7-C16	3.93	1.49	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	R78	N1-C1-N2	-5.77	120.52	126.67
2	A	401	R78	C23-C24-N7	-3.25	106.79	111.32
2	A	401	R78	C29-C28-N7	-2.90	107.28	111.32
2	A	401	R78	C1-N2-C2	2.15	121.51	113.90
2	A	401	R78	C31-O3-C16	2.59	121.46	117.54
2	A	401	R78	C4-N1-C1	3.42	122.48	115.95
2	A	401	R78	O3-C16-C7	4.07	120.07	114.87
2	A	401	R78	C30-N7-C24	5.50	119.21	110.63
2	A	401	R78	C30-N7-C28	5.70	119.52	110.63
2	A	401	R78	C28-N7-C24	8.94	121.27	109.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	R78	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	273/308 (88%)	0.85	32 (11%) 6 5	16, 29, 44, 49	1 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	64	PHE	6.3
1	A	181	ASN	5.3
1	A	62	GLY	4.9
1	A	325	PHE	4.5
1	A	63	GLY	4.3
1	A	274	LEU	4.0
1	A	312	ASP	3.4
1	A	93	HIS	3.4
1	A	289	ASN	3.3
1	A	88	ARG	3.2
1	A	95	ARG	2.9
1	A	98	ILE	2.9
1	A	320	HIS	2.8
1	A	92	PRO	2.8
1	A	309	PHE	2.7
1	A	172	ILE	2.7
1	A	311	PRO	2.7
1	A	270	MET	2.6
1	A	307	GLN	2.6
1	A	259	THR	2.5
1	A	267	ARG	2.5
1	A	265	GLU	2.5
1	A	89	VAL	2.4
1	A	201	LEU	2.4
1	A	322	VAL	2.3
1	A	200	ARG	2.3
1	A	263	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	74	THR	2.3
1	A	49	THR	2.1
1	A	321	THR	2.1
1	A	75	ASN	2.0
1	A	164	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	R78	A	401	38/38	0.85	0.14	-0.18	17,24,37,38	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.