



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 09:43 PM EST

PDB ID : 5I7V
Title : Crystal structure of B. pseudomallei FabI in complex with NAD and PT02
Authors : Hirschbeck, M.W.; Eltschkner, S.; Tonge, P.J.; Kisker, C.
Deposited on : 2016-02-18
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>19%</div> <div>7%</div> </div> </div>
1	B	276	<div> <div>11%</div> <div> <div></div> <div>71%</div> <div>22%</div> <div>7%</div> </div> </div>
1	C	276	<div> <div>%</div> <div> <div></div> <div>75%</div> <div>18%</div> <div>7%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	6	2	0
			1918	1222	325	365	6			
1	B	257	Total	C	N	O	S	0	0	0
			1912	1218	325	363	6			
1	C	257	Total	C	N	O	S	3	1	0
			1915	1220	325	364	6			

There are 39 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	264	LYS	-	expression tag	UNP A0A069B9A4
A	265	LEU	-	expression tag	UNP A0A069B9A4
A	266	ALA	-	expression tag	UNP A0A069B9A4
A	267	ALA	-	expression tag	UNP A0A069B9A4
A	268	ALA	-	expression tag	UNP A0A069B9A4
A	269	LEU	-	expression tag	UNP A0A069B9A4
A	270	GLU	-	expression tag	UNP A0A069B9A4
A	271	HIS	-	expression tag	UNP A0A069B9A4
A	272	HIS	-	expression tag	UNP A0A069B9A4
A	273	HIS	-	expression tag	UNP A0A069B9A4
A	274	HIS	-	expression tag	UNP A0A069B9A4
A	275	HIS	-	expression tag	UNP A0A069B9A4
A	276	HIS	-	expression tag	UNP A0A069B9A4
B	264	LYS	-	expression tag	UNP A0A069B9A4
B	265	LEU	-	expression tag	UNP A0A069B9A4
B	266	ALA	-	expression tag	UNP A0A069B9A4
B	267	ALA	-	expression tag	UNP A0A069B9A4
B	268	ALA	-	expression tag	UNP A0A069B9A4
B	269	LEU	-	expression tag	UNP A0A069B9A4
B	270	GLU	-	expression tag	UNP A0A069B9A4
B	271	HIS	-	expression tag	UNP A0A069B9A4
B	272	HIS	-	expression tag	UNP A0A069B9A4
B	273	HIS	-	expression tag	UNP A0A069B9A4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	274	HIS	-	expression tag	UNP A0A069B9A4
B	275	HIS	-	expression tag	UNP A0A069B9A4
B	276	HIS	-	expression tag	UNP A0A069B9A4
C	264	LYS	-	expression tag	UNP A0A069B9A4
C	265	LEU	-	expression tag	UNP A0A069B9A4
C	266	ALA	-	expression tag	UNP A0A069B9A4
C	267	ALA	-	expression tag	UNP A0A069B9A4
C	268	ALA	-	expression tag	UNP A0A069B9A4
C	269	LEU	-	expression tag	UNP A0A069B9A4
C	270	GLU	-	expression tag	UNP A0A069B9A4
C	271	HIS	-	expression tag	UNP A0A069B9A4
C	272	HIS	-	expression tag	UNP A0A069B9A4
C	273	HIS	-	expression tag	UNP A0A069B9A4
C	274	HIS	-	expression tag	UNP A0A069B9A4
C	275	HIS	-	expression tag	UNP A0A069B9A4
C	276	HIS	-	expression tag	UNP A0A069B9A4

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 2-phenoxy-5-propyl-phenol (three-letter code: PV4) (formula: C₁₅H₁₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			17	15	2		
3	B	1	Total	C	O	0	0
			17	15	2		
3	C	1	Total	C	O	0	0
			17	15	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	45	Total	O	0	0
			45	45		
4	B	34	Total	O	0	0
			34	34		
4	C	39	Total	O	0	0
			39	39		

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	69.62Å 111.95Å 262.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.74 – 2.60 19.74 – 2.60	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.74-2.60) 100.0 (19.74-2.60)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.64 (at 2.59Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.2_432)	Depositor
R, R_{free}	0.221 , 0.280 0.217 , 0.276	Depositor DCC
R_{free} test set	1624 reflections (5.07%)	DCC
Wilson B-factor (Å ²)	39.9	Xtriage
Anisotropy	0.664	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 71.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6046	wwPDB-VP
Average B, all atoms (Å ²)	84.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PV4, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/1957	0.71	3/2647 (0.1%)
1	B	0.37	0/1945	0.58	2/2631 (0.1%)
1	C	0.42	0/1951	0.60	2/2639 (0.1%)
All	All	0.41	0/5853	0.64	7/7917 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	97	ARG	NE-CZ-NH1	-16.39	112.10	120.30
1	A	97	ARG	NE-CZ-NH2	15.77	128.19	120.30
1	B	97	ARG	NE-CZ-NH2	-8.54	116.03	120.30
1	C	97	ARG	NE-CZ-NH2	-8.48	116.06	120.30
1	C	97	ARG	NE-CZ-NH1	8.37	124.48	120.30
1	B	97	ARG	NE-CZ-NH1	8.35	124.47	120.30
1	A	97	ARG	CD-NE-CZ	7.99	134.79	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1918	0	1929	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1912	0	1919	51	0
1	C	1915	0	1924	41	0
2	A	44	0	24	1	0
2	B	44	0	24	13	0
2	C	44	0	24	4	0
3	A	17	0	16	2	0
3	B	17	0	16	4	0
3	C	17	0	16	5	0
4	A	45	0	0	5	0
4	B	34	0	0	9	0
4	C	39	0	0	6	0
All	All	6046	0	5892	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:SER:O	2:B:301:NAD:H5N	1.78	0.82
1:B:65:VAL:HG22	2:B:301:NAD:N6A	1.98	0.79
1:B:132:LEU:HB3	1:B:133:PRO:HD3	1.68	0.76
1:C:132:LEU:HB3	1:C:133:PRO:HD3	1.66	0.76
2:C:301:NAD:N3A	4:C:405:HOH:O	2.21	0.73
3:B:302:PV4:H13	3:B:302:PV4:C4	2.19	0.72
1:C:191:PRO:O	4:C:401:HOH:O	2.09	0.71
1:B:15:LEU:HB2	2:B:301:NAD:O3B	1.91	0.71
1:A:150:GLU:O	4:A:401:HOH:O	2.09	0.70
1:A:132:LEU:HB3	1:A:133:PRO:HD3	1.74	0.69
3:C:302:PV4:H13	3:C:302:PV4:C6	2.22	0.69
1:B:3:PHE:HB3	4:B:429:HOH:O	1.95	0.66
1:C:2:GLY:HA3	1:C:31:GLU:OE1	1.96	0.66
1:C:146:TYR:HB2	2:C:301:NAD:H5N	1.79	0.65
1:B:182:VAL:HG22	4:B:403:HOH:O	1.98	0.64
1:B:2:GLY:HA3	1:B:31:GLU:OE1	1.99	0.62
1:A:68:ASP:OD1	4:A:402:HOH:O	2.15	0.61
1:B:109:THR:HB	4:B:416:HOH:O	2.00	0.60
1:C:196:ALA:HB1	3:C:302:PV4:C9	2.32	0.60
1:B:65:VAL:HG13	2:B:301:NAD:N1A	2.16	0.60
1:A:2:GLY:HA3	1:A:31:GLU:OE1	2.02	0.60
1:A:94:PHE:HA	3:A:302:PV4:H10	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:SER:O	1:B:127:LEU:HG	2.04	0.58
1:A:79:LYS:NZ	1:C:47:ARG:HH22	2.01	0.57
1:A:16[B]:SER:OG	1:A:18:ARG:N	2.25	0.57
1:A:216:LEU:HB2	1:A:249:SER:HB3	1.86	0.57
1:B:183:ARG:NE	4:B:402:HOH:O	2.06	0.56
1:C:146:TYR:CE2	3:C:302:PV4:H162	2.40	0.55
1:A:123:SER:O	1:A:127:LEU:HG	2.07	0.55
1:B:65:VAL:HG22	2:B:301:NAD:H62A	1.69	0.55
1:A:203:PHE:CE2	1:A:207:LEU:HD12	2.42	0.54
1:C:216:LEU:HB2	1:C:249:SER:HB3	1.88	0.54
1:C:201:LYS:O	4:C:403:HOH:O	2.18	0.53
1:A:111:GLU:OE1	1:A:111:GLU:HA	2.08	0.53
1:C:40:VAL:HG21	2:C:301:NAD:C2A	2.38	0.53
3:C:302:PV4:C6	3:C:302:PV4:C13	2.84	0.52
1:B:171:ARG:NH1	4:B:401:HOH:O	2.02	0.52
2:B:301:NAD:C5D	2:B:301:NAD:H52A	2.40	0.52
1:B:216:LEU:HB2	1:B:249:SER:HB3	1.90	0.51
1:C:123:SER:O	1:C:127:LEU:HG	2.09	0.51
1:C:146:TYR:CZ	3:C:302:PV4:H162	2.45	0.51
1:B:139:ALA:HB3	4:B:403:HOH:O	2.09	0.51
1:B:39:TYR:OH	1:B:45:LYS:HD3	2.11	0.51
1:C:8:ARG:NH2	1:C:84:SER:H	2.09	0.50
1:B:194:THR:OG1	2:B:301:NAD:O1N	2.16	0.50
1:C:39:TYR:OH	1:C:45:LYS:HD3	2.12	0.50
1:B:94:PHE:N	3:B:302:PV4:H10	2.27	0.50
1:C:180:LYS:HG2	4:C:437:HOH:O	2.11	0.50
1:B:111:GLU:OE1	1:B:111:GLU:HA	2.12	0.49
1:B:92:ILE:HG12	2:B:301:NAD:N3A	2.27	0.49
1:B:93:GLY:HA3	3:B:302:PV4:H9	1.95	0.49
1:A:39:TYR:OH	1:A:45:LYS:HD3	2.13	0.48
1:B:58:GLU:O	1:B:58:GLU:HG2	2.12	0.48
1:C:114:ARG:HG2	1:C:114:ARG:HH11	1.79	0.48
1:B:75:PHE:CZ	1:B:131:ALA:HB2	2.48	0.48
1:A:79:LYS:HZ1	1:C:47:ARG:HH22	1.60	0.48
1:C:79:LYS:O	4:C:404:HOH:O	2.19	0.48
1:B:8:ARG:NH2	1:B:84:SER:H	2.12	0.48
1:B:203:PHE:CE2	1:B:207:LEU:HD12	2.49	0.47
1:A:177:LEU:HB3	1:A:182:VAL:HB	1.96	0.47
1:C:8:ARG:HH21	1:C:84:SER:H	1.62	0.47
1:A:58:GLU:HG2	1:A:58:GLU:O	2.15	0.47
1:B:139:ALA:N	4:B:403:HOH:O	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:58:GLU:HG2	1:C:58:GLU:O	2.15	0.46
1:C:203:PHE:CE2	1:C:207:LEU:HD12	2.50	0.46
1:A:145:SER:OG	1:A:146:TYR:N	2.49	0.46
2:B:301:NAD:H52A	2:B:301:NAD:H52N	1.97	0.46
1:B:215:PRO:HD2	1:B:249:SER:O	2.16	0.46
1:A:38:THR:HA	1:A:61:PHE:O	2.15	0.46
1:B:201:LYS:HB2	1:B:201:LYS:HE3	1.49	0.46
1:C:215:PRO:HD2	1:C:249:SER:O	2.16	0.46
1:C:75:PHE:CZ	1:C:131:ALA:HB2	2.51	0.45
1:C:38:THR:HA	1:C:61:PHE:O	2.17	0.45
1:B:103:ASP:HB3	1:B:106:ASP:HB2	1.98	0.45
1:A:43:ARG:NH2	4:A:415:HOH:O	2.48	0.45
1:A:8:ARG:NH2	1:A:84:SER:H	2.13	0.45
1:C:131:ALA:O	1:C:132:LEU:C	2.55	0.45
1:C:20:ILE:O	1:C:24:ILE:HG13	2.17	0.45
1:C:8:ARG:HH22	1:C:83:ASP:HB3	1.82	0.45
1:A:30:ARG:NE	4:A:409:HOH:O	2.37	0.45
1:B:131:ALA:O	1:B:132:LEU:C	2.54	0.45
1:A:24:ILE:HG12	1:A:226:GLY:HA2	1.99	0.45
1:A:243:GLU:OE1	1:B:246:HIS:HB2	2.17	0.44
1:C:155:ASN:ND2	4:C:403:HOH:O	2.37	0.44
2:B:301:NAD:H2D	3:B:302:PV4:O7	2.17	0.44
1:C:124:PHE:HB3	1:C:125:PRO:CD	2.46	0.44
1:A:75:PHE:CZ	1:A:131:ALA:HB2	2.53	0.44
1:B:177:LEU:HB3	1:B:182:VAL:HB	1.99	0.44
1:A:246:HIS:HB2	1:B:243:GLU:OE1	2.18	0.44
1:B:132:LEU:HB3	1:B:133:PRO:CD	2.43	0.44
1:B:67:ASP:OD2	1:B:69:ALA:HB3	2.18	0.44
1:A:201:LYS:HB2	1:A:201:LYS:HE3	1.48	0.44
1:B:194:THR:HA	4:B:414:HOH:O	2.17	0.44
1:A:103:ASP:HB3	1:A:106:ASP:HB2	1.99	0.43
1:B:24:ILE:HG12	1:B:226:GLY:HA2	1.99	0.43
1:C:67:ASP:OD2	1:C:69:ALA:HB3	2.18	0.43
1:A:144:LEU:HD13	1:A:144:LEU:HA	1.78	0.43
1:C:24:ILE:HG12	1:C:226:GLY:HA2	2.01	0.43
1:C:111:GLU:OE1	1:C:111:GLU:HA	2.18	0.43
1:C:40:VAL:CG2	2:C:301:NAD:C2A	2.97	0.43
1:A:131:ALA:O	1:A:132:LEU:C	2.56	0.43
2:A:301:NAD:O2D	3:A:302:PV4:O17	2.36	0.43
1:B:65:VAL:H	2:B:301:NAD:H62A	1.67	0.43
1:B:38:THR:HA	1:B:61:PHE:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ARG:HG2	1:A:114:ARG:HH11	1.83	0.42
1:A:163:LYS:NZ	4:A:416:HOH:O	2.49	0.42
1:C:103:ASP:HB3	1:C:106:ASP:HB2	2.01	0.42
1:B:22:TYR:CE2	1:B:26:LYS:HD2	2.55	0.42
1:B:8:ARG:HH22	1:B:83:ASP:HB3	1.84	0.42
1:A:215:PRO:HD2	1:A:249:SER:O	2.20	0.42
1:A:34:GLU:C	1:A:35:LEU:HD23	2.40	0.42
2:B:301:NAD:H52A	2:B:301:NAD:H51N	2.01	0.42
1:C:202:SER:HB3	1:C:205:LYS:HB2	2.02	0.42
1:B:91:SER:C	2:B:301:NAD:H4D	2.40	0.42
1:C:132:LEU:HB3	1:C:133:PRO:CD	2.44	0.42
1:A:67:ASP:OD2	1:A:69:ALA:HB3	2.19	0.42
1:C:144:LEU:HD13	1:C:144:LEU:HA	1.81	0.42
1:A:8:ARG:HH21	1:A:84:SER:H	1.68	0.42
1:C:177:LEU:HB3	1:C:182:VAL:HB	2.01	0.41
1:B:144:LEU:HA	1:B:144:LEU:HD13	1.80	0.41
1:A:22:TYR:CE2	1:A:26:LYS:HD2	2.55	0.41
1:B:48:ILE:HG23	1:B:60:VAL:HG11	2.02	0.41
1:B:54:GLU:O	1:B:54:GLU:HG2	2.19	0.41
1:A:203:PHE:CE2	1:A:207:LEU:CD1	3.04	0.41
1:B:20:ILE:O	1:B:24:ILE:HG13	2.21	0.41
1:C:201:LYS:HB2	1:C:201:LYS:HE3	1.48	0.41
1:A:8:ARG:HH22	1:A:83:ASP:HB3	1.85	0.41
1:B:8:ARG:HH21	1:B:84:SER:H	1.69	0.41
1:B:145:SER:OG	1:B:146:TYR:N	2.54	0.41
1:C:39:TYR:CD2	1:C:48:ILE:HG21	2.56	0.41
1:A:75:PHE:CE1	1:A:131:ALA:HB2	2.56	0.40
1:B:114:ARG:HG2	1:B:114:ARG:HH11	1.85	0.40
1:B:18:ARG:CZ	4:B:414:HOH:O	2.70	0.40
1:B:173:LEU:HA	1:B:173:LEU:HD23	1.90	0.40
1:C:22:TYR:CE2	1:C:26:LYS:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/276 (93%)	235 (91%)	22 (9%)	0	100	100
1	B	255/276 (92%)	232 (91%)	23 (9%)	0	100	100
1	C	256/276 (93%)	238 (93%)	18 (7%)	0	100	100
All	All	768/828 (93%)	705 (92%)	63 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/209 (94%)	194 (98%)	3 (2%)	72	90
1	B	195/209 (93%)	191 (98%)	4 (2%)	61	85
1	C	196/209 (94%)	195 (100%)	1 (0%)	92	98
All	All	588/627 (94%)	580 (99%)	8 (1%)	74	90

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	97	ARG
1	A	120	SER
1	A	161	LEU
1	B	16	SER
1	B	141	LEU
1	B	161	LEU
1	B	234	SER
1	C	161	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	A	301	-	42,48,48	1.66	12 (28%)	46,73,73	2.23	6 (13%)
3	PV4	A	302	-	18,18,18	0.57	0	23,23,23	1.47	3 (13%)
2	NAD	B	301	-	42,48,48	2.05	13 (30%)	46,73,73	2.81	14 (30%)
3	PV4	B	302	-	18,18,18	0.56	0	23,23,23	1.27	2 (8%)
2	NAD	C	301	-	42,48,48	1.69	11 (26%)	46,73,73	2.10	12 (26%)
3	PV4	C	302	-	18,18,18	0.46	0	23,23,23	1.19	4 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	301	-	-	0/22/62/62	0/5/5/5
3	PV4	A	302	-	-	0/7/7/7	0/2/2/2
2	NAD	B	301	-	-	0/22/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PV4	B	302	-	-	0/7/7/7	0/2/2/2
2	NAD	C	301	-	-	0/22/62/62	0/5/5/5
3	PV4	C	302	-	-	0/7/7/7	0/2/2/2

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAD	C2B-C1B	-3.52	1.48	1.53
2	A	301	NAD	C5B-C4B	-3.34	1.40	1.51
2	B	301	NAD	O3D-C3D	-3.25	1.35	1.43
2	B	301	NAD	C2D-C1D	-3.22	1.48	1.53
2	B	301	NAD	C2B-C3B	-3.15	1.44	1.53
2	A	301	NAD	O2D-C2D	-3.15	1.35	1.43
2	B	301	NAD	O2D-C2D	-3.08	1.35	1.43
2	C	301	NAD	O3D-C3D	-2.96	1.36	1.43
2	B	301	NAD	C2D-C3D	-2.94	1.45	1.53
2	A	301	NAD	O3D-C3D	-2.92	1.36	1.43
2	A	301	NAD	C5D-C4D	-2.90	1.42	1.51
2	A	301	NAD	C2D-C1D	-2.83	1.49	1.53
2	C	301	NAD	O2D-C2D	-2.82	1.36	1.43
2	C	301	NAD	C2B-C1B	-2.82	1.49	1.53
2	C	301	NAD	C5D-C4D	-2.77	1.42	1.51
2	B	301	NAD	C5B-C4B	-2.76	1.42	1.51
2	A	301	NAD	C2D-C3D	-2.73	1.46	1.53
2	C	301	NAD	C2D-C3D	-2.65	1.46	1.53
2	A	301	NAD	C2B-C3B	-2.52	1.46	1.53
2	A	301	NAD	C2B-C1B	-2.40	1.49	1.53
2	B	301	NAD	O4D-C4D	-2.35	1.39	1.45
2	A	301	NAD	O4D-C4D	-2.34	1.39	1.45
2	C	301	NAD	C5B-C4B	-2.34	1.44	1.51
2	B	301	NAD	C5D-C4D	-2.23	1.44	1.51
2	C	301	NAD	C2D-C1D	-2.05	1.50	1.53
2	C	301	NAD	C3N-C7N	2.11	1.53	1.50
2	A	301	NAD	C6A-N6A	2.65	1.45	1.34
2	B	301	NAD	C6A-N6A	2.66	1.45	1.34
2	A	301	NAD	C2N-N1N	2.75	1.39	1.35
2	C	301	NAD	C6A-N6A	2.83	1.45	1.34
2	C	301	NAD	C2N-N1N	2.91	1.39	1.35
2	B	301	NAD	C3N-C7N	2.95	1.55	1.50
2	A	301	NAD	O4D-C1D	3.23	1.45	1.41
2	C	301	NAD	O4D-C1D	4.64	1.47	1.41
2	B	301	NAD	O4D-C1D	5.17	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAD	C2N-N1N	5.29	1.42	1.35

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	NAD	C4B-O4B-C1B	-9.99	99.06	109.64
2	C	301	NAD	N3A-C2A-N1A	-8.36	122.30	128.87
2	A	301	NAD	N3A-C2A-N1A	-7.91	122.66	128.87
2	A	301	NAD	C4B-O4B-C1B	-7.40	101.80	109.64
2	B	301	NAD	N3A-C2A-N1A	-7.16	123.25	128.87
2	B	301	NAD	O7N-C7N-N7N	-5.08	115.34	122.58
2	A	301	NAD	C3N-C2N-N1N	-4.96	114.67	120.34
2	C	301	NAD	C4B-O4B-C1B	-4.87	104.48	109.64
3	B	302	PV4	C5-O7-C8	-4.45	105.99	117.83
2	C	301	NAD	O7N-C7N-N7N	-3.45	117.66	122.58
2	B	301	NAD	C5B-C4B-C3B	-2.91	103.96	115.20
3	A	302	PV4	C6-C1-C2	-2.89	117.32	120.81
2	B	301	NAD	C4N-C3N-C7N	-2.52	114.42	121.11
2	B	301	NAD	C3N-C2N-N1N	-2.50	117.48	120.34
2	B	301	NAD	C5N-C6N-N1N	-2.26	116.55	120.46
2	C	301	NAD	C5N-C4N-C3N	-2.20	117.72	120.35
3	C	302	PV4	C6-C1-C2	-2.20	118.16	120.81
3	C	302	PV4	C5-O7-C8	-2.07	112.34	117.83
2	C	301	NAD	C2B-C3B-C4B	2.01	106.74	102.64
3	B	302	PV4	C3-C2-C1	2.04	121.48	118.53
2	B	301	NAD	O4B-C4B-C5B	2.04	116.60	109.29
2	B	301	NAD	C6N-C5N-C4N	2.07	122.57	119.43
2	B	301	NAD	C2N-C3N-C7N	2.18	125.50	119.24
2	C	301	NAD	C3N-C7N-N7N	2.24	120.36	117.82
3	C	302	PV4	C3-C2-C1	2.29	121.84	118.53
2	C	301	NAD	N6A-C6A-N1A	2.41	122.56	118.52
2	C	301	NAD	C2D-C1D-N1N	2.41	118.26	113.53
2	C	301	NAD	O2A-PA-O3	2.60	116.40	105.27
2	C	301	NAD	O2N-PN-O3	2.74	117.03	105.27
3	C	302	PV4	O7-C5-C6	2.79	121.59	116.12
2	B	301	NAD	C3N-C7N-N7N	2.97	121.18	117.82
2	A	301	NAD	O5D-C5D-C4D	2.97	119.82	109.09
2	B	301	NAD	O5D-C5D-C4D	3.01	119.96	109.09
3	A	302	PV4	C3-C2-C1	3.11	123.02	118.53
3	A	302	PV4	O7-C5-C6	3.12	122.26	116.12
2	C	301	NAD	C2N-C3N-C4N	3.24	121.94	118.27
2	C	301	NAD	O5B-C5B-C4B	3.31	121.02	109.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	301	NAD	O4B-C1B-N9A	4.32	116.28	108.11
2	A	301	NAD	C2N-C3N-C4N	4.45	123.32	118.27
2	B	301	NAD	O4B-C1B-N9A	7.05	121.43	108.11
2	B	301	NAD	O4D-C1D-N1N	7.31	116.00	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	NAD	1	0
3	A	302	PV4	2	0
2	B	301	NAD	13	0
3	B	302	PV4	4	0
2	C	301	NAD	4	0
3	C	302	PV4	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/276 (93%)	-0.44	2 (0%) 87 85	18, 54, 114, 163	0
1	B	257/276 (93%)	0.48	30 (11%) 6 4	54, 130, 188, 220	0
1	C	257/276 (93%)	-0.50	2 (0%) 87 85	24, 59, 101, 154	0
All	All	771/828 (93%)	-0.15	34 (4%) 38 30	18, 72, 170, 220	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	GLU	5.6
1	B	199	GLY	5.2
1	B	6	GLY	5.0
1	B	64	ASP	4.4
1	B	42	ASP	4.2
1	B	98	GLU	3.6
1	B	94	PHE	3.4
1	B	180	LYS	3.2
1	B	46	ASP	3.1
1	B	80	THR	3.0
1	B	53	ALA	3.0
1	B	44	PHE	2.9
1	B	43	ARG	2.9
1	B	10	LEU	2.8
1	C	43	ARG	2.8
1	A	42	ASP	2.8
1	B	81	HIS	2.7
1	B	62	PRO	2.7
1	B	198	SER	2.7
1	B	41	GLY	2.6
1	B	106	ASP	2.6
1	C	58	GLU	2.5
1	B	65	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	43	ARG	2.4
1	B	67	ASP	2.4
1	B	66	ALA	2.3
1	B	73	ALA	2.2
1	B	202	SER	2.2
1	B	86	ASP	2.1
1	B	37	PHE	2.1
1	B	115	ILE	2.1
1	B	40	VAL	2.0
1	B	111	GLU	2.0
1	B	97	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	PV4	C	302	17/17	0.95	0.17	1.14	13,64,104,111	0
3	PV4	B	302	17/17	0.91	0.22	0.02	34,90,139,139	0
2	NAD	B	301	44/44	0.92	0.15	-0.87	11,112,172,218	0
3	PV4	A	302	17/17	0.96	0.11	-1.00	5,38,67,85	0
2	NAD	C	301	44/44	0.97	0.10	-1.28	1,45,95,136	0
2	NAD	A	301	44/44	0.98	0.08	-1.66	1,27,50,85	0

6.5 Other polymers [i](#)

There are no such residues in this entry.