



wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 08:03 PM GMT

PDB ID : 1I94
Title : CRYSTAL STRUCTURES OF THE SMALL RIBOSOMAL SUBUNIT WITH
TETRACYCLINE, EDEINE AND IF3
Authors : Pioletti, M.; Schlutzen, F.; Harms, J.; Zarivach, R.; Gluehmann, M.; Avila,
H.; Bartels, H.; Jacobi, C.; Hartsch, T.; Yonath, A.; Franceschi, F.
Deposited on : 2001-03-18
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
RNA backbone	2183	1079 (3.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	1514	
2	B	255	
3	C	238	
4	D	208	
5	E	161	
6	F	101	
7	G	155	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	138	 74%20%5% •
9	I	128	 69%28%••
10	J	104	 57%32%6%6%
11	K	128	 48%42%5%•
12	L	131	 77%17%6%
13	M	125	 42%30%•26%
14	N	60	 57%30%13%
15	O	88	 63%30%8%
16	P	88	 58%36%6%
17	Q	104	 67%25%8%
18	R	87	 51%33%10%6%
19	S	92	 61%24%•13%
20	T	105	 44%41%10%6%
21	U	26	 50%27%15%8%

2 Entry composition [i](#)

There are 24 unique types of molecules in this entry. The entry contains 45618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1514	Total	C	N	O	P	0	0	0
			32534	14482	6022	10517	1513			

- Molecule 2 is a protein called 30S RIBOSOMAL PROTEIN S2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	249	Total	C	N	O	0	0	0
			1229	731	249	249			

- Molecule 3 is a protein called 30S RIBOSOMAL PROTEIN S3.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	206	Total	C	N	O	0	0	0
			1009	597	206	206			

- Molecule 4 is a protein called 30S RIBOSOMAL PROTEIN S4.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	208	Total	C	N	O	0	0	0
			1022	606	208	208			

- Molecule 5 is a protein called 30S RIBOSOMAL PROTEIN S5.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	E	156	Total	C	N	O	0	0	0
			763	451	156	156			

- Molecule 6 is a protein called 30S RIBOSOMAL PROTEIN S6.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	F	101	Total	C	N	O	0	0	0
			502	300	101	101			

- Molecule 7 is a protein called 30S RIBOSOMAL PROTEIN S7.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	G	155	Total	C	N	O	0	0	0
			767	457	155	155			

- Molecule 8 is a protein called 30S RIBOSOMAL PROTEIN S8.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	H	138	Total	C	N	O	0	0	0
			677	401	138	138			

- Molecule 9 is a protein called 30S RIBOSOMAL PROTEIN S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	I	127	Total	C	N	O	0	0	0
			621	367	127	127			

- Molecule 10 is a protein called 30S RIBOSOMAL PROTEIN S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	J	98	Total	C	N	O	0	0	0
			485	289	98	98			

- Molecule 11 is a protein called 30S RIBOSOMAL PROTEIN S11.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	K	123	Total	C	N	O	0	0	0
			602	356	123	123			

- Molecule 12 is a protein called 30S RIBOSOMAL PROTEIN S12.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	L	131	Total	C	N	O	0	0	0
			643	381	131	131			

- Molecule 13 is a protein called 30S RIBOSOMAL PROTEIN S13.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	93	Total	C	N	O	0	0	0
			458	272	93	93			

- Molecule 14 is a protein called 30S RIBOSOMAL PROTEIN S14.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	N	60	Total	C	N	O	0	0	0
			296	176	60	60			

- Molecule 15 is a protein called 30S RIBOSOMAL PROTEIN S15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	O	88	Total	C	N	O	0	0	0
			434	258	88	88			

- Molecule 16 is a protein called 30S RIBOSOMAL PROTEIN S16.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
16	P	88	Total	C	N	O	0	0	0
			434	258	88	88			

- Molecule 17 is a protein called 30S RIBOSOMAL PROTEIN S17.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	Q	104	Total	C	N	O	0	0	0
			514	306	104	104			

- Molecule 18 is a protein called 30S RIBOSOMAL PROTEIN S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	R	82	Total	C	N	O	0	0	0
			405	241	82	82			

- Molecule 19 is a protein called 30S RIBOSOMAL PROTEIN S19.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	S	80	Total	C	N	O	0	0	0
			394	234	80	80			

- Molecule 20 is a protein called 30S RIBOSOMAL PROTEIN S20.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
20	T	99	Total	C	N	O	0	0	0
			489	291	99	99			

- Molecule 21 is a protein called 30S RIBOSOMAL PROTEIN THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	U	24	Total	C	N	O	0	0	0
			115	67	24	24			


- Molecule 22 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
22	P	1	Total	Mg	0	0
			1	1		
22	G	1	Total	Mg	0	0
			1	1		
22	J	1	Total	Mg	0	0
			1	1		
22	Q	2	Total	Mg	0	0
			2	2		
22	D	2	Total	Mg	0	0
			2	2		
22	K	1	Total	Mg	0	0
			1	1		
22	E	1	Total	Mg	0	0
			1	1		
22	A	60	Total	Mg	0	0
			60	60		
22	T	3	Total	Mg	0	0
			3	3		
22	L	3	Total	Mg	0	0
			3	3		

- Molecule 23 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
23	D	1	Total	Zn	0	0
			1	1		
23	N	1	Total	Zn	0	0
			1	1		

- Molecule 24 is OCTADECATUNGSTENYL DIPHOSPHATE (three-letter code: WO2) (formula: O₆₂P₂W₁₈).




3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: 16S rRNA




- Molecule 3: 30S RIBOSOMAL PROTEIN S3




- Molecule 4: 30S RIBOSOMAL PROTEIN S4




- Molecule 5: 30S RIBOSOMAL PROTEIN S5



- Molecule 6: 30S RIBOSOMAL PROTEIN S6




- Molecule 7: 30S RIBOSOMAL PROTEIN S7




- Molecule 8: 30S RIBOSOMAL PROTEIN S8





• Molecule 9: 30S RIBOSOMAL PROTEIN S9

Chain I: 69% 28% 3%




• Molecule 10: 30S RIBOSOMAL PROTEIN S10

Chain J: 57% 32% 6% 6%



• Molecule 11: 30S RIBOSOMAL PROTEIN S11

Chain K: 48% 42% 5% 5%




• Molecule 12: 30S RIBOSOMAL PROTEIN S12

Chain L: 77% 17% 6%



• Molecule 13: 30S RIBOSOMAL PROTEIN S13

Chain M: 42% 30% 26% 2%



• Molecule 14: 30S RIBOSOMAL PROTEIN S14

Chain N: 57% 30% 13%



- Molecule 15: 30S RIBOSOMAL PROTEIN S15

Chain O: 




- Molecule 16: 30S RIBOSOMAL PROTEIN S16

Chain P: 



- Molecule 17: 30S RIBOSOMAL PROTEIN S17

Chain Q: 




- Molecule 18: 30S RIBOSOMAL PROTEIN S18

Chain R: 




- Molecule 19: 30S RIBOSOMAL PROTEIN S19

Chain S: 



- Molecule 20: 30S RIBOSOMAL PROTEIN S20

Chain T: 



- Molecule 21: 30S RIBOSOMAL PROTEIN THX

Chain U: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	406.30 Å 406.30 Å 173.10 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.00 – 3.20	Depositor
% Data completeness (in resolution range)	(Not available) (35.00-3.20)	Depositor
R_{merge}	0.01	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.203 , 0.245	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	45618	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, WO2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	4/36417 (0.0%)	0.81	56/56838 (0.1%)
2	B	0.37	0/1228	0.70	1/1708 (0.1%)
3	C	0.41	0/1008	0.66	0/1397
4	D	0.45	0/1021	0.66	0/1417
5	E	0.65	0/762	1.02	0/1055
6	F	0.40	0/501	0.75	0/698
7	G	0.36	0/766	0.68	1/1066 (0.1%)
8	H	0.56	0/676	0.79	1/937 (0.1%)
9	I	0.37	0/620	0.71	0/858
10	J	0.35	0/484	0.68	0/673
11	K	0.44	0/601	0.76	0/832
12	L	0.49	0/642	0.86	0/890
13	M	0.30	0/457	0.69	0/634
14	N	0.40	0/295	0.79	0/409
15	O	0.55	0/433	0.85	0/601
16	P	0.56	0/433	0.85	0/601
17	Q	0.54	0/513	0.89	0/713
18	R	0.42	0/404	0.65	0/561
19	S	0.31	0/393	0.71	0/545
20	T	0.38	0/488	0.65	0/678
21	U	0.43	0/114	0.67	0/155
All	All	0.62	4/48256 (0.0%)	0.80	59/73266 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	67

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	738	G	C5-C6	-6.53	1.35	1.42
1	A	2	U	N1-C2	5.27	1.43	1.38
1	A	952	A	C5-C6	-5.19	1.36	1.41
1	A	1084	A	C5-C6	-5.14	1.36	1.41

The worst 5 of 59 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	47	C	N1-C1'-C2'	9.78	126.71	114.00
1	A	241	A	N9-C1'-C2'	9.41	126.23	114.00
1	A	13	U	N1-C1'-C2'	8.96	125.65	114.00
1	A	362	U	N1-C1'-C2'	8.83	125.48	114.00
1	A	558	G	N9-C1'-C2'	8.24	124.71	114.00

There are no chirality outliers.

5 of 67 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	2	U	Sidechain
1	A	3	G	Sidechain
1	A	45	U	Sidechain
1	A	47	C	Sidechain
1	A	8	A	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32534	0	16424	1447	1
2	B	1229	0	560	61	0
3	C	1009	0	502	47	0
4	D	1022	0	452	50	0
5	E	763	0	377	52	0
6	F	502	0	226	24	0
7	G	767	0	374	48	0
8	H	677	0	299	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	I	621	0	307	28	0
10	J	485	0	209	21	0
11	K	602	0	300	57	0
12	L	643	0	299	20	0
13	M	458	0	223	24	0
14	N	296	0	142	23	0
15	O	434	0	188	27	0
16	P	434	0	204	22	0
17	Q	514	0	219	22	0
18	R	405	0	179	28	0
19	S	394	0	171	12	0
20	T	489	0	253	32	2
21	U	115	0	51	15	0
22	A	60	0	0	0	0
22	D	2	0	0	0	0
22	E	1	0	0	0	0
22	G	1	0	0	0	0
22	J	1	0	0	0	0
22	K	1	0	0	0	0
22	L	3	0	0	0	0
22	P	1	0	0	0	0
22	Q	2	0	0	0	0
22	T	3	0	0	0	0
23	D	1	0	0	0	0
23	N	1	0	0	0	0
24	A	82	0	0	0	0
24	B	246	0	0	4	0
24	C	82	0	0	1	0
24	D	82	0	0	0	0
24	E	82	0	0	9	1
24	G	164	0	0	5	0
24	H	82	0	0	0	0
24	J	82	0	0	3	0
24	K	82	0	0	5	2
24	R	82	0	0	4	0
24	T	82	0	0	0	0
All	All	45618	0	21959	2034	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

The worst 5 of 2034 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:R:45:SER:CB	24:R:1008:WO2:O52	1.72	1.38
7:G:148:ASN:CB	24:G:1006:WO2:O51	1.97	1.11
1:A:530:A:H4'	1:A:531:G:O5'	1.49	1.10
2:B:75:LYS:CB	24:B:1004:WO2:O26	2.01	1.09
1:A:424:U:O2'	1:A:425:A:H5''	1.53	1.06

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
20:T:50:GLU:N	24:K:1014:WO2:O25[3_555]	1.97	0.23
1:A:407:A:OP1	24:E:1005:WO2:O54[7_557]	2.07	0.13
20:T:48:LYS:CB	24:K:1014:WO2:O48[3_555]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	247/255 (97%)	151 (61%)	60 (24%)	36 (15%)	0	1
3	C	204/238 (86%)	134 (66%)	50 (24%)	20 (10%)	1	4
4	D	206/208 (99%)	143 (69%)	45 (22%)	18 (9%)	1	5
5	E	154/161 (96%)	115 (75%)	29 (19%)	10 (6%)	1	13
6	F	99/101 (98%)	75 (76%)	13 (13%)	11 (11%)	0	3
7	G	153/155 (99%)	85 (56%)	45 (29%)	23 (15%)	0	1
8	H	136/138 (99%)	106 (78%)	21 (15%)	9 (7%)	1	12
9	I	125/128 (98%)	89 (71%)	25 (20%)	11 (9%)	1	5
10	J	96/104 (92%)	61 (64%)	17 (18%)	18 (19%)	0	0
11	K	121/128 (94%)	87 (72%)	20 (16%)	14 (12%)	0	3
12	L	129/131 (98%)	76 (59%)	40 (31%)	13 (10%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	M	91/125 (73%)	52 (57%)	29 (32%)	10 (11%)	0	3
14	N	58/60 (97%)	34 (59%)	13 (22%)	11 (19%)	0	0
15	O	86/88 (98%)	58 (67%)	18 (21%)	10 (12%)	0	3
16	P	86/88 (98%)	57 (66%)	19 (22%)	10 (12%)	0	3
17	Q	102/104 (98%)	74 (72%)	13 (13%)	15 (15%)	0	1
18	R	80/87 (92%)	46 (58%)	19 (24%)	15 (19%)	0	0
19	S	78/92 (85%)	55 (70%)	15 (19%)	8 (10%)	1	4
20	T	97/105 (92%)	47 (48%)	30 (31%)	20 (21%)	0	0
21	U	22/26 (85%)	11 (50%)	7 (32%)	4 (18%)	0	0
All	All	2370/2522 (94%)	1556 (66%)	528 (22%)	286 (12%)	0	2

5 of 286 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	4	GLU
2	B	13	ALA
2	B	32	ILE
2	B	44	LEU
2	B	89	GLY

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1513/1514 (99%)	280 (18%)	140 (9%)

5 of 280 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	4	U
1	A	5	U
1	A	6	G
1	A	8	A
1	A	9	G

5 of 140 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	624	U
1	A	803	U
1	A	1382	C
1	A	636	A
1	A	735	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 91 ligands modelled in this entry, 77 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
24	WO2	A	1576	-	54,116,116	54.94	10 (18%)	6,348,348	12.84	2 (33%)
24	WO2	B	1001	-	54,116,116	54.94	10 (18%)	6,348,348	12.83	2 (33%)
24	WO2	B	1002	-	54,116,116	54.93	11 (20%)	6,348,348	12.82	2 (33%)
24	WO2	B	1004	-	54,116,116	54.92	10 (18%)	6,348,348	12.82	2 (33%)
24	WO2	C	1003	-	54,116,116	54.93	10 (18%)	6,348,348	12.83	2 (33%)
24	WO2	D	1012	-	54,116,116	54.93	11 (20%)	6,348,348	12.82	2 (33%)
24	WO2	E	1005	-	54,116,116	54.92	11 (20%)	6,348,348	12.82	2 (33%)
24	WO2	G	1006	-	54,116,116	54.93	10 (18%)	6,348,348	12.83	2 (33%)
24	WO2	G	1007	-	54,116,116	54.94	11 (20%)	6,348,348	12.83	2 (33%)
24	WO2	H	1010	-	54,116,116	54.94	10 (18%)	6,348,348	12.83	2 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	WO2	J	1009	-	54,116,116	54.93	10 (18%)	6,348,348	12.83	2 (33%)
24	WO2	K	1014	-	54,116,116	54.94	10 (18%)	6,348,348	12.83	2 (33%)
24	WO2	R	1008	-	54,116,116	54.94	10 (18%)	6,348,348	12.84	2 (33%)
24	WO2	T	1013	-	54,116,116	54.93	10 (18%)	6,348,348	12.82	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	WO2	A	1576	-	-	0/0/624/624	0/0/35/35
24	WO2	B	1001	-	-	0/0/624/624	0/0/35/35
24	WO2	B	1002	-	-	0/0/624/624	0/0/35/35
24	WO2	B	1004	-	-	0/0/624/624	0/0/35/35
24	WO2	C	1003	-	-	0/0/624/624	0/0/35/35
24	WO2	D	1012	-	-	0/0/624/624	0/0/35/35
24	WO2	E	1005	-	-	0/0/624/624	0/0/35/35
24	WO2	G	1006	-	-	0/0/624/624	0/0/35/35
24	WO2	G	1007	-	-	0/0/624/624	0/0/35/35
24	WO2	H	1010	-	-	0/0/624/624	0/0/35/35
24	WO2	J	1009	-	-	0/0/624/624	0/0/35/35
24	WO2	K	1014	-	-	0/0/624/624	0/0/35/35
24	WO2	R	1008	-	-	0/0/624/624	0/0/35/35
24	WO2	T	1013	-	-	0/0/624/624	0/0/35/35

The worst 5 of 144 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B	1002	WO2	W11-O10	-3.20	1.78	1.90
24	A	1576	WO2	W11-O10	-3.20	1.78	1.90
24	K	1014	WO2	W11-O10	-3.19	1.78	1.90
24	B	1001	WO2	W11-O10	-3.19	1.78	1.90
24	T	1013	WO2	W11-O10	-3.18	1.78	1.90

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	G	1007	WO2	OP6-P2-OP5	-29.13	61.91	111.62
24	A	1576	WO2	OP6-P2-OP5	-29.13	61.92	111.62
24	R	1008	WO2	OP6-P2-OP5	-29.12	61.93	111.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	K	1014	WO2	OP6-P2-OP5	-29.12	61.94	111.62
24	B	1001	WO2	OP6-P2-OP5	-29.12	61.94	111.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
24	B	1001	WO2	1	0
24	B	1004	WO2	4	0
24	C	1003	WO2	1	0
24	E	1005	WO2	9	1
24	G	1006	WO2	4	0
24	G	1007	WO2	1	0
24	J	1009	WO2	3	0
24	K	1014	WO2	5	2
24	R	1008	WO2	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.