



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:00 PM GMT

PDB ID : 1IA2
Title : Candida albicans dihydrofolate reductase complexed with dihydro-nicotinamide-adenine-dinucleotide phosphate (NADPH) and 5-[(4-METHYLPHENYL)SULFANYL]-2,4-QUINAZOLINEDIAMINE (GW578)
Authors : Whitlow, M.; Howard, A.J.; Kuyper, L.F.
Deposited on : 2001-03-22
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	6347 (1.84-1.80)
Ramachandran outliers	100387	6276 (1.84-1.80)
Sidechain outliers	100360	6276 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	192	 76% 19% 5%
1	B	192	 76% 19% 5%

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 3693 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	192	Total	C	N	O	S	0	12	0
			1594	1020	274	296	4			
1	B	192	Total	C	N	O	S	0	11	0
			1591	1021	265	301	4			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 5-[(4-METHYLPHENYL)SULFANYL]-2,4-QUINAZOLINEDIAMINE (three-letter code: TQ4) (formula: $C_{15}H_{14}N_4S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	S	0	0
			20	15	4	1		
3	B	1	Total	C	N	S	0	0
			20	15	4	1		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	150	Total	O	0	8
			158	158		
5	B	183	Total	O	0	7
			190	190		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: DIHYDROFOLATE REDUCTASE



• Molecule 1: DIHYDROFOLATE REDUCTASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.91 Å 67.28 Å 38.49 Å 90.00° 93.07° 90.00°	Depositor
Resolution (Å)	10.00 – 1.82	Depositor
% Data completeness (in resolution range)	93.5 (10.00-1.82)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
Refinement program	PROFFT	Depositor
R, R_{free}	0.160 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3693	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TQ4, NDP, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.19	0/1693	1.85	51/2293 (2.2%)
1	B	1.23	2/1683 (0.1%)	1.76	31/2278 (1.4%)
All	All	1.21	2/3376 (0.1%)	1.81	82/4571 (1.8%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	145	MET	CA-CB	-5.73	1.41	1.53
1	B	56	ARG	CD-NE	-5.23	1.37	1.46

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	56	ARG	CD-NE-CZ	25.88	159.83	123.60
1	A	72	ARG	NE-CZ-NH1	15.63	128.12	120.30
1	B	145	MET	CA-CB-CG	15.17	139.08	113.30
1	A	67	ARG	NE-CZ-NH1	14.01	127.30	120.30
1	A	30[A]	ARG	NE-CZ-NH1	12.62	126.61	120.30
1	A	30[B]	ARG	NE-CZ-NH1	12.62	126.61	120.30
1	B	67	ARG	CD-NE-CZ	11.78	140.10	123.60
1	A	28	ARG	CD-NE-CZ	9.65	137.11	123.60
1	A	56	ARG	NE-CZ-NH2	9.37	124.98	120.30
1	A	72	ARG	NE-CZ-NH2	-9.35	115.62	120.30
1	B	184	TYR	CB-CG-CD1	8.72	126.23	121.00
1	B	67	ARG	NE-CZ-NH2	8.27	124.44	120.30
1	A	56	ARG	CD-NE-CZ	8.17	135.04	123.60
1	A	42[A]	ARG	NE-CZ-NH1	8.09	124.34	120.30
1	A	42[B]	ARG	NE-CZ-NH1	8.09	124.34	120.30
1	A	191	ARG	NE-CZ-NH2	-7.89	116.35	120.30
1	B	191	ARG	NE-CZ-NH1	7.55	124.08	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67	ARG	NE-CZ-NH2	-7.48	116.56	120.30
1	A	154	GLU	CA-CB-CG	7.45	129.78	113.40
1	B	79	ARG	NE-CZ-NH1	7.45	124.02	120.30
1	A	102	LEU	CA-CB-CG	7.35	132.21	115.30
1	B	81	TYR	CB-CG-CD1	7.29	125.38	121.00
1	A	118	TYR	CB-CG-CD2	-7.26	116.65	121.00
1	A	30[A]	ARG	NE-CZ-NH2	-7.24	116.68	120.30
1	A	30[B]	ARG	NE-CZ-NH2	-7.24	116.68	120.30
1	B	30	ARG	CD-NE-CZ	7.10	133.54	123.60
1	A	108	ARG	NE-CZ-NH1	-6.94	116.83	120.30
1	A	151	PHE	CB-CG-CD1	6.89	125.62	120.80
1	B	108	ARG	NE-CZ-NH1	6.85	123.73	120.30
1	B	67	ARG	NE-CZ-NH1	-6.79	116.91	120.30
1	A	35	TYR	CB-CG-CD1	6.78	125.07	121.00
1	A	42[A]	ARG	CA-CB-CG	6.70	128.15	113.40
1	A	42[B]	ARG	CA-CB-CG	6.70	128.15	113.40
1	B	146	ASP	CB-CG-OD1	6.59	124.23	118.30
1	B	153	LEU	CB-CA-C	6.31	122.18	110.20
1	A	35	TYR	CB-CG-CD2	-6.29	117.23	121.00
1	B	34	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	B	105[A]	ASP	CB-CG-OD2	-6.16	112.76	118.30
1	B	105[B]	ASP	CB-CG-OD2	-6.16	112.76	118.30
1	A	118	TYR	CB-CG-CD1	6.13	124.68	121.00
1	A	79[A]	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	79[B]	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	49	ARG	NE-CZ-NH2	-6.04	117.28	120.30
1	B	56	ARG	NE-CZ-NH1	6.01	123.30	120.30
1	A	8	ILE	O-C-N	5.98	132.26	122.70
1	A	56	ARG	NH1-CZ-NH2	-5.95	112.86	119.40
1	A	81	TYR	CB-CG-CD2	-5.81	117.51	121.00
1	B	72	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	B	105[A]	ASP	CB-CG-OD1	5.78	123.50	118.30
1	B	105[B]	ASP	CB-CG-OD1	5.78	123.50	118.30
1	B	45	LYS	CA-CB-CG	5.78	126.11	113.40
1	A	192	LYS	CA-CB-CG	5.76	126.08	113.40
1	B	147	THR	CA-CB-CG2	5.65	120.31	112.40
1	A	110	PHE	CB-CG-CD1	-5.64	116.85	120.80
1	A	191	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	B	108	ARG	NE-CZ-NH2	-5.63	117.48	120.30
1	A	1	MET	CG-SD-CE	5.63	109.20	100.20
1	A	185	ASN	O-C-N	5.61	131.68	122.70
1	A	28	ARG	NE-CZ-NH2	5.61	123.10	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	74	ASN	O-C-N	5.61	131.67	122.70
1	A	120	GLU	CA-CB-CG	5.56	125.63	113.40
1	A	192	LYS	N-CA-CB	5.46	120.43	110.60
1	A	106	VAL	CG1-CB-CG2	-5.37	102.30	110.90
1	A	81	TYR	CB-CG-CD1	5.34	124.20	121.00
1	B	75	ILE	O-C-N	5.28	131.16	122.70
1	A	34[A]	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	A	34[B]	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	B	145	MET	CB-CG-SD	-5.25	96.66	112.40
1	A	154	GLU	CB-CG-CD	5.24	128.34	114.20
1	A	47	ASN	CB-CA-C	5.21	120.83	110.40
1	B	93	ALA	O-C-N	5.19	131.01	122.70
1	B	81	TYR	CB-CG-CD2	-5.15	117.91	121.00
1	B	56	ARG	CG-CD-NE	5.15	122.61	111.80
1	A	90	ILE	O-C-N	5.12	130.90	122.70
1	A	146	ASP	CB-CG-OD1	5.11	122.90	118.30
1	A	148	PHE	CB-CG-CD2	-5.10	117.23	120.80
1	B	35	TYR	CG-CD1-CE1	-5.08	117.24	121.30
1	A	46	PRO	N-CA-C	5.04	125.20	112.10
1	B	151	PHE	CA-CB-CG	5.04	126.00	113.90
1	B	121	LEU	CA-CB-CG	-5.02	103.76	115.30
1	A	30[A]	ARG	CD-NE-CZ	5.00	130.60	123.60
1	A	30[B]	ARG	CD-NE-CZ	5.00	130.60	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1594	0	1614	16	0
1	B	1591	0	1615	25	0
2	A	48	0	26	0	0
2	B	48	0	26	1	0
3	A	20	0	14	0	0
3	B	20	0	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	12	0	13	1	0
4	B	12	0	13	1	0
5	A	158	0	0	2	0
5	B	190	0	0	6	0
All	All	3693	0	3335	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:ARG:HH11	1:B:30:ARG:HG2	1.41	0.85
1:B:124:ASN:HD22	1:B:126:LEU:H	1.32	0.75
1:A:176:ASP:H	1:A:185:ASN:HD21	1.40	0.69
1:B:176:ASP:H	1:B:185:ASN:HD21	1.44	0.64
1:A:117:ILE:HG23	1:A:121[A]:LEU:HD12	1.79	0.62
1:B:176:ASP:H	1:B:185:ASN:ND2	1.98	0.60
1:A:176:ASP:H	1:A:185:ASN:ND2	2.00	0.59
1:B:83:ASN:ND2	1:B:94:SER:H	2.00	0.59
1:B:151:PHE:HB2	1:B:153:LEU:HD13	1.88	0.55
1:B:137:HIS:HD2	1:B:139:SER:H	1.55	0.55
1:A:64:GLN:HG2	1:A:65:LYS:HE3	1.87	0.55
1:B:20:GLY:O	1:B:145:MET:HB2	2.07	0.55
1:B:111[B]:ILE:HG13	5:B:246:HOH:O	2.08	0.54
1:A:41[B]:THR:HG21	5:A:446:HOH:O	2.07	0.54
1:A:69:LEU:HD22	4:A:201:MES:H82	1.89	0.53
1:B:6:VAL:HG13	5:B:246:HOH:O	2.08	0.53
1:B:5[A]:ASN:ND2	5:B:297:HOH:O	2.43	0.52
1:A:77:LEU:HD12	1:A:117:ILE:HD12	1.93	0.51
1:B:137:HIS:CD2	1:B:139:SER:H	2.30	0.50
1:A:65:LYS:HD2	1:A:65:LYS:H	1.77	0.50
1:B:5[B]:ASN:ND2	5:B:283:HOH:O	2.41	0.48
1:A:65:LYS:H	1:A:65:LYS:CD	2.27	0.48
1:B:100:LEU:HD13	1:B:126:LEU:HD12	1.96	0.47
1:B:120:GLU:HG3	5:B:443:HOH:O	2.15	0.47
1:A:29:LEU:O	1:A:33[B]:ILE:HG13	2.15	0.47
1:A:29:LEU:O	1:A:33[A]:ILE:HG12	2.15	0.47
1:A:46:PRO:HB2	1:A:47:ASN:HD22	1.80	0.46
1:B:109:VAL:HG12	5:B:246:HOH:O	2.15	0.46
1:B:23:GLY:HA2	2:B:195:NDP:H3D	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:LEU:HD22	1:B:151:PHE:CZ	2.52	0.45
1:B:19:ILE:HG13	1:B:147:THR:HG22	1.98	0.45
1:B:64:GLN:HG2	1:B:65[A]:LYS:NZ	2.32	0.44
1:A:1:MET:HE1	1:A:106:VAL:H	1.83	0.44
1:B:111[B]:ILE:HD13	1:B:121:LEU:HB3	1.99	0.43
3:B:196:TQ4:HC9	4:B:202:MES:H52	2.00	0.43
1:A:19:ILE:HD11	1:A:115:ALA:HB2	2.01	0.43
1:A:150:LYS:HG3	5:A:233:HOH:O	2.18	0.43
1:A:137:HIS:CD2	1:A:143:ILE:HD11	2.53	0.43
1:B:164:LEU:O	1:B:168:VAL:HG22	2.19	0.42
1:B:67:ARG:HA	1:B:68:PRO:C	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	202/192 (105%)	195 (96%)	6 (3%)	1 (0%)	34	17
1	B	201/192 (105%)	195 (97%)	6 (3%)	0	100	100
All	All	403/384 (105%)	390 (97%)	12 (3%)	1 (0%)	46	35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	46	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/177 (105%)	178 (96%)	8 (4%)	35	17
1	B	186/177 (105%)	178 (96%)	8 (4%)	35	17
All	All	372/354 (105%)	356 (96%)	16 (4%)	41	17

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LYS
1	A	65	LYS
1	A	74	ASN
1	A	102	LEU
1	A	120	GLU
1	A	145	MET
1	A	154	GLU
1	A	192	LYS
1	B	5[A]	ASN
1	B	5[B]	ASN
1	B	65[A]	LYS
1	B	65[B]	LYS
1	B	74	ASN
1	B	124	ASN
1	B	141[A]	GLU
1	B	141[B]	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	159	GLN
1	A	185	ASN
1	B	83	ASN
1	B	89	ASN
1	B	101	ASN
1	B	123	ASN
1	B	124	ASN
1	B	137	HIS
1	B	185	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NDP	A	193	-	42,52,52	1.40	7 (16%)	55,80,80	1.63	15 (27%)
3	TQ4	A	194	-	22,22,22	1.35	3 (13%)	29,31,31	1.34	2 (6%)
4	MES	A	201	-	11,12,12	2.17	5 (45%)	14,16,16	2.96	3 (21%)
2	NDP	B	195	-	42,52,52	1.45	8 (19%)	55,80,80	2.18	13 (23%)
3	TQ4	B	196	-	22,22,22	1.17	2 (9%)	29,31,31	1.82	9 (31%)
4	MES	B	202	-	11,12,12	2.06	5 (45%)	14,16,16	3.82	6 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	193	-	-	0/30/77/77	0/5/5/5
3	TQ4	A	194	-	-	0/4/4/4	0/3/3/3
4	MES	A	201	-	-	0/6/14/14	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	B	195	-	-	0/30/77/77	0/5/5/5
3	TQ4	B	196	-	-	0/4/4/4	0/3/3/3
4	MES	B	202	-	-	0/6/14/14	0/1/1/1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	194	TQ4	C3-N4	-3.61	1.25	1.33
2	A	193	NDP	C4N-C5N	-3.60	1.41	1.49
2	B	195	NDP	C4N-C5N	-3.51	1.41	1.49
2	A	193	NDP	P2B-O3X	-2.86	1.44	1.54
2	A	193	NDP	PA-O1A	-2.68	1.41	1.51
2	A	193	NDP	O7N-C7N	-2.45	1.18	1.24
2	B	195	NDP	C5A-C4A	-2.33	1.35	1.40
2	B	195	NDP	P2B-O2X	-2.33	1.46	1.54
3	B	196	TQ4	C3-N4	-2.22	1.28	1.33
2	B	195	NDP	O4B-C1B	-2.19	1.38	1.41
3	A	194	TQ4	C5-N14	-2.06	1.29	1.34
4	B	202	MES	C3-N4	2.03	1.52	1.46
2	B	195	NDP	C6N-C5N	2.11	1.37	1.33
4	B	202	MES	C5-N4	2.13	1.52	1.46
2	B	195	NDP	O3B-C3B	2.26	1.48	1.43
3	B	196	TQ4	C1-N6	2.29	1.41	1.37
2	A	193	NDP	P2B-O2B	2.36	1.67	1.60
2	B	195	NDP	P2B-O2B	2.40	1.67	1.60
2	A	193	NDP	C7N-N7N	2.49	1.40	1.33
2	A	193	NDP	C4A-N3A	2.54	1.39	1.35
4	A	201	MES	C5-N4	2.80	1.54	1.46
4	B	202	MES	O1-C6	2.82	1.54	1.42
4	A	201	MES	C3-N4	2.90	1.54	1.46
4	B	202	MES	O1-C2	2.91	1.54	1.42
4	A	201	MES	C7-N4	2.95	1.54	1.47
4	A	201	MES	O1-C2	3.26	1.56	1.42
3	A	194	TQ4	C1-N6	3.27	1.43	1.37
4	A	201	MES	O1-C6	3.27	1.56	1.42
2	B	195	NDP	C2A-N3A	3.31	1.38	1.32
4	B	202	MES	C7-N4	4.08	1.57	1.47

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	195	NDP	N3A-C2A-N1A	-10.12	121.14	128.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	196	TQ4	N6-C5-N4	-5.39	119.24	127.44
3	A	194	TQ4	N6-C5-N4	-4.50	120.60	127.44
2	A	193	NDP	C1D-N1N-C2N	-3.91	114.09	120.91
2	B	195	NDP	C1D-N1N-C2N	-3.83	114.24	120.91
2	B	195	NDP	O2B-P2B-O1X	-3.42	98.58	107.11
4	B	202	MES	O2S-S-C8	-3.28	104.11	106.91
2	A	193	NDP	O2B-P2B-O1X	-2.99	99.65	107.11
4	A	201	MES	O2S-S-O1S	-2.90	102.90	113.48
2	A	193	NDP	P2B-O2B-C2B	-2.80	114.85	121.56
3	B	196	TQ4	N7-C3-N4	-2.68	107.50	116.45
4	B	202	MES	O2S-S-O1S	-2.42	104.66	113.48
2	A	193	NDP	C3N-C2N-N1N	-2.27	119.88	123.14
3	B	196	TQ4	C2-C13-S20	-2.24	118.67	122.70
3	B	196	TQ4	C9-C8-C1	-2.20	116.53	120.06
3	B	196	TQ4	C2-C1-N6	-2.03	117.14	122.41
2	B	195	NDP	C3N-C2N-N1N	-2.02	120.24	123.14
2	B	195	NDP	C2B-C3B-C4B	-2.01	97.10	101.85
3	B	196	TQ4	C8-C1-C2	2.02	123.12	119.47
2	A	193	NDP	O2B-C2B-C3B	2.02	119.37	111.51
2	B	195	NDP	O4B-C1B-N9A	2.06	112.41	108.10
2	A	193	NDP	PN-O3-PA	2.08	138.57	132.73
2	A	193	NDP	C1D-N1N-C6N	2.13	125.57	120.81
2	A	193	NDP	N6A-C6A-N1A	2.25	124.03	119.20
2	A	193	NDP	O4D-C1D-N1N	2.26	112.85	108.07
2	A	193	NDP	O4B-C1B-C2B	2.29	110.75	106.60
3	B	196	TQ4	C12-C13-C2	2.47	122.92	120.31
2	A	193	NDP	O2N-PN-O3	2.49	116.38	105.09
2	B	195	NDP	C4A-C5A-N7A	2.55	111.83	109.48
2	A	193	NDP	O3X-P2B-O1X	2.61	118.98	110.58
2	B	195	NDP	C4B-O4B-C1B	2.69	112.68	109.72
3	B	196	TQ4	C2-C3-N7	2.74	128.12	122.73
2	B	195	NDP	O2A-PA-O1A	2.74	127.39	112.53
2	A	193	NDP	O2X-P2B-O1X	2.82	119.65	110.58
4	B	202	MES	C2-C3-N4	3.01	114.68	110.12
4	B	202	MES	C5-N4-C3	3.05	115.51	108.90
2	B	195	NDP	O2X-P2B-O1X	3.05	120.41	110.58
2	B	195	NDP	C4N-C5N-C6N	3.06	127.62	122.58
2	B	195	NDP	O4D-C1D-N1N	3.11	114.64	108.07
4	A	201	MES	C6-C5-N4	3.24	115.03	110.12
2	A	193	NDP	C4N-C5N-C6N	3.48	128.32	122.58
3	B	196	TQ4	N14-C5-N4	3.53	123.04	117.20
3	A	194	TQ4	N14-C5-N4	3.67	123.28	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	A	193	NDP	C4A-C5A-N7A	4.08	113.24	109.48
4	B	202	MES	C6-C5-N4	4.60	117.10	110.12
2	B	195	NDP	C2A-N1A-C6A	4.91	127.54	118.77
4	A	201	MES	O1S-S-C8	9.85	115.31	106.91
4	B	202	MES	O1S-S-C8	11.93	117.08	106.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	201	MES	1	0
2	B	195	NDP	1	0
3	B	196	TQ4	1	0
4	B	202	MES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.