



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 2, 2016 – 12:01 AM GMT

PDB ID : 8ICE
Title : DNA POLYMERASE BETA (POL B) (E.C.2.7.7.7) COMPLEXED WITH SEVEN BASE PAIRS OF DNA; SOAKED IN THE PRESENCE OF DATP (1 MILLIMOLAR) AND CDCL2 (1 MILLIMOLAR)
Authors : Pelletier, H.; Sawaya, M.R.
Deposited on : 1996-04-19
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1024 (3.22-3.18)
Ramachandran outliers	100387	1004 (3.22-3.18)
Sidechain outliers	100360	1003 (3.22-3.18)
RSRZ outliers	91569	1129 (3.24-3.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	T	8	
2	P	8	
3	A	335	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NA	A	342	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*CP*AP*TP*TP*AP*GP*AP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	T	8	Total	C	N	O	P	0	0	0
			145	69	27	42	7			

- Molecule 2 is a DNA chain called DNA (5'-D(*TP*CP*TP*AP*AP*TP*GP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	8	Total	C	N	O	P	0	0	0
			145	69	24	45	7			

- Molecule 3 is a protein called PROTEIN (DNA POLYMERASE BETA (E.C.2.7.7.7)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	327	Total	C	N	O	S	18	0	0
			2623	1657	458	499	9			


- Molecule 4 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Cd	0	0
			2	2		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Na	0	0
			2	2		

- Molecule 6 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula: C₁₀H₁₆N₅O₁₂P₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			9	7	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	106	Total	O	0	0
			106	106		
7	P	17	Total	O	0	0
			17	17		
7	T	15	Total	O	0	0
			15	15		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA (5'-D(*CP*AP*TP*TP*AP*GP*AP*A)-3')



- Molecule 2: DNA (5'-D(*TP*CP*TP*AP*AP*TP*GP*A)-3')



- Molecule 3: PROTEIN (DNA POLYMERASE BETA (E.C.2.7.7.7))



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	178.26 Å 57.76 Å 48.26 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.20 11.82 – 2.70	Depositor EDS
% Data completeness (in resolution range)	90.0 (20.00-3.20) 85.1 (11.82-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 2.70 Å)	Xtriage
Refinement program	TNT V. 5-D	Depositor
R, R_{free}	0.171 , (Not available) 0.162 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.15 , 105.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Outliers	0 of 12115 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	3064	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, DTP, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	T	2.11	5/162 (3.1%)	3.80	24/249 (9.6%)
2	P	2.16	6/160 (3.8%)	5.03	23/246 (9.3%)
3	A	1.31	28/2672 (1.0%)	1.79	63/3590 (1.8%)
All	All	1.42	39/2994 (1.3%)	2.29	110/4085 (2.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	A	3	0

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	T	3	DT	C1'-N1	8.20	1.59	1.49
3	A	203	GLU	CD-OE1	7.80	1.34	1.25
3	A	75	GLU	CD-OE1	7.72	1.34	1.25
3	A	172	GLU	CD-OE2	7.66	1.34	1.25
3	A	147	GLU	CD-OE2	7.52	1.33	1.25
3	A	153	GLU	CD-OE2	7.37	1.33	1.25
3	A	86	GLU	CD-OE1	7.30	1.33	1.25
2	P	1	DT	C3'-O3'	-7.30	1.34	1.44
3	A	295	GLU	CD-OE2	7.24	1.33	1.25
3	A	186	GLU	CD-OE1	7.14	1.33	1.25
3	A	71	GLU	CD-OE1	6.88	1.33	1.25
3	A	335	GLU	CD-OE2	6.82	1.33	1.25
3	A	123	GLU	CD-OE1	6.72	1.33	1.25
2	P	2	DC	C1'-N1	6.62	1.57	1.49
3	A	216	GLU	CD-OE2	6.58	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	329	GLU	CD-OE2	6.52	1.32	1.25
3	A	249	GLU	CD-OE2	6.49	1.32	1.25
3	A	129	GLU	CD-OE1	6.49	1.32	1.25
3	A	26	GLU	CD-OE1	6.47	1.32	1.25
3	A	232	GLU	CD-OE2	6.46	1.32	1.25
3	A	326	LYS	CE-NZ	-6.28	1.33	1.49
3	A	165	GLU	CD-OE2	6.12	1.32	1.25
2	P	4	DA	O4'-C1'	-5.94	1.35	1.42
1	T	7	DA	C1'-N9	-5.92	1.39	1.47
2	P	1	DT	N1-C2	5.84	1.42	1.38
3	A	288	GLU	CD-OE2	5.78	1.32	1.25
3	A	117	GLU	CD-OE2	5.75	1.31	1.25
2	P	2	DC	N1-C2	5.71	1.45	1.40
2	P	4	DA	N7-C5	-5.68	1.35	1.39
3	A	154	GLU	CD-OE2	5.59	1.31	1.25
1	T	3	DT	C3'-O3'	-5.57	1.36	1.44
3	A	58	GLU	CD-OE1	5.52	1.31	1.25
1	T	3	DT	N3-C4	-5.52	1.34	1.38
3	A	9	GLU	CD-OE2	5.28	1.31	1.25
1	T	7	DA	N1-C2	5.25	1.39	1.34
3	A	247	GLU	CD-OE1	5.19	1.31	1.25
3	A	309	GLU	CD-OE2	5.13	1.31	1.25
3	A	107	GLY	CA-C	5.12	1.60	1.51
3	A	39	TYR	CA-CB	-5.08	1.42	1.53

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	7	DG	C8-N9-C1'	30.52	166.67	127.00
2	P	7	DG	C4-N9-C1'	-30.07	87.42	126.50
2	P	1	DT	C6-N1-C1'	-25.45	82.23	120.40
1	T	4	DT	C6-N1-C1'	-24.05	84.33	120.40
2	P	1	DT	C2-N1-C1'	23.26	155.42	118.20
1	T	4	DT	C2-N1-C1'	22.60	154.36	118.20
2	P	2	DC	C2-N1-C1'	20.78	141.66	118.80
2	P	2	DC	C6-N1-C1'	-19.20	97.76	120.80
2	P	6	DT	C6-N1-C1'	-18.89	92.07	120.40
2	P	6	DT	C2-N1-C1'	17.48	146.16	118.20
1	T	7	DA	C4-N9-C1'	-16.72	96.21	126.30
1	T	6	DG	O4'-C1'-N9	15.69	118.98	108.00
1	T	7	DA	C8-N9-C1'	14.46	153.73	127.70
2	P	5	DA	C8-N9-C1'	-12.57	105.08	127.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	5	DA	C4-N9-C1'	12.05	148.00	126.30
1	T	7	DA	C8-N9-C4	10.22	109.89	105.80
2	P	3	DT	C6-N1-C1'	-9.68	105.89	120.40
1	T	1	DC	P-O3'-C3'	9.52	131.12	119.70
3	A	253	ARG	NE-CZ-NH1	9.45	125.03	120.30
2	P	3	DT	C2-N1-C1'	8.81	132.30	118.20
1	T	4	DT	P-O3'-C3'	8.58	130.00	119.70
3	A	263	ASP	CB-CG-OD2	-8.52	110.63	118.30
1	T	4	DT	O4'-C1'-N1	8.49	113.94	108.00
3	A	124	ASP	CB-CG-OD2	-8.36	110.78	118.30
3	A	254	ARG	NE-CZ-NH1	8.30	124.45	120.30
3	A	17	ASP	CB-CG-OD2	8.20	125.67	118.30
2	P	4	DA	O4'-C1'-C2'	-8.12	99.40	105.90
1	T	4	DT	O4'-C1'-C2'	-8.05	99.46	105.90
3	A	17	ASP	CB-CA-C	8.05	126.49	110.40
1	T	3	DT	N3-C2-O2	-7.90	117.56	122.30
2	P	7	DG	P-O3'-C3'	7.44	128.63	119.70
3	A	163	LEU	CA-CB-CG	-7.22	98.69	115.30
3	A	83	ARG	N-CA-CB	7.21	123.59	110.60
3	A	258	ARG	NE-CZ-NH2	-7.17	116.72	120.30
3	A	263	ASP	CB-CG-OD1	7.04	124.64	118.30
3	A	91	ASP	CB-CG-OD1	-6.99	112.00	118.30
3	A	107	GLY	C-N-CD	-6.94	105.33	120.60
3	A	321	ASP	CB-CG-OD2	-6.82	112.16	118.30
3	A	271	TYR	CB-CG-CD1	-6.70	116.98	121.00
3	A	321	ASP	CB-CG-OD1	6.69	124.32	118.30
2	P	6	DT	P-O5'-C5'	-6.60	110.34	120.90
3	A	145	ASP	CB-CG-OD2	-6.55	112.40	118.30
3	A	314	ASP	CB-CG-OD1	-6.53	112.42	118.30
2	P	5	DA	C1'-O4'-C4'	-6.50	103.59	110.10
3	A	192	ASP	CB-CG-OD1	-6.49	112.46	118.30
3	A	271	TYR	N-CA-CB	-6.47	98.95	110.60
3	A	226	ASP	CB-CG-OD1	6.39	124.05	118.30
3	A	163	LEU	CB-CG-CD2	-6.38	100.15	111.00
1	T	4	DT	C1'-O4'-C4'	-6.36	103.74	110.10
3	A	18	MET	CB-CA-C	6.36	123.12	110.40
1	T	5	DA	N1-C6-N6	6.34	122.41	118.60
3	A	328	ARG	NE-CZ-NH2	-6.30	117.15	120.30
2	P	2	DC	O4'-C1'-N1	6.29	112.40	108.00
3	A	12	ASN	CB-CA-C	6.29	122.98	110.40
3	A	92	ASP	CB-CG-OD2	6.27	123.95	118.30
1	T	3	DT	N1-C1'-C2'	6.27	124.52	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	T	3	DT	C6-N1-C2	-6.22	118.19	121.30
1	T	3	DT	C2-N1-C1'	6.20	128.12	118.20
3	A	60	LYS	N-CA-CB	6.17	121.70	110.60
3	A	92	ASP	CB-CG-OD1	-6.11	112.80	118.30
2	P	4	DA	C8-N9-C4	-6.08	103.37	105.80
3	A	332	ASP	CB-CG-OD1	-5.95	112.94	118.30
3	A	137	ARG	NE-CZ-NH2	-5.88	117.36	120.30
3	A	246	ASP	CB-CG-OD2	-5.84	113.05	118.30
2	P	4	DA	N7-C8-N9	5.80	116.70	113.80
3	A	276	ASP	CB-CG-OD1	5.74	123.46	118.30
3	A	130	ASP	CB-CG-OD1	-5.73	113.14	118.30
3	A	116	ASP	CB-CA-C	5.72	121.84	110.40
3	A	40	ARG	N-CA-CB	5.71	120.88	110.60
3	A	39	TYR	CB-CG-CD1	-5.70	117.58	121.00
1	T	1	DC	C2-N1-C1'	5.67	125.04	118.80
3	A	169	VAL	N-CA-CB	5.67	123.97	111.50
1	T	7	DA	N9-C4-C5	-5.66	103.54	105.80
1	T	2	DA	C4-N9-C1'	-5.63	116.17	126.30
1	T	2	DA	C8-N9-C1'	5.60	137.78	127.70
3	A	276	ASP	CB-CG-OD2	-5.60	113.26	118.30
2	P	1	DT	C5-C4-O4	-5.57	121.00	124.90
3	A	239	CYS	CA-CB-SG	-5.56	104.00	114.00
3	A	256	ASP	CB-CG-OD2	-5.52	113.33	118.30
3	A	314	ASP	N-CA-CB	5.52	120.53	110.60
3	A	226	ASP	CB-CG-OD2	-5.51	113.34	118.30
3	A	102	ARG	NE-CZ-NH2	-5.49	117.56	120.30
3	A	252	HIS	CA-CB-CG	-5.46	104.31	113.60
3	A	258	ARG	NE-CZ-NH1	5.45	123.02	120.30
3	A	160	ASP	CB-CG-OD1	5.44	123.19	118.30
1	T	1	DC	C6-N1-C1'	-5.43	114.29	120.80
3	A	146	PHE	N-CA-CB	5.42	120.36	110.60
3	A	35	LYS	CB-CA-C	-5.40	99.60	110.40
3	A	65	VAL	CB-CA-C	5.37	121.60	111.40
1	T	2	DA	O4'-C1'-N9	5.37	111.76	108.00
3	A	130	ASP	CB-CG-OD2	5.36	123.13	118.30
3	A	192	ASP	CA-CB-CG	5.35	125.17	113.40
3	A	190	ASP	CB-CG-OD1	5.34	123.11	118.30
2	P	6	DT	C4'-C3'-C2'	-5.33	98.31	103.10
3	A	194	LEU	CA-CB-CG	-5.28	103.16	115.30
3	A	326	LYS	CD-CE-NZ	5.23	123.73	111.70
3	A	246	ASP	CB-CG-OD1	5.16	122.95	118.30
3	A	132	LEU	CB-CG-CD2	-5.16	102.24	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	318	ASP	CB-CG-OD1	-5.13	113.68	118.30
2	P	1	DT	C1'-O4'-C4'	-5.13	104.97	110.10
1	T	3	DT	C5-C4-O4	5.11	128.48	124.90
1	T	4	DT	C6-C5-C7	-5.09	119.85	122.90
2	P	1	DT	O4'-C1'-N1	5.09	111.56	108.00
3	A	152	ARG	CB-CA-C	5.09	120.58	110.40
3	A	39	TYR	CB-CG-CD2	5.08	124.05	121.00
3	A	332	ASP	CB-CG-OD2	5.05	122.85	118.30
3	A	91	ASP	CB-CG-OD2	5.04	122.84	118.30
3	A	253	ARG	NE-CZ-NH2	-5.04	117.78	120.30
3	A	41	LYS	N-CA-CB	5.03	119.65	110.60
3	A	149	ARG	NE-CZ-NH1	5.02	122.81	120.30

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	17	ASP	CA
3	A	40	ARG	CA
3	A	314	ASP	CA

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	T	145	0	80	11	0
2	P	145	0	81	18	0
3	A	2623	0	2641	334	0
4	A	2	0	0	0	0
5	A	2	0	0	0	0
6	A	9	0	0	0	0
7	A	106	0	0	10	0
7	P	17	0	0	2	0
7	T	15	0	0	2	0
All	All	3064	0	2802	356	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 63.

All (356) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:31:GLN:NE2	3:A:112:ARG:HH12	1.50	1.07
3:A:150:ILE:HD13	3:A:253:ARG:HG2	1.42	1.00
3:A:119:ILE:HG21	3:A:125:LEU:HD23	1.43	0.99
3:A:163:LEU:HD21	3:A:175:ALA:HB3	1.44	0.98
3:A:31:GLN:HE21	3:A:112:ARG:HH12	1.11	0.95
3:A:191:MET:HG2	3:A:255:ILE:HG13	1.48	0.93
3:A:251:PRO:HG2	3:A:253:ARG:NH2	1.85	0.90
3:A:19:LEU:HB3	3:A:43:ALA:HB2	1.55	0.87
3:A:27:LYS:HB3	3:A:36:TYR:CD1	2.10	0.87
3:A:165:GLU:HA	3:A:168:LYS:HG2	1.56	0.87
3:A:197:HIS:CE1	3:A:199:SER:HB3	2.11	0.85
2:P:5:DA:H2''	2:P:6:DT:H5'	1.59	0.84
3:A:251:PRO:HG2	3:A:253:ARG:HH21	1.39	0.84
3:A:260:ILE:HG23	3:A:261:PRO:HD2	1.59	0.84
3:A:60:LYS:HA	3:A:65:VAL:HG22	1.59	0.84
3:A:15:ILE:HG22	3:A:46:ILE:HD13	1.59	0.83
3:A:218:LEU:HB3	3:A:224:ILE:HG13	1.59	0.83
3:A:197:HIS:CD2	3:A:198:PRO:HD2	2.13	0.83
3:A:277:ILE:HG13	3:A:335:GLU:CB	2.09	0.83
3:A:11:LEU:HD23	3:A:12:ASN:H	1.44	0.83
3:A:166:VAL:HG13	3:A:173:TYR:HB3	1.59	0.82
2:P:6:DT:H2''	2:P:7:DG:H5''	1.62	0.82
2:P:5:DA:H2''	2:P:6:DT:C5'	2.10	0.81
3:A:31:GLN:NE2	3:A:112:ARG:NH1	2.29	0.80
3:A:155:MET:HA	3:A:158:MET:HE3	1.62	0.79
3:A:277:ILE:HG13	3:A:335:GLU:HB3	1.65	0.79
3:A:150:ILE:CD1	3:A:253:ARG:HG2	2.14	0.78
3:A:31:GLN:HE21	3:A:112:ARG:NH1	1.81	0.77
3:A:286:ALA:HA	3:A:323:ILE:CG2	2.15	0.77
3:A:264:GLN:NE2	3:A:296:TYR:HB3	2.00	0.76
3:A:298:ILE:O	3:A:311:LEU:HB2	1.86	0.75
3:A:133:ASN:H	3:A:136:GLN:HE21	1.34	0.75
3:A:19:LEU:CB	3:A:43:ALA:HB2	2.16	0.75
3:A:286:ALA:HA	3:A:323:ILE:HG22	1.67	0.75
3:A:226:ASP:HB3	7:A:544:HOH:O	1.86	0.74
3:A:82:LEU:HB3	3:A:85:LEU:HB2	1.68	0.74
3:A:300:PRO:HD3	3:A:311:LEU:HD22	1.68	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:60:LYS:HA	3:A:65:VAL:CG2	2.18	0.73
3:A:133:ASN:O	3:A:137:ARG:HG3	1.88	0.73
3:A:163:LEU:CD2	3:A:175:ALA:HB3	2.18	0.73
3:A:292:THR:O	3:A:298:ILE:HA	1.89	0.73
3:A:319:ILE:O	3:A:323:ILE:HG12	1.88	0.73
3:A:44:SER:O	3:A:47:ALA:HB3	1.89	0.72
3:A:15:ILE:CG2	3:A:46:ILE:HD13	2.20	0.72
3:A:293:ILE:HD11	3:A:298:ILE:HD12	1.72	0.72
1:T:2:DA:C8	1:T:3:DT:H72	2.25	0.70
3:A:294:ASN:O	3:A:296:TYR:N	2.24	0.70
3:A:197:HIS:CG	3:A:198:PRO:HD2	2.26	0.70
3:A:197:HIS:O	3:A:262:LYS:HB2	1.92	0.70
3:A:33:ILE:O	3:A:33:ILE:HG13	1.91	0.70
7:P:568:HOH:O	3:A:110:ALA:HB2	1.91	0.69
3:A:15:ILE:HD11	3:A:77:LEU:CD1	2.22	0.69
1:T:4:DT:H1'	7:T:527:HOH:O	1.93	0.68
3:A:293:ILE:CD1	3:A:298:ILE:HD12	2.23	0.68
3:A:157:GLN:O	3:A:161:ILE:HG13	1.92	0.68
3:A:140:LEU:O	3:A:140:LEU:HD12	1.94	0.68
3:A:243:SER:OG	3:A:249:GLU:HG3	1.93	0.68
2:P:1:DT:H2''	2:P:2:DC:H5'	1.76	0.68
3:A:16:THR:CG2	3:A:46:ILE:HD11	2.24	0.68
3:A:243:SER:CB	3:A:249:GLU:HA	2.23	0.68
3:A:282:MET:HB2	3:A:325:TRP:HZ3	1.58	0.67
3:A:33:ILE:O	3:A:37:ASN:HB2	1.95	0.67
3:A:237:GLY:O	3:A:254:ARG:NH1	2.27	0.67
3:A:227:THR:HG23	3:A:235:PHE:CE1	2.30	0.67
3:A:128:ASN:N	3:A:128:ASN:HD22	1.93	0.66
3:A:182:ARG:NH1	3:A:273:THR:OG1	2.27	0.66
3:A:201:THR:HA	3:A:261:PRO:CB	2.25	0.66
3:A:309:GLU:H	3:A:310:PRO:HD3	1.61	0.66
3:A:46:ILE:HG13	3:A:47:ALA:N	2.06	0.66
3:A:268:GLY:O	3:A:271:TYR:HB3	1.96	0.66
3:A:250:TYR:HB3	7:A:577:HOH:O	1.94	0.66
3:A:16:THR:HG22	3:A:46:ILE:CG1	2.26	0.66
3:A:155:MET:CE	3:A:188:SER:HB2	2.26	0.66
3:A:15:ILE:HD11	3:A:77:LEU:HD11	1.78	0.66
3:A:27:LYS:HB3	3:A:36:TYR:CG	2.32	0.65
1:T:4:DT:H5''	3:A:231:GLY:HA3	1.78	0.65
3:A:201:THR:HA	3:A:261:PRO:HB2	1.77	0.65
3:A:137:ARG:NH1	7:A:515:HOH:O	2.28	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:259:LEU:O	3:A:260:ILE:HD13	1.96	0.65
2:P:8:DA:OP1	3:A:192:ASP:OD2	2.14	0.65
3:A:282:MET:HB2	3:A:325:TRP:CZ3	2.32	0.64
3:A:107:GLY:O	3:A:110:ALA:N	2.29	0.64
3:A:197:HIS:ND1	3:A:199:SER:HB3	2.12	0.64
3:A:119:ILE:CG2	3:A:125:LEU:HD23	2.23	0.64
3:A:16:THR:HG22	3:A:46:ILE:HD11	1.78	0.64
3:A:124:ASP:O	3:A:128:ASN:ND2	2.31	0.64
3:A:265:TYR:O	3:A:269:VAL:HG23	1.97	0.64
3:A:303:VAL:C	3:A:305:GLY:H	2.02	0.64
3:A:182:ARG:NH2	3:A:316:GLU:OE2	2.29	0.64
3:A:306:VAL:HG22	7:A:650:HOH:O	1.97	0.64
3:A:55:SER:OG	3:A:58:GLU:HB2	1.98	0.64
3:A:255:ILE:HG12	3:A:256:ASP:N	2.13	0.63
3:A:285:HIS:NE2	7:A:583:HOH:O	2.30	0.63
2:P:5:DA:O5'	3:A:107:GLY:HA3	1.98	0.63
3:A:270:LEU:CD2	3:A:319:ILE:HG21	2.29	0.63
3:A:23:ALA:HB2	3:A:39:TYR:HB2	1.80	0.63
3:A:170:ASP:O	3:A:173:TYR:HB2	1.99	0.63
3:A:243:SER:HB3	3:A:249:GLU:HA	1.79	0.63
3:A:145:ASP:OD2	3:A:252:HIS:N	2.28	0.63
3:A:128:ASN:N	3:A:128:ASN:ND2	2.47	0.63
3:A:196:THR:HB	3:A:265:TYR:CD1	2.34	0.63
3:A:25:PHE:CD2	3:A:88:ILE:HD13	2.35	0.62
3:A:150:ILE:O	3:A:187:SER:HA	2.00	0.62
3:A:243:SER:OG	3:A:249:GLU:HA	1.99	0.62
3:A:34:HIS:O	3:A:38:ALA:N	2.33	0.62
3:A:11:LEU:HD23	3:A:12:ASN:N	2.13	0.62
2:P:1:DT:H2''	2:P:2:DC:C5'	2.30	0.62
3:A:121:THR:HG23	3:A:124:ASP:CG	2.20	0.61
2:P:5:DA:OP1	3:A:110:ALA:N	2.32	0.61
3:A:23:ALA:HB2	3:A:39:TYR:CB	2.30	0.61
3:A:122:LEU:O	3:A:126:ARG:HG3	2.00	0.61
3:A:293:ILE:HG22	3:A:294:ASN:N	2.14	0.61
3:A:251:PRO:HG2	3:A:253:ARG:CZ	2.31	0.61
3:A:152:ARG:NH2	3:A:181:PHE:O	2.29	0.61
3:A:151:PRO:HG2	3:A:154:GLU:CD	2.21	0.61
3:A:108:PRO:O	3:A:111:ALA:HB3	2.00	0.61
3:A:41:LYS:O	3:A:44:SER:HB3	2.00	0.60
3:A:170:ASP:HB3	3:A:173:TYR:CD2	2.36	0.60
3:A:29:VAL:HG11	3:A:94:SER:HB2	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:25:PHE:CG	3:A:88:ILE:HD13	2.37	0.60
3:A:41:LYS:HD3	3:A:42:ALA:H	1.67	0.60
3:A:270:LEU:HD23	3:A:319:ILE:HD13	1.84	0.59
3:A:31:GLN:O	3:A:33:ILE:HG22	2.01	0.59
3:A:155:MET:HE3	3:A:188:SER:HB2	1.83	0.59
3:A:122:LEU:C	3:A:122:LEU:HD23	2.22	0.59
3:A:35:LYS:O	3:A:38:ALA:HB3	2.02	0.59
3:A:253:ARG:HG3	3:A:253:ARG:HH11	1.67	0.59
3:A:165:GLU:OE1	3:A:168:LYS:HD3	2.03	0.59
3:A:93:THR:HG22	3:A:94:SER:N	2.17	0.59
3:A:79:THR:OG1	3:A:81:LYS:HG2	2.02	0.59
3:A:152:ARG:HB3	3:A:186:GLU:O	2.03	0.58
3:A:159:GLN:HG2	3:A:159:GLN:O	2.04	0.58
3:A:277:ILE:HG12	3:A:278:PHE:N	2.17	0.58
3:A:146:PHE:HZ	3:A:238:VAL:HG21	1.69	0.58
3:A:18:MET:HE2	3:A:76:PHE:HB2	1.86	0.57
3:A:75:GLU:O	3:A:79:THR:HG23	2.04	0.57
3:A:15:ILE:HG22	3:A:46:ILE:CD1	2.32	0.57
3:A:58:GLU:O	3:A:61:LYS:HG3	2.05	0.57
3:A:56:GLY:O	3:A:60:LYS:N	2.29	0.57
1:T:7:DA:H1'	7:T:634:HOH:O	2.04	0.57
3:A:33:ILE:HA	3:A:36:TYR:HB3	1.86	0.56
3:A:146:PHE:HZ	3:A:238:VAL:CG2	2.18	0.56
2:P:5:DA:H2''	2:P:6:DT:H5''	1.87	0.56
3:A:200:PHE:CD2	3:A:261:PRO:HA	2.41	0.56
2:P:5:DA:H2'	7:P:648:HOH:O	2.05	0.56
3:A:121:THR:O	3:A:124:ASP:HB2	2.06	0.56
3:A:41:LYS:HD3	3:A:42:ALA:N	2.21	0.56
3:A:248:LYS:O	3:A:248:LYS:HG2	2.06	0.56
3:A:73:ILE:O	3:A:77:LEU:N	2.31	0.56
3:A:172:GLU:HG2	3:A:198:PRO:HG2	1.88	0.55
3:A:309:GLU:N	3:A:310:PRO:HD3	2.18	0.55
3:A:251:PRO:CG	3:A:253:ARG:HH21	2.17	0.55
3:A:16:THR:HG22	3:A:46:ILE:CD1	2.36	0.55
3:A:286:ALA:O	3:A:291:PHE:HB2	2.07	0.55
3:A:227:THR:HG23	3:A:235:PHE:HE1	1.71	0.55
3:A:41:LYS:HE2	3:A:64:GLY:CA	2.37	0.54
3:A:277:ILE:HD13	3:A:277:ILE:H	1.72	0.54
3:A:330:PRO:HA	3:A:333:ARG:CG	2.38	0.54
3:A:288:GLU:HA	3:A:288:GLU:OE1	2.07	0.54
3:A:96:SER:O	3:A:100:LEU:HB2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:37:ASN:HB3	7:A:556:HOH:O	2.07	0.54
3:A:54:LYS:N	3:A:58:GLU:OE1	2.30	0.53
3:A:97:ILE:O	3:A:101:THR:HB	2.08	0.53
3:A:287:LEU:HD11	3:A:301:LEU:CD2	2.38	0.53
3:A:240:GLN:NE2	3:A:250:TYR:O	2.42	0.53
3:A:15:ILE:HD11	3:A:77:LEU:HD13	1.91	0.52
3:A:315:SER:OG	3:A:316:GLU:N	2.41	0.52
3:A:38:ALA:O	3:A:41:LYS:HD3	2.08	0.52
3:A:62:LEU:CB	3:A:63:PRO:HD2	2.35	0.52
3:A:29:VAL:HG13	3:A:97:ILE:HD12	1.91	0.52
3:A:217:GLN:HA	3:A:217:GLN:NE2	2.24	0.52
3:A:133:ASN:HD22	3:A:134:HIS:N	2.08	0.52
3:A:99:PHE:O	3:A:102:ARG:HB2	2.10	0.52
3:A:299:ARG:HG2	3:A:310:PRO:N	2.25	0.51
3:A:212:HIS:CD2	3:A:212:HIS:N	2.76	0.51
3:A:182:ARG:HD2	7:A:576:HOH:O	2.11	0.50
3:A:331:LYS:HG2	3:A:332:ASP:N	2.07	0.50
3:A:150:ILE:HG21	3:A:158:MET:CE	2.41	0.50
3:A:251:PRO:O	3:A:253:ARG:HD2	2.12	0.50
3:A:200:PHE:CE2	3:A:261:PRO:N	2.80	0.50
3:A:76:PHE:O	3:A:79:THR:O	2.28	0.50
3:A:173:TYR:OH	3:A:210:LEU:HD23	2.12	0.50
3:A:205:THR:O	3:A:205:THR:HG23	2.11	0.50
3:A:92:ASP:HA	3:A:95:SER:HB2	1.92	0.50
3:A:303:VAL:O	3:A:305:GLY:N	2.41	0.49
3:A:207:GLN:HB3	3:A:210:LEU:HD12	1.94	0.49
1:T:7:DA:O5'	1:T:8:DA:OP2	2.29	0.49
3:A:176:THR:HG22	3:A:176:THR:O	2.11	0.49
3:A:166:VAL:CG1	3:A:173:TYR:HB3	2.35	0.49
3:A:266:TYR:HA	3:A:269:VAL:HB	1.94	0.49
3:A:286:ALA:HA	3:A:323:ILE:HG21	1.90	0.49
3:A:178:CYS:SG	3:A:194:LEU:HD22	2.53	0.49
3:A:155:MET:HB3	3:A:181:PHE:CD2	2.47	0.49
3:A:41:LYS:HE2	3:A:64:GLY:HA3	1.95	0.49
3:A:70:ALA:O	3:A:73:ILE:HB	2.12	0.48
3:A:195:LEU:O	3:A:260:ILE:N	2.41	0.48
3:A:27:LYS:O	3:A:27:LYS:HD2	2.12	0.48
3:A:122:LEU:O	3:A:122:LEU:HD23	2.14	0.48
3:A:163:LEU:HD21	3:A:175:ALA:CB	2.31	0.48
3:A:196:THR:OG1	3:A:197:HIS:N	2.43	0.48
3:A:150:ILE:HG21	3:A:158:MET:HE1	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:25:PHE:CD1	3:A:88:ILE:HD11	2.48	0.48
3:A:198:PRO:C	3:A:200:PHE:H	2.17	0.48
3:A:156:LEU:O	3:A:160:ASP:N	2.42	0.48
3:A:82:LEU:O	3:A:86:GLU:HG2	2.14	0.48
3:A:295:GLU:HA	7:A:592:HOH:O	2.12	0.48
3:A:218:LEU:HB3	3:A:224:ILE:CG1	2.40	0.47
3:A:22:LEU:HD13	3:A:85:LEU:CD1	2.44	0.47
3:A:100:LEU:HD12	3:A:100:LEU:HA	1.66	0.47
3:A:245:ASN:H	3:A:245:ASN:ND2	2.12	0.47
3:A:165:GLU:O	3:A:168:LYS:N	2.48	0.47
3:A:16:THR:HG22	3:A:46:ILE:HG13	1.96	0.47
1:T:2:DA:C2'	1:T:3:DT:H72	2.44	0.47
3:A:301:LEU:HD12	3:A:301:LEU:HA	1.57	0.47
2:P:6:DT:C2'	2:P:7:DG:H5"	2.39	0.47
3:A:59:ALA:O	3:A:62:LEU:HB2	2.14	0.47
3:A:25:PHE:CG	3:A:88:ILE:CD1	2.98	0.47
3:A:326:LYS:O	3:A:328:ARG:HG3	2.14	0.47
3:A:132:LEU:HD23	3:A:132:LEU:HA	1.55	0.47
3:A:133:ASN:HD22	3:A:133:ASN:C	2.19	0.47
3:A:330:PRO:HA	3:A:333:ARG:HG2	1.96	0.47
3:A:277:ILE:HG12	3:A:278:PHE:H	1.79	0.47
1:T:2:DA:C2	2:P:7:DG:N2	2.84	0.46
3:A:294:ASN:HD22	3:A:294:ASN:N	2.14	0.46
3:A:123:GLU:HG3	7:A:623:HOH:O	2.16	0.46
3:A:93:THR:O	3:A:97:ILE:HG13	2.15	0.46
3:A:260:ILE:CG2	3:A:261:PRO:HD2	2.38	0.46
3:A:243:SER:O	3:A:244:LYS:O	2.34	0.46
3:A:280:LYS:O	3:A:284:ALA:N	2.29	0.46
3:A:312:PRO:O	3:A:322:TYR:OH	2.28	0.46
3:A:59:ALA:O	3:A:62:LEU:HD22	2.16	0.46
3:A:82:LEU:HA	3:A:82:LEU:HD12	1.61	0.46
3:A:207:GLN:OE1	3:A:210:LEU:HD11	2.16	0.46
3:A:173:TYR:OH	3:A:210:LEU:O	2.30	0.46
3:A:308:GLY:O	3:A:309:GLU:HB2	2.15	0.46
3:A:129:GLU:O	3:A:132:LEU:N	2.42	0.45
3:A:69:ILE:HG22	3:A:70:ALA:N	2.31	0.45
3:A:260:ILE:HG23	3:A:261:PRO:CD	2.40	0.45
3:A:270:LEU:CD2	3:A:319:ILE:HD13	2.46	0.45
3:A:251:PRO:HG2	3:A:253:ARG:NE	2.32	0.45
3:A:172:GLU:CG	3:A:198:PRO:HG2	2.47	0.45
3:A:146:PHE:CZ	3:A:238:VAL:CG2	2.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:327:TYR:HD1	3:A:328:ARG:N	2.14	0.45
3:A:127:LYS:HB2	3:A:128:ASN:ND2	2.32	0.45
3:A:56:GLY:H	3:A:74:ASP:CG	2.19	0.45
2:P:1:DT:H2'	2:P:2:DC:C6	2.52	0.45
3:A:293:ILE:CG2	3:A:294:ASN:N	2.80	0.45
3:A:156:LEU:HA	3:A:156:LEU:HD23	1.56	0.45
3:A:43:ALA:O	3:A:47:ALA:HB2	2.16	0.45
3:A:275:SER:OG	3:A:277:ILE:HG12	2.16	0.45
3:A:334:SER:O	3:A:335:GLU:HB3	2.17	0.44
3:A:316:GLU:O	3:A:319:ILE:HB	2.18	0.44
3:A:214:VAL:HG22	3:A:215:VAL:N	2.32	0.44
3:A:330:PRO:HA	3:A:333:ARG:HG3	1.99	0.44
2:P:5:DA:OP1	3:A:107:GLY:O	2.35	0.44
3:A:177:VAL:O	3:A:182:ARG:HB2	2.16	0.44
3:A:197:HIS:CG	3:A:198:PRO:CD	2.99	0.44
3:A:197:HIS:HE1	3:A:199:SER:HB3	1.77	0.44
3:A:270:LEU:HD23	3:A:319:ILE:HG21	1.98	0.44
3:A:214:VAL:HG23	3:A:214:VAL:O	2.13	0.44
3:A:49:TYR:HA	3:A:50:PRO:HD3	1.60	0.44
3:A:40:ARG:HB2	3:A:40:ARG:HE	1.50	0.44
3:A:16:THR:HG23	3:A:46:ILE:HD11	1.97	0.44
3:A:123:GLU:O	3:A:126:ARG:N	2.46	0.44
3:A:282:MET:CB	3:A:325:TRP:CZ3	3.00	0.44
3:A:126:ARG:C	3:A:128:ASN:H	2.21	0.44
3:A:49:TYR:CE2	3:A:53:ILE:HG13	2.52	0.44
3:A:228:LEU:HA	3:A:228:LEU:HD12	1.43	0.44
3:A:255:ILE:HG12	3:A:256:ASP:H	1.81	0.43
3:A:22:LEU:HD13	3:A:85:LEU:HD13	2.00	0.43
3:A:253:ARG:HH11	3:A:253:ARG:CG	2.31	0.43
3:A:279:ASN:HD22	3:A:279:ASN:HA	1.40	0.43
3:A:127:LYS:HE3	3:A:127:LYS:HB3	1.41	0.43
3:A:12:ASN:HA	3:A:12:ASN:HD22	1.37	0.43
3:A:255:ILE:HG23	3:A:255:ILE:HD13	1.71	0.43
3:A:210:LEU:HB2	3:A:259:LEU:HD21	2.00	0.43
3:A:141:LYS:HG2	3:A:142:TYR:CE1	2.54	0.43
3:A:165:GLU:HB3	3:A:217:GLN:HG2	2.01	0.43
3:A:210:LEU:CB	3:A:259:LEU:HD21	2.49	0.43
1:T:4:DT:O2	2:P:4:DA:H2	2.01	0.43
3:A:298:ILE:O	3:A:298:ILE:HG23	2.19	0.43
3:A:151:PRO:HD2	3:A:154:GLU:OE1	2.18	0.43
3:A:125:LEU:HD23	3:A:125:LEU:HA	1.72	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:41:LYS:HD3	3:A:41:LYS:N	2.34	0.43
3:A:165:GLU:CD	3:A:168:LYS:HD3	2.39	0.43
3:A:23:ALA:HB2	3:A:39:TYR:HB3	1.99	0.43
3:A:62:LEU:N	3:A:62:LEU:HD13	2.33	0.43
3:A:320:PHE:O	3:A:324:GLN:N	2.52	0.43
3:A:198:PRO:C	3:A:200:PHE:N	2.72	0.43
3:A:260:ILE:HD13	3:A:260:ILE:HA	1.64	0.43
3:A:180:SER:O	3:A:183:ARG:HB2	2.18	0.43
3:A:244:LYS:C	3:A:246:ASP:H	2.22	0.43
3:A:282:MET:HE2	7:A:555:HOH:O	2.17	0.43
3:A:151:PRO:HG2	3:A:154:GLU:OE1	2.19	0.43
3:A:154:GLU:HB3	3:A:241:LEU:HD11	2.00	0.43
3:A:201:THR:O	3:A:204:SER:OG	2.37	0.43
3:A:259:LEU:C	3:A:260:ILE:HD13	2.39	0.43
3:A:328:ARG:HB3	3:A:332:ASP:OD1	2.19	0.43
3:A:279:ASN:O	3:A:283:ARG:N	2.37	0.43
3:A:211:LEU:HD11	3:A:257:ILE:HG22	2.01	0.43
3:A:121:THR:OG1	3:A:123:GLU:N	2.50	0.42
3:A:60:LYS:C	3:A:62:LEU:N	2.72	0.42
3:A:287:LEU:HA	3:A:287:LEU:HD13	1.51	0.42
3:A:62:LEU:HA	3:A:62:LEU:HD12	1.81	0.42
3:A:265:TYR:O	3:A:268:GLY:N	2.52	0.42
3:A:218:LEU:CD1	3:A:218:LEU:N	2.78	0.42
2:P:4:DA:H2''	2:P:5:DA:O4'	2.19	0.42
3:A:60:LYS:C	3:A:62:LEU:H	2.21	0.42
3:A:194:LEU:HA	3:A:194:LEU:HD12	1.06	0.42
1:T:3:DT:C6	1:T:4:DT:H72	2.54	0.42
3:A:195:LEU:HA	3:A:195:LEU:HD12	1.71	0.42
3:A:277:ILE:HG13	3:A:335:GLU:HB2	1.94	0.42
3:A:145:ASP:HB3	3:A:252:HIS:O	2.19	0.42
2:P:1:DT:H2''	2:P:2:DC:O5'	2.20	0.42
3:A:287:LEU:CD1	3:A:301:LEU:CD2	2.98	0.42
3:A:180:SER:HA	3:A:183:ARG:HB2	2.01	0.42
3:A:26:GLU:HB3	3:A:32:ALA:HB3	2.00	0.42
3:A:209:LYS:HA	3:A:209:LYS:HD3	1.39	0.42
1:T:2:DA:H2''	1:T:3:DT:OP2	2.19	0.42
3:A:89:ARG:O	3:A:89:ARG:HD3	2.20	0.42
2:P:6:DT:H2'	2:P:6:DT:H6	0.86	0.42
3:A:84:LYS:O	3:A:88:ILE:HB	2.20	0.42
3:A:218:LEU:HD12	3:A:218:LEU:HA	1.55	0.42
3:A:254:ARG:NH1	3:A:255:ILE:N	2.68	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:311:LEU:HA	3:A:312:PRO:HD2	1.78	0.41
3:A:322:TYR:C	3:A:324:GLN:H	2.23	0.41
3:A:55:SER:O	3:A:58:GLU:HB3	2.20	0.41
3:A:36:TYR:O	3:A:40:ARG:HG2	2.20	0.41
3:A:198:PRO:O	3:A:200:PHE:N	2.53	0.41
3:A:122:LEU:CD2	3:A:126:ARG:NH1	2.83	0.41
3:A:180:SER:O	3:A:185:ALA:HB3	2.20	0.41
3:A:270:LEU:HD21	3:A:319:ILE:HG21	2.02	0.41
3:A:114:PHE:CZ	3:A:132:LEU:HD21	2.55	0.41
3:A:99:PHE:CD1	3:A:99:PHE:C	2.94	0.41
3:A:203:GLU:O	3:A:205:THR:N	2.54	0.41
3:A:68:LYS:O	3:A:71:GLU:HB3	2.21	0.41
3:A:15:ILE:O	3:A:19:LEU:HD22	2.21	0.41
3:A:165:GLU:O	3:A:169:VAL:N	2.47	0.41
3:A:200:PHE:CE2	3:A:261:PRO:CA	3.04	0.41
3:A:294:ASN:ND2	3:A:294:ASN:O	2.53	0.41
3:A:133:ASN:CG	3:A:136:GLN:HG3	2.41	0.41
3:A:287:LEU:CD1	3:A:301:LEU:HD23	2.51	0.41
3:A:119:ILE:HG23	3:A:124:ASP:HB3	2.02	0.41
3:A:200:PHE:O	3:A:262:LYS:N	2.49	0.41
3:A:56:GLY:N	3:A:74:ASP:OD2	2.49	0.41
3:A:108:PRO:HA	3:A:111:ALA:HB3	2.03	0.41
3:A:236:MET:HG2	3:A:256:ASP:OD1	2.21	0.40
3:A:317:LYS:O	3:A:320:PHE:N	2.54	0.40
3:A:218:LEU:HD13	3:A:218:LEU:N	2.36	0.40
3:A:254:ARG:HB3	3:A:254:ARG:CZ	2.52	0.40
3:A:165:GLU:CA	3:A:168:LYS:HG2	2.40	0.40
3:A:265:TYR:C	3:A:269:VAL:HG23	2.41	0.40
3:A:264:GLN:NE2	3:A:296:TYR:CB	2.78	0.40
3:A:17:ASP:O	3:A:21:GLU:HB2	2.21	0.40
1:T:1:DC:H6	1:T:1:DC:H2'	1.67	0.40
3:A:85:LEU:O	3:A:89:ARG:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	325/335 (97%)	261 (80%)	44 (14%)	20 (6%)	2	14

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	204	SER
3	A	206	LYS
3	A	207	GLN
3	A	244	LYS
3	A	246	ASP
3	A	247	GLU
3	A	295	GLU
3	A	13	GLY
3	A	32	ALA
3	A	202	SER
3	A	304	THR
3	A	309	GLU
3	A	108	PRO
3	A	205	THR
3	A	262	LYS
3	A	275	SER
3	A	265	TYR
3	A	127	LYS
3	A	177	VAL
3	A	185	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	288/295 (98%)	218 (76%)	70 (24%)	1	3

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	10	THR
3	A	18	MET
3	A	19	LEU
3	A	21	GLU
3	A	22	LEU
3	A	27	LYS
3	A	30	SER
3	A	33	ILE
3	A	37	ASN
3	A	41	LYS
3	A	62	LEU
3	A	65	VAL
3	A	67	THR
3	A	72	LYS
3	A	79	THR
3	A	87	LYS
3	A	88	ILE
3	A	89	ARG
3	A	92	ASP
3	A	94	SER
3	A	95	SER
3	A	100	LEU
3	A	101	THR
3	A	121	THR
3	A	127	LYS
3	A	128	ASN
3	A	130	ASP
3	A	133	ASN
3	A	136	GLN
3	A	150	ILE
3	A	153	GLU
3	A	157	GLN
3	A	165	GLU
3	A	168	LYS
3	A	172	GLU
3	A	173	TYR
3	A	181	PHE
3	A	182	ARG
3	A	191	MET
3	A	192	ASP
3	A	194	LEU
3	A	216	GLU
3	A	218	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	226	ASP
3	A	227	THR
3	A	228	LEU
3	A	245	ASN
3	A	246	ASP
3	A	248	LYS
3	A	253	ARG
3	A	255	ILE
3	A	258	ARG
3	A	264	GLN
3	A	270	LEU
3	A	277	ILE
3	A	287	LEU
3	A	288	GLU
3	A	292	THR
3	A	294	ASN
3	A	309	GLU
3	A	311	LEU
3	A	314	ASP
3	A	318	ASP
3	A	323	ILE
3	A	325	TRP
3	A	326	LYS
3	A	327	TYR
3	A	331	LYS
3	A	334	SER
3	A	335	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	12	ASN
3	A	28	ASN
3	A	31	GLN
3	A	37	ASN
3	A	90	GLN
3	A	98	ASN
3	A	128	ASN
3	A	133	ASN
3	A	136	GLN
3	A	157	GLN
3	A	217	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	245	ASN
3	A	264	GLN
3	A	279	ASN
3	A	294	ASN
3	A	324	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	DTP	A	338	4	6,8,32	1.52	1 (16%)	11,13,50	1.25	1 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	DTP	A	338	4	-	0/6/6/34	0/0/0/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	338	DTP	PB-O3A	2.38	1.63	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
6	A	338	DTP	O2B-PB-O1B	2.14	117.47	110.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	T	8/8 (100%)	-0.13	1 (12%) 5 3	22, 37, 100, 100	0
2	P	8/8 (100%)	-0.30	1 (12%) 5 3	9, 25, 76, 95	1 (12%)
3	A	325/335 (97%)	-0.91	0 100 100	1, 32, 90, 100	0
All	All	341/351 (97%)	-0.88	2 (0%) 90 84	1, 32, 90, 100	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	8	DA	4.8
1	T	8	DA	4.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	NA	A	342	1/1	0.83	0.23	5.57	37,37,37,37	0
6	DTP	A	338	9/30	0.85	0.25	0.44	46,57,73,73	9
5	NA	A	341	1/1	0.96	0.12	0.10	8,8,8,8	0
4	CD	A	339	1/1	0.96	0.09	-	30,30,30,30	1
4	CD	A	343	1/1	0.99	0.03	-	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.