



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:44 AM GMT

PDB ID : 2IDJ  
Title : Crystal Structure of Rat Glycine N-Methyltransferase Apoprotein, Monoclinic Form  
Authors : Luka, Z.; Pakhomova, S.; Loukachevitch, L.V.; Egli, M.; Newcomer, M.E.; Wagner, C.  
Deposited on : 2006-09-15  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1352 (2.38-2.34)
Clashscore	102246	1456 (2.38-2.34)
Ramachandran outliers	100387	1435 (2.38-2.34)
Sidechain outliers	100360	1436 (2.38-2.34)
RSRZ outliers	91569	1358 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	<div> <div>13%</div> <div>65%</div> <div>29%</div> <div>• 5%</div> </div>
1	B	292	<div> <div>3%</div> <div>75%</div> <div>22%</div> <div>• •</div> </div>
1	C	292	<div> <div>4%</div> <div>71%</div> <div>23%</div> <div>• •</div> </div>
1	D	292	<div> <div>5%</div> <div>69%</div> <div>28%</div> <div>• •</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8908 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycine N-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	S	0	0	0
			2154	1371	375	397	11			
1	B	285	Total	C	N	O	S	0	1	0
			2229	1419	385	413	12			
1	C	280	Total	C	N	O	S	0	0	0
			2164	1374	378	401	11			
1	D	287	Total	C	N	O	S	0	1	0
			2244	1426	390	417	11			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	15	Total	O	0	0
			15	15		
3	B	43	Total	O	0	0
			43	43		
3	C	21	Total	O	0	0
			21	21		
3	D	36	Total	O	0	0
			36	36		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Glycine N-methyltransferase




#### • Molecule 1: Glycine N-methyltransferase



#### • Molecule 1: Glycine N-methyltransferase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.87Å 85.22Å 131.86Å 90.00° 91.40° 90.00°	Depositor
Resolution (Å)	39.11 – 2.35 45.29 – 2.35	Depositor EDS
% Data completeness (in resolution range)	94.1 (39.11-2.35) 94.1 (45.29-2.35)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.66	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.55 (at 2.34Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.222 , 0.272 0.220 , 0.270	Depositor DCC
$R_{free}$ test set	2525 reflections (5.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.4	Xtriage
Anisotropy	0.344	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 45.5	EDS
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 53484 reflections (0.004%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	8908	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.34	0/2205	0.54	0/2989
1	B	0.37	0/2286	0.61	1/3099 (0.0%)
1	C	0.34	0/2214	0.56	1/3003 (0.0%)
1	D	0.39	0/2301	0.62	2/3118 (0.1%)
All	All	0.36	0/9006	0.59	4/12209 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	225	PRO	N-CA-CB	5.60	110.03	103.30
1	B	225	PRO	N-CA-CB	5.57	109.98	103.30
1	C	188	PRO	N-CA-CB	5.53	109.94	103.30
1	D	233	PRO	N-CA-CB	5.53	109.93	103.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2154	0	2091	67	0
1	B	2229	0	2180	59	0
1	C	2164	0	2089	57	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2244	0	2188	73	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	15	0	0	0	0
3	B	43	0	0	0	0
3	C	21	0	0	0	0
3	D	36	0	0	0	0
All	All	8908	0	8548	243	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (243) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:TYR:HB3	1:D:5:TYR:HB3	1.23	1.13
1:B:264:HIS:HE1	1:B:286:HIS:HD2	1.10	0.97
1:A:84:VAL:HG11	1:A:115:ALA:HB3	1.54	0.89
1:B:261:ARG:HB3	1:B:261:ARG:HH11	1.39	0.87
1:A:66:GLY:HA2	1:A:90:MET:HG2	1.57	0.86
1:D:174:HIS:HE1	1:D:286:HIS:HE1	1.23	0.85
1:D:264:HIS:HE1	1:D:286:HIS:HD2	1.21	0.85
1:B:166:PRO:HB3	1:B:292:GLY:HA2	1.59	0.84
1:D:166:PRO:HB3	1:D:292:GLY:HA2	1.58	0.82
1:A:47:TRP:CZ2	1:A:51:LEU:HD22	2.15	0.82
1:C:84:VAL:HG11	1:C:115:ALA:HB3	1.60	0.81
1:C:120:LEU:HG	1:C:163:MET:HE2	1.63	0.80
1:B:264:HIS:HE1	1:B:286:HIS:CD2	1.99	0.79
1:A:84:VAL:CG1	1:A:115:ALA:HB3	2.12	0.79
1:D:174:HIS:HE1	1:D:286:HIS:CE1	2.01	0.78
1:C:84:VAL:CG1	1:C:115:ALA:HB3	2.14	0.78
1:B:174:HIS:HE1	1:B:286:HIS:HE1	1.32	0.78
1:D:174:HIS:CE1	1:D:286:HIS:HE1	2.03	0.76
1:B:188:PRO:HG2	1:B:190:LYS:HE3	1.66	0.76
1:D:261:ARG:HH11	1:D:261:ARG:HB3	1.51	0.75
1:A:61:LEU:HD12	1:A:82:THR:O	1.85	0.75
1:B:264:HIS:CE1	1:B:286:HIS:HD2	2.00	0.74
1:A:201:ASP:HB2	1:A:221:THR:HB	1.69	0.73
1:C:265:SER:HB3	1:C:287:VAL:HG23	1.72	0.72
1:C:66:GLY:HA2	1:C:90:MET:HG2	1.72	0.71
1:A:38:ARG:HA	1:A:69:VAL:HG21	1.73	0.71

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:47:TRP:CZ2	1:C:51:LEU:HD22	2.27	0.70
1:C:120:LEU:HG	1:C:163:MET:CE	2.23	0.69
1:D:264:HIS:HE1	1:D:286:HIS:CD2	2.08	0.68
1:B:174:HIS:CE1	1:B:286:HIS:HE1	2.10	0.68
1:C:53:ARG:HH11	1:C:53:ARG:HG3	1.58	0.68
1:D:264:HIS:CE1	1:D:286:HIS:HD2	2.09	0.67
1:A:265:SER:HB2	1:A:287:VAL:HG23	1.77	0.67
1:B:174:HIS:HE1	1:B:286:HIS:CE1	2.14	0.66
1:B:45:LYS:HG2	1:B:73:MET:CE	2.25	0.66
1:D:33:TYR:HE1	1:D:200:LYS:HE2	1.60	0.65
1:B:29:VAL:HG21	1:B:236:SER:HB2	1.79	0.64
1:D:274:ARG:NH1	1:D:274:ARG:HB3	2.13	0.64
1:B:188:PRO:O	1:B:190:LYS:HG3	1.98	0.63
1:D:138:ASN:ND2	1:D:175:ARG:HG3	2.13	0.63
1:A:120:LEU:HG	1:A:163:MET:CE	2.28	0.63
1:A:120:LEU:HG	1:A:163:MET:HE2	1.81	0.63
1:D:188:PRO:O	1:D:190:LYS:HG3	1.97	0.62
1:B:37:THR:HG23	1:B:194:TYR:CD2	2.34	0.62
1:D:8:ARG:NH2	1:D:13:ALA:HA	2.15	0.62
1:A:53:ARG:HH11	1:A:53:ARG:HG3	1.65	0.61
1:D:188:PRO:HG2	1:D:190:LYS:HE3	1.83	0.60
1:D:174:HIS:CE1	1:D:286:HIS:CE1	2.84	0.60
1:C:265:SER:HB3	1:C:287:VAL:CG2	2.31	0.60
1:A:220:TYR:O	1:A:237:LYS:HB2	2.01	0.60
1:B:72:ILE:HD13	1:B:97:GLU:HG2	1.84	0.60
1:C:41:THR:HG22	1:C:43:GLU:H	1.66	0.59
1:B:72:ILE:CD1	1:B:97:GLU:HG2	2.33	0.59
1:D:14:ALA:HB3	1:D:17:ILE:HD11	1.84	0.59
1:A:72:ILE:CD1	1:A:97:GLU:HG2	2.32	0.59
1:B:258:PHE:CE2	1:B:288:LEU:HD22	2.39	0.58
1:B:166:PRO:HB3	1:B:292:GLY:CA	2.30	0.58
1:A:183:THR:O	1:C:211:ASN:HB2	2.04	0.57
1:B:8:ARG:NH2	1:B:13:ALA:HA	2.19	0.57
1:C:72:ILE:CD1	1:C:97:GLU:HG2	2.35	0.57
1:A:288:LEU:HD12	1:A:288:LEU:N	2.20	0.57
1:B:261:ARG:HB3	1:B:261:ARG:NH1	2.15	0.57
1:A:119:THR:HB	1:A:122:LYS:HE2	1.87	0.57
1:C:258:PHE:HE2	1:C:288:LEU:HD22	1.70	0.57
1:C:66:GLY:HA2	1:C:90:MET:CG	2.34	0.56
1:B:45:LYS:HG2	1:B:73:MET:HE1	1.87	0.56
1:C:288:LEU:HD12	1:C:288:LEU:N	2.20	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:ARG:HH21	1:D:13:ALA:HA	1.69	0.56
1:C:287:VAL:O	1:C:287:VAL:HG23	2.05	0.56
1:B:274:ARG:HB3	1:B:274:ARG:NH1	2.21	0.56
1:C:29:VAL:HG13	1:C:222:VAL:HG11	1.88	0.55
1:C:53:ARG:HG3	1:C:53:ARG:NH1	2.20	0.55
1:A:250:PHE:HD2	1:A:286:HIS:CE1	2.24	0.55
1:C:38:ARG:HA	1:C:69:VAL:HG21	1.89	0.55
1:C:61:LEU:HD12	1:C:82:THR:O	2.07	0.55
1:A:41:THR:HG22	1:A:43:GLU:H	1.71	0.54
1:C:254:VAL:HG13	1:C:288:LEU:HD21	1.89	0.54
1:C:72:ILE:HD13	1:C:97:GLU:HG2	1.89	0.54
1:A:241:SER:HB2	1:B:7:THR:HG23	1.90	0.54
1:A:49:LEU:HD21	1:A:77:GLU:HG3	1.90	0.54
1:B:8:ARG:HH21	1:B:13:ALA:HA	1.73	0.53
1:A:136:LEU:HA	1:A:173:ASP:OD1	2.08	0.53
1:A:130:PHE:O	1:A:165:ARG:HG2	2.09	0.53
1:A:65:CYS:HB3	1:A:85:ASP:HB2	1.91	0.53
1:D:33:TYR:CE1	1:D:200:LYS:HE2	2.41	0.53
1:C:119:THR:HB	1:C:122:LYS:HE2	1.90	0.53
1:A:66:GLY:HA2	1:A:90:MET:CG	2.33	0.53
1:D:37:THR:HG22	1:D:37:THR:O	2.09	0.52
1:C:136:LEU:HD21	1:C:171:VAL:HG12	1.90	0.52
1:D:274:ARG:HH11	1:D:274:ARG:HA	1.75	0.52
1:D:27:ALA:O	1:D:31:GLN:HG3	2.09	0.52
1:B:29:VAL:HG21	1:B:236:SER:CB	2.40	0.52
1:B:166:PRO:CB	1:B:292:GLY:HA2	2.36	0.52
1:A:72:ILE:HD13	1:A:97:GLU:HG2	1.92	0.51
1:A:53:ARG:NH1	1:A:53:ARG:HG3	2.25	0.51
1:C:29:VAL:HG13	1:C:222:VAL:CG1	2.41	0.51
1:C:264:HIS:HE1	1:C:266:VAL:HG22	1.76	0.51
1:C:65:CYS:HB3	1:C:85:ASP:HB2	1.92	0.51
1:B:261:ARG:CB	1:B:261:ARG:HH11	2.18	0.50
1:C:65:CYS:SG	1:C:83:SER:HB3	2.50	0.50
1:D:138:ASN:CG	1:D:175:ARG:HG3	2.32	0.50
1:D:265:SER:OG	1:D:287:VAL:HG13	2.12	0.50
1:A:24:GLY:O	1:A:28:ARG:HG3	2.11	0.50
1:A:264:HIS:HE1	1:A:266:VAL:HG22	1.77	0.50
1:C:7:THR:HG23	1:D:241:SER:HB2	1.93	0.50
1:B:224:VAL:HG23	1:B:227:ALA:HB3	1.93	0.50
1:A:44:TYR:OH	1:A:136:LEU:HD12	2.11	0.49
1:B:274:ARG:NH1	1:B:275:PRO:HD2	2.28	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:TRP:O	1:B:33:TYR:HB3	2.12	0.49
1:A:287:VAL:O	1:A:287:VAL:HG23	2.12	0.49
1:D:175:ARG:HG2	1:D:283:TYR:CE2	2.48	0.49
1:C:49:LEU:HD21	1:C:77:GLU:HG3	1.95	0.49
1:B:224:VAL:CG2	1:B:227:ALA:HB3	2.43	0.49
1:C:138:ASN:ND2	1:C:175:ARG:HG3	2.28	0.49
1:D:84:VAL:CG2	1:D:115:ALA:HB3	2.42	0.48
1:C:136:LEU:HA	1:C:173:ASP:OD1	2.12	0.48
1:A:7:THR:HG23	1:B:241:SER:HB2	1.95	0.48
1:D:221:THR:HA	1:D:237:LYS:HB3	1.96	0.48
1:B:121:ASP:OD1	1:B:122:LYS:HG3	2.14	0.48
1:A:192:ILE:HG23	1:A:193:TYR:H	1.79	0.48
1:A:72:ILE:HD11	1:A:97:GLU:HG2	1.94	0.48
1:C:222:VAL:HG22	1:C:223:GLN:N	2.29	0.48
1:A:144:PRO:HG3	1:D:1:VAL:CB	2.44	0.48
1:A:101:ARG:CZ	1:A:107:PHE:CZ	2.97	0.48
1:A:108:ASP:OD1	1:B:102:ARG:HD2	2.14	0.48
1:C:97:GLU:OE2	1:C:97:GLU:HA	2.14	0.48
1:C:92:LYS:HD2	1:D:114:GLU:OE1	2.13	0.48
1:D:166:PRO:HB3	1:D:292:GLY:CA	2.36	0.47
1:B:40:ARG:HB2	1:B:45:LYS:HE3	1.96	0.47
1:A:92:LYS:HD2	1:B:114:GLU:OE1	2.14	0.47
1:D:224:VAL:HG23	1:D:227:ALA:HB3	1.96	0.47
1:B:174:HIS:CE1	1:B:286:HIS:CE1	2.94	0.47
1:A:192:ILE:HG23	1:A:193:TYR:N	2.29	0.47
1:D:224:VAL:CG2	1:D:227:ALA:HB3	2.44	0.47
1:D:166:PRO:CB	1:D:292:GLY:HA2	2.37	0.47
1:B:37:THR:HG22	1:B:37:THR:O	2.15	0.47
1:D:196:SER:OG	1:D:200:LYS:NZ	2.47	0.47
1:D:45:LYS:HG2	1:D:73:MET:CE	2.45	0.47
1:D:37:THR:HG23	1:D:194:TYR:CD2	2.50	0.47
1:A:97:GLU:OE2	1:A:97:GLU:HA	2.15	0.47
1:A:258:PHE:HE2	1:A:288:LEU:HD22	1.79	0.47
1:D:265:SER:OG	1:D:287:VAL:CG1	2.63	0.47
1:A:269:ASP:O	1:A:270:PHE:HB2	2.14	0.47
1:D:25:GLU:O	1:D:29:VAL:HG23	2.14	0.46
1:A:264:HIS:ND1	1:A:265:SER:N	2.63	0.46
1:B:99:TRP:O	1:B:102:ARG:HB3	2.15	0.46
1:B:174:HIS:HD2	1:B:175:ARG:O	1.97	0.46
1:C:37:THR:C	1:C:39:SER:H	2.19	0.46
1:A:68:GLY:O	1:A:72:ILE:HG13	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:GLY:O	1:A:269:ASP:HB2	2.16	0.46
1:A:156:ALA:O	1:A:160:ILE:HG13	2.16	0.46
1:C:250:PHE:HD2	1:C:286:HIS:CE1	2.34	0.45
1:D:165:ARG:NH1	1:D:166:PRO:O	2.49	0.45
1:A:120:LEU:HG	1:A:163:MET:HE1	1.97	0.45
1:D:261:ARG:HB3	1:D:261:ARG:NH1	2.26	0.45
1:B:221:THR:HA	1:B:237:LYS:HB3	1.98	0.45
1:B:27:ALA:O	1:B:31:GLN:HG3	2.15	0.45
1:C:203:THR:HB	1:C:219:ASP:HB2	1.98	0.45
1:A:84:VAL:CG1	1:A:85:ASP:N	2.80	0.45
1:C:49:LEU:O	1:C:53:ARG:HG2	2.17	0.45
1:D:224:VAL:HG22	1:D:234:GLY:C	2.37	0.45
1:D:121:ASP:OD1	1:D:122:LYS:HG3	2.17	0.45
1:B:84:VAL:CG2	1:B:115:ALA:HB3	2.47	0.45
1:C:255:GLN:HG3	1:C:264:HIS:HD2	1.81	0.45
1:A:49:LEU:O	1:A:53:ARG:HG2	2.17	0.45
1:B:63:VAL:HA	1:B:84:VAL:HG12	1.98	0.45
1:B:251:THR:O	1:B:255:GLN:HG3	2.17	0.45
1:A:20:GLN:HG2	1:C:2:ASP:OD1	2.16	0.44
1:B:40:ARG:NH1	1:B:194:TYR:HD2	2.15	0.44
1:D:29:VAL:HG21	1:D:236:SER:HB3	1.99	0.44
1:C:188:PRO:CB	1:C:202:ILE:HD12	2.47	0.44
1:C:102:ARG:HE	1:C:102:ARG:HB3	1.38	0.44
1:D:208:THR:CG2	1:D:211:ASN:HA	2.47	0.44
1:C:102:ARG:NH1	1:D:108:ASP:OD1	2.48	0.44
1:A:49:LEU:CD2	1:A:77:GLU:HG3	2.47	0.44
1:B:274:ARG:HH11	1:B:274:ARG:HA	1.82	0.44
1:D:72:ILE:CD1	1:D:97:GLU:HG2	2.48	0.44
1:C:277:GLN:HE21	1:C:279:TYR:HB3	1.83	0.44
1:B:29:VAL:CG2	1:B:236:SER:HB2	2.46	0.44
1:B:242:TYR:N	1:B:242:TYR:CD1	2.86	0.43
1:C:241:SER:HB2	1:D:7:THR:HG23	2.00	0.43
1:A:65:CYS:SG	1:A:83:SER:HB3	2.58	0.43
1:D:208:THR:HG21	1:D:211:ASN:HA	2.00	0.43
1:B:138:ASN:OD1	1:B:174:HIS:HA	2.18	0.43
1:D:224:VAL:HG22	1:D:234:GLY:O	2.18	0.43
1:A:203:THR:HB	1:A:219:ASP:HB2	2.01	0.43
1:A:161:ALA:HB1	1:A:258:PHE:CE1	2.53	0.43
1:C:269:ASP:O	1:C:270:PHE:HB2	2.18	0.43
1:D:120:LEU:O	1:D:124:VAL:HG22	2.19	0.43
1:B:167:GLY:HA2	1:B:290:LYS:O	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:102:ARG:HB3	1:D:102:ARG:HE	1.66	0.43
1:C:45:LYS:HE3	1:C:49:LEU:HD11	2.00	0.43
1:A:223:GLN:HA	1:A:235:PHE:N	2.34	0.43
1:D:274:ARG:CA	1:D:274:ARG:HH11	2.31	0.43
1:D:63:VAL:HA	1:D:84:VAL:HG12	2.01	0.43
1:D:261:ARG:HH11	1:D:261:ARG:CB	2.25	0.43
1:D:68:GLY:O	1:D:72:ILE:HG13	2.19	0.43
1:A:4:VAL:HG23	1:A:4:VAL:O	2.19	0.43
1:D:136:LEU:HD21	1:D:171:VAL:HG12	2.00	0.43
1:B:28:ARG:HB3	1:B:28:ARG:HH11	1.84	0.42
1:C:35:GLY:O	1:C:38:ARG:HG2	2.18	0.42
1:B:102:ARG:HE	1:B:102:ARG:HB3	1.42	0.42
1:D:220:TYR:O	1:D:237:LYS:HB2	2.20	0.42
1:D:40:ARG:NH1	1:D:194:TYR:HD2	2.17	0.42
1:D:280:VAL:HA	1:D:281:PRO:HD3	1.82	0.42
1:D:6:ARG:NH2	1:D:10:LEU:HD21	2.34	0.42
1:C:145:ASP:OD2	1:C:148:GLY:HA2	2.20	0.42
1:D:85:ASP:OD1	1:D:86:ALA:N	2.53	0.42
1:D:40:ARG:O	1:D:195:LYS:HE2	2.20	0.42
1:D:285:ILE:HD12	1:D:285:ILE:N	2.35	0.42
1:C:61:LEU:CD2	1:C:163:MET:HG2	2.50	0.41
1:C:58:HIS:CE1	1:C:80:SER:HB2	2.55	0.41
1:C:191:ASN:OD1	1:C:192:ILE:N	2.41	0.41
1:B:91:LEU:HA	1:B:91:LEU:HD12	1.87	0.41
1:D:258:PHE:CE2	1:D:288:LEU:HD22	2.55	0.41
1:C:264:HIS:ND1	1:C:265:SER:N	2.68	0.41
1:A:269:ASP:O	1:A:270:PHE:CB	2.69	0.41
1:D:242:TYR:CD1	1:D:242:TYR:N	2.88	0.41
1:D:17:ILE:HA	1:D:18:PRO:HD3	1.95	0.41
1:C:147:LYS:HB2	1:C:149:ASP:OD1	2.20	0.41
1:C:72:ILE:HD11	1:C:97:GLU:HG2	2.02	0.41
1:D:274:ARG:CB	1:D:274:ARG:NH1	2.83	0.41
1:D:287:VAL:HG13	1:D:287:VAL:O	2.21	0.41
1:A:84:VAL:HG12	1:A:85:ASP:N	2.35	0.41
1:D:274:ARG:HB3	1:D:274:ARG:CZ	2.51	0.41
1:A:216:VAL:HG23	1:A:244:PRO:HB3	2.03	0.41
1:B:71:SER:O	1:B:75:VAL:HG23	2.20	0.41
1:D:91:LEU:HD12	1:D:91:LEU:HA	1.80	0.41
1:A:249:SER:O	1:A:253:LEU:HB2	2.20	0.41
1:B:264:HIS:CE1	1:B:286:HIS:CD2	2.89	0.41
1:D:103:LYS:HD3	1:D:103:LYS:HA	1.90	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:192:ILE:HD12	1:D:193:TYR:HD1	1.86	0.41
1:A:174:HIS:CD2	1:A:250:PHE:CD2	3.08	0.40
1:B:280:VAL:HA	1:B:281:PRO:HD3	1.93	0.40
1:A:136:LEU:HD21	1:A:171:VAL:HG12	2.02	0.40
1:A:192:ILE:HD12	1:A:269:ASP:CG	2.41	0.40
1:A:253:LEU:O	1:A:256:GLU:HG2	2.21	0.40
1:A:209:VAL:O	1:A:210:ASN:HB2	2.21	0.40
1:B:219:ASP:OD1	1:B:239:ARG:HB2	2.21	0.40
1:A:205:SER:HA	1:C:208:THR:O	2.21	0.40
1:A:180:ILE:O	1:A:184:GLY:N	2.52	0.40
1:A:165:ARG:O	1:A:168:GLY:N	2.54	0.40
1:B:68:GLY:O	1:B:69:VAL:C	2.58	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/292 (93%)	248 (92%)	19 (7%)	4 (2%)	13	11
1	B	282/292 (97%)	261 (93%)	16 (6%)	5 (2%)	11	8
1	C	276/292 (94%)	254 (92%)	19 (7%)	3 (1%)	17	17
1	D	284/292 (97%)	267 (94%)	13 (5%)	4 (1%)	14	12
All	All	1113/1168 (95%)	1030 (92%)	67 (6%)	16 (1%)	14	12

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	277	GLN
1	B	20	GLN
1	B	191	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	20	GLN
1	D	191	ASN
1	B	226	GLY
1	C	277	GLN
1	D	226	GLY
1	A	54	GLN
1	C	127	GLY
1	D	189	GLY
1	A	187	PRO
1	B	38	ARG
1	C	192	ILE
1	A	188	PRO
1	B	189	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/242 (93%)	218 (97%)	7 (3%)	47	61
1	B	236/242 (98%)	232 (98%)	4 (2%)	68	82
1	C	224/242 (93%)	218 (97%)	6 (3%)	52	67
1	D	236/242 (98%)	229 (97%)	7 (3%)	48	62
All	All	921/968 (95%)	897 (97%)	24 (3%)	54	68

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	90	MET
1	A	91	LEU
1	A	102	ARG
1	A	123	ASP
1	A	163	MET
1	A	194	TYR
1	B	84	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	102	ARG
1	B	181	LEU
1	B	261	ARG
1	C	31	GLN
1	C	90	MET
1	C	91	LEU
1	C	102	ARG
1	C	123	ASP
1	C	163	MET
1	D	84	VAL
1	D	102	ARG
1	D	128	ASP
1	D	181	LEU
1	D	218	LEU
1	D	240	LEU
1	D	261	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	31	GLN
1	B	174	HIS
1	B	264	HIS
1	B	286	HIS
1	D	31	GLN
1	D	174	HIS
1	D	211	ASN
1	D	255	GLN
1	D	264	HIS
1	D	286	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	277/292 (94%)	0.80	38 (13%) 4 8	23, 57, 98, 124	0
1	B	285/292 (97%)	0.23	10 (3%) 48 61	17, 36, 92, 126	0
1	C	280/292 (95%)	0.30	12 (4%) 39 53	24, 50, 100, 129	0
1	D	287/292 (98%)	0.18	15 (5%) 31 46	16, 33, 91, 125	0
All	All	1129/1168 (96%)	0.38	75 (6%) 22 32	16, 45, 98, 129	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	225	PRO	7.9
1	C	292	GLY	6.8
1	A	188	PRO	6.6
1	A	292	GLY	6.0
1	B	1	VAL	5.5
1	B	199	THR	5.4
1	D	1	VAL	5.0
1	B	126	ALA	4.9
1	D	292	GLY	4.9
1	B	292	GLY	4.8
1	D	225	PRO	4.7
1	A	56	GLY	4.7
1	C	126	ALA	4.7
1	A	258	PHE	4.6
1	A	201	ASP	4.6
1	D	126	ALA	4.4
1	A	189	GLY	4.2
1	B	127	GLY	4.1
1	A	194	TYR	4.0
1	D	197	ASP	3.9
1	A	57	CYS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	224	VAL	3.7
1	C	37	THR	3.6
1	C	39	SER	3.6
1	C	40	ARG	3.6
1	A	127	GLY	3.6
1	A	284	PHE	3.6
1	A	278	ALA	3.5
1	D	191	ASN	3.5
1	A	126	ALA	3.4
1	D	233	PRO	3.4
1	A	273	TYR	3.4
1	C	38	ARG	3.3
1	A	287	VAL	3.3
1	D	125	PRO	3.3
1	B	235	PHE	3.2
1	B	224	VAL	3.2
1	A	157	LEU	3.1
1	D	226	GLY	3.0
1	A	260	GLY	2.9
1	D	190	LYS	2.8
1	A	254	VAL	2.7
1	A	289	LYS	2.7
1	A	280	VAL	2.7
1	A	279	TYR	2.7
1	D	2	ASP	2.7
1	C	127	GLY	2.6
1	A	60	VAL	2.6
1	A	121	ASP	2.6
1	A	33	TYR	2.5
1	A	124	VAL	2.5
1	D	4	VAL	2.5
1	A	274	ARG	2.5
1	B	194	TYR	2.5
1	A	29	VAL	2.5
1	C	188	PRO	2.5
1	A	255	GLN	2.4
1	C	187	PRO	2.4
1	B	2	ASP	2.3
1	D	20	GLN	2.3
1	A	186	ALA	2.3
1	A	250	PHE	2.2
1	A	52	LEU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	37	THR	2.2
1	C	2	ASP	2.2
1	D	189	GLY	2.2
1	A	261	ARG	2.1
1	A	257	ALA	2.1
1	A	48	LEU	2.1
1	A	41	THR	2.0
1	A	203	THR	2.0
1	A	163	MET	2.0
1	C	190	LYS	2.0
1	C	3	SER	2.0
1	A	40	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CA	C	293	1/1	0.96	0.17	-	54,54,54,54	0
2	CA	B	293	1/1	0.93	0.18	-	40,40,40,40	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.