



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:46 AM GMT

PDB ID : 2IGO  
Title : Crystal structure of pyranose 2-oxidase H167A mutant with 2-fluoro-2-deoxy-D-glucose  
Authors : Divne, C.  
Deposited on : 2006-09-22  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1833 (1.96-1.96)
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	623	<div> <div>4%</div> <div>80% 12% • 7%</div> </div>
1	B	623	<div> <div>3%</div> <div>82% 9% • 7%</div> </div>
1	C	623	<div> <div>4%</div> <div>82% 10% • 7%</div> </div>
1	D	623	<div> <div>3%</div> <div>80% 11% • 7%</div> </div>
1	E	623	<div> <div>4%</div> <div>82% 9% • 7%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	623	
1	G	623	
1	H	623	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SHG	G	808	-	-	-	X
3	FAD	A	701	-	-	-	X
3	FAD	B	702	-	-	-	X
3	FAD	C	704	-	-	-	X
3	FAD	D	703	-	-	-	X
3	FAD	E	705	-	-	-	X
3	FAD	F	706	-	-	-	X
3	FAD	G	708	-	-	-	X
3	FAD	H	707	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 38602 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pyranose oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	B	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	D	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	C	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	E	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	F	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	H	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			
1	G	577	Total	C	N	O	S	0	0	0
			4544	2869	776	874	25			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
B	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
C	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
D	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
E	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
F	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
G	167	ALA	HIS	ENGINEERED	UNP Q7ZA32
H	167	ALA	HIS	ENGINEERED	UNP Q7ZA32

- Molecule 2 is SUGAR (2-DEOXY-2-FLUORO-BETA-D-GLUCOPYRANOSE) (three-letter code: SHG) (formula: C<sub>6</sub>H<sub>11</sub>FO<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	F	O	0	0
			12	6	1	5		
2	B	1	Total	C	F	O	0	0
			12	6	1	5		
2	D	1	Total	C	F	O	0	0
			12	6	1	5		
2	C	1	Total	C	F	O	0	0
			12	6	1	5		
2	E	1	Total	C	F	O	0	0
			12	6	1	5		
2	F	1	Total	C	F	O	0	0
			12	6	1	5		
2	H	1	Total	C	F	O	0	0
			12	6	1	5		
2	G	1	Total	C	F	O	0	0
			12	6	1	5		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	H	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	244	Total	O	0	0
			244	244		
4	B	251	Total	O	0	0
			251	251		
4	C	199	Total	O	0	0
			199	199		
4	D	222	Total	O	0	0
			222	222		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	195	Total 195	O 195	0	0
4	F	192	Total 192	O 192	0	0
4	G	210	Total 210	O 210	0	0
4	H	217	Total 217	O 217	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Pyranose oxidase




#### • Molecule 1: Pyranose oxidase





#### • Molecule 1: Pyranose oxidase










• Molecule 1: Pyranose oxidase




• Molecule 1: Pyranose oxidase





• Molecule 1: Pyranose oxidase







• Molecule 1: Pyranose oxidase



• Molecule 1: Pyranose oxidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	168.59Å 103.08Å 169.04Å 90.00° 106.30° 90.00°	Depositor
Resolution (Å)	38.90 – 1.95 38.99 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (38.90-1.95) 99.9 (38.99-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.86 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.184 , 0.221 0.188 , 0.222	Depositor DCC
$R_{free}$ test set	4042 reflections (1.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	21.2	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 41.3	EDS
Estimated twinning fraction	0.019 for l,-k,h	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 403276 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	38602	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, SHG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.14	7/4659 (0.2%)	1.08	20/6335 (0.3%)
1	B	1.10	4/4659 (0.1%)	1.08	19/6335 (0.3%)
1	C	1.04	3/4659 (0.1%)	1.04	13/6335 (0.2%)
1	D	1.08	5/4659 (0.1%)	1.05	19/6335 (0.3%)
1	E	1.04	1/4659 (0.0%)	1.04	20/6335 (0.3%)
1	F	1.03	3/4659 (0.1%)	1.07	18/6335 (0.3%)
1	G	1.05	0/4659	1.06	18/6335 (0.3%)
1	H	1.07	3/4659 (0.1%)	1.05	23/6335 (0.4%)
All	All	1.07	26/37272 (0.1%)	1.06	150/50680 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	291	LEU	CG-CD1	7.79	1.80	1.51
1	C	541	MET	CG-SD	6.66	1.98	1.81
1	A	482	GLU	CD-OE1	6.66	1.32	1.25
1	A	313	ALA	CA-CB	6.29	1.65	1.52
1	A	112	MET	CB-CG	5.91	1.70	1.51
1	D	486	TRP	CB-CG	5.88	1.60	1.50
1	C	108	GLN	CG-CD	5.70	1.64	1.51
1	D	358	GLU	CD-OE2	5.63	1.31	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	230	TYR	CD1-CE1	5.54	1.47	1.39
1	F	478	GLU	CD-OE1	5.48	1.31	1.25
1	F	250	PHE	CE2-CZ	5.46	1.47	1.37
1	A	108	GLN	CG-CD	5.34	1.63	1.51
1	B	278	PHE	CE2-CZ	5.32	1.47	1.37
1	A	579	PHE	CD2-CE2	5.24	1.49	1.39
1	H	104	VAL	CB-CG2	-5.24	1.41	1.52
1	A	81	ASP	CB-CG	-5.23	1.40	1.51
1	H	196	ASP	CB-CG	5.19	1.62	1.51
1	F	139	ARG	CD-NE	-5.18	1.37	1.46
1	B	482	GLU	CD-OE2	5.17	1.31	1.25
1	D	49	VAL	CB-CG1	5.14	1.63	1.52
1	A	213	PHE	CE1-CZ	5.14	1.47	1.37
1	H	474	PHE	CD1-CE1	5.14	1.49	1.39
1	C	250	PHE	CE2-CZ	5.14	1.47	1.37
1	B	542	GLU	CG-CD	5.13	1.59	1.51
1	D	281	VAL	CB-CG2	5.09	1.63	1.52
1	B	482	GLU	CG-CD	5.07	1.59	1.51

All (150) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	139	ARG	NE-CZ-NH2	-24.01	108.29	120.30
1	D	139	ARG	NE-CZ-NH2	-20.93	109.83	120.30
1	B	139	ARG	NE-CZ-NH2	-20.35	110.12	120.30
1	E	139	ARG	NE-CZ-NH2	-19.12	110.74	120.30
1	G	139	ARG	NE-CZ-NH2	-18.89	110.86	120.30
1	C	139	ARG	NE-CZ-NH2	-17.76	111.42	120.30
1	A	139	ARG	NE-CZ-NH2	-16.90	111.85	120.30
1	G	139	ARG	NE-CZ-NH1	15.63	128.11	120.30
1	C	139	ARG	NE-CZ-NH1	15.60	128.10	120.30
1	F	139	ARG	NE-CZ-NH1	15.18	127.89	120.30
1	H	139	ARG	NE-CZ-NH2	-14.74	112.93	120.30
1	B	81	ASP	CB-CG-OD2	14.54	131.39	118.30
1	D	139	ARG	NE-CZ-NH1	14.11	127.36	120.30
1	E	139	ARG	NE-CZ-NH1	13.50	127.05	120.30
1	B	139	ARG	NE-CZ-NH1	13.20	126.90	120.30
1	G	81	ASP	CB-CG-OD2	12.71	129.74	118.30
1	H	139	ARG	NE-CZ-NH1	12.49	126.55	120.30
1	C	81	ASP	CB-CG-OD2	12.07	129.16	118.30
1	E	291	LEU	CB-CG-CD2	-10.88	92.51	111.00
1	G	81	ASP	CB-CG-OD1	-10.68	108.69	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	81	ASP	CB-CG-OD1	-10.48	108.86	118.30
1	A	139	ARG	NE-CZ-NH1	10.42	125.51	120.30
1	E	81	ASP	CB-CG-OD2	9.67	127.00	118.30
1	F	81	ASP	CB-CG-OD2	9.62	126.96	118.30
1	C	81	ASP	CB-CG-OD1	-9.15	110.06	118.30
1	F	558	ASP	CB-CG-OD2	9.05	126.44	118.30
1	G	76	ASP	CB-CG-OD2	9.04	126.44	118.30
1	F	139	ARG	CD-NE-CZ	8.87	136.01	123.60
1	F	76	ASP	CB-CG-OD2	8.83	126.25	118.30
1	B	76	ASP	CB-CG-OD2	8.62	126.06	118.30
1	E	139	ARG	CG-CD-NE	-8.47	94.01	111.80
1	B	139	ARG	CG-CD-NE	-8.44	94.08	111.80
1	F	472	ARG	NE-CZ-NH1	8.41	124.50	120.30
1	E	76	ASP	CB-CG-OD2	8.36	125.82	118.30
1	G	521	ASP	CB-CG-OD2	8.32	125.79	118.30
1	H	562	ASP	CB-CG-OD2	8.28	125.75	118.30
1	D	81	ASP	CB-CG-OD2	8.24	125.71	118.30
1	D	76	ASP	CB-CG-OD2	8.21	125.69	118.30
1	A	76	ASP	CB-CG-OD2	8.14	125.62	118.30
1	B	558	ASP	CB-CG-OD2	7.85	125.36	118.30
1	E	81	ASP	CB-CG-OD1	-7.85	111.24	118.30
1	C	562	ASP	CB-CG-OD2	7.69	125.22	118.30
1	F	139	ARG	CG-CD-NE	-7.68	95.67	111.80
1	H	493	ASP	CB-CG-OD1	7.68	125.21	118.30
1	H	81	ASP	CB-CG-OD1	-7.66	111.41	118.30
1	E	176	ASP	CB-CG-OD2	7.65	125.18	118.30
1	A	493	ASP	CB-CG-OD1	7.59	125.13	118.30
1	C	139	ARG	CD-NE-CZ	7.45	134.03	123.60
1	E	291	LEU	CA-CB-CG	-7.36	98.38	115.30
1	E	452	ASP	CB-CG-OD2	7.25	124.82	118.30
1	H	81	ASP	CB-CG-OD2	7.18	124.76	118.30
1	G	562	ASP	CB-CG-OD2	7.04	124.63	118.30
1	G	430	ASP	CB-CG-OD2	7.03	124.63	118.30
1	B	139	ARG	CD-NE-CZ	6.99	133.39	123.60
1	A	139	ARG	CG-CD-NE	-6.91	97.28	111.80
1	F	374	ASP	CB-CG-OD2	6.90	124.51	118.30
1	D	470	ASP	CB-CG-OD1	6.84	124.45	118.30
1	D	503	ASP	CB-CG-OD2	6.82	124.44	118.30
1	H	389	LEU	CB-CG-CD2	-6.81	99.43	111.00
1	H	503	ASP	CB-CG-OD2	6.74	124.37	118.30
1	D	97	GLN	CA-CB-CG	-6.74	98.58	113.40
1	F	472	ARG	NE-CZ-NH2	-6.69	116.96	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	430	ASP	CB-CG-OD2	6.63	124.27	118.30
1	F	196	ASP	CB-CG-OD1	6.56	124.20	118.30
1	G	569	ASP	CB-CG-OD2	6.55	124.20	118.30
1	C	76	ASP	CB-CG-OD2	6.50	124.15	118.30
1	E	44	ASP	CB-CG-OD2	6.49	124.14	118.30
1	D	187	ASP	CB-CG-OD2	6.48	124.14	118.30
1	H	521	ASP	CB-CG-OD2	6.46	124.11	118.30
1	D	139	ARG	CG-CD-NE	-6.39	98.38	111.80
1	G	452	ASP	CB-CG-OD2	6.39	124.05	118.30
1	D	139	ARG	CD-NE-CZ	6.36	132.51	123.60
1	B	124	ASP	CB-CG-OD2	6.36	124.02	118.30
1	F	97	GLN	CA-CB-CG	-6.35	99.44	113.40
1	C	139	ARG	CG-CD-NE	-6.28	98.62	111.80
1	A	211	ASP	CB-CG-OD1	6.26	123.93	118.30
1	A	189	ASP	CB-CG-OD2	6.22	123.90	118.30
1	A	139	ARG	CD-NE-CZ	6.21	132.29	123.60
1	A	81	ASP	CB-CG-OD1	-6.20	112.72	118.30
1	B	97	GLN	CA-CB-CG	-6.20	99.76	113.40
1	D	558	ASP	CB-CG-OD2	6.19	123.87	118.30
1	E	569	ASP	CB-CG-OD2	6.18	123.87	118.30
1	H	389	LEU	CA-CB-CG	6.18	129.52	115.30
1	F	211	ASP	CB-CG-OD2	6.17	123.85	118.30
1	G	139	ARG	CG-CD-NE	-6.14	98.89	111.80
1	H	76	ASP	CB-CG-OD2	6.13	123.82	118.30
1	B	489	ASP	CB-CG-OD1	6.13	123.81	118.30
1	D	472	ARG	NE-CZ-NH2	-6.09	117.25	120.30
1	G	44	ASP	CB-CG-OD2	6.04	123.74	118.30
1	H	269	ASP	CB-CG-OD2	6.04	123.73	118.30
1	E	554	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	G	288	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	A	452	ASP	CB-CG-OD2	5.99	123.69	118.30
1	A	81	ASP	CB-CG-OD2	5.98	123.68	118.30
1	A	124	ASP	CB-CG-OD2	5.97	123.68	118.30
1	B	379	ASP	CB-CG-OD2	5.93	123.63	118.30
1	H	235	ASP	CB-CG-OD2	5.88	123.59	118.30
1	G	288	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	B	406	ASP	CB-CG-OD1	5.86	123.58	118.30
1	G	139	ARG	CD-NE-CZ	5.83	131.77	123.60
1	F	503	ASP	CB-CG-OD2	5.79	123.51	118.30
1	B	176	ASP	CB-CG-OD2	5.76	123.49	118.30
1	E	374	ASP	CB-CG-OD2	5.75	123.48	118.30
1	A	197	ARG	NE-CZ-NH1	-5.75	117.42	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	196	ASP	CB-CG-OD2	5.75	123.48	118.30
1	H	489	ASP	CB-CG-OD2	5.73	123.45	118.30
1	A	406	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	422	ASP	CB-CG-OD2	5.67	123.40	118.30
1	H	176	ASP	CB-CG-OD2	5.67	123.40	118.30
1	F	81	ASP	CB-CG-OD1	-5.65	113.22	118.30
1	C	186	ASP	CB-CG-OD2	5.64	123.38	118.30
1	E	291	LEU	CB-CG-CD1	5.60	120.53	111.00
1	D	472	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	503	ASP	CB-CG-OD2	5.58	123.32	118.30
1	A	186	ASP	CB-CG-OD2	5.57	123.31	118.30
1	E	307	ASP	CB-CG-OD2	5.55	123.30	118.30
1	B	562	ASP	CB-CG-OD2	5.54	123.29	118.30
1	G	464	ASP	CB-CG-OD2	5.53	123.27	118.30
1	A	307	ASP	CB-CG-OD2	5.51	123.26	118.30
1	H	48	ASP	CB-CG-OD2	5.49	123.24	118.30
1	H	139	ARG	CA-CB-CG	5.48	125.46	113.40
1	E	521	ASP	CB-CG-OD2	5.46	123.21	118.30
1	F	147	ASP	CB-CG-OD1	5.45	123.20	118.30
1	B	44	ASP	CB-CG-OD2	5.45	123.20	118.30
1	B	48	ASP	CB-CG-OD2	5.42	123.18	118.30
1	G	101	ASP	CB-CG-OD2	5.41	123.17	118.30
1	C	464	ASP	CB-CG-OD2	5.36	123.12	118.30
1	D	554	ARG	NE-CZ-NH1	5.36	122.98	120.30
1	C	452	ASP	CB-CG-OD2	5.35	123.11	118.30
1	B	104	VAL	CG1-CB-CG2	-5.34	102.36	110.90
1	D	422	ASP	CB-CG-OD2	5.32	123.08	118.30
1	A	269	ASP	CB-CG-OD2	5.31	123.08	118.30
1	H	279	PRO	N-CD-CG	-5.30	95.25	103.20
1	H	189	ASP	CB-CG-OD2	5.29	123.06	118.30
1	H	104	VAL	CG1-CB-CG2	-5.26	102.48	110.90
1	H	139	ARG	CD-NE-CZ	5.24	130.94	123.60
1	H	44	ASP	CB-CG-OD2	5.23	123.01	118.30
1	E	191	ASP	CB-CG-OD2	5.21	122.99	118.30
1	F	379	ASP	CB-CG-OD2	5.20	122.98	118.30
1	C	521	ASP	CB-CG-OD2	5.19	122.97	118.30
1	G	307	ASP	CB-CG-OD2	5.19	122.97	118.30
1	E	554	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	F	186	ASP	CB-CG-OD2	5.17	122.95	118.30
1	D	112	MET	CG-SD-CE	5.15	108.44	100.20
1	C	234	ARG	NE-CZ-NH1	-5.11	117.74	120.30
1	D	489	ASP	CB-CG-OD1	5.10	122.89	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	302	ASP	CB-CG-OD2	5.07	122.86	118.30
1	B	569	ASP	CB-CG-OD2	5.07	122.86	118.30
1	D	81	ASP	CB-CG-OD1	-5.01	113.79	118.30
1	E	562	ASP	CB-CG-OD2	5.00	122.80	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	151	ASN	Peptide
1	D	553	HIS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4544	0	4393	28	0
1	B	4544	0	4393	31	0
1	C	4544	0	4393	33	0
1	D	4544	0	4393	32	0
1	E	4544	0	4393	36	0
1	F	4544	0	4393	35	0
1	G	4544	0	4393	42	0
1	H	4544	0	4393	30	0
2	A	12	0	11	4	0
2	B	12	0	11	1	0
2	C	12	0	11	5	0
2	D	12	0	11	3	0
2	E	12	0	11	4	0
2	F	12	0	10	2	0
2	G	12	0	11	4	0
2	H	12	0	11	0	0
3	A	53	0	31	4	0
3	B	53	0	31	4	0
3	C	53	0	31	1	0
3	D	53	0	31	2	0
3	E	53	0	31	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	53	0	31	0	0
3	G	53	0	31	2	0
3	H	53	0	31	0	0
4	A	244	0	0	3	0
4	B	251	0	0	1	0
4	C	199	0	0	2	0
4	D	222	0	0	1	0
4	E	195	0	0	2	0
4	F	192	0	0	1	0
4	G	210	0	0	6	0
4	H	217	0	0	3	0
All	All	38602	0	35479	269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (269) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:291:LEU:CG	1:E:291:LEU:CD1	1.80	1.56
1:G:81:ASP:HA	4:G:2497:HOH:O	1.42	1.16
1:C:432:GLU:HG3	4:C:2381:HOH:O	1.48	1.12
1:G:81:ASP:CA	4:G:2497:HOH:O	2.04	0.98
1:E:291:LEU:CD1	1:E:291:LEU:HG	2.01	0.88
1:C:97:GLN:HG3	1:C:250:PHE:CE2	2.10	0.87
1:G:81:ASP:C	4:G:2497:HOH:O	2.15	0.84
1:G:82:SER:N	4:G:2497:HOH:O	2.10	0.83
1:H:312:LYS:HE3	4:H:1958:HOH:O	1.84	0.77
1:C:97:GLN:HG3	1:C:250:PHE:CD2	2.19	0.77
1:G:385:THR:O	1:G:388:GLU:HG2	1.86	0.75
1:D:385:THR:OG1	1:D:388:GLU:OE1	2.07	0.72
1:H:81:ASP:O	1:H:90:LYS:HE2	1.91	0.70
1:F:157:VAL:HG21	1:F:324:HIS:HE1	1.58	0.69
1:G:385:THR:HG22	1:G:386:PRO:HD2	1.75	0.69
1:F:548:HIS:NE2	2:F:806:SHG:O3	2.25	0.69
1:F:385:THR:O	1:F:388:GLU:HG3	1.93	0.69
1:D:548:HIS:CE1	2:D:803:SHG:HO3	2.10	0.69
1:F:538:PRO:HG2	1:H:538:PRO:HG2	1.77	0.67
1:E:56:PRO:HD3	1:E:165:SER:HB3	1.76	0.67
1:C:548:HIS:NE2	2:C:804:SHG:O3	2.27	0.65
1:C:50:VAL:HG13	1:C:313:ALA:HB2	1.76	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:385:THR:HB	1:G:388:GLU:OE2	1.97	0.65
1:H:126:LEU:HD12	1:H:132:GLN:HG3	1.78	0.64
1:E:81:ASP:O	1:E:90:LYS:HE2	1.97	0.63
1:A:132:GLN:HG2	4:A:1684:HOH:O	1.98	0.63
1:F:64:GLU:OE2	1:F:205:TYR:OH	2.15	0.62
1:H:490:LYS:HD2	1:H:491:ILE:HD13	1.80	0.62
1:A:77:ILE:HG22	3:A:701:FAD:C4A	2.29	0.62
1:G:201:LYS:HE2	1:G:205:TYR:OH	1.99	0.61
1:E:548:HIS:NE2	2:E:805:SHG:O3	2.29	0.61
1:E:291:LEU:H	1:E:291:LEU:HD12	1.65	0.60
1:C:546:VAL:HA	2:C:804:SHG:H6A	1.83	0.60
1:F:413:LYS:NZ	1:F:414:ASN:OD1	2.34	0.60
1:H:478:GLU:HG2	1:H:480:LYS:HE2	1.82	0.60
1:F:50:VAL:HG13	1:F:313:ALA:HB2	1.83	0.60
1:B:77:ILE:HG22	3:B:702:FAD:C4A	2.33	0.59
1:C:218:ARG:HD2	4:C:1541:HOH:O	2.02	0.59
1:B:385:THR:N	1:B:388:GLU:OE1	2.34	0.59
1:D:548:HIS:CE1	2:D:803:SHG:O3	2.56	0.58
1:E:618:PHE:HD1	1:E:619:THR:N	2.01	0.58
1:B:153:SER:OG	1:B:542:GLU:HG3	2.03	0.58
1:C:47:TYR:O	1:C:313:ALA:HA	2.03	0.58
1:B:100:ILE:O	1:B:100:ILE:HD13	2.04	0.58
1:G:81:ASP:OD1	1:G:81:ASP:C	2.42	0.57
1:A:50:VAL:HG13	1:A:313:ALA:HB2	1.86	0.57
1:D:89:HIS:CE1	1:D:91:LYS:HE2	2.40	0.57
1:B:346:PRO:HG2	1:B:350:PRO:HA	1.87	0.56
1:C:452:ASP:OD1	1:C:472:ARG:NH1	2.38	0.56
1:G:81:ASP:O	1:G:90:LYS:HE2	2.05	0.56
1:A:336:GLN:NE2	1:A:344:ASN:O	2.38	0.56
1:C:548:HIS:CE1	2:C:804:SHG:HO3	2.22	0.56
1:F:181:PRO:HG3	1:F:587:PRO:HD2	1.86	0.56
1:A:218:ARG:HD2	4:A:1630:HOH:O	2.06	0.56
1:E:50:VAL:HG13	1:E:313:ALA:HB2	1.87	0.56
1:G:56:PRO:HD3	1:G:165:SER:HB3	1.89	0.55
1:C:548:HIS:CE1	2:C:804:SHG:O3	2.59	0.55
1:H:346:PRO:HG2	1:H:350:PRO:HA	1.89	0.55
2:D:803:SHG:H3	3:D:703:FAD:N5	2.22	0.55
1:G:618:PHE:C	1:G:618:PHE:HD1	2.10	0.55
2:A:801:SHG:H3	3:A:701:FAD:N5	2.21	0.54
1:B:538:PRO:HG2	1:D:538:PRO:HG2	1.89	0.54
1:G:64:GLU:OE2	1:G:205:TYR:OH	2.18	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:47:TYR:O	1:G:313:ALA:HA	2.08	0.54
1:E:153:SER:OG	1:E:542:GLU:HG3	2.07	0.54
1:G:97:GLN:HG3	1:G:250:PHE:CE2	2.43	0.54
1:C:564:CYS:HG	1:C:573:PHE:HE2	1.55	0.54
1:F:92:ASN:O	1:F:250:PHE:HZ	1.91	0.54
1:B:81:ASP:C	1:B:81:ASP:OD1	2.45	0.54
1:F:153:SER:OG	1:F:542:GLU:HG2	2.08	0.53
1:G:346:PRO:HG2	1:G:350:PRO:HA	1.90	0.53
1:G:49:VAL:HB	1:G:72:VAL:HG22	1.90	0.52
1:D:50:VAL:HG13	1:D:313:ALA:HB2	1.90	0.52
1:D:81:ASP:O	1:D:90:LYS:HE2	2.10	0.52
1:E:452:ASP:OD1	1:E:472:ARG:NH1	2.42	0.52
1:G:548:HIS:CE1	2:G:808:SHG:HO3	2.26	0.52
1:E:291:LEU:H	1:E:291:LEU:CD1	2.23	0.52
1:E:548:HIS:CE1	2:E:805:SHG:O3	2.63	0.52
1:D:153:SER:OG	1:D:542:GLU:HG3	2.09	0.52
1:D:100:ILE:HD13	1:D:100:ILE:C	2.30	0.52
1:G:618:PHE:C	1:G:618:PHE:CD1	2.82	0.51
1:G:618:PHE:HD1	1:G:619:THR:N	2.08	0.51
1:G:50:VAL:HG13	1:G:313:ALA:HB2	1.93	0.51
1:G:218:ARG:HD2	4:G:1593:HOH:O	2.10	0.51
1:B:137:PHE:CE2	1:B:139:ARG:HG2	2.46	0.51
1:D:77:ILE:HG22	3:D:703:FAD:C4A	2.40	0.50
1:C:157:VAL:HG21	1:C:324:HIS:HE1	1.76	0.50
1:E:157:VAL:HG21	1:E:324:HIS:HE1	1.76	0.50
1:A:81:ASP:O	1:A:90:LYS:HE2	2.12	0.50
1:G:157:VAL:HG21	1:G:324:HIS:HE1	1.76	0.50
1:B:153:SER:OG	1:B:542:GLU:CG	2.58	0.50
1:B:159:ARG:HA	3:B:702:FAD:O2B	2.10	0.50
2:C:804:SHG:H3	3:C:704:FAD:N5	2.26	0.50
1:D:157:VAL:HG21	1:D:324:HIS:HE1	1.77	0.49
1:B:100:ILE:C	1:B:100:ILE:HD13	2.32	0.49
1:G:548:HIS:NE2	2:G:808:SHG:O3	2.38	0.49
1:F:289:ASN:HB3	1:F:296:GLU:OE2	2.12	0.49
1:E:618:PHE:HD1	1:E:619:THR:H	1.60	0.49
1:E:291:LEU:HD13	4:E:2441:HOH:O	2.13	0.49
1:G:84:LEU:N	1:G:84:LEU:HD23	2.28	0.49
1:H:312:LYS:CE	4:H:1958:HOH:O	2.54	0.49
1:C:173:PRO:HG2	1:C:592:ALA:HB1	1.93	0.49
1:E:385:THR:O	1:E:388:GLU:HG2	2.12	0.49
1:H:126:LEU:CD1	1:H:132:GLN:HG3	2.42	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:457:GLY:H	1:A:460:GLN:HE21	1.61	0.49
1:H:218:ARG:HD2	4:H:1173:HOH:O	2.13	0.49
1:E:471:TRP:CH2	1:E:526:SER:HA	2.47	0.48
1:F:47:TYR:O	1:F:313:ALA:HA	2.14	0.48
1:F:218:ARG:HD2	4:F:2063:HOH:O	2.12	0.48
1:H:432:GLU:HB3	1:H:451:ARG:HB2	1.96	0.48
1:F:452:ASP:OD1	1:F:452:ASP:N	2.47	0.48
1:F:548:HIS:CE1	2:F:806:SHG:O3	2.66	0.48
1:C:153:SER:OG	1:C:542:GLU:HG3	2.13	0.48
1:E:47:TYR:O	1:E:313:ALA:HA	2.14	0.47
1:B:432:GLU:HG2	1:B:432:GLU:H	1.39	0.47
1:D:457:GLY:H	1:D:460:GLN:HE21	1.62	0.47
1:B:81:ASP:O	1:B:90:LYS:HE2	2.14	0.47
1:A:157:VAL:HG21	1:A:324:HIS:HE1	1.79	0.47
1:H:59:CYS:SG	1:H:256:ALA:HB1	2.55	0.47
1:B:218:ARG:HD2	4:B:948:HOH:O	2.15	0.47
1:E:342:PRO:C	1:E:344:ASN:H	2.18	0.47
1:G:457:GLY:O	1:G:461:GLN:HG3	2.15	0.47
1:D:123:VAL:HG22	1:C:459:VAL:CG1	2.44	0.47
1:D:158:THR:HG22	1:D:160:VAL:HG22	1.96	0.46
1:B:56:PRO:HD3	1:B:165:SER:HB3	1.97	0.46
1:D:284:GLU:HB2	1:D:299:HIS:HD2	1.80	0.46
1:C:432:GLU:H	1:C:432:GLU:HG2	1.45	0.46
1:A:158:THR:HG22	1:A:160:VAL:HG22	1.96	0.46
1:D:218:ARG:HG3	1:D:430:ASP:OD2	2.16	0.46
1:F:92:ASN:O	1:F:250:PHE:CZ	2.68	0.46
2:E:805:SHG:H3	3:E:705:FAD:N5	2.31	0.46
1:A:77:ILE:CG2	3:A:701:FAD:C4A	2.93	0.46
1:F:344:ASN:N	1:F:345:PRO:CD	2.78	0.46
1:G:299:HIS:CE1	1:G:308:ARG:HB3	2.51	0.46
1:A:159:ARG:HA	3:A:701:FAD:O2B	2.16	0.46
1:B:487:PHE:HB3	1:B:498:PRO:HB2	1.98	0.46
1:H:471:TRP:CH2	1:H:526:SER:HA	2.51	0.46
1:F:618:PHE:C	1:F:618:PHE:CD1	2.89	0.46
1:B:451:ARG:HD3	1:B:468:ILE:O	2.16	0.45
1:G:178:GLU:OE1	1:G:441:PRO:HG3	2.16	0.45
1:H:490:LYS:HD2	1:H:491:ILE:CD1	2.45	0.45
1:A:548:HIS:CE1	2:A:801:SHG:HO3	2.32	0.45
1:B:294:GLU:OE1	1:B:296:GLU:OE2	2.35	0.45
1:G:173:PRO:HG2	1:G:592:ALA:HB1	1.98	0.45
1:H:80:ILE:O	1:H:81:ASP:HB3	2.15	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:293:SER:HA	1:D:574:GLY:O	2.17	0.45
1:B:471:TRP:CH2	1:B:526:SER:HA	2.51	0.45
1:E:619:THR:O	1:E:619:THR:HG23	2.17	0.45
1:H:459:VAL:O	1:H:462:SER:HB3	2.16	0.45
1:B:45:ILE:HG13	1:B:45:ILE:H	1.65	0.45
1:C:478:GLU:OE2	1:C:480:LYS:HE2	2.15	0.45
1:E:218:ARG:HD2	4:E:1659:HOH:O	2.16	0.45
1:H:77:ILE:HD11	1:H:495:TYR:CD2	2.52	0.45
2:G:808:SHG:H3	3:G:708:FAD:N5	2.32	0.45
1:D:100:ILE:HD13	1:D:100:ILE:O	2.17	0.45
1:E:385:THR:HG22	1:E:386:PRO:HD2	1.99	0.45
1:E:291:LEU:HD12	1:E:291:LEU:N	2.32	0.45
1:C:451:ARG:HD3	1:C:468:ILE:O	2.17	0.44
1:E:546:VAL:HA	2:E:805:SHG:H6	1.98	0.44
1:H:50:VAL:HG13	1:H:313:ALA:HB2	1.98	0.44
1:H:107:ILE:HG12	1:H:167:ALA:HB1	1.98	0.44
1:F:77:ILE:HD11	1:F:495:TYR:CD2	2.52	0.44
1:F:432:GLU:HB3	1:F:451:ARG:HB2	1.99	0.44
1:E:81:ASP:CG	1:E:81:ASP:O	2.55	0.44
1:A:548:HIS:CE1	2:A:801:SHG:O3	2.70	0.44
1:H:100:ILE:HD13	1:H:453:ALA:HA	1.99	0.44
1:G:77:ILE:HG22	3:G:708:FAD:C4A	2.48	0.44
1:F:471:TRP:CH2	1:F:526:SER:HA	2.52	0.44
1:F:618:PHE:HD1	1:F:619:THR:N	2.16	0.44
1:F:432:GLU:HG2	1:F:432:GLU:H	1.50	0.44
1:B:185:LYS:HE3	1:B:185:LYS:HB2	1.59	0.44
1:H:444:PRO:HD2	1:H:445:TRP:CZ3	2.52	0.44
1:G:89:HIS:CE1	1:G:91:LYS:HB2	2.52	0.44
1:C:471:TRP:CH2	1:C:526:SER:HA	2.52	0.44
1:E:285:ARG:HG3	1:E:299:HIS:HB3	2.00	0.44
1:C:81:ASP:OD1	1:C:81:ASP:C	2.52	0.44
1:E:291:LEU:CD1	1:E:291:LEU:N	2.81	0.44
1:H:158:THR:HG22	1:H:160:VAL:HG22	2.00	0.44
1:A:358:GLU:HG2	1:A:544:GLY:HA2	1.99	0.44
1:F:452:ASP:OD1	1:F:472:ARG:NH1	2.51	0.44
1:G:385:THR:CG2	1:G:386:PRO:HD2	2.45	0.43
1:A:548:HIS:NE2	2:A:801:SHG:O3	2.41	0.43
1:C:459:VAL:O	1:C:462:SER:HB3	2.18	0.43
1:D:432:GLU:HG2	1:D:432:GLU:H	1.31	0.43
1:F:564:CYS:HG	1:F:573:PHE:HE2	1.67	0.43
1:A:293:SER:HA	1:A:574:GLY:O	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:GLU:HB2	4:A:2369:HOH:O	2.18	0.43
1:F:107:ILE:HG12	1:F:167:ALA:HB1	1.99	0.43
1:C:346:PRO:HG2	1:C:350:PRO:HA	2.01	0.43
1:C:219:HIS:HA	1:C:433:PRO:HA	2.01	0.43
1:B:339:ARG:HA	1:B:340:PRO:HD3	1.93	0.43
1:G:385:THR:O	1:G:388:GLU:CG	2.62	0.43
1:B:558:ASP:OD2	1:B:561:GLU:HG3	2.18	0.43
1:E:46:LYS:HD3	1:E:312:LYS:HG2	2.00	0.43
1:A:471:TRP:CH2	1:A:526:SER:HA	2.54	0.43
1:A:90:LYS:HG3	1:A:166:THR:HB	2.00	0.43
1:D:47:TYR:O	1:D:313:ALA:HA	2.18	0.43
1:D:432:GLU:HB3	1:D:451:ARG:HB2	2.01	0.43
1:E:382:ILE:HG12	1:E:393:VAL:HG22	2.01	0.43
1:E:92:ASN:O	1:E:250:PHE:HZ	2.01	0.42
2:B:802:SHG:H3	3:B:702:FAD:N5	2.33	0.42
1:D:558:ASP:HB3	1:D:561:GLU:HB2	2.01	0.42
1:G:89:HIS:ND1	1:G:91:LYS:HB2	2.34	0.42
1:C:363:PHE:HA	1:C:471:TRP:O	2.20	0.42
1:F:341:ASN:HD22	1:F:341:ASN:C	2.23	0.42
1:A:89:HIS:ND1	1:A:91:LYS:HB3	2.34	0.42
1:B:81:ASP:O	1:B:81:ASP:OD1	2.38	0.42
1:E:452:ASP:OD1	1:E:452:ASP:N	2.53	0.42
1:F:289:ASN:ND2	1:F:294:GLU:HB3	2.35	0.42
1:D:215:GLU:O	1:D:411:LYS:NZ	2.53	0.42
1:B:77:ILE:CG2	3:B:702:FAD:C4A	2.97	0.42
1:G:451:ARG:HD3	1:G:468:ILE:O	2.19	0.42
1:D:299:HIS:CE1	1:D:308:ARG:HB3	2.55	0.42
1:G:299:HIS:HB2	1:G:310:GLU:OE1	2.20	0.42
1:B:476:ARG:HB2	1:B:589:ALA:HB1	2.01	0.42
1:F:81:ASP:C	1:F:81:ASP:OD1	2.56	0.42
1:D:341:ASN:HA	1:D:342:PRO:HD3	1.92	0.42
1:B:215:GLU:O	1:B:411:LYS:NZ	2.53	0.42
1:C:432:GLU:HB3	1:C:451:ARG:HB2	2.01	0.42
1:F:211:ASP:O	1:F:214:LYS:HG2	2.19	0.42
1:C:385:THR:HA	1:C:386:PRO:HD3	1.97	0.42
1:H:426:ILE:HA	1:H:427:PRO:HD3	1.88	0.42
1:C:218:ARG:HG3	1:C:430:ASP:OD2	2.20	0.41
1:D:312:LYS:HG3	1:D:313:ALA:N	2.35	0.41
1:C:157:VAL:HG21	1:C:324:HIS:CE1	2.55	0.41
1:A:346:PRO:HG2	1:A:350:PRO:HA	2.01	0.41
1:G:548:HIS:CE1	2:G:808:SHG:O3	2.74	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:383:ARG:HB3	1:F:392:SER:HB3	2.03	0.41
1:C:444:PRO:HD2	1:C:445:TRP:CZ3	2.55	0.41
1:F:157:VAL:HG21	1:F:324:HIS:CE1	2.47	0.41
1:E:618:PHE:CD1	1:E:619:THR:N	2.86	0.41
1:G:218:ARG:HG3	1:G:430:ASP:OD2	2.20	0.41
1:H:564:CYS:HG	1:H:573:PHE:HE2	1.65	0.41
1:H:83:GLY:N	4:G:2497:HOH:O	2.53	0.41
1:G:47:TYR:CE2	1:G:73:ALA:HB2	2.55	0.41
1:G:457:GLY:H	1:G:460:GLN:HE21	1.68	0.41
1:E:173:PRO:HG2	1:E:592:ALA:HB1	2.02	0.41
1:F:194:GLU:HA	1:F:194:GLU:OE1	2.19	0.41
1:H:263:GLN:HE21	1:H:263:GLN:HB3	1.68	0.41
1:A:395:TYR:OH	1:A:410:GLU:HB2	2.21	0.41
1:F:433:PRO:O	1:F:450:HIS:HA	2.20	0.41
1:B:137:PHE:O	1:B:139:ARG:HG3	2.20	0.41
1:F:478:GLU:HG2	1:F:480:LYS:HE2	2.03	0.41
1:G:570:SER:HB3	1:G:580:LEU:O	2.20	0.41
1:A:201:LYS:HE2	1:A:205:TYR:OH	2.21	0.41
1:H:421:GLU:CD	1:H:421:GLU:H	2.23	0.41
1:A:153:SER:OG	1:A:542:GLU:CG	2.69	0.41
1:H:385:THR:HA	1:H:386:PRO:HD3	1.96	0.41
1:A:281:VAL:CG1	1:A:300:ILE:HB	2.51	0.41
1:A:385:THR:HA	1:A:386:PRO:HD3	1.99	0.41
1:A:145:GLU:HG3	1:A:488:SER:HB2	2.03	0.41
1:B:145:GLU:HG3	1:B:488:SER:HB2	2.03	0.41
1:H:47:TYR:O	1:H:313:ALA:HA	2.21	0.41
1:D:339:ARG:HA	1:D:340:PRO:HD3	1.92	0.41
1:D:157:VAL:HG21	1:D:324:HIS:CE1	2.57	0.40
1:D:218:ARG:HD2	4:D:1005:HOH:O	2.19	0.40
1:H:542:GLU:HA	1:H:543:PRO:HD3	1.95	0.40
1:C:618:PHE:C	1:C:618:PHE:HD1	2.25	0.40
1:A:458:ALA:O	1:B:121:LEU:HD12	2.20	0.40
1:D:363:PHE:HA	1:D:471:TRP:O	2.21	0.40
1:E:618:PHE:C	1:E:618:PHE:CD1	2.94	0.40
1:G:398:GLY:O	1:G:399:ALA:C	2.60	0.40
1:D:92:ASN:O	1:D:250:PHE:HZ	2.03	0.40
1:E:88:ALA:HA	1:E:255:SER:OG	2.21	0.40
1:B:293:SER:HA	1:B:574:GLY:O	2.21	0.40
1:C:81:ASP:O	1:C:90:LYS:HE2	2.22	0.40
1:C:347:GLU:HG2	1:C:348:LEU:HG	2.02	0.40
1:D:459:VAL:O	1:D:462:SER:HB3	2.21	0.40

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:100:ILE:HD13	1:E:453:ALA:HA	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	575/623 (92%)	558 (97%)	17 (3%)	0	100	100
1	B	575/623 (92%)	563 (98%)	11 (2%)	1 (0%)	52	43
1	C	575/623 (92%)	554 (96%)	21 (4%)	0	100	100
1	D	575/623 (92%)	561 (98%)	14 (2%)	0	100	100
1	E	575/623 (92%)	558 (97%)	17 (3%)	0	100	100
1	F	575/623 (92%)	559 (97%)	16 (3%)	0	100	100
1	G	575/623 (92%)	558 (97%)	17 (3%)	0	100	100
1	H	575/623 (92%)	559 (97%)	16 (3%)	0	100	100
All	All	4600/4984 (92%)	4470 (97%)	129 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	187	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	504/541 (93%)	485 (96%)	19 (4%)	40	25
1	B	504/541 (93%)	489 (97%)	15 (3%)	48	36
1	C	504/541 (93%)	483 (96%)	21 (4%)	36	21
1	D	504/541 (93%)	483 (96%)	21 (4%)	36	21
1	E	504/541 (93%)	482 (96%)	22 (4%)	35	19
1	F	504/541 (93%)	485 (96%)	19 (4%)	40	25
1	G	504/541 (93%)	483 (96%)	21 (4%)	36	21
1	H	504/541 (93%)	480 (95%)	24 (5%)	31	15
All	All	4032/4328 (93%)	3870 (96%)	162 (4%)	38	23

All (162) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	MET
1	A	100	ILE
1	A	112	MET
1	A	132	GLN
1	A	168	TRP
1	A	206	PHE
1	A	285	ARG
1	A	312	LYS
1	A	341	ASN
1	A	347	GLU
1	A	385	THR
1	A	392	SER
1	A	401	THR
1	A	432	GLU
1	A	450	HIS
1	A	496	ASN
1	A	593	ASN
1	A	618	PHE
1	A	619	THR
1	B	100	ILE
1	B	112	MET
1	B	139	ARG
1	B	168	TRP
1	B	185	LYS
1	B	206	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	216	SER
1	B	344	ASN
1	B	385	THR
1	B	389	LEU
1	B	390	THR
1	B	432	GLU
1	B	450	HIS
1	B	490	LYS
1	B	496	ASN
1	D	91	LYS
1	D	100	ILE
1	D	112	MET
1	D	168	TRP
1	D	178	GLU
1	D	206	PHE
1	D	231	LYS
1	D	285	ARG
1	D	344	ASN
1	D	347	GLU
1	D	385	THR
1	D	403	LYS
1	D	408	TRP
1	D	413	LYS
1	D	432	GLU
1	D	450	HIS
1	D	490	LYS
1	D	496	ASN
1	D	554	ARG
1	D	593	ASN
1	D	618	PHE
1	C	43	MET
1	C	100	ILE
1	C	112	MET
1	C	168	TRP
1	C	206	PHE
1	C	285	ARG
1	C	341	ASN
1	C	344	ASN
1	C	385	THR
1	C	389	LEU
1	C	392	SER
1	C	403	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	432	GLU
1	C	445	TRP
1	C	450	HIS
1	C	455	SER
1	C	490	LYS
1	C	496	ASN
1	C	593	ASN
1	C	618	PHE
1	C	619	THR
1	E	46	LYS
1	E	100	ILE
1	E	112	MET
1	E	168	TRP
1	E	185	LYS
1	E	206	PHE
1	E	231	LYS
1	E	341	ASN
1	E	344	ASN
1	E	347	GLU
1	E	386	PRO
1	E	388	GLU
1	E	392	SER
1	E	403	LYS
1	E	408	TRP
1	E	413	LYS
1	E	432	GLU
1	E	450	HIS
1	E	452	ASP
1	E	490	LYS
1	E	593	ASN
1	E	618	PHE
1	F	95	GLU
1	F	100	ILE
1	F	112	MET
1	F	168	TRP
1	F	206	PHE
1	F	216	SER
1	F	341	ASN
1	F	344	ASN
1	F	383	ARG
1	F	385	THR
1	F	388	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	408	TRP
1	F	432	GLU
1	F	445	TRP
1	F	450	HIS
1	F	452	ASP
1	F	490	LYS
1	F	593	ASN
1	F	618	PHE
1	H	81	ASP
1	H	91	LYS
1	H	100	ILE
1	H	112	MET
1	H	132	GLN
1	H	168	TRP
1	H	185	LYS
1	H	194	GLU
1	H	206	PHE
1	H	231	LYS
1	H	310	GLU
1	H	341	ASN
1	H	344	ASN
1	H	347	GLU
1	H	385	THR
1	H	389	LEU
1	H	413	LYS
1	H	450	HIS
1	H	455	SER
1	H	490	LYS
1	H	542	GLU
1	H	593	ASN
1	H	618	PHE
1	H	619	THR
1	G	45	ILE
1	G	82	SER
1	G	84	LEU
1	G	95	GLU
1	G	100	ILE
1	G	112	MET
1	G	168	TRP
1	G	206	PHE
1	G	231	LYS
1	G	341	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	389	LEU
1	G	392	SER
1	G	408	TRP
1	G	445	TRP
1	G	450	HIS
1	G	490	LYS
1	G	496	ASN
1	G	587	PRO
1	G	593	ASN
1	G	618	PHE
1	G	619	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	341	ASN
1	A	460	GLN
1	B	341	ASN
1	B	460	GLN
1	D	299	HIS
1	D	324	HIS
1	D	341	ASN
1	D	460	GLN
1	C	341	ASN
1	E	263	GLN
1	E	341	ASN
1	E	460	GLN
1	F	341	ASN
1	F	460	GLN
1	H	263	GLN
1	H	341	ASN
1	H	460	GLN
1	G	263	GLN
1	G	299	HIS
1	G	460	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	FAD	A	701	-	48,58,58	1.62	10 (20%)	54,89,89	2.89	14 (25%)
2	SHG	A	801	-	11,12,12	0.84	0	15,17,17	4.76	10 (66%)
3	FAD	B	702	-	48,58,58	1.39	6 (12%)	54,89,89	2.51	10 (18%)
2	SHG	B	802	-	11,12,12	0.85	1 (9%)	15,17,17	4.14	8 (53%)
3	FAD	C	704	-	48,58,58	1.54	10 (20%)	54,89,89	2.54	9 (16%)
2	SHG	C	804	-	11,12,12	0.59	0	15,17,17	5.35	10 (66%)
3	FAD	D	703	-	48,58,58	1.41	6 (12%)	54,89,89	2.38	11 (20%)
2	SHG	D	803	-	11,12,12	0.97	1 (9%)	15,17,17	3.95	9 (60%)
3	FAD	E	705	-	48,58,58	1.25	7 (14%)	54,89,89	2.69	6 (11%)
2	SHG	E	805	-	11,12,12	0.77	0	15,17,17	4.99	9 (60%)
3	FAD	F	706	-	48,58,58	1.24	6 (12%)	54,89,89	2.51	11 (20%)
2	SHG	F	806	-	11,12,12	0.72	0	15,17,17	4.39	8 (53%)
3	FAD	G	708	-	48,58,58	1.42	8 (16%)	54,89,89	2.55	11 (20%)
2	SHG	G	808	-	11,12,12	0.86	0	15,17,17	5.25	8 (53%)
3	FAD	H	707	-	48,58,58	1.27	5 (10%)	54,89,89	2.43	9 (16%)
2	SHG	H	807	-	11,12,12	0.54	0	15,17,17	4.30	12 (80%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	701	-	-	0/30/50/50	0/6/6/6
2	SHG	A	801	-	-	0/2/22/22	0/1/1/1
3	FAD	B	702	-	-	0/30/50/50	0/6/6/6
2	SHG	B	802	-	-	0/2/22/22	0/1/1/1
3	FAD	C	704	-	-	0/30/50/50	0/6/6/6
2	SHG	C	804	-	-	0/2/22/22	0/1/1/1
3	FAD	D	703	-	-	0/30/50/50	0/6/6/6
2	SHG	D	803	-	-	0/2/22/22	0/1/1/1
3	FAD	E	705	-	-	0/30/50/50	0/6/6/6
2	SHG	E	805	-	-	0/2/22/22	0/1/1/1
3	FAD	F	706	-	-	0/30/50/50	0/6/6/6
2	SHG	F	806	-	-	0/2/22/22	0/1/1/1
3	FAD	G	708	-	-	0/30/50/50	0/6/6/6
2	SHG	G	808	-	-	0/2/22/22	0/1/1/1
3	FAD	H	707	-	-	0/30/50/50	0/6/6/6
2	SHG	H	807	-	-	0/2/22/22	0/1/1/1

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	701	FAD	C10-N10	-3.30	1.35	1.39
2	D	803	SHG	C2-C3	-2.29	1.50	1.52
3	C	704	FAD	P-O1P	-2.28	1.42	1.51
3	D	703	FAD	C10-N10	-2.17	1.36	1.39
3	C	704	FAD	PA-O1A	-2.07	1.43	1.51
3	F	706	FAD	O4B-C4B	-2.06	1.40	1.45
2	B	802	SHG	O3-C3	-2.03	1.38	1.43
3	E	705	FAD	C2A-N1A	2.00	1.37	1.33
3	C	704	FAD	C8M-C8	2.02	1.55	1.51
3	G	708	FAD	C5X-N5	2.05	1.38	1.35
3	B	702	FAD	C10-N1	2.15	1.39	1.35
3	G	708	FAD	C2A-N1A	2.18	1.38	1.33
3	F	706	FAD	C2A-N1A	2.20	1.38	1.33
3	F	706	FAD	C4-N3	2.25	1.37	1.33
3	H	707	FAD	C10-N1	2.26	1.39	1.35
3	H	707	FAD	C2A-N1A	2.28	1.38	1.33
3	C	704	FAD	C4-N3	2.29	1.37	1.33
3	G	708	FAD	C4-N3	2.30	1.37	1.33
3	A	701	FAD	C4-N3	2.43	1.37	1.33
3	C	704	FAD	C10-N1	2.51	1.39	1.35
3	H	707	FAD	C4X-N5	2.52	1.37	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	705	FAD	C10-N1	2.55	1.39	1.35
3	E	705	FAD	C5X-N5	2.60	1.39	1.35
3	C	704	FAD	C5X-N5	2.67	1.39	1.35
3	D	703	FAD	C2A-N1A	2.70	1.39	1.33
3	C	704	FAD	C2A-N1A	2.73	1.39	1.33
3	F	706	FAD	C9A-N10	2.77	1.42	1.38
3	A	701	FAD	C9A-N10	2.81	1.42	1.38
3	A	701	FAD	C5'-C4'	2.82	1.56	1.51
3	G	708	FAD	C4X-N5	2.82	1.37	1.33
3	A	701	FAD	C2A-N3A	2.85	1.37	1.32
3	B	702	FAD	C2A-N1A	2.86	1.39	1.33
3	E	705	FAD	C4X-N5	2.86	1.37	1.33
3	F	706	FAD	C4X-N5	2.87	1.37	1.33
3	G	708	FAD	C2A-N3A	2.87	1.37	1.32
3	B	702	FAD	C4X-N5	2.90	1.37	1.33
3	E	705	FAD	C4-N3	2.91	1.38	1.33
3	F	706	FAD	C2A-N3A	3.06	1.37	1.32
3	H	707	FAD	C2A-N3A	3.07	1.37	1.32
3	E	705	FAD	C1'-N10	3.07	1.51	1.48
3	A	701	FAD	C1'-N10	3.09	1.51	1.48
3	C	704	FAD	C5'-C4'	3.14	1.56	1.51
3	E	705	FAD	C2A-N3A	3.16	1.37	1.32
3	C	704	FAD	C2A-N3A	3.19	1.37	1.32
3	B	702	FAD	C4-N3	3.20	1.39	1.33
3	A	701	FAD	C5X-N5	3.29	1.40	1.35
3	A	701	FAD	C2A-N1A	3.30	1.40	1.33
3	D	703	FAD	C4X-N5	3.33	1.38	1.33
3	D	703	FAD	C2A-N3A	3.37	1.38	1.32
3	D	703	FAD	C4-N3	3.41	1.39	1.33
3	B	702	FAD	C2A-N3A	3.46	1.38	1.32
3	H	707	FAD	C1'-N10	3.47	1.52	1.48
3	A	701	FAD	C10-N1	3.52	1.41	1.35
3	G	708	FAD	C5'-C4'	3.52	1.57	1.51
3	B	702	FAD	C1'-N10	3.55	1.52	1.48
3	A	701	FAD	C4X-N5	3.64	1.39	1.33
3	G	708	FAD	C1'-N10	3.74	1.52	1.48
3	G	708	FAD	C10-N1	3.82	1.42	1.35
3	D	703	FAD	C5X-N5	3.87	1.41	1.35
3	C	704	FAD	C4X-N5	4.83	1.40	1.33

All (155) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	701	FAD	N3A-C2A-N1A	-13.27	118.73	128.89
3	H	707	FAD	N3A-C2A-N1A	-12.69	119.18	128.89
3	E	705	FAD	N3A-C2A-N1A	-12.44	119.37	128.89
3	G	708	FAD	N3A-C2A-N1A	-12.39	119.41	128.89
3	D	703	FAD	N3A-C2A-N1A	-12.09	119.64	128.89
3	C	704	FAD	N3A-C2A-N1A	-11.96	119.74	128.89
3	F	706	FAD	N3A-C2A-N1A	-11.92	119.77	128.89
3	B	702	FAD	N3A-C2A-N1A	-11.73	119.91	128.89
3	E	705	FAD	C4X-C4-N3	-5.15	116.55	123.59
3	A	701	FAD	C4X-C4-N3	-5.02	116.73	123.59
3	G	708	FAD	C4X-C4-N3	-4.60	117.30	123.59
3	C	704	FAD	C4X-C4-N3	-4.38	117.59	123.59
3	B	702	FAD	C4X-C4-N3	-4.18	117.87	123.59
3	D	703	FAD	P-O3P-PA	-3.74	122.24	132.73
3	H	707	FAD	C4X-C4-N3	-3.72	118.50	123.59
3	F	706	FAD	C4X-C4-N3	-3.60	118.66	123.59
3	D	703	FAD	C4X-C4-N3	-3.23	119.17	123.59
3	C	704	FAD	P-O3P-PA	-3.11	123.99	132.73
3	G	708	FAD	P-O3P-PA	-2.94	124.47	132.73
3	G	708	FAD	C4X-C10-N10	-2.78	118.88	120.52
3	A	701	FAD	P-O3P-PA	-2.52	125.66	132.73
3	D	703	FAD	C2B-C1B-N9A	-2.50	110.47	114.29
3	A	701	FAD	O3'-C3'-C4'	-2.50	102.45	108.75
3	B	702	FAD	P-O3P-PA	-2.45	125.86	132.73
3	D	703	FAD	O5'-P-O1P	-2.41	100.25	109.62
3	A	701	FAD	C9A-C5X-N5	-2.41	118.79	122.36
3	H	707	FAD	C9A-C5X-N5	-2.34	118.89	122.36
2	C	804	SHG	O6-C6-C5	-2.23	103.96	111.33
3	A	701	FAD	C1B-N9A-C4A	-2.23	123.58	126.94
3	A	701	FAD	C4-C4X-C10	-2.20	118.53	119.94
2	H	807	SHG	O6-C6-C5	-2.20	104.08	111.33
3	F	706	FAD	C8M-C8-C9	-2.16	114.41	120.28
3	G	708	FAD	C4A-C5A-N7A	-2.10	107.55	109.48
3	H	707	FAD	O3'-C3'-C2'	-2.06	103.56	108.75
2	D	803	SHG	O6-C6-C5	-2.03	104.62	111.33
2	A	801	SHG	O6-C6-C5	-2.01	104.69	111.33
3	E	705	FAD	O2P-P-O1P	2.03	123.54	112.53
3	C	704	FAD	O2A-PA-O1A	2.05	123.64	112.53
3	F	706	FAD	O4'-C4'-C3'	2.06	114.19	109.02
2	D	803	SHG	O3-C3-C4	2.07	114.99	110.34
3	H	707	FAD	O3P-P-O5'	2.08	108.46	102.94
3	D	703	FAD	C4X-N5-C5X	2.09	119.17	116.76
2	E	805	SHG	O1-C1-O5	2.10	115.98	110.25

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	808	SHG	F2-C2-C1	2.16	111.64	108.59
3	B	702	FAD	C4X-C10-N10	2.17	121.80	120.52
3	A	701	FAD	O4B-C1B-N9A	2.20	112.71	108.10
3	G	708	FAD	O2A-PA-O3P	2.25	115.30	105.09
3	B	702	FAD	O2A-PA-O3P	2.29	115.47	105.09
3	A	701	FAD	C6-C5X-N5	2.31	121.93	118.96
2	B	802	SHG	C3-C4-C5	2.31	114.23	110.20
3	G	708	FAD	O4'-C4'-C3'	2.35	114.92	109.02
2	B	802	SHG	O5-C1-C2	2.38	118.73	110.46
3	E	705	FAD	C5X-C9A-N10	2.43	119.47	117.62
2	A	801	SHG	O5-C5-C6	2.43	112.50	106.36
3	F	706	FAD	C4-C4X-N5	2.44	121.68	118.72
3	A	701	FAD	O3P-P-O5'	2.45	109.43	102.94
2	H	807	SHG	O4-C4-C5	2.45	115.74	109.24
2	C	804	SHG	C6-C5-C4	2.46	119.08	113.02
2	H	807	SHG	O1-C1-O5	2.46	116.98	110.25
2	H	807	SHG	C1-O5-C5	2.50	118.09	113.47
2	D	803	SHG	O5-C1-C2	2.51	119.18	110.46
2	F	806	SHG	C3-C4-C5	2.52	114.60	110.20
3	G	708	FAD	O4B-C1B-N9A	2.56	113.46	108.10
2	A	801	SHG	O5-C1-C2	2.57	119.40	110.46
3	A	701	FAD	O2A-PA-O3P	2.58	116.79	105.09
3	F	706	FAD	C6-C5X-C9A	2.59	122.39	118.98
2	H	807	SHG	O5-C5-C6	2.64	113.03	106.36
3	C	704	FAD	O2A-PA-O3P	2.67	117.19	105.09
3	C	704	FAD	C4X-N5-C5X	2.67	119.83	116.76
3	C	704	FAD	C1'-N10-C9A	2.69	121.88	118.86
2	H	807	SHG	O3-C3-C4	2.69	116.39	110.34
2	C	804	SHG	O3-C3-C2	2.72	113.91	109.05
3	G	708	FAD	O3P-P-O5'	2.74	110.20	102.94
2	A	801	SHG	O4-C4-C5	2.76	116.55	109.24
3	A	701	FAD	C5X-C9A-N10	2.79	119.74	117.62
3	D	703	FAD	C4X-C10-N10	2.82	122.18	120.52
3	C	704	FAD	C5X-C9A-N10	2.85	119.78	117.62
3	F	706	FAD	O2A-PA-O3P	2.87	118.13	105.09
3	B	702	FAD	O3P-P-O5'	2.90	110.64	102.94
2	F	806	SHG	O5-C5-C6	2.94	113.78	106.36
2	G	808	SHG	O5-C1-C2	2.94	120.68	110.46
2	H	807	SHG	C3-C4-C5	2.98	115.39	110.20
3	H	707	FAD	C5X-C9A-N10	2.99	119.89	117.62
3	B	702	FAD	C4-C4X-N5	3.02	122.38	118.72
2	H	807	SHG	O3-C3-C2	3.03	114.45	109.05

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	807	SHG	O5-C1-C2	3.03	121.00	110.46
2	C	804	SHG	O3-C3-C4	3.06	117.23	110.34
2	B	802	SHG	O3-C3-C4	3.07	117.25	110.34
2	E	805	SHG	O5-C1-C2	3.07	121.14	110.46
3	A	701	FAD	C4X-N5-C5X	3.11	120.34	116.76
2	G	808	SHG	C3-C4-C5	3.12	115.64	110.20
3	D	703	FAD	O2A-PA-O3P	3.15	119.39	105.09
2	B	802	SHG	O3-C3-C2	3.17	114.70	109.05
3	D	703	FAD	C1'-N10-C9A	3.25	122.51	118.86
2	E	805	SHG	O5-C5-C6	3.29	114.68	106.36
2	F	806	SHG	O5-C1-C2	3.34	122.05	110.46
3	F	706	FAD	C5X-C9A-N10	3.34	120.16	117.62
2	C	804	SHG	F2-C2-C1	3.51	113.55	108.59
2	E	805	SHG	C1-O5-C5	3.53	120.00	113.47
2	C	804	SHG	C1-O5-C5	3.55	120.05	113.47
2	C	804	SHG	O5-C1-C2	3.58	122.89	110.46
2	A	801	SHG	O3-C3-C2	3.61	115.49	109.05
2	G	808	SHG	O3-C3-C4	3.61	118.46	110.34
3	D	703	FAD	O4'-C4'-C3'	3.63	118.13	109.02
2	D	803	SHG	C1-O5-C5	3.66	120.25	113.47
2	F	806	SHG	C1-O5-C5	3.68	120.27	113.47
3	G	708	FAD	C4X-N5-C5X	3.69	121.00	116.76
2	E	805	SHG	C3-C4-C5	3.84	116.89	110.20
2	A	801	SHG	C3-C4-C5	3.96	117.11	110.20
3	B	702	FAD	C1'-N10-C9A	3.98	123.33	118.86
2	B	802	SHG	C1-O5-C5	4.01	120.90	113.47
3	F	706	FAD	C4X-N5-C5X	4.02	121.39	116.76
3	H	707	FAD	C4X-N5-C5X	4.03	121.40	116.76
2	G	808	SHG	O3-C3-C2	4.05	116.28	109.05
2	G	808	SHG	C1-O5-C5	4.10	121.06	113.47
2	F	806	SHG	F2-C2-C1	4.16	114.46	108.59
2	D	803	SHG	O3-C3-C2	4.17	116.50	109.05
2	D	803	SHG	C3-C4-C5	4.23	117.58	110.20
3	H	707	FAD	C1'-N10-C9A	4.25	123.63	118.86
3	B	702	FAD	C4X-N5-C5X	4.27	121.68	116.76
3	F	706	FAD	C1'-N10-C9A	4.46	123.87	118.86
2	F	806	SHG	O3-C3-C2	4.46	117.02	109.05
2	C	804	SHG	C3-C4-C5	4.70	118.40	110.20
2	A	801	SHG	O5-C5-C4	4.74	118.59	109.68
2	C	804	SHG	O5-C5-C4	4.76	118.62	109.68
2	A	801	SHG	C1-O5-C5	4.81	122.37	113.47
2	F	806	SHG	O5-C5-C4	5.21	119.46	109.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	805	SHG	O5-C5-C4	5.40	119.82	109.68
2	A	801	SHG	F2-C2-C1	5.41	116.23	108.59
2	G	808	SHG	O5-C5-C4	5.61	120.21	109.68
2	E	805	SHG	O3-C3-C2	5.65	119.13	109.05
3	E	705	FAD	C1'-N10-C9A	5.83	125.41	118.86
3	D	703	FAD	C4-N3-C2	5.88	120.33	115.25
2	B	802	SHG	O5-C5-C4	5.98	120.91	109.68
2	D	803	SHG	O5-C5-C4	6.04	121.02	109.68
2	H	807	SHG	O5-C5-C4	6.11	121.15	109.68
2	H	807	SHG	F2-C2-C1	6.17	117.29	108.59
2	D	803	SHG	F2-C2-C1	6.27	117.44	108.59
2	E	805	SHG	F2-C2-C1	6.38	117.60	108.59
3	H	707	FAD	C4-N3-C2	6.56	120.92	115.25
2	B	802	SHG	F2-C2-C1	7.79	119.58	108.59
3	B	702	FAD	C4-N3-C2	8.08	122.23	115.25
3	F	706	FAD	C4-N3-C2	8.08	122.23	115.25
3	G	708	FAD	C4-N3-C2	9.17	123.17	115.25
2	D	803	SHG	F2-C2-C3	9.47	115.24	108.52
3	C	704	FAD	C4-N3-C2	9.72	123.65	115.25
2	B	802	SHG	F2-C2-C3	10.01	115.62	108.52
3	E	705	FAD	C4-N3-C2	11.25	124.97	115.25
2	H	807	SHG	F2-C2-C3	11.68	116.80	108.52
3	A	701	FAD	C4-N3-C2	11.88	125.51	115.25
2	F	806	SHG	F2-C2-C3	13.30	117.96	108.52
2	A	801	SHG	F2-C2-C3	14.29	118.66	108.52
2	E	805	SHG	F2-C2-C3	14.51	118.82	108.52
2	G	808	SHG	F2-C2-C3	17.41	120.87	108.52
2	C	804	SHG	F2-C2-C3	17.71	121.08	108.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	701	FAD	4	0
2	A	801	SHG	4	0
3	B	702	FAD	4	0
2	B	802	SHG	1	0
3	C	704	FAD	1	0
2	C	804	SHG	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	703	FAD	2	0
2	D	803	SHG	3	0
3	E	705	FAD	1	0
2	E	805	SHG	4	0
2	F	806	SHG	2	0
3	G	708	FAD	2	0
2	G	808	SHG	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	577/623 (92%)	-0.03	24 (4%)	40	51	16, 22, 45, 69	0
1	B	577/623 (92%)	-0.07	19 (3%)	50	61	15, 23, 42, 67	0
1	C	577/623 (92%)	0.06	24 (4%)	40	51	18, 26, 46, 71	0
1	D	577/623 (92%)	-0.02	20 (3%)	48	58	16, 25, 45, 72	0
1	E	577/623 (92%)	0.03	27 (4%)	35	46	18, 26, 45, 72	0
1	F	577/623 (92%)	0.09	34 (5%)	26	36	17, 27, 47, 71	0
1	G	577/623 (92%)	0.01	24 (4%)	40	51	18, 25, 48, 67	0
1	H	577/623 (92%)	-0.04	24 (4%)	40	51	16, 24, 43, 71	0
All	All	4616/4984 (92%)	0.00	196 (4%)	40	51	15, 25, 45, 72	0

All (196) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	619	THR	13.3
1	H	619	THR	13.0
1	E	619	THR	11.1
1	A	619	THR	10.6
1	D	619	THR	9.6
1	G	619	THR	9.1
1	B	619	THR	9.0
1	F	619	THR	8.5
1	F	343	ALA	8.2
1	F	44	ASP	8.1
1	D	45	ILE	7.5
1	G	343	ALA	7.2
1	D	343	ALA	6.9
1	B	343	ALA	6.8
1	C	389	LEU	6.6
1	G	45	ILE	6.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	618	PHE	6.4
1	C	44	ASP	6.4
1	H	344	ASN	6.3
1	G	389	LEU	6.1
1	F	45	ILE	6.1
1	H	343	ALA	6.0
1	E	343	ALA	6.0
1	G	385	THR	5.9
1	H	45	ILE	5.7
1	A	389	LEU	5.6
1	C	383	ARG	5.6
1	A	343	ALA	5.5
1	F	344	ASN	5.4
1	C	618	PHE	5.4
1	F	388	GLU	5.4
1	A	390	THR	5.3
1	F	342	PRO	5.3
1	E	618	PHE	5.2
1	D	388	GLU	5.2
1	A	388	GLU	5.1
1	C	45	ILE	5.0
1	C	384	GLY	4.9
1	D	618	PHE	4.9
1	F	384	GLY	4.8
1	A	344	ASN	4.8
1	H	345	PRO	4.7
1	F	389	LEU	4.6
1	A	384	GLY	4.6
1	D	385	THR	4.6
1	A	385	THR	4.6
1	C	385	THR	4.6
1	C	345	PRO	4.6
1	F	385	THR	4.5
1	C	343	ALA	4.5
1	H	44	ASP	4.4
1	D	344	ASN	4.4
1	H	43	MET	4.4
1	E	345	PRO	4.3
1	E	44	ASP	4.3
1	G	344	ASN	4.3
1	C	390	THR	4.2
1	G	618	PHE	4.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	345	PRO	4.1
1	C	617	PRO	4.1
1	G	342	PRO	4.1
1	A	459	VAL	4.0
1	G	390	THR	4.0
1	H	618	PHE	4.0
1	F	345	PRO	4.0
1	F	390	THR	4.0
1	A	43	MET	4.0
1	E	388	GLU	4.0
1	G	186	ASP	4.0
1	E	385	THR	3.9
1	C	341	ASN	3.9
1	G	44	ASP	3.8
1	A	383	ARG	3.8
1	C	388	GLU	3.8
1	A	345	PRO	3.8
1	E	384	GLY	3.7
1	G	401	THR	3.7
1	H	459	VAL	3.6
1	B	345	PRO	3.6
1	D	617	PRO	3.6
1	E	342	PRO	3.6
1	C	344	ASN	3.6
1	H	617	PRO	3.5
1	G	345	PRO	3.5
1	E	344	ASN	3.5
1	B	389	LEU	3.4
1	B	341	ASN	3.3
1	F	618	PHE	3.3
1	D	186	ASP	3.3
1	G	43	MET	3.3
1	E	45	ILE	3.3
1	B	385	THR	3.3
1	B	45	ILE	3.3
1	H	341	ASN	3.3
1	B	186	ASP	3.2
1	F	43	MET	3.2
1	F	186	ASP	3.2
1	A	618	PHE	3.2
1	E	341	ASN	3.1
1	H	458	ALA	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	383	ARG	3.1
1	A	341	ASN	3.1
1	E	561	GLU	3.1
1	F	341	ASN	3.1
1	C	392	SER	3.0
1	B	344	ASN	3.0
1	D	389	LEU	3.0
1	D	44	ASP	3.0
1	H	186	ASP	3.0
1	F	272	GLU	3.0
1	F	187	ASP	3.0
1	C	43	MET	2.9
1	D	342	PRO	2.9
1	C	186	ASP	2.9
1	F	347	GLU	2.9
1	G	82	SER	2.9
1	D	43	MET	2.8
1	D	269	ASP	2.8
1	A	400	SER	2.8
1	A	381	THR	2.7
1	A	458	ALA	2.7
1	G	269	ASP	2.7
1	G	458	ALA	2.7
1	A	382	ILE	2.7
1	G	384	GLY	2.7
1	D	272	GLU	2.7
1	F	290	ALA	2.7
1	H	232	GLY	2.7
1	B	44	ASP	2.7
1	E	269	ASP	2.6
1	H	389	LEU	2.6
1	B	388	GLU	2.6
1	A	401	THR	2.6
1	F	391	TYR	2.6
1	E	458	ALA	2.6
1	F	188	ALA	2.6
1	F	81	ASP	2.6
1	C	396	THR	2.6
1	H	342	PRO	2.6
1	F	268	THR	2.6
1	G	388	GLU	2.6
1	C	305	SER	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	342	PRO	2.5
1	G	617	PRO	2.5
1	E	43	MET	2.5
1	A	133	ALA	2.5
1	E	389	LEU	2.5
1	B	390	THR	2.5
1	D	390	THR	2.5
1	E	232	GLY	2.5
1	E	307	ASP	2.5
1	H	385	THR	2.5
1	D	341	ASN	2.4
1	E	347	GLU	2.4
1	G	400	SER	2.4
1	H	190	ALA	2.4
1	E	459	VAL	2.4
1	F	561	GLU	2.4
1	E	400	SER	2.4
1	F	387	GLY	2.4
1	D	309	PHE	2.4
1	E	186	ASP	2.4
1	C	342	PRO	2.4
1	C	418	GLN	2.3
1	H	133	ALA	2.3
1	D	459	VAL	2.3
1	C	272	GLU	2.3
1	H	268	THR	2.3
1	F	269	ASP	2.3
1	F	421	GLU	2.3
1	F	271	PRO	2.3
1	A	44	ASP	2.3
1	F	309	PHE	2.3
1	B	458	ALA	2.3
1	E	382	ILE	2.2
1	H	189	ASP	2.2
1	E	617	PRO	2.2
1	H	272	GLU	2.2
1	B	459	VAL	2.2
1	G	341	ASN	2.2
1	B	383	ARG	2.2
1	G	382	ILE	2.2
1	F	185	LYS	2.1
1	B	393	VAL	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	186	ASP	2.1
1	C	561	GLU	2.1
1	G	383	ARG	2.1
1	B	418	GLN	2.1
1	F	291	LEU	2.1
1	H	457	GLY	2.1
1	H	271	PRO	2.1
1	B	561	GLU	2.0
1	E	272	GLU	2.0
1	A	393	VAL	2.0
1	F	190	ALA	2.0
1	E	390	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	FAD	D	703	53/53	0.88	0.22	5.05	16,20,105,106	0
3	FAD	C	704	53/53	0.86	0.21	4.94	16,23,113,114	0
3	FAD	E	705	53/53	0.89	0.22	4.49	15,21,119,120	0
3	FAD	G	708	53/53	0.88	0.21	4.38	16,21,101,103	0
3	FAD	B	702	53/53	0.89	0.21	4.34	14,19,107,107	0
3	FAD	H	707	53/53	0.89	0.22	4.26	15,21,119,120	0
3	FAD	F	706	53/53	0.89	0.20	4.23	16,21,115,116	0
3	FAD	A	701	53/53	0.88	0.21	3.69	12,18,94,95	0
2	SHG	G	808	12/12	0.89	0.16	2.44	27,35,39,42	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SHG	C	804	12/12	0.89	0.12	0.38	29,37,41,41	0
2	SHG	E	805	12/12	0.91	0.11	0.06	31,37,40,41	0
2	SHG	H	807	12/12	0.94	0.10	-0.05	28,35,38,41	0
2	SHG	D	803	12/12	0.93	0.12	-0.18	30,35,40,41	0
2	SHG	A	801	12/12	0.94	0.10	-0.24	24,35,41,44	0
2	SHG	F	806	12/12	0.94	0.11	-0.35	31,34,40,42	0
2	SHG	B	802	12/12	0.96	0.07	-1.90	24,29,35,39	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.