



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:34 PM GMT

PDB ID : 4IRZ  
Title : Crystal structure of A4b7 headpiece complexed with Fab Natalizumab  
Authors : Yu, Y.; Schurpf, T.; Springer, T.A.  
Deposited on : 2013-01-15  
Resolution : 2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3170 (2.88-2.80)
Clashscore	102246	3658 (2.88-2.80)
Ramachandran outliers	100387	3591 (2.88-2.80)
Sidechain outliers	100360	3594 (2.88-2.80)
RSRZ outliers	91569	3184 (2.88-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	597	<div> <div>6%</div> <div> <div></div> <div>80%</div> <div>19%</div> <div>.</div> </div> </div>
2	L	210	<div> <div>7%</div> <div> <div></div> <div>79%</div> <div>20%</div> <div>.</div> </div> </div>
3	H	222	<div> <div>4%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NAG	A	3485	-	-	-	X
5	NAG	A	3505	-	-	-	X
7	PEG	A	611	-	-	-	X
8	NDS	A	612	-	-	-	X

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 15763 atoms, of which 7752 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha4 subunit.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	592	Total	C	H	N	O	S	38	3	0
			9051	2896	4454	794	884	23			

- Molecule 2 is a protein called Fab Natalizumab light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	L	208	Total	C	H	N	O	S	0	0	0
			3192	1017	1571	273	325	6			

- Molecule 3 is a protein called Fab Natalizumab heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	H	217	Total	C	H	N	O	S	0	2	0
			3274	1048	1612	278	327	9			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Ca	0	0
			3	3		

- Molecule 5 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
5	A	1	Total	C	H	N	O	0	0
			27	8	13	1	5		
5	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
5	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		

- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	3	Total	C	H	N	O	0	0
			73	22	34	2	15		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 8 is ETHYL DIMETHYL AMMONIO PROPANE SULFONATE (three-letter code: NDS) (formula:  $C_7H_{17}NO_3S$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
8	A	1	Total	C	H	N	O	S	0	0
			29	7	17	1	3	1		

- Molecule 9 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	H	1	Total Na 1 1	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	9	Total O 9 9	0	0
10	L	4	Total O 4 4	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Integrin alpha4 subunit



#### • Molecule 2: Fab Natalizumab light chain



#### • Molecule 3: Fab Natalizumab heavy chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.61Å 77.89Å 217.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.62 – 2.84 44.62 – 2.84	Depositor EDS
% Data completeness (in resolution range)	99.7 (44.62-2.84) 99.7 (44.62-2.84)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.38 (at 2.86Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, $R_{free}$	0.237 , 0.287 0.246 , 0.296	Depositor DCC
$R_{free}$ test set	1537 reflections (5.34%)	DCC
Wilson B-factor (Å <sup>2</sup> )	54.4	Xtriage
Anisotropy	0.477	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 54.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 30297 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	15763	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, NA, CA, NDS, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/4698	0.40	0/6361
2	L	0.23	0/1658	0.40	0/2253
3	H	0.23	0/1702	0.39	0/2317
All	All	0.23	0/8058	0.40	0/10931

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4597	4454	4465	69	1
2	L	1621	1571	1574	28	0
3	H	1662	1612	1613	17	0
4	A	3	0	0	0	0
5	A	56	54	52	0	0
6	A	39	34	34	1	0
7	A	7	10	10	0	0
8	A	12	17	17	0	0
9	H	1	0	0	0	0
10	A	9	0	0	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	L	4	0	0	0	0
All	All	8011	7752	7765	109	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:169:ASP:OD2	2:L:171:THR:OG1	2.05	0.74
2:L:122:GLU:OE1	2:L:122:GLU:N	2.25	0.69
1:A:455:GLU:OE2	1:A:501:TYR:OH	2.14	0.66
1:A:499:ARG:NH2	1:A:540:THR:O	2.30	0.65
1:A:234:GLU:N	1:A:234:GLU:OE1	2.31	0.64
1:A:100:ARG:NH2	1:A:103:GLY:O	2.32	0.63
3:H:89:GLU:N	3:H:89:GLU:OE1	2.34	0.61
1:A:177:LEU:HD11	6:A:3196:NAG:H82	1.84	0.58
1:A:490:VAL:HG22	1:A:491:ASN:H	1.69	0.58
1:A:1:TYR:HA	1:A:383:GLN:HB2	1.88	0.56
1:A:114:ARG:NH1	1:A:166:GLN:OE1	2.40	0.55
2:L:83:ILE:CD1	2:L:165:GLN:HB2	2.36	0.55
1:A:440:LEU:HB2	1:A:579[A]:MET:SD	2.48	0.54
2:L:29:ILE:HD11	2:L:71:TYR:CE2	2.43	0.53
1:A:429:ARG:CZ	1:A:566:LEU:HD21	2.39	0.52
1:A:448[B]:ARG:NH2	1:A:589:GLY:O	2.42	0.52
2:L:117:PHE:CE1	3:H:148:LEU:HA	2.45	0.51
1:A:189:THR:HG22	1:A:214:PHE:HA	1.92	0.51
1:A:373:ARG:NH2	10:A:705:HOH:O	2.45	0.50
2:L:80:PRO:HA	2:L:105:ILE:HD13	1.92	0.50
1:A:35:LEU:CD1	1:A:108:ILE:HD13	2.40	0.50
1:A:280:VAL:HG23	1:A:351:GLU:OE2	2.12	0.50
1:A:201:LYS:NZ	3:H:30:LYS:O	2.45	0.50
3:H:211:LYS:N	3:H:212:PRO:CD	2.75	0.50
1:A:208:LYS:HE2	2:L:30:ASN:HB3	1.94	0.50
2:L:39:THR:HG23	2:L:40:PRO:HD2	1.93	0.50
1:A:569:ILE:HG12	1:A:570:LEU:N	2.28	0.49
1:A:448[B]:ARG:HB2	1:A:448[B]:ARG:NH1	2.27	0.49
1:A:561:GLU:HG2	1:A:562:GLU:N	2.28	0.48
2:L:123:GLN:OE1	3:H:153:LYS:NZ	2.47	0.48
1:A:372:GLY:HA2	1:A:377:ILE:HG22	1.94	0.48
1:A:563:PHE:N	1:A:564:PRO:HD3	2.29	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:550:LEU:HG	1:A:570:LEU:HG	1.96	0.48
1:A:33:TRP:CZ3	1:A:59:ARG:HB2	2.49	0.48
1:A:303:GLU:N	1:A:303:GLU:OE2	2.47	0.47
3:H:33:TYR:HB2	3:H:99:GLU:HB3	1.97	0.47
1:A:408:ASP:CG	10:A:703:HOH:O	2.52	0.47
1:A:184:GLY:HA2	1:A:188:TRP:CE3	2.50	0.47
2:L:80:PRO:HA	2:L:105:ILE:CD1	2.44	0.47
3:H:11:VAL:HB	3:H:157:PRO:HG3	1.95	0.47
1:A:3:VAL:HG12	1:A:383:GLN:OE1	2.14	0.47
2:L:174:LEU:HD23	2:L:175:SER:N	2.29	0.47
2:L:83:ILE:O	2:L:84:ALA:HB2	2.15	0.47
2:L:141:ARG:NH2	2:L:162:VAL:HG21	2.30	0.46
1:A:85:CYS:HB2	1:A:151:TYR:OH	2.15	0.46
1:A:143:LEU:HG	1:A:143:LEU:O	2.15	0.46
1:A:100:ARG:HG2	1:A:101:GLN:N	2.31	0.45
1:A:305:ARG:HD3	1:A:326:VAL:HG12	1.98	0.45
2:L:23:CYS:HB3	2:L:33:MET:HE2	1.97	0.45
1:A:500:PHE:CE1	1:A:542:ILE:HG21	2.52	0.45
1:A:165:CYS:HB2	1:A:182:ALA:HB1	1.97	0.45
1:A:119:PHE:O	1:A:120:TYR:HB2	2.16	0.45
1:A:586:ALA:O	1:A:587:ARG:CB	2.64	0.45
3:H:210:HIS:ND1	3:H:213:SER:OG	2.24	0.45
1:A:429:ARG:NH2	1:A:566:LEU:HD21	2.31	0.45
1:A:519:SER:O	1:A:520:ARG:HB2	2.15	0.45
1:A:161:ASN:HB3	3:H:104:ASN:O	2.16	0.45
1:A:401:ILE:HG22	1:A:402:SER:N	2.32	0.45
2:L:33:MET:CE	2:L:88:CYS:HB2	2.47	0.44
1:A:121:ILE:O	1:A:123:ASN:N	2.49	0.44
1:A:510:VAL:HG22	1:A:511:ILE:N	2.32	0.44
1:A:215:GLY:O	1:A:241:GLN:HB2	2.18	0.44
3:H:81:MET:C	3:H:81:MET:SD	2.96	0.44
1:A:341:ASN:O	1:A:352:ASP:O	2.35	0.44
1:A:477:PRO:HG2	1:A:568:PRO:HG2	2.00	0.44
1:A:448[B]:ARG:CZ	1:A:448[B]:ARG:HB2	2.47	0.44
2:L:37:GLN:HB2	2:L:47:LEU:HD11	1.99	0.44
1:A:199:THR:O	1:A:200:ASN:HB2	2.18	0.44
1:A:480:ILE:CG1	1:A:550:LEU:HD22	2.48	0.43
3:H:36:TRP:CE2	3:H:81:MET:HB2	2.52	0.43
2:L:65:SER:OG	2:L:72:THR:OG1	2.36	0.43
3:H:64:PHE:O	3:H:65:GLN:C	2.57	0.43
2:L:130:SER:HA	2:L:178:LEU:O	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ASN:N	1:A:52:PRO:CD	2.82	0.43
1:A:415:VAL:HG12	1:A:416:ALA:N	2.34	0.43
2:L:35:TRP:CE2	2:L:73:PHE:HB2	2.54	0.43
1:A:519:SER:O	1:A:520:ARG:CB	2.67	0.43
1:A:73:LEU:HD23	1:A:141:THR:HB	2.02	0.42
3:H:149:GLY:HA2	3:H:164:TRP:CZ2	2.54	0.42
1:A:84:THR:O	1:A:84:THR:HG22	2.18	0.42
1:A:182:ALA:O	1:A:190:GLY:HA2	2.19	0.42
2:L:148:LYS:NZ	2:L:194:GLU:OE2	2.50	0.42
1:A:586:ALA:O	1:A:587:ARG:HB3	2.18	0.42
1:A:457:GLY:O	1:A:459:PRO:HD3	2.19	0.42
1:A:108:ILE:HG22	1:A:109:VAL:N	2.35	0.42
2:L:149:VAL:HG13	2:L:191:TYR:CZ	2.55	0.42
2:L:141:ARG:NH1	2:L:172:TYR:CE1	2.88	0.41
2:L:191:TYR:HB2	2:L:208:PHE:CZ	2.55	0.41
2:L:11:LEU:C	2:L:11:LEU:HD12	2.40	0.41
1:A:108:ILE:CG2	1:A:109:VAL:N	2.82	0.41
1:A:35:LEU:HD12	1:A:108:ILE:HD13	2.02	0.41
2:L:39:THR:CG2	2:L:40:PRO:HD2	2.51	0.41
1:A:162:PHE:CD2	1:A:193:PHE:HZ	2.38	0.41
3:H:201:THR:OG1	3:H:202:LYS:N	2.54	0.41
1:A:191:SER:OG	1:A:192:LEU:N	2.54	0.41
1:A:128:PRO:HB2	1:A:166:GLN:HG2	2.03	0.41
1:A:206:LEU:O	1:A:208:LYS:N	2.54	0.41
3:H:211:LYS:HB2	3:H:212:PRO:HD3	2.01	0.41
1:A:71:LEU:HB3	1:A:141:THR:HG21	2.02	0.41
3:H:149:GLY:HA2	3:H:164:TRP:CH2	2.55	0.41
1:A:51:ASN:O	1:A:91:ASN:HA	2.21	0.41
2:L:87:TYR:CD1	2:L:100:GLY:HA2	2.56	0.41
1:A:282:LEU:HD13	1:A:377:ILE:HG23	2.03	0.40
2:L:33:MET:HE1	2:L:88:CYS:HB2	2.03	0.40
2:L:50:TYR:O	2:L:51:THR:HB	2.21	0.40
1:A:187:TYR:O	1:A:188:TRP:HB2	2.21	0.40
3:H:99:GLU:HG2	3:H:108:TYR:HB3	2.04	0.40
1:A:159:GLY:HA3	1:A:187:TYR:CE1	2.56	0.40
1:A:495[B]:GLU:N	1:A:495[B]:GLU:OE1	2.53	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:TYR:OH	1:A:592:GLU:OE1[3_545]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	593/597 (99%)	524 (88%)	64 (11%)	5 (1%)	24	56
2	L	206/210 (98%)	195 (95%)	10 (5%)	1 (0%)	34	67
3	H	215/222 (97%)	206 (96%)	9 (4%)	0	100	100
All	All	1014/1029 (98%)	925 (91%)	83 (8%)	6 (1%)	30	63

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	122	LYS
1	A	207	ASP
1	A	19	PHE
2	L	137	ASN
1	A	39	PRO
1	A	78	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/500 (100%)	492 (99%)	6 (1%)	78	94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	L	185/187 (99%)	185 (100%)	0	100	100
3	H	184/187 (98%)	183 (100%)	1 (0%)	92	98
All	All	867/874 (99%)	860 (99%)	7 (1%)	86	96

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	TYR
1	A	272	TYR
1	A	453	CYS
1	A	458	TRP
1	A	479	TYR
1	A	562	GLU
3	H	81	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

3 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	A	3196	1,6	14,14,15	0.50	0	15,19,21	1.06	2 (13%)
6	NAG	A	3197	6	14,14,15	0.50	0	15,19,21	0.72	0
6	BMA	A	3198	6	11,11,12	0.60	0	14,15,17	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	3196	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	3197	6	-	0/6/23/26	0/1/1/1
6	BMA	A	3198	6	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	3196	NAG	C2-N2-C7	-2.18	120.24	123.04
6	A	3196	NAG	C3-C4-C5	2.07	113.80	110.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	3196	NAG	1	0

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	A	3046	1	14,14,15	0.52	0	15,19,21	0.56	0
5	NAG	A	3105	1	14,14,15	0.51	0	15,19,21	0.58	0
5	NAG	A	3485	1	14,14,15	0.48	0	15,19,21	0.59	0
5	NAG	A	3505	1	14,14,15	0.52	0	15,19,21	0.61	0
7	PEG	A	611	-	6,6,6	0.52	0	5,5,5	0.68	0
8	NDS	A	612	-	11,11,11	1.06	1 (9%)	14,16,16	1.90	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	3046	1	-	0/6/23/26	0/1/1/1
5	NAG	A	3105	1	-	0/6/23/26	0/1/1/1
5	NAG	A	3485	1	-	0/6/23/26	0/1/1/1
5	NAG	A	3505	1	-	0/6/23/26	0/1/1/1
7	PEG	A	611	-	-	0/4/4/4	0/0/0/0
8	NDS	A	612	-	-	0/11/11/11	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	612	NDS	C1-N1	-2.03	1.45	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	612	NDS	O2-S1-O1	-5.40	101.21	112.48
8	A	612	NDS	C3-C4-S1	-2.29	109.38	113.10
8	A	612	NDS	C3-C2-N1	-2.09	111.05	115.57
8	A	612	NDS	O1-S1-C4	2.10	111.39	106.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	592/597 (99%)	0.55	36 (6%)	25 16	22, 55, 116, 207	8 (1%)
2	L	208/210 (99%)	0.53	14 (6%)	21 13	29, 65, 114, 176	0
3	H	217/222 (97%)	0.30	9 (4%)	41 30	30, 60, 115, 164	0
All	All	1017/1029 (98%)	0.49	59 (5%)	26 17	22, 57, 116, 207	8 (0%)

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	449	THR	5.9
3	H	138	SER	5.0
1	A	533	LYS	4.9
1	A	451	PHE	4.3
1	A	557	LYS	4.2
1	A	447	ASN	4.2
1	A	553	HIS	4.1
2	L	143	ALA	3.9
3	H	136	PRO	3.9
1	A	443	PRO	3.7
1	A	124	GLU	3.6
1	A	552	PRO	3.5
2	L	193	CYS	3.5
1	A	558	ALA	3.5
1	A	123	ASN	3.5
3	H	196	SER	3.4
1	A	444	GLU	3.4
2	L	124	LEU	3.4
2	L	195	VAL	3.3
1	A	322	GLU	3.3
1	A	455	GLU	3.2
1	A	22	SER	3.2
2	L	209	ASN	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	122	LYS	3.1
1	A	560	THR	3.1
1	A	171	SER	3.0
2	L	200	LEU	2.9
1	A	314	SER	2.9
1	A	545	GLU	2.8
2	L	201	SER	2.7
1	A	99	SER	2.7
1	A	491	ASN	2.7
2	L	208	PHE	2.7
2	L	196	THR	2.7
1	A	456	ASN	2.6
3	H	222	GLU	2.5
3	H	137	CYS	2.5
1	A	400	SER	2.4
2	L	183	ALA	2.3
2	L	134	LEU	2.3
1	A	463	ILE	2.3
1	A	578	ILE	2.3
1	A	452	ASP	2.3
2	L	145	VAL	2.3
3	H	197	SER	2.2
1	A	460	SER	2.2
1	A	536	ARG	2.2
1	A	556	SER	2.2
2	L	197	HIS	2.2
1	A	534	ASP	2.2
3	H	146	ALA	2.1
1	A	78	GLY	2.1
1	A	459	PRO	2.1
1	A	62	LYS	2.1
2	L	180	LEU	2.1
1	A	118	ILE	2.1
3	H	135	ALA	2.1
3	H	192	VAL	2.0
1	A	47	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	NAG	A	3196	14/15	0.90	0.19	-0.41	48,59,78,79	0
6	BMA	A	3198	11/12	0.60	0.25	-	146,151,181,181	0
6	NAG	A	3197	14/15	0.77	0.27	-	98,116,135,140	0

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
7	PEG	A	611	7/7	0.85	0.46	5.32	55,66,71,73	17
8	NDS	A	612	12/12	0.88	0.60	5.09	59,76,94,94	0
5	NAG	A	3485	14/15	0.78	0.34	4.18	55,67,77,80	28
5	NAG	A	3505	14/15	0.79	0.31	2.28	42,52,63,67	28
5	NAG	A	3046	14/15	0.92	0.16	-0.52	79,91,110,110	0
9	NA	H	301	1/1	0.88	0.18	-0.89	57,57,57,57	0
4	CA	A	2006	1/1	0.81	0.12	-1.36	57,57,57,57	0
4	CA	A	2005	1/1	0.95	0.10	-1.70	55,55,55,55	0
4	CA	A	2007	1/1	0.96	0.10	-2.27	44,44,44,44	0
5	NAG	A	3105	14/15	0.84	0.29	-	75,93,111,112	0

### 6.5 Other polymers ⓘ

There are no such residues in this entry.