



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:10 PM GMT

PDB ID : 1J1N  
Title : Structure Analysis of AlgQ2, A Macromolecule(Alginate)-Binding Periplasmic Protein Of Sphingomonas Sp. A1., Complexed with an Alginate Tetrasaccharide  
Authors : Momma, K.; Mikami, B.; Mishima, Y.; Hashimoto, W.; Murata, K.  
Deposited on : 2002-12-11  
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2732 (1.60-1.60)
Ramachandran outliers	100387	2654 (1.60-1.60)
Sidechain outliers	100360	2653 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	492	
1	B	492	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAV	A	602	X	-	-	-
2	MAV	B	602	X	-	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9046 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AlgQ2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	492	Total	C	N	O	S	0	0	0
			4046	2604	691	735	16			
1	B	492	Total	C	N	O	S	0	0	0
			4046	2604	691	735	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	253	LYS	ARG	CONFLICT	GB 9501762
B	253	LYS	ARG	CONFLICT	GB 9501762

- Molecule 2 is a polymer of unknown type called SUGAR (4-MER).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	4	Total	C	O	0	0
			48	24	24		
2	B	4	Total	C	O	0	0
			48	24	24		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	424	Total	O	0	0
			424	424		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	432	Total	O	0	0
			432	432		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: AlgQ2



- Molecule 1: AlgQ2



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.63 Å   53.88 Å   114.92 Å 90.00°   107.53°   90.00°	Depositor
Resolution (Å)	28.73 – 1.60	Depositor
% Data completeness (in resolution range)	98.9 (28.73-1.60)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.190 , 0.214	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9046	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	13.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MAV, BEM, LGU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/4166	0.57	0/5637
1	B	0.31	0/4166	0.58	0/5637
All	All	0.31	0/8332	0.58	0/11274

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	1	0
2	B	1	0
All	All	2	0

There are no bond length outliers.

There are no bond angle outliers.

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	602	MAV	C1
2	B	602	MAV	C1

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4046	0	3920	46	0
1	B	4046	0	3920	50	0
2	A	48	0	25	1	0
2	B	48	0	25	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	424	0	0	2	0
4	B	432	0	0	6	0
All	All	9046	0	7890	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:ASN:HD21	1:B:124:ILE:H	1.24	0.85
1:A:93:ASN:HD21	1:A:124:ILE:H	1.22	0.84
1:A:93:ASN:HD22	1:A:93:ASN:H	1.28	0.79
1:B:93:ASN:HD22	1:B:93:ASN:H	1.32	0.77
1:B:218:VAL:H	1:B:483:GLN:HE22	1.32	0.77
1:A:132:ASP:H	1:A:391:GLN:HE21	1.36	0.72
1:A:218:VAL:H	1:A:483:GLN:HE22	1.38	0.71
1:B:132:ASP:H	1:B:391:GLN:HE21	1.36	0.70
1:B:363:PHE:H	1:B:398:GLN:HE22	1.42	0.67
1:B:289:LYS:HE2	4:B:959:HOH:O	1.94	0.67
1:A:22:LYS:HA	1:A:22:LYS:HE3	1.76	0.67
1:A:363:PHE:H	1:A:398:GLN:HE22	1.44	0.66
1:B:218:VAL:H	1:B:483:GLN:NE2	1.94	0.65
1:A:353:THR:HG21	1:A:381:MET:HE1	1.79	0.65
1:A:93:ASN:ND2	1:A:124:ILE:H	1.94	0.64
1:B:93:ASN:ND2	1:B:124:ILE:H	1.96	0.61
1:B:247:ILE:O	1:B:247:ILE:HD13	2.01	0.61
1:A:218:VAL:H	1:A:483:GLN:NE2	2.00	0.59
1:A:378:LEU:HB3	1:A:383:ALA:HB3	1.85	0.58
1:A:112:GLU:CD	1:A:112:GLU:H	2.07	0.57
1:A:28:ASN:HA	1:A:33:LYS:HE2	1.87	0.56
1:A:165:LYS:HD2	1:A:242:LEU:HD21	1.88	0.55
1:A:355:ASP:HB2	1:A:357:LYS:NZ	2.21	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:ILE:HD13	1:A:197:PHE:HB3	1.87	0.55
1:A:53:ASN:HD22	1:A:53:ASN:C	2.11	0.54
1:A:93:ASN:HD21	1:A:124:ILE:N	2.01	0.54
1:B:443:THR:O	1:B:447:GLU:HG3	2.08	0.54
1:A:93:ASN:ND2	1:A:93:ASN:H	2.02	0.53
1:A:115:ARG:NH1	1:A:115:ARG:HB2	2.23	0.53
1:B:192:PHE:O	1:B:195:VAL:HG22	2.09	0.53
1:B:1:LYS:HG3	1:B:5:TRP:CE3	2.44	0.52
1:A:429:GLU:O	1:A:433:ILE:HD13	2.10	0.52
1:B:9:LYS:HG3	4:B:859:HOH:O	2.10	0.52
1:A:175:ASN:HD22	1:A:175:ASN:C	2.13	0.51
1:A:148:LYS:HD3	4:B:617:HOH:O	2.09	0.51
1:B:93:ASN:H	1:B:93:ASN:ND2	2.04	0.51
1:B:132:ASP:H	1:B:391:GLN:NE2	2.08	0.50
1:A:93:ASN:HD22	1:A:93:ASN:N	2.05	0.50
1:A:433:ILE:HG21	1:A:477:GLN:HG2	1.93	0.49
1:A:487:ASP:OD1	1:A:491:LYS:HD2	2.13	0.49
1:B:188:PRO:HA	1:B:247:ILE:CD1	2.43	0.48
1:B:53:ASN:C	1:B:53:ASN:HD22	2.17	0.48
1:B:212:TYR:CD1	1:B:221:PRO:HG3	2.48	0.48
1:B:270:TRP:CE3	2:B:601:BEM:H5	2.49	0.48
1:A:269:ASP:HB3	1:A:274:THR:OG1	2.14	0.48
1:A:192:PHE:O	1:A:195:VAL:HG22	2.14	0.48
1:A:22:LYS:HE3	1:A:22:LYS:CA	2.44	0.47
1:B:356:ILE:N	1:B:356:ILE:HD12	2.29	0.47
1:B:115:ARG:HB2	1:B:115:ARG:NH1	2.29	0.47
1:A:355:ASP:HB2	1:A:357:LYS:HZ1	1.78	0.47
1:B:378:LEU:HB3	1:B:383:ALA:HB3	1.94	0.47
1:B:93:ASN:HD21	1:B:124:ILE:N	2.03	0.47
1:B:247:ILE:HD13	1:B:247:ILE:C	2.34	0.47
1:B:177:LYS:NZ	1:B:177:LYS:HB3	2.30	0.47
1:A:212:TYR:CD1	1:A:221:PRO:HG3	2.50	0.46
1:B:114:GLU:HG2	1:B:118:LYS:HE3	1.97	0.46
1:B:355:ASP:HB2	1:B:357:LYS:NZ	2.31	0.46
1:B:458:ASP:OD2	1:B:461:LYS:HG3	2.15	0.46
1:B:48:ASN:ND2	1:B:50:ALA:H	2.14	0.46
1:A:353:THR:HG21	1:A:381:MET:CE	2.45	0.45
1:B:480:GLN:O	1:B:484:GLN:HG3	2.17	0.45
1:B:40:ASN:HA	1:B:40:ASN:HD22	1.61	0.44
1:B:157:ILE:HD13	1:B:197:PHE:HB3	2.00	0.44
1:B:487:ASP:OD1	1:B:491:LYS:HD2	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:339:ARG:HB3	1:B:340:PRO:HD3	1.99	0.43
1:A:270:TRP:CE3	2:A:601:BEM:H5	2.53	0.43
1:B:253:LYS:HE3	4:B:755:HOH:O	2.16	0.43
1:A:9:LYS:NZ	1:A:9:LYS:HB2	2.33	0.43
1:A:48:ASN:C	1:A:48:ASN:HD22	2.21	0.43
1:A:60:LEU:HG	4:A:843:HOH:O	2.19	0.43
1:B:397:ARG:NH2	4:B:948:HOH:O	2.44	0.43
1:B:142:ARG:CG	1:B:265:GLY:HA2	2.49	0.43
1:B:232:LYS:HE3	4:B:986:HOH:O	2.18	0.42
1:A:255:ARG:O	1:A:259:PHE:HB2	2.18	0.42
1:A:142:ARG:CG	1:A:265:GLY:HA2	2.49	0.42
1:A:93:ASN:ND2	1:A:93:ASN:N	2.66	0.42
1:B:142:ARG:HG3	1:B:265:GLY:HA2	2.02	0.42
1:A:148:LYS:HE3	1:B:402:PRO:HG2	2.02	0.42
1:B:363:PHE:H	1:B:398:GLN:NE2	2.14	0.42
1:B:115:ARG:CZ	1:B:115:ARG:HB2	2.49	0.42
1:A:175:ASN:ND2	1:A:175:ASN:C	2.73	0.42
1:A:363:PHE:H	1:A:398:GLN:NE2	2.13	0.41
1:B:269:ASP:HB3	1:B:274:THR:OG1	2.19	0.41
1:A:236:GLN:NE2	1:A:236:GLN:HA	2.36	0.41
1:B:1:LYS:HA	1:B:5:TRP:CZ2	2.55	0.41
1:B:188:PRO:HA	1:B:247:ILE:HD13	2.02	0.41
1:A:142:ARG:HG3	1:A:265:GLY:HA2	2.03	0.41
1:B:253:LYS:HB3	1:B:253:LYS:HE2	1.88	0.41
1:B:22:LYS:HE3	1:B:22:LYS:HA	2.03	0.41
1:A:353:THR:CG2	1:A:381:MET:HE1	2.49	0.40
1:A:196:ASN:HD21	1:A:306:GLU:HB2	1.86	0.40
1:B:374:VAL:HB	1:B:399:TRP:CE2	2.55	0.40
1:A:148:LYS:NZ	4:A:725:HOH:O	2.55	0.40
1:B:255:ARG:O	1:B:259:PHE:HB2	2.22	0.40
1:B:218:VAL:N	1:B:483:GLN:HE22	2.11	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	490/492 (100%)	479 (98%)	11 (2%)	0	100	100
1	B	490/492 (100%)	477 (97%)	12 (2%)	1 (0%)	52	28
All	All	980/984 (100%)	956 (98%)	23 (2%)	1 (0%)	56	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	252	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	424/424 (100%)	410 (97%)	14 (3%)	45	17
1	B	424/424 (100%)	411 (97%)	13 (3%)	47	19
All	All	848/848 (100%)	821 (97%)	27 (3%)	46	18

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	LYS
1	A	22	LYS
1	A	40	ASN
1	A	48	ASN
1	A	53	ASN
1	A	62	MET
1	A	93	ASN
1	A	97	ASP
1	A	112	GLU
1	A	128	PRO
1	A	129	TYR
1	A	175	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	317	TRP
1	A	395	TYR
1	B	22	LYS
1	B	40	ASN
1	B	48	ASN
1	B	53	ASN
1	B	93	ASN
1	B	97	ASP
1	B	128	PRO
1	B	129	TYR
1	B	160	LEU
1	B	247	ILE
1	B	309	ARG
1	B	317	TRP
1	B	395	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	28	ASN
1	A	40	ASN
1	A	48	ASN
1	A	53	ASN
1	A	93	ASN
1	A	98	GLN
1	A	110	HIS
1	A	150	ASN
1	A	175	ASN
1	A	196	ASN
1	A	215	ASN
1	A	236	GLN
1	A	302	GLN
1	A	376	ASN
1	A	391	GLN
1	A	398	GLN
1	A	450	GLN
1	A	483	GLN
1	A	484	GLN
1	A	492	ASN
1	B	16	HIS
1	B	40	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	48	ASN
1	B	53	ASN
1	B	93	ASN
1	B	98	GLN
1	B	110	HIS
1	B	155	GLN
1	B	196	ASN
1	B	207	ASN
1	B	215	ASN
1	B	236	GLN
1	B	302	GLN
1	B	310	GLN
1	B	358	ASN
1	B	372	GLN
1	B	376	ASN
1	B	391	GLN
1	B	398	GLN
1	B	483	GLN
1	B	489	GLN
1	B	492	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

8 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BEM	A	601	2	8,11,13	2.11	2 (25%)	8,15,19	2.47	3 (37%)
2	MAV	A	602	2	9,12,13	0.58	0	13,17,19	0.73	0
2	LGU	A	603	2	9,12,13	0.70	0	13,17,19	0.80	0
2	MAV	A	604	2	10,13,13	0.47	0	15,19,19	0.64	0
2	BEM	B	601	2	8,11,13	2.02	2 (25%)	8,15,19	2.47	3 (37%)
2	MAV	B	602	2	9,12,13	0.58	0	13,17,19	0.74	0
2	LGU	B	603	2	9,12,13	0.78	0	13,17,19	0.72	0
2	MAV	B	604	2	10,13,13	0.41	0	15,19,19	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BEM	A	601	2	-	0/0/17/24	0/1/1/1
2	MAV	A	602	2	1/1/5/6	0/0/21/24	0/1/1/1
2	LGU	A	603	2	-	0/0/21/24	0/1/1/1
2	MAV	A	604	2	-	0/0/24/24	0/1/1/1
2	BEM	B	601	2	-	0/0/17/24	0/1/1/1
2	MAV	B	602	2	1/1/5/6	0/0/21/24	0/1/1/1
2	LGU	B	603	2	-	0/0/21/24	0/1/1/1
2	MAV	B	604	2	-	0/0/24/24	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	BEM	C4-C5	-5.30	1.43	1.52
2	B	601	BEM	C4-C5	-5.10	1.43	1.52
2	A	601	BEM	C4-C3	-2.27	1.49	1.52
2	B	601	BEM	C4-C3	-2.17	1.49	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	BEM	O3-C3-C4	2.84	117.01	110.06
2	B	601	BEM	O3-C3-C4	2.85	117.03	110.06
2	A	601	BEM	O5-C5-C4	3.94	116.69	110.56
2	B	601	BEM	O5-C5-C4	3.95	116.71	110.56
2	A	601	BEM	C4-C3-C2	4.64	116.39	110.23
2	B	601	BEM	C4-C3-C2	4.65	116.39	110.23

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	602	MAV	C1
2	B	602	MAV	C1

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	BEM	1	0
2	B	601	BEM	1	0

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.