



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:54 AM GMT

PDB ID : 2J4J  
Title : CRYSTAL STRUCTURE OF URIDYLATE KINASE FROM SULFOLOBUS SOLFATARICUS IN COMPLEX WITH UMP AND AMPPCP TO 2.1 ANGSTROM RESOLUTION  
Authors : Jensen, K.S.; Johansson, E.; Jensen, K.F.  
Deposited on : 2006-09-01  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	226	<div> <div>6%</div> <div>79% 15% ..</div> </div>
1	B	226	<div> <div>7%</div> <div>85% 10% ..</div> </div>
1	C	226	<div> <div>12%</div> <div>81% 12% • 5%</div> </div>
1	D	226	<div> <div>13%</div> <div>83% 11% ..</div> </div>
1	E	226	<div> <div>13%</div> <div>80% 15% ..</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	226	<div><div></div><div>10%</div><div>85%</div><div>15%</div><div></div></div>

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 10868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called URIDYLATE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	216	Total	C	N	O	S	0	0	0
			1692	1085	288	315	4			
1	B	216	Total	C	N	O	S	0	0	0
			1692	1085	288	315	4			
1	C	215	Total	C	N	O	S	0	0	0
			1683	1080	287	312	4			
1	D	216	Total	C	N	O	S	0	0	0
			1692	1085	288	315	4			
1	E	216	Total	C	N	O	S	0	0	0
			1692	1085	288	315	4			
1	F	226	Total	C	N	O	S	0	0	0
			1761	1126	300	331	4			

- Molecule 2 is URIDINE-5'-MONOPHOSPHATE (three-letter code: U5P) (formula:  $C_9H_{13}N_2O_9P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 21	C 9	N 2	O 9	P 1	0	0
2	B	1	Total 21	C 9	N 2	O 9	P 1	0	0
2	C	1	Total 21	C 9	N 2	O 9	P 1	0	0
2	D	1	Total 21	C 9	N 2	O 9	P 1	0	0
2	E	1	Total 21	C 9	N 2	O 9	P 1	0	0

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula:  $\text{C}_{11}\text{H}_{18}\text{N}_5\text{O}_{12}\text{P}_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 11	N 5	O 12	P 3	0	0
3	B	1	Total 31	C 11	N 5	O 12	P 3	0	0
3	C	1	Total 31	C 11	N 5	O 12	P 3	0	0
3	D	1	Total 31	C 11	N 5	O 12	P 3	0	0
3	E	1	Total 31	C 11	N 5	O 12	P 3	0	0


- Molecule 4 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	2	Total Co 2 2	0	0
4	A	2	Total Co 2 2	0	0
4	C	1	Total Co 1 1	0	0
4	E	1	Total Co 1 1	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total Mg 1 1	0	0
5	F	1	Total Mg 1 1	0	0

- Molecule 6 is P1-(5'-ADENOSINE)P4-(5'-URIDINE)-BETA,GAMMA-METHYLENE TETRAPHOSPHATE (three-letter code: 4TC) (formula: C<sub>20</sub>H<sub>29</sub>N<sub>7</sub>O<sub>20</sub>P<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	F	1	Total C N O P 51 20 7 20 4	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	70	Total 70	O 70	0	0
7	B	68	Total 68	O 68	0	0
7	C	42	Total 42	O 42	0	0
7	D	40	Total 40	O 40	0	0
7	E	47	Total 47	O 47	0	0
7	F	70	Total 70	O 70	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: URIDYLATE KINASE




#### • Molecule 1: URIDYLATE KINASE




#### • Molecule 1: URIDYLATE KINASE





#### • Molecule 1: URIDYLATE KINASE









• Molecule 1: URIDYLATE KINASE



• Molecule 1: URIDYLATE KINASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.17Å 126.44Å 134.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.10 29.77 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (25.00-2.10) 100.0 (29.77-2.10)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.54 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.215 , 0.242 0.222 , 0.228	Depositor DCC
$R_{free}$ test set	4337 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	26.2	Xtriage
Anisotropy	0.433	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 48.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 86547 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	10868	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4TC, MG, ACP, CO, U5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.63	0/1716	0.72	0/2319
1	B	0.64	0/1716	0.69	0/2319
1	C	0.61	0/1707	0.71	0/2307
1	D	0.59	0/1716	0.71	0/2319
1	E	0.60	0/1716	0.71	0/2319
1	F	0.65	0/1787	0.69	1/2417 (0.0%)
All	All	0.62	0/10358	0.70	1/14000 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	182	GLU	N-CA-C	5.98	127.14	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1692	0	1759	32	0
1	B	1692	0	1759	23	0
1	C	1683	0	1753	23	0
1	D	1692	0	1759	27	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1692	0	1759	24	0
1	F	1761	0	1822	28	0
2	A	21	0	11	1	0
2	B	21	0	11	1	0
2	C	21	0	11	1	0
2	D	21	0	11	1	0
2	E	21	0	11	0	0
3	A	31	0	14	4	0
3	B	31	0	14	3	0
3	C	31	0	14	4	0
3	D	31	0	14	6	0
3	E	31	0	14	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
6	F	51	0	25	4	0
7	A	70	0	0	2	0
7	B	68	0	0	0	0
7	C	42	0	0	0	0
7	D	40	0	0	2	0
7	E	47	0	0	2	0
7	F	70	0	0	3	0
All	All	10868	0	10761	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:162:THR:OG1	1:F:164:GLN:HG2	1.66	0.95
1:E:190:LYS:HE3	7:E:2040:HOH:O	1.77	0.85
1:C:48:ARG:NH2	3:C:228:ACP:O1G	2.10	0.83
6:F:227:4TC:O1B	7:F:2068:HOH:O	1.98	0.81
1:C:202:MET:HE1	1:C:213:ILE:HG21	1.61	0.80
1:A:205:ARG:NE	7:A:2061:HOH:O	2.21	0.73
1:F:10:LYS:NZ	6:F:227:4TC:O1A	2.22	0.73
1:F:202:MET:CE	1:F:213:ILE:HG21	2.18	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:202:MET:CE	1:C:213:ILE:HG21	2.19	0.72
1:D:202:MET:CE	1:D:213:ILE:HG21	2.20	0.72
1:A:202:MET:CE	1:A:213:ILE:HG21	2.19	0.72
1:E:202:MET:CE	1:E:213:ILE:HG21	2.19	0.72
1:B:202:MET:CE	1:B:213:ILE:HG21	2.20	0.72
1:F:202:MET:HE1	1:F:213:ILE:HG21	1.73	0.71
1:E:202:MET:HE1	1:E:213:ILE:HG21	1.74	0.69
1:A:202:MET:HE1	1:A:213:ILE:HG21	1.75	0.68
1:A:212:ASP:OD2	7:A:2062:HOH:O	2.12	0.67
1:B:202:MET:HE1	1:B:213:ILE:HG21	1.76	0.67
1:A:194:ARG:HB3	1:F:176:VAL:HG11	1.75	0.66
2:B:227:U5P:O3P	3:B:228:ACP:O3G	2.16	0.64
1:D:202:MET:HE1	1:D:213:ILE:HG21	1.81	0.62
1:A:5:LEU:HG	1:A:7:ILE:HD11	1.82	0.62
1:C:56:GLU:HB2	1:D:17:VAL:HG11	1.83	0.60
2:A:227:U5P:O3P	3:A:228:ACP:O3G	2.20	0.60
1:D:202:MET:HE2	1:D:213:ILE:HG21	1.85	0.59
1:E:170:LEU:O	1:E:171:GLU:HB2	2.01	0.59
1:B:164:GLN:HG3	1:B:226:VAL:HG23	1.85	0.58
6:F:227:4TC:O1A	6:F:227:4TC:H3B2	2.03	0.58
1:E:24:ARG:HD3	7:E:2016:HOH:O	2.03	0.58
1:C:92:PRO:HG2	1:C:110:THR:HG23	1.85	0.58
1:A:11:PHE:CE1	1:A:19:ASN:HB3	2.38	0.57
1:F:100:GLN:O	1:F:103:SER:HB2	2.04	0.57
3:B:228:ACP:H3B2	3:B:228:ACP:O2A	2.05	0.57
1:C:57:ILE:CG2	1:D:17:VAL:HB	2.35	0.57
1:B:100:GLN:O	1:B:103:SER:HB2	2.05	0.56
1:E:213:ILE:HG13	1:E:218:GLU:HB3	1.88	0.56
1:B:92:PRO:HG2	1:B:110:THR:HG23	1.88	0.56
1:E:49:ARG:NH2	1:F:15:ASP:HB2	2.20	0.56
1:A:194:ARG:HB3	1:F:176:VAL:CG1	2.35	0.56
3:A:228:ACP:O2A	3:A:228:ACP:H3B2	2.06	0.56
1:E:20:LEU:HD13	1:F:57:ILE:HD13	1.87	0.55
1:A:17:VAL:HG23	1:B:57:ILE:CG2	2.37	0.55
1:E:202:MET:HE2	1:E:213:ILE:HG21	1.89	0.54
1:C:202:MET:HE1	1:C:213:ILE:CG2	2.36	0.54
1:C:53:LEU:HD12	1:D:17:VAL:HG13	1.90	0.54
1:F:5:LEU:HG	1:F:7:ILE:HD11	1.90	0.54
1:A:208:ASN:H	1:A:208:ASN:HD22	1.56	0.54
1:A:202:MET:HE2	1:A:213:ILE:HG21	1.90	0.54
1:E:40:VAL:HG22	1:E:110:THR:CG2	2.38	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:THR:HG21	1:B:113:PHE:CE1	2.44	0.53
1:B:202:MET:HE2	1:B:213:ILE:HG21	1.89	0.53
3:A:228:ACP:O2A	3:A:228:ACP:C3B	2.56	0.53
1:B:17:VAL:HG22	1:B:21:ILE:HD12	1.90	0.53
6:F:227:4TC:H3B2	7:F:2069:HOH:O	2.09	0.53
1:D:100:GLN:O	1:D:103:SER:HB2	2.09	0.53
1:C:5:LEU:HG	1:C:7:ILE:HD11	1.89	0.53
1:C:17:VAL:HG23	1:D:57:ILE:CG2	2.39	0.53
3:D:228:ACP:O2A	3:D:228:ACP:H3B2	2.09	0.52
1:F:202:MET:HE2	1:F:213:ILE:HG21	1.90	0.52
1:E:146:GLU:OE2	1:E:156:LYS:HB2	2.10	0.51
1:E:167:ARG:O	1:E:171:GLU:N	2.44	0.51
1:E:5:LEU:HG	1:E:7:ILE:HD11	1.92	0.51
1:D:205:ARG:HG2	1:D:205:ARG:HH11	1.76	0.51
1:A:193:GLU:O	1:A:196:LYS:HE2	2.11	0.51
1:E:100:GLN:O	1:E:103:SER:HB2	2.10	0.50
1:A:17:VAL:CG2	1:B:57:ILE:HG22	2.42	0.50
1:A:100:GLN:O	1:A:103:SER:HB2	2.12	0.50
1:C:20:LEU:HD23	1:D:57:ILE:HD13	1.93	0.49
1:F:5:LEU:HG	1:F:7:ILE:CD1	2.43	0.49
1:C:100:GLN:O	1:C:103:SER:HB2	2.13	0.49
1:D:5:LEU:HG	1:D:7:ILE:HD11	1.96	0.48
1:C:17:VAL:CG2	1:D:57:ILE:HG22	2.43	0.48
1:A:145:TYR:HB3	1:A:155:VAL:HG13	1.94	0.48
1:D:205:ARG:HD2	7:D:2004:HOH:O	2.13	0.48
3:E:228:ACP:O2A	3:E:228:ACP:H3B2	2.14	0.48
1:D:40:VAL:HG22	1:D:110:THR:CG2	2.44	0.47
1:F:160:HIS:NE2	1:F:224:GLU:OE2	2.47	0.47
1:B:24:ARG:HD3	1:B:28:LYS:NZ	2.29	0.47
1:A:190:LYS:CG	1:F:176:VAL:HG13	2.44	0.47
1:A:14:GLU:OE1	1:A:205:ARG:NH2	2.48	0.47
1:F:5:LEU:CD2	1:F:7:ILE:HD11	2.45	0.47
1:F:167:ARG:O	1:F:171:GLU:HB3	2.15	0.47
1:C:87:ALA:HB3	1:C:89:MET:HE2	1.97	0.47
1:F:10:LYS:NZ	1:F:181:TYR:CD1	2.82	0.47
1:C:17:VAL:HG23	1:D:57:ILE:HG22	1.97	0.47
1:E:142:ASP:OD2	1:E:206:LYS:NZ	2.48	0.47
1:A:11:PHE:CZ	1:A:19:ASN:HB3	2.50	0.47
1:C:162:THR:OG1	1:C:164:GLN:HG2	2.16	0.46
1:D:213:ILE:HG13	1:D:218:GLU:HB3	1.96	0.46
1:A:50:TYR:OH	1:B:75:ASN:ND2	2.49	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:57:ILE:HD13	1:F:20:LEU:HD13	1.97	0.46
1:B:202:MET:HE1	1:B:213:ILE:CG2	2.46	0.46
1:E:57:ILE:CG2	1:F:17:VAL:HG23	2.46	0.46
1:B:17:VAL:HG22	1:B:21:ILE:CD1	2.45	0.45
1:C:22:VAL:HA	1:C:25:GLN:CG	2.45	0.45
1:B:164:GLN:HG3	1:B:226:VAL:CG2	2.46	0.45
1:A:17:VAL:HG23	1:B:57:ILE:HG23	1.98	0.45
1:F:160:HIS:HE2	1:F:224:GLU:CG	2.29	0.45
1:E:50:TYR:OH	1:F:75:ASN:ND2	2.49	0.45
1:A:57:ILE:CG2	1:B:17:VAL:HG23	2.47	0.44
1:F:202:MET:HE1	1:F:213:ILE:CG2	2.45	0.44
1:C:140:ASN:OD1	3:C:228:ACP:O3'	2.28	0.44
1:F:209:ARG:HD3	1:F:218:GLU:OE2	2.17	0.44
1:E:209:ARG:HB3	1:E:212:ASP:HB2	1.99	0.44
1:A:40:VAL:HG22	1:A:110:THR:CG2	2.48	0.44
1:C:110:THR:HG21	1:C:113:PHE:CE1	2.53	0.44
1:D:87:ALA:HB3	1:D:89:MET:HE2	2.00	0.43
3:B:228:ACP:O2A	3:B:228:ACP:C3B	2.67	0.43
1:D:10:LYS:HD3	1:D:140:ASN:ND2	2.33	0.43
2:D:227:U5P:O3P	3:D:228:ACP:O3G	2.36	0.43
1:D:182:GLU:OE1	1:D:182:GLU:HA	2.18	0.43
1:A:87:ALA:HB3	1:A:89:MET:HE2	2.01	0.43
1:A:10:LYS:NZ	3:A:228:ACP:H3B1	2.34	0.43
1:B:146:GLU:HG3	1:B:155:VAL:HG22	2.00	0.43
1:C:5:LEU:HG	1:C:7:ILE:CD1	2.49	0.42
1:D:20:LEU:O	1:D:24:ARG:HB2	2.19	0.42
1:E:84:GLN:O	1:E:89:MET:HE3	2.19	0.42
1:C:24:ARG:O	1:C:28:LYS:HG3	2.18	0.42
1:F:5:LEU:CG	1:F:7:ILE:HD11	2.49	0.42
1:D:10:LYS:NZ	3:D:228:ACP:H3B1	2.35	0.42
1:B:110:THR:HG21	1:B:113:PHE:HE1	1.83	0.42
3:C:228:ACP:O2A	3:C:228:ACP:H3B2	2.20	0.42
1:A:57:ILE:HD13	1:B:20:LEU:HD13	2.02	0.42
3:D:228:ACP:C3B	3:D:228:ACP:O2A	2.67	0.42
1:A:146:GLU:HB2	1:A:155:VAL:HG22	2.01	0.42
1:E:202:MET:HE1	1:E:213:ILE:CG2	2.45	0.42
1:A:17:VAL:CG2	1:B:57:ILE:CG2	2.96	0.42
1:D:40:VAL:HG21	1:D:123:ALA:HA	2.02	0.41
1:D:203:ASN:OD1	1:D:205:ARG:HG2	2.20	0.41
1:A:61:GLU:HG2	1:F:194:ARG:HD2	2.02	0.41
1:A:112:GLY:HA2	1:A:122:VAL:HG21	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:ALA:HB3	1:B:89:MET:HE2	2.01	0.41
1:F:198:ARG:HD2	7:F:2064:HOH:O	2.21	0.41
1:F:87:ALA:HB3	1:F:89:MET:HE2	2.02	0.41
1:A:57:ILE:HG22	1:B:17:VAL:CG2	2.50	0.41
1:E:147:LYS:HG3	1:E:152:TYR:CD2	2.56	0.41
1:A:202:MET:HE1	1:A:213:ILE:CG2	2.46	0.41
1:C:119:THR:OG1	2:C:227:U5P:O2P	2.28	0.41
1:C:150:ARG:HG2	3:C:228:ACP:O2'	2.21	0.41
1:D:150:ARG:HG2	3:D:228:ACP:O2'	2.21	0.41
1:F:40:VAL:HG21	1:F:123:ALA:HA	2.03	0.41
1:D:182:GLU:O	1:D:184:LEU:N	2.54	0.40
1:A:213:ILE:HG13	1:A:218:GLU:HB3	2.03	0.40
1:E:40:VAL:HG22	1:E:110:THR:HG22	2.01	0.40
1:D:6:LYS:NZ	7:D:2002:HOH:O	2.54	0.40
1:D:10:LYS:NZ	3:D:228:ACP:C3B	2.84	0.40
1:E:87:ALA:HB3	1:E:89:MET:HE2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	212/226 (94%)	209 (99%)	1 (0%)	2 (1%)	21	15
1	B	212/226 (94%)	209 (99%)	2 (1%)	1 (0%)	34	30
1	C	211/226 (93%)	205 (97%)	6 (3%)	0	100	100
1	D	212/226 (94%)	208 (98%)	3 (1%)	1 (0%)	34	30
1	E	212/226 (94%)	208 (98%)	3 (1%)	1 (0%)	34	30
1	F	224/226 (99%)	220 (98%)	3 (1%)	1 (0%)	39	37
All	All	1283/1356 (95%)	1259 (98%)	18 (1%)	6 (0%)	34	30



All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	84	GLN
1	D	183	LEU
1	E	183	LEU
1	F	183	LEU
1	A	183	LEU
1	B	183	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/192 (96%)	177 (96%)	8 (4%)	35	34
1	B	185/192 (96%)	179 (97%)	6 (3%)	46	48
1	C	184/192 (96%)	176 (96%)	8 (4%)	35	34
1	D	185/192 (96%)	179 (97%)	6 (3%)	46	48
1	E	185/192 (96%)	178 (96%)	7 (4%)	40	40
1	F	192/192 (100%)	185 (96%)	7 (4%)	42	43
All	All	1116/1152 (97%)	1074 (96%)	42 (4%)	40	40

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	VAL
1	A	24	ARG
1	A	49	ARG
1	A	103	SER
1	A	126	VAL
1	A	155	VAL
1	A	164	GLN
1	A	208	ASN
1	B	16	ASN
1	B	24	ARG
1	B	25	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	110	THR
1	B	126	VAL
1	B	198	ARG
1	C	24	ARG
1	C	25	GLN
1	C	110	THR
1	C	126	VAL
1	C	141	VAL
1	C	154	ASP
1	C	208	ASN
1	C	210	ILE
1	D	24	ARG
1	D	126	VAL
1	D	141	VAL
1	D	182	GLU
1	D	205	ARG
1	D	208	ASN
1	E	17	VAL
1	E	24	ARG
1	E	103	SER
1	E	126	VAL
1	E	141	VAL
1	E	182	GLU
1	E	215	LYS
1	F	1	MET
1	F	24	ARG
1	F	26	SER
1	F	48	ARG
1	F	103	SER
1	F	126	VAL
1	F	198	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	84	GLN
1	A	208	ASN
1	B	16	ASN
1	B	75	ASN
1	C	25	GLN
1	C	75	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	75	ASN
1	E	75	ASN
1	F	16	ASN
1	F	75	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 8 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	U5P	A	227	4	16,22,22	0.76	0	21,33,33	1.94	2 (9%)
3	ACP	A	228	4	25,33,33	1.55	3 (12%)	31,52,52	2.48	8 (25%)
2	U5P	B	227	4	16,22,22	0.92	1 (6%)	21,33,33	1.89	2 (9%)
3	ACP	B	228	4	25,33,33	1.70	3 (12%)	31,52,52	2.31	10 (32%)
2	U5P	C	227	4	16,22,22	0.86	0	21,33,33	2.27	2 (9%)
3	ACP	C	228	4	25,33,33	1.64	3 (12%)	31,52,52	2.18	6 (19%)
2	U5P	D	227	5	16,22,22	0.75	0	21,33,33	2.07	3 (14%)
3	ACP	D	228	5	25,33,33	1.37	2 (8%)	31,52,52	2.16	6 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	U5P	E	227	4	16,22,22	0.78	0	21,33,33	2.22	3 (14%)
3	ACP	E	228	4	25,33,33	1.52	2 (8%)	31,52,52	2.15	7 (22%)
6	4TC	F	227	5	40,55,55	1.75	3 (7%)	49,86,86	2.15	10 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	U5P	A	227	4	-	0/6/26/26	0/2/2/2
3	ACP	A	228	4	-	0/15/38/38	0/3/3/3
2	U5P	B	227	4	-	0/6/26/26	0/2/2/2
3	ACP	B	228	4	-	0/15/38/38	0/3/3/3
2	U5P	C	227	4	-	0/6/26/26	0/2/2/2
3	ACP	C	228	4	-	0/15/38/38	0/3/3/3
2	U5P	D	227	5	-	0/6/26/26	0/2/2/2
3	ACP	D	228	5	-	0/15/38/38	0/3/3/3
2	U5P	E	227	4	-	0/6/26/26	0/2/2/2
3	ACP	E	228	4	-	0/15/38/38	0/3/3/3
6	4TC	F	227	5	-	0/24/70/70	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	228	ACP	PB-O2B	-2.91	1.49	1.56
3	A	228	ACP	PB-O2B	-2.47	1.50	1.56
3	B	228	ACP	PB-O2B	-2.05	1.51	1.56
2	B	227	U5P	O4'-C1'	2.16	1.43	1.41
3	A	228	ACP	C5-C4	2.38	1.45	1.40
3	C	228	ACP	C5-C4	2.81	1.46	1.40
3	D	228	ACP	C5-C4	3.01	1.47	1.40
3	E	228	ACP	C5-C4	3.11	1.47	1.40
3	B	228	ACP	C5-C4	3.32	1.48	1.40
3	D	228	ACP	PB-O3A	4.15	1.63	1.58
6	F	227	4TC	O4V-C4V	4.98	1.36	1.24
3	E	228	ACP	PB-O3A	5.43	1.64	1.58
6	F	227	4TC	PG-O3P	5.60	1.64	1.58
3	C	228	ACP	PB-O3A	5.73	1.64	1.58
3	A	228	ACP	PB-O3A	5.81	1.65	1.58
6	F	227	4TC	PB-O3A	6.23	1.65	1.58
3	B	228	ACP	PB-O3A	6.56	1.65	1.58

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	227	4TC	N3-C2-N1	-9.32	121.76	128.89
3	C	228	ACP	N3-C2-N1	-8.49	122.39	128.89
3	A	228	ACP	N3-C2-N1	-8.24	122.58	128.89
3	E	228	ACP	N3-C2-N1	-7.80	122.92	128.89
3	D	228	ACP	N3-C2-N1	-7.52	123.14	128.89
3	B	228	ACP	N3-C2-N1	-6.71	123.76	128.89
3	E	228	ACP	O1G-PG-C3B	-5.92	97.63	111.13
3	D	228	ACP	O1G-PG-C3B	-5.92	97.65	111.13
3	C	228	ACP	O1G-PG-C3B	-5.59	98.39	111.13
3	A	228	ACP	C4'-O4'-C1'	-5.50	103.67	109.72
3	B	228	ACP	O1G-PG-C3B	-5.43	98.75	111.13
3	A	228	ACP	O1G-PG-C3B	-5.24	99.19	111.13
3	B	228	ACP	C4'-O4'-C1'	-4.08	105.24	109.72
3	A	228	ACP	PA-O3A-PB	-3.64	122.50	132.73
6	F	227	4TC	C4'-O4'-C1'	-3.33	106.06	109.72
3	D	228	ACP	PA-O3A-PB	-3.07	124.10	132.73
2	E	227	U5P	O5'-P-O1P	-3.07	99.33	107.14
3	B	228	ACP	PA-O3A-PB	-2.97	124.38	132.73
6	F	227	4TC	O3G-PG-C3B	-2.84	101.87	109.02
6	F	227	4TC	PA-O3A-PB	-2.81	124.84	132.73
3	E	228	ACP	PA-O3A-PB	-2.77	124.95	132.73
2	D	227	U5P	O5'-P-O1P	-2.70	100.28	107.14
2	C	227	U5P	O5'-P-O1P	-2.69	100.30	107.14
3	D	228	ACP	C4-C5-N7	-2.63	107.06	109.48
3	A	228	ACP	C4-C5-N7	-2.52	107.16	109.48
3	B	228	ACP	C4-C5-N7	-2.40	107.27	109.48
6	F	227	4TC	O1G-PG-C3B	-2.33	96.74	106.88
3	E	228	ACP	C4-C5-N7	-2.32	107.34	109.48
3	C	228	ACP	PA-O3A-PB	-2.31	126.25	132.73
2	B	227	U5P	O5'-P-O1P	-2.16	101.64	107.14
3	C	228	ACP	C4-C5-N7	-2.05	107.60	109.48
6	F	227	4TC	C4-C5-N7	-2.04	107.60	109.48
3	B	228	ACP	O2B-PB-C3B	2.02	115.67	106.88
3	A	228	ACP	C2'-C1'-N9	2.10	117.50	114.29
3	D	228	ACP	O3G-PG-O1G	2.12	117.83	112.40
2	E	227	U5P	O3P-P-O1P	2.15	117.49	110.58
3	B	228	ACP	C2'-C1'-N9	2.15	117.58	114.29
3	C	228	ACP	O3G-PG-O2G	2.16	114.47	108.13
3	C	228	ACP	O2B-PB-O1B	2.19	116.99	110.12
3	A	228	ACP	O3A-PA-O5'	2.19	108.74	102.94
2	D	227	U5P	O3P-P-O1P	2.21	117.68	110.58
3	B	228	ACP	O2B-PB-O1B	2.24	117.16	110.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	228	ACP	O3G-PG-O1G	2.28	118.22	112.40
3	E	228	ACP	O3G-PG-O2G	2.47	115.36	108.13
3	B	228	ACP	O3A-PA-O5'	2.66	110.00	102.94
2	A	227	U5P	O3P-P-O2P	2.70	117.65	107.38
6	F	227	4TC	O2B-PB-O1B	2.73	118.71	110.12
3	E	228	ACP	O2B-PB-O1B	2.76	118.81	110.12
3	D	228	ACP	O2B-PB-O1B	3.02	119.61	110.12
6	F	227	4TC	O1G-PG-O3G	3.08	119.81	110.12
6	F	227	4TC	O4'-C1'-N9	3.37	115.14	108.10
3	B	228	ACP	O3G-PG-O2G	3.64	118.80	108.13
3	A	228	ACP	O3G-PG-O1G	3.68	121.81	112.40
6	F	227	4TC	C4V-N3V-C2V	7.01	121.08	114.14
2	B	227	U5P	C4-N3-C2	7.38	121.45	114.14
2	A	227	U5P	C4-N3-C2	7.98	122.04	114.14
2	D	227	U5P	C4-N3-C2	8.16	122.22	114.14
2	E	227	U5P	C4-N3-C2	8.31	122.37	114.14
2	C	227	U5P	C4-N3-C2	9.01	123.07	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	227	U5P	1	0
3	A	228	ACP	4	0
2	B	227	U5P	1	0
3	B	228	ACP	3	0
2	C	227	U5P	1	0
3	C	228	ACP	4	0
2	D	227	U5P	1	0
3	D	228	ACP	6	0
3	E	228	ACP	1	0
6	F	227	4TC	4	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	216/226 (95%)	0.49	13 (6%)	25 33	15, 27, 45, 56	0
1	B	216/226 (95%)	0.55	16 (7%)	17 24	15, 27, 46, 55	0
1	C	215/226 (95%)	0.58	28 (13%)	5 6	15, 27, 51, 58	0
1	D	216/226 (95%)	0.74	30 (13%)	4 5	16, 28, 51, 62	0
1	E	216/226 (95%)	0.52	29 (13%)	4 6	16, 28, 48, 57	0
1	F	226/226 (100%)	0.62	23 (10%)	9 12	15, 27, 47, 55	0
All	All	1305/1356 (96%)	0.58	139 (10%)	8 11	15, 27, 49, 62	0

All (139) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	151	ILE	7.5
1	E	154	ASP	7.0
1	D	170	LEU	6.9
1	D	154	ASP	6.8
1	D	153	ALA	6.8
1	D	152	TYR	6.3
1	F	154	ASP	6.1
1	D	155	VAL	5.7
1	C	151	ILE	5.0
1	E	168	LYS	4.9
1	C	17	VAL	4.8
1	B	226	VAL	4.7
1	C	18	ASP	4.7
1	C	154	ASP	4.6
1	D	168	LYS	4.5
1	C	226	VAL	4.4
1	E	171	GLU	4.2
1	D	171	GLU	4.0
1	D	148	ASP	4.0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	15	ASP	3.8
1	B	164	GLN	3.8
1	C	150	ARG	3.7
1	E	226	VAL	3.7
1	F	172	GLY	3.7
1	E	170	LEU	3.7
1	D	226	VAL	3.7
1	B	171	GLU	3.7
1	D	147	LYS	3.6
1	D	149	PRO	3.6
1	C	1	MET	3.4
1	C	171	GLU	3.4
1	C	155	VAL	3.4
1	E	84	GLN	3.3
1	D	146	GLU	3.3
1	F	226	VAL	3.3
1	C	170	LEU	3.3
1	F	181	TYR	3.3
1	B	1	MET	3.3
1	A	85	ASP	3.3
1	B	15	ASP	3.2
1	D	145	TYR	3.2
1	D	150	ARG	3.2
1	C	34	GLY	3.2
1	C	152	TYR	3.2
1	F	1	MET	3.2
1	C	84	GLN	3.2
1	B	85	ASP	3.2
1	D	156	LYS	3.1
1	A	154	ASP	3.1
1	A	171	GLU	3.1
1	D	164	GLN	3.1
1	D	32	ASP	3.1
1	E	164	GLN	3.1
1	C	21	ILE	3.0
1	F	18	ASP	3.0
1	C	32	ASP	3.0
1	F	17	VAL	3.0
1	D	57	ILE	2.9
1	C	153	ALA	2.9
1	A	7	ILE	2.9
1	C	33	ASN	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	16	ASN	2.8
1	E	32	ASP	2.8
1	E	31	ALA	2.8
1	B	137	VAL	2.8
1	F	171	GLU	2.8
1	A	83	LEU	2.7
1	E	151	ILE	2.7
1	E	157	LEU	2.7
1	F	32	ASP	2.7
1	E	152	TYR	2.7
1	F	216	GLY	2.7
1	A	40	VAL	2.7
1	F	183	LEU	2.6
1	C	85	ASP	2.6
1	E	1	MET	2.6
1	A	23	LEU	2.6
1	C	24	ARG	2.6
1	B	17	VAL	2.5
1	B	219	VAL	2.5
1	E	216	GLY	2.5
1	D	85	ASP	2.5
1	E	85	ASP	2.5
1	F	40	VAL	2.5
1	E	212	ASP	2.5
1	F	4	ILE	2.5
1	A	32	ASP	2.4
1	A	207	LEU	2.4
1	D	84	GLN	2.4
1	B	23	LEU	2.4
1	E	211	ILE	2.4
1	F	217	GLU	2.4
1	E	209	ARG	2.4
1	D	53	LEU	2.4
1	D	56	GLU	2.4
1	F	164	GLN	2.4
1	F	15	ASP	2.3
1	C	156	LYS	2.3
1	E	33	ASN	2.3
1	E	145	TYR	2.3
1	E	147	LYS	2.3
1	F	5	LEU	2.3
1	F	34	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	140	ASN	2.3
1	C	164	GLN	2.3
1	B	7	ILE	2.3
1	D	162	THR	2.3
1	F	84	GLN	2.3
1	E	56	GLU	2.3
1	B	170	LEU	2.3
1	E	35	PHE	2.2
1	D	160	HIS	2.2
1	E	53	LEU	2.2
1	E	208	ASN	2.2
1	F	7	ILE	2.2
1	E	153	ALA	2.2
1	E	25	GLN	2.2
1	B	39	ILE	2.2
1	F	85	ASP	2.1
1	C	141	VAL	2.1
1	E	169	ILE	2.1
1	D	205	ARG	2.1
1	E	146	GLU	2.1
1	F	146	GLU	2.1
1	B	40	VAL	2.1
1	D	208	ASN	2.1
1	C	215	LYS	2.1
1	C	205	ARG	2.1
1	B	201	VAL	2.1
1	A	41	THR	2.1
1	D	182	GLU	2.1
1	D	33	ASN	2.1
1	C	157	LEU	2.0
1	D	15	ASP	2.0
1	A	79	VAL	2.0
1	A	84	GLN	2.0
1	A	4	ILE	2.0
1	B	216	GLY	2.0
1	F	21	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	CO	A	230	1/1	0.97	0.11	1.34	27,27,27,27	0
2	U5P	E	227	21/21	0.95	0.10	0.20	17,22,34,34	0
4	CO	B	230	1/1	0.96	0.10	-0.51	26,26,26,26	0
3	ACP	E	228	31/31	0.89	0.13	-0.60	35,43,46,48	0
2	U5P	D	227	21/21	0.97	0.09	-0.65	16,23,31,33	0
6	4TC	F	227	51/51	0.92	0.12	-0.78	13,25,42,45	0
3	ACP	A	228	31/31	0.91	0.12	-0.89	19,24,35,37	0
3	ACP	D	228	31/31	0.88	0.12	-0.89	49,51,54,55	0
3	ACP	C	228	31/31	0.95	0.11	-0.98	29,37,42,43	0
3	ACP	B	228	31/31	0.91	0.12	-1.00	20,25,38,38	0
2	U5P	C	227	21/21	0.95	0.08	-1.05	18,22,26,28	0
2	U5P	A	227	21/21	0.97	0.08	-1.58	12,15,23,26	0
2	U5P	B	227	21/21	0.96	0.08	-1.67	10,13,25,27	0
5	MG	F	229	1/1	0.85	0.08	-	50,50,50,50	0
4	CO	C	229	1/1	0.98	0.05	-	43,43,43,43	0
5	MG	D	229	1/1	0.80	0.20	-	44,44,44,44	0
4	CO	A	229	1/1	0.98	0.10	-	50,50,50,50	0
4	CO	B	229	1/1	0.96	0.04	-	53,53,53,53	0
4	CO	E	229	1/1	0.87	0.08	-	70,70,70,70	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.