



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:11 PM GMT

PDB ID : 1J8M
Title : Signal Recognition Particle conserved GTPase domain from A. ambivalens
Authors : Montoya, G.; te Kaat, K.; Moll, R.; Schafer, G.; Sinning, I.
Deposited on : 2001-05-22
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	F	297	 66% 25% 6% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2458 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SIGNAL RECOGNITION 54 KDA PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	F	295	Total	C	N	O	S	0	0	0
			2299	1477	388	430	4			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	10	THR	ALA	SEE REMARK 999	UNP P70722
F	165	VAL	ALA	SEE REMARK 999	UNP P70722
F	293	LEU	-	EXPRESSION TAG	UNP P70722
F	294	HIS	-	EXPRESSION TAG	UNP P70722
F	295	HIS	-	EXPRESSION TAG	UNP P70722
F	296	HIS	-	EXPRESSION TAG	UNP P70722
F	297	HIS	-	EXPRESSION TAG	UNP P70722

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	F	159	Total	O	3	0
			159	159		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: SIGNAL RECOGNITION 54 KDA PROTEIN

Chain F: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	64.87Å 128.02Å 72.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.00	Depositor
% Data completeness (in resolution range)	100.0 (25.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.216 , 0.270	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2458	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	F	0.89	2/2338 (0.1%)	1.80	50/3146 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	111	LYS	C-N	-16.29	0.96	1.34
1	F	111	LYS	CB-CG	6.29	1.69	1.52

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	111	LYS	CB-CG-CD	-20.85	57.40	111.60
1	F	111	LYS	O-C-N	-18.05	93.82	122.70
1	F	221	ASP	CB-CG-OD2	17.07	133.66	118.30
1	F	111	LYS	C-N-CA	14.02	156.76	121.70
1	F	221	ASP	CB-CG-OD1	-11.97	107.53	118.30
1	F	111	LYS	CA-C-N	11.76	143.07	117.20
1	F	164	ASP	CB-CG-OD1	10.65	127.89	118.30
1	F	12	ARG	CD-NE-CZ	8.41	135.38	123.60
1	F	171	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	F	22	ASP	CB-CG-OD1	7.58	125.12	118.30
1	F	211	ILE	CA-CB-CG2	7.57	126.04	110.90
1	F	252	THR	CB-CA-C	-7.35	91.75	111.60
1	F	157	TYR	CB-CG-CD1	-7.23	116.66	121.00
1	F	17	GLY	N-CA-C	7.07	130.77	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	259	LEU	CA-CB-CG	6.97	131.32	115.30
1	F	204	MET	CA-CB-CG	6.90	125.02	113.30
1	F	189	ALA	CB-CA-C	6.86	120.40	110.10
1	F	16	THR	C-N-CA	6.85	136.69	122.30
1	F	297	HIS	CA-CB-CG	6.81	125.17	113.60
1	F	288	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	F	21	TYR	CB-CG-CD2	-6.53	117.08	121.00
1	F	78	ASP	CB-CG-OD2	-6.48	112.47	118.30
1	F	252	THR	OG1-CB-CG2	6.32	124.53	110.00
1	F	214	ASP	CB-CG-OD1	-6.07	112.84	118.30
1	F	7	LEU	CA-CB-CG	6.04	129.19	115.30
1	F	68	ARG	CD-NE-CZ	5.86	131.80	123.60
1	F	109	THR	CA-CB-CG2	5.78	120.50	112.40
1	F	192	HIS	CA-CB-CG	-5.75	103.82	113.60
1	F	292	ARG	NE-CZ-NH1	-5.74	117.43	120.30
1	F	137	TYR	CB-CA-C	5.72	121.84	110.40
1	F	211	ILE	CB-CA-C	5.67	122.93	111.60
1	F	178	SER	CA-CB-OG	-5.62	96.03	111.20
1	F	144	GLN	CA-CB-CG	5.60	125.73	113.40
1	F	144	GLN	N-CA-CB	-5.59	100.53	110.60
1	F	57	LEU	CA-CB-CG	5.55	128.06	115.30
1	F	145	LEU	CA-CB-CG	5.54	128.04	115.30
1	F	89	GLU	N-CA-CB	-5.44	100.81	110.60
1	F	281	LEU	CB-CG-CD1	-5.34	101.92	111.00
1	F	102	MET	CG-SD-CE	-5.34	91.66	100.20
1	F	230	ASP	CB-CG-OD1	-5.29	113.54	118.30
1	F	21	TYR	CB-CG-CD1	5.28	124.17	121.00
1	F	244	ILE	CB-CG1-CD1	5.24	128.57	113.90
1	F	272	ILE	N-CA-CB	-5.24	98.75	110.80
1	F	239	SER	N-CA-CB	5.23	118.34	110.50
1	F	182	GLU	N-CA-CB	-5.21	101.22	110.60
1	F	164	ASP	OD1-CG-OD2	-5.18	113.46	123.30
1	F	280	GLU	OE1-CD-OE2	5.13	129.46	123.30
1	F	197	GLU	OE1-CD-OE2	5.09	129.41	123.30
1	F	127	PHE	CB-CG-CD2	-5.07	117.25	120.80
1	F	252	THR	CA-CB-CG2	-5.01	105.39	112.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	111	LYS	Mainchain,Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	F	163	LYS	Mainchain
1	F	252	THR	Mainchain
1	F	274	THR	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2299	0	2374	61	0
2	F	159	0	0	13	2
All	All	2458	0	2374	61	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:170:LYS:HA	1:F:211:ILE:HD11	1.49	0.93
1:F:110:GLY:O	1:F:114:THR:OG1	1.91	0.88
1:F:192:HIS:HE1	2:F:298:HOH:O	1.57	0.85
1:F:7:LEU:HG	2:F:338:HOH:O	1.79	0.80
1:F:109:THR:OG1	1:F:111:LYS:HB3	1.83	0.77
1:F:4:LEU:HD23	1:F:7:LEU:HD13	1.68	0.75
1:F:293:LEU:HD23	1:F:293:LEU:H	1.51	0.75
1:F:223:SER:HA	1:F:252:THR:HG21	1.67	0.75
1:F:4:LEU:HD23	1:F:7:LEU:CD1	2.17	0.74
1:F:138:ARG:HD3	1:F:141:ALA:HB2	1.70	0.73
1:F:249:MET:HG3	1:F:272:ILE:HG12	1.68	0.73
1:F:4:LEU:HA	1:F:7:LEU:HD12	1.71	0.72
1:F:109:THR:HG22	2:F:326:HOH:O	1.89	0.71
1:F:3:LEU:N	2:F:437:HOH:O	2.27	0.66
1:F:203:GLU:HB2	2:F:410:HOH:O	1.98	0.63
1:F:192:HIS:CE1	2:F:298:HOH:O	2.41	0.63
1:F:109:THR:HG21	1:F:219:VAL:O	1.99	0.62
1:F:203:GLU:HB2	2:F:450:HOH:O	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:17:GLY:HA2	1:F:69:ARG:NH1	2.20	0.57
1:F:44:LYS:HD3	2:F:427:HOH:O	2.05	0.57
1:F:116:GLY:HA3	1:F:148:LEU:HD13	1.86	0.56
1:F:7:LEU:CG	2:F:338:HOH:O	2.45	0.56
1:F:88:LYS:HE2	1:F:268:THR:HG23	1.88	0.55
1:F:111:LYS:HE2	1:F:188:THR:O	2.07	0.55
1:F:9:ASP:HB3	1:F:13:LYS:NZ	2.22	0.54
1:F:148:LEU:HD22	1:F:278:ILE:HD13	1.89	0.54
1:F:142:LEU:HD11	1:F:158:GLY:HA3	1.88	0.54
1:F:106:VAL:O	1:F:109:THR:HG23	2.09	0.52
1:F:64:THR:O	1:F:65:TYR:HB2	2.09	0.52
1:F:223:SER:HA	1:F:252:THR:CG2	2.36	0.52
1:F:285:ASN:HD22	1:F:285:ASN:C	2.15	0.50
1:F:259:LEU:HD11	1:F:272:ILE:CD1	2.42	0.50
1:F:111:LYS:O	1:F:111:LYS:HG3	2.12	0.49
1:F:109:THR:HA	1:F:221:ASP:HB2	1.95	0.48
1:F:103:LEU:HD23	1:F:217:THR:HB	1.94	0.48
1:F:204:MET:O	1:F:207:ILE:HG13	2.15	0.47
1:F:10:THR:HG22	1:F:28:PHE:CD1	2.50	0.46
1:F:9:ASP:HB3	1:F:13:LYS:HZ2	1.80	0.46
1:F:110:GLY:N	2:F:404:HOH:O	2.48	0.46
1:F:252:THR:HB	1:F:254:LYS:H	1.81	0.45
1:F:207:ILE:HG12	1:F:207:ILE:H	1.32	0.45
1:F:290:VAL:O	1:F:293:LEU:HD23	2.17	0.45
1:F:7:LEU:HA	2:F:338:HOH:O	2.17	0.44
1:F:259:LEU:HD11	1:F:272:ILE:HD11	2.00	0.44
1:F:202:GLU:O	1:F:205:LYS:HB2	2.17	0.44
1:F:197:GLU:HG2	1:F:231:LEU:HA	1.99	0.44
1:F:123:LYS:HE2	2:F:374:HOH:O	2.18	0.43
1:F:263:ALA:HA	2:F:411:HOH:O	2.19	0.43
1:F:4:LEU:HA	1:F:7:LEU:CD1	2.46	0.42
1:F:170:LYS:HA	1:F:211:ILE:CD1	2.35	0.42
1:F:290:VAL:O	1:F:293:LEU:CD2	2.67	0.42
1:F:134:ALA:HB1	1:F:165:VAL:HG23	2.02	0.42
1:F:129:VAL:HA	1:F:183:ILE:O	2.21	0.41
1:F:18:SER:HB3	1:F:19:SER:H	1.70	0.41
1:F:111:LYS:O	1:F:111:LYS:CG	2.68	0.41
1:F:285:ASN:HD22	1:F:286:PRO:N	2.19	0.41
1:F:23:LYS:O	1:F:23:LYS:HG2	2.21	0.41
1:F:285:ASN:ND2	1:F:287:ARG:H	2.19	0.40
1:F:33:GLN:HE21	1:F:33:GLN:HB2	1.63	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:192:HIS:HD2	1:F:196:GLU:OE2	2.05	0.40
1:F:137:TYR:CD1	1:F:191:ARG:HD3	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:368:HOH:O	2:F:422:HOH:O[3_555]	0.11	2.09
2:F:298:HOH:O	2:F:298:HOH:O[4_565]	0.84	1.36

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	F	293/297 (99%)	283 (97%)	8 (3%)	2 (1%)	26 19

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	17	GLY
1	F	18	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	244/246 (99%)	226 (93%)	18 (7%)	17	11

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	18	SER
1	F	44	LYS
1	F	57	LEU
1	F	58	LYS
1	F	61	LYS
1	F	88	LYS
1	F	97	ILE
1	F	111	LYS
1	F	138	ARG
1	F	145	LEU
1	F	175	LYS
1	F	202	GLU
1	F	207	ILE
1	F	211	ILE
1	F	252	THR
1	F	259	LEU
1	F	285	ASN
1	F	297	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	33	GLN
1	F	42	ASN
1	F	82	ASN
1	F	144	GLN
1	F	146	GLN
1	F	192	HIS
1	F	226	GLN
1	F	237	GLN
1	F	285	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.