



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 24, 2017 – 02:20 PM EST

PDB ID : 1J9W  
Title : Solution Structure of the CAI Michigan 1 Variant  
Authors : Briganti, F.; Ferraroni, M.; Chedwiggen, W.R.; Scozzafava, A.; Supuran, C.T.;  
Tilli, S.  
Deposited on : 2001-05-29  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20028442  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20028442


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	 68% 24% 5% ..
1	B	260	 69% 25% . . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	401	-	X	-	X
3	EDO	B	402	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4311 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBONIC ANHYDRASE I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			1997	1259	347	388	3			
1	B	256	Total	C	N	O	S	0	2	0
			1983	1253	345	382	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ARG	HIS	ENGINEERED	UNP P00915
B	67	ARG	HIS	ENGINEERED	UNP P00915

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	154	Total	O	0	0
			154	154		
4	B	167	Total	O	0	0
			167	167		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CARBONIC ANHYDRASE I



#### • Molecule 1: CARBONIC ANHYDRASE I



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.88 Å 71.73 Å 120.39 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 18.72 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (15.00-2.60) 99.3 (18.72-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.05 (at 2.49 Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.205 , 0.311 0.199 , 0.292	Depositor DCC
$R_{free}$ test set	878 reflections (5.49%)	DCC
Wilson B-factor (Å <sup>2</sup> )	13.1	Xtriage
Anisotropy	0.500	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 49.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4311	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 21.86 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.4168e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/2053	1.63	42/2794 (1.5%)
1	B	0.47	0/2048	1.56	30/2787 (1.1%)
All	All	0.46	0/4101	1.60	72/5581 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	3
All	All	0	7

There are no bond length outliers.

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	202	PRO	CA-N-CD	-14.63	91.02	111.50
1	A	257	ARG	NE-CZ-NH1	14.06	127.33	120.30
1	A	202	PRO	CA-N-CD	-13.74	92.26	111.50
1	A	201	PRO	CA-C-O	-11.61	92.34	120.20
1	B	149	LYS	CA-CB-CG	11.02	137.64	113.40
1	B	29	SER	O-C-N	10.63	141.31	121.10
1	B	201	PRO	CA-C-O	-10.32	95.42	120.20
1	A	30	PRO	CA-N-CD	-9.87	97.69	111.50
1	A	246	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	A	165	GLN	CB-CA-C	9.29	128.97	110.40
1	A	257	ARG	NE-CZ-NH2	-8.97	115.81	120.30
1	A	201	PRO	CA-C-N	8.91	142.05	117.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	89	ARG	NE-CZ-NH2	-8.27	116.17	120.30
1	A	29	SER	O-C-N	8.00	136.31	121.10
1	B	190	ASP	CB-CG-OD2	-7.97	111.13	118.30
1	A	165	GLN	O-C-N	-7.84	110.15	122.70
1	B	201	PRO	CA-C-N	7.76	138.82	117.10
1	A	110	ASP	CB-CG-OD2	7.73	125.26	118.30
1	A	201	PRO	C-N-CD	-7.60	103.88	120.60
1	A	29	SER	CA-C-O	-7.47	104.42	120.10
1	A	201	PRO	O-C-N	-7.42	107.01	121.10
1	A	14	GLU	CA-CB-CG	7.26	129.37	113.40
1	B	257	ARG	NE-CZ-NH2	-7.18	116.71	120.30
1	A	180	ASP	CB-CG-OD1	7.12	124.71	118.30
1	B	201	PRO	C-N-CD	-6.84	105.55	120.60
1	A	190	ASP	CB-CG-OD2	-6.80	112.18	118.30
1	A	76	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	B	114	TYR	CB-CG-CD2	-6.72	116.97	121.00
1	A	227	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	A	67	ARG	CD-NE-CZ	6.58	132.81	123.60
1	A	246	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	A	5	TRP	N-CA-CB	6.53	122.36	110.60
1	A	162	ASP	CB-CG-OD1	6.53	124.18	118.30
1	A	76	ARG	NE-CZ-NH2	-6.43	117.09	120.30
1	A	166	ALA	CB-CA-C	-6.41	100.49	110.10
1	B	29	SER	N-CA-C	6.39	128.24	111.00
1	A	190	ASP	CB-CG-OD1	6.36	124.03	118.30
1	A	74	ASP	CB-CG-OD1	6.35	124.01	118.30
1	A	165	GLN	N-CA-CB	-6.18	99.48	110.60
1	A	4	ASP	C-N-CA	6.15	137.07	121.70
1	A	173	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	B	29	SER	CA-C-O	-6.05	107.39	120.10
1	B	148	MET	CA-CB-CG	6.04	123.58	113.30
1	A	58	GLU	OE1-CD-OE2	-6.01	116.09	123.30
1	A	227	ARG	NE-CZ-NH1	5.99	123.30	120.30
1	B	15	GLN	CA-CB-CG	5.98	126.55	113.40
1	A	30	PRO	N-CD-CG	5.98	112.17	103.20
1	A	4	ASP	CB-CG-OD1	5.97	123.67	118.30
1	B	30	PRO	CA-N-CD	-5.92	103.21	111.50
1	B	201	PRO	O-C-N	-5.88	109.92	121.10
1	B	74	ASP	CB-CG-OD1	-5.87	113.02	118.30
1	A	74	ASP	CB-CG-OD2	-5.83	113.05	118.30
1	B	29	SER	N-CA-CB	-5.83	101.75	110.50
1	B	30	PRO	N-CA-C	-5.74	97.17	112.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	114	TYR	CB-CG-CD1	5.71	124.43	121.00
1	A	86	ASP	CB-CG-OD1	-5.68	113.19	118.30
1	B	180	ASP	CB-CG-OD2	-5.65	113.22	118.30
1	A	30	PRO	N-CA-CB	5.64	110.07	103.30
1	B	67	ARG	CD-NE-CZ	5.64	131.50	123.60
1	A	238	ALA	CB-CA-C	5.64	118.56	110.10
1	B	202	PRO	N-CA-C	5.63	126.74	112.10
1	A	9	ASP	CB-CG-OD1	-5.54	113.31	118.30
1	B	72	ASP	CB-CG-OD1	-5.54	113.31	118.30
1	B	74	ASP	CB-CG-OD2	5.52	123.27	118.30
1	B	29	SER	CB-CA-C	-5.45	99.75	110.10
1	B	15	GLN	CB-CA-C	-5.42	99.57	110.40
1	B	76	ARG	CD-NE-CZ	5.26	130.96	123.60
1	B	101	ASN	CB-CA-C	5.24	120.88	110.40
1	B	126	ALA	CB-CA-C	5.12	117.78	110.10
1	A	164	LEU	CB-CA-C	-5.07	100.57	110.20
1	B	50	SER	N-CA-CB	5.05	118.07	110.50
1	A	156	LYS	O-C-N	-5.01	114.68	122.70

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	201	PRO	Mainchain,Peptide
1	A	29	SER	Mainchain,Peptide
1	B	201	PRO	Mainchain,Peptide
1	B	29	SER	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1997	0	1897	40	0
1	B	1983	0	1896	59	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	4	0	5	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	4	0	5	5	0
4	A	154	0	0	6	0
4	B	167	0	0	2	0
All	All	4311	0	3803	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:60[A]:ILE:HG21	1:B:67:ARG:NH1	1.61	1.15
1:B:60[A]:ILE:HG21	1:B:67:ARG:HH11	1.29	0.94
1:B:190:ASP:HB3	1:B:213:LYS:HD2	1.56	0.87
1:B:60[A]:ILE:CG2	1:B:67:ARG:HH11	1.91	0.84
1:A:30:PRO:HG3	1:A:106:GLU:HB3	1.66	0.78
1:B:60[A]:ILE:CG2	1:B:67:ARG:NH1	2.46	0.76
1:A:67:ARG:HH21	1:A:69:ASN:HD21	1.33	0.76
1:A:115:SER:HB3	1:A:223:LEU:HD11	1.66	0.75
1:B:60[A]:ILE:HG21	1:B:67:ARG:HH12	1.51	0.75
1:A:67:ARG:NH2	1:A:69:ASN:HD21	1.86	0.74
1:B:67:ARG:NH1	1:B:69:ASN:HD21	1.86	0.73
1:B:74:ASP:HB3	1:B:76:ARG:H	1.53	0.73
1:B:199:THR:H	3:B:402:EDO:H21	1.55	0.72
1:A:153:ALA:HA	1:A:219:SER:HB3	1.71	0.70
1:B:198:LEU:HD23	3:B:402:EDO:H12	1.72	0.70
1:A:182:SER:HA	1:A:185:LEU:HD22	1.76	0.67
1:A:190:ASP:HB2	1:A:213:LYS:HD3	1.77	0.66
1:A:198:LEU:HA	3:A:401:EDO:H21	1.80	0.63
1:B:29:SER:O	1:B:199:THR:HG22	1.99	0.62
1:A:198:LEU:HD12	1:A:204:TYR:H	1.65	0.61
1:A:199:THR:H	3:A:401:EDO:H12	1.66	0.61
1:B:74:ASP:HB2	4:B:498:HOH:O	2.04	0.58
1:B:60[B]:ILE:CD1	1:B:69:ASN:HD22	2.16	0.58
1:B:153:ALA:HA	1:B:219:SER:HB3	1.84	0.58
1:B:27:ASN:HD22	1:B:254:ARG:HD3	1.70	0.57
1:A:4:ASP:HA	4:A:550:HOH:O	2.04	0.56
1:B:47:ILE:HD12	1:B:79:LEU:HD11	1.87	0.56
1:B:60[B]:ILE:HD12	1:B:69:ASN:ND2	2.21	0.56
1:B:202:PRO:HD2	1:B:203:LEU:H	1.72	0.55
1:A:245:ASN:HD22	1:A:245:ASN:H	1.55	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:LYS:O	1:A:82:GLY:HA2	2.08	0.53
1:A:153:ALA:CA	1:A:219:SER:HB3	2.39	0.52
1:B:198:LEU:HA	3:B:402:EDO:H12	1.90	0.52
1:B:219:SER:OG	1:B:222:GLN:HG3	2.10	0.52
1:B:53:PRO:O	1:B:178:ASN:HA	2.10	0.52
1:A:165:GLN:HB2	4:A:478:HOH:O	2.10	0.51
1:B:118:LEU:O	1:B:145:GLY:HA2	2.10	0.51
1:B:101:ASN:HB2	1:B:223:LEU:CD1	2.42	0.50
1:B:47:ILE:HG22	1:B:189:LEU:HD13	1.93	0.50
1:B:202:PRO:HD2	1:B:203:LEU:N	2.27	0.50
1:B:101:ASN:HB3	1:B:227:ARG:HH22	1.77	0.49
1:B:74:ASP:OD2	1:B:76:ARG:NE	2.45	0.49
1:B:193:THR:HG22	1:B:257:ARG:HB2	1.94	0.49
1:B:128:TYR:CZ	1:B:137:LYS:HG3	2.49	0.48
1:A:221:GLU:HG2	4:A:418:HOH:O	2.13	0.48
1:B:60[B]:ILE:HD12	1:B:69:ASN:HD22	1.78	0.48
1:B:45:LYS:HB3	1:B:46:PRO:HD2	1.96	0.48
1:A:150:VAL:HA	1:A:218:VAL:O	2.14	0.47
1:A:177:THR:HB	4:A:443:HOH:O	2.14	0.47
1:A:30:PRO:HG3	1:A:106:GLU:CB	2.40	0.47
1:B:101:ASN:HB2	1:B:223:LEU:HD12	1.95	0.47
1:B:200:HIS:HB2	1:B:201:PRO:HD2	1.95	0.47
1:B:61:ASN:OD1	1:B:170:LYS:HA	2.15	0.47
1:B:27:ASN:ND2	1:B:254:ARG:HD3	2.29	0.47
1:B:168:LYS:HG2	4:B:408:HOH:O	2.15	0.47
1:B:38:THR:HG22	1:B:256:VAL:HB	1.96	0.47
1:B:45:LYS:O	1:B:82:GLY:HA2	2.15	0.46
1:A:53:PRO:HB2	1:A:178:ASN:HD22	1.80	0.46
1:A:227:ARG:NH2	4:A:428:HOH:O	2.48	0.46
1:B:230:LEU:HB3	1:B:232:ASN:OD1	2.14	0.46
1:B:128:TYR:CE1	1:B:137:LYS:HG3	2.51	0.46
1:B:16:TRP:CZ3	1:B:200:HIS:HA	2.50	0.46
1:A:86:ASP:HB2	4:A:547:HOH:O	2.15	0.46
1:A:60:ILE:HD12	1:A:69:ASN:ND2	2.31	0.46
1:B:200:HIS:HB2	1:B:201:PRO:CD	2.46	0.45
1:B:51:TYR:HD2	1:B:182:SER:H	1.65	0.45
1:B:242:GLN:HB2	1:B:243:HIS:HD2	1.82	0.45
1:A:242:GLN:HB3	1:A:243:HIS:HD2	1.81	0.45
1:A:59:ILE:HG12	1:A:167:ILE:HD13	1.99	0.45
1:B:198:LEU:CD2	3:B:402:EDO:H12	2.43	0.45
1:A:199:THR:H	3:A:401:EDO:C1	2.30	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:TRP:CZ3	1:B:213:LYS:HA	2.52	0.44
1:B:201:PRO:HA	1:B:203:LEU:HG	1.98	0.44
1:A:103:HIS:CG	1:A:113:LYS:HD3	2.53	0.44
1:B:245:ASN:H	1:B:245:ASN:HD22	1.66	0.44
1:A:41:ASP:HB3	1:A:44:LEU:HG	1.99	0.44
1:B:13:PRO:HA	1:B:16:TRP:CD2	2.53	0.44
1:B:60[B]:ILE:HD12	1:B:67:ARG:HH12	1.82	0.44
1:B:185:LEU:HB3	1:B:186:PRO:HD2	2.00	0.43
1:A:88:TYR:CE2	1:A:124:ASN:HB2	2.54	0.43
1:A:117:GLU:HG2	1:A:119:HIS:CD2	2.54	0.43
1:A:202:PRO:HD2	1:A:203:LEU:H	1.84	0.42
1:A:34:LYS:HA	1:A:110:ASP:OD1	2.19	0.42
1:B:29:SER:HB2	1:B:197:SER:OG	2.20	0.42
1:B:199:THR:OG1	3:B:402:EDO:H21	2.20	0.42
1:A:202:PRO:HD2	1:A:203:LEU:N	2.35	0.42
1:A:31:VAL:HG11	1:A:251:LEU:CD1	2.50	0.42
1:B:88:TYR:CE2	1:B:124:ASN:HB2	2.55	0.42
1:B:60[A]:ILE:HD13	1:B:173:ARG:CZ	2.50	0.42
1:A:198:LEU:HD12	1:A:204:TYR:N	2.34	0.41
1:A:47:ILE:HG12	1:A:191:PHE:CE2	2.55	0.41
1:A:168:LYS:HD2	1:A:168:LYS:HA	1.88	0.41
1:B:185:LEU:HB3	1:B:186:PRO:CD	2.50	0.41
1:A:83:PRO:HG3	1:A:193:THR:HG21	2.02	0.41
1:B:127:LYS:HB3	1:B:128:TYR:CE2	2.56	0.41
1:B:60[A]:ILE:CG2	1:B:67:ARG:HG3	2.51	0.41
1:A:26:ASN:HA	1:A:252:LYS:HG3	2.03	0.41
1:A:122:HIS:HB2	1:A:142:ALA:HB3	2.02	0.40
1:B:72:ASP:O	1:B:89:ARG:NH1	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/260 (98%)	237 (93%)	15 (6%)	3 (1%)	16	33
1	B	256/260 (98%)	243 (95%)	10 (4%)	3 (1%)	16	33
All	All	511/520 (98%)	480 (94%)	25 (5%)	6 (1%)	16	33

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	30	PRO
1	A	202	PRO
1	B	30	PRO
1	B	102	GLU
1	A	5	TRP
1	B	202	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/225 (97%)	207 (95%)	11 (5%)	30	56
1	B	217/225 (96%)	203 (94%)	14 (6%)	21	42
All	All	435/450 (97%)	410 (94%)	25 (6%)	27	49

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LEU
1	A	87	SER
1	A	99	SER
1	A	105	SER
1	A	130	SER
1	A	156	LYS
1	A	185	LEU
1	A	193	THR
1	A	201	PRO
1	A	221	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	245	ASN
1	B	8	ASP
1	B	29	SER
1	B	50	SER
1	B	86[A]	ASP
1	B	86[B]	ASP
1	B	92	GLN
1	B	101	ASN
1	B	158	GLN
1	B	165	GLN
1	B	187	SER
1	B	201	PRO
1	B	217	SER
1	B	241	MET
1	B	245	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	158	GLN
1	A	178	ASN
1	A	245	ASN
1	B	27	ASN
1	B	69	ASN
1	B	158	GLN
1	B	178	ASN
1	B	245	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EDO	A	401	2	3,3,3	2.39	2 (66%)	2,2,2	1.68	1 (50%)
3	EDO	B	402	2	3,3,3	2.36	2 (66%)	2,2,2	1.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	401	2	-	0/1/1/1	0/0/0/0
3	EDO	B	402	2	-	0/1/1/1	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	EDO	O1-C1	2.58	1.56	1.42
3	B	402	EDO	O1-C1	2.66	1.56	1.42
3	B	402	EDO	O2-C2	2.99	1.58	1.42
3	A	401	EDO	O2-C2	3.02	1.58	1.42

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	401	EDO	O2-C2-C1	-2.16	97.48	112.23

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	EDO	3	0
3	B	402	EDO	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	257/260 (98%)	-0.54	1 (0%) 93 91	8, 21, 40, 53	0
1	B	256/260 (98%)	-0.60	0 100 100	11, 20, 33, 42	0
All	All	513/520 (98%)	-0.57	1 (0%) 95 95	8, 21, 36, 53	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	42	THR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	A	401	4/4	0.93	0.17	2.75	13,14,15,16	0
3	EDO	B	402	4/4	0.97	0.12	0.60	7,7,8,9	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ZN	B	262	1/1	0.99	0.04	-	18,18,18,18	0
2	ZN	A	261	1/1	0.99	0.05	-	16,16,16,16	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.