



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:55 AM GMT

PDB ID : 2JAS  
Title : STRUCTURE OF DEOXYADENOSINE KINASE FROM M.MYCOIDES  
WITH BOUND DATP  
Authors : Welin, M.; Wang, L.; Eriksson, S.; Eklund, H.  
Deposited on : 2006-11-30  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865




# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	206	<div><div></div><div>79%16%6%</div></div>
1	B	206	<div><div>2%</div><div>80%13%6%</div></div>
1	C	206	<div><div>%</div><div>83%9%5%</div></div>
1	D	206	<div><div>2%</div><div>83%9%7%</div></div>
1	E	206	<div><div>2%</div><div>84%9%6%</div></div>

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	206	 A horizontal bar chart showing the quality of chain F. The bar is divided into four segments: green (78%), yellow (13%), orange (6%), and grey (6%). The percentages are labeled below the bar segments.



## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9917 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DEOXYGUANOSINE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	194	Total	C	N	O	S	0	0	0
			1623	1054	256	308	5			
1	B	193	Total	C	N	O	S	0	0	0
			1614	1048	254	307	5			
1	C	195	Total	C	N	O	S	0	0	0
			1632	1060	258	309	5			
1	D	192	Total	C	N	O	S	0	0	0
			1608	1045	253	305	5			
1	E	194	Total	C	N	O	S	0	0	0
			1622	1054	255	308	5			
1	F	193	Total	C	N	O	S	0	0	0
			1616	1048	256	307	5			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	EXPRESSION TAG	UNP Q93IG4
B	0	HIS	-	EXPRESSION TAG	UNP Q93IG4
C	0	HIS	-	EXPRESSION TAG	UNP Q93IG4
D	0	HIS	-	EXPRESSION TAG	UNP Q93IG4
E	0	HIS	-	EXPRESSION TAG	UNP Q93IG4
F	0	HIS	-	EXPRESSION TAG	UNP Q93IG4

- Molecule 2 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula:  $C_{10}H_{16}N_5O_{12}P_3$ ).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
2	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
2	C	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
2	D	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
2	E	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
2	F	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		



- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total 4	O 4	0	0
4	B	2	Total 2	O 2	0	0
4	C	5	Total 5	O 5	0	0
4	D	1	Total 1	O 1	0	0
4	E	3	Total 3	O 3	0	0
4	F	1	Total 1	O 1	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: DEOXYGUANOSINE KINASE




#### • Molecule 1: DEOXYGUANOSINE KINASE



#### • Molecule 1: DEOXYGUANOSINE KINASE




#### • Molecule 1: DEOXYGUANOSINE KINASE






- Molecule 1: DEOXYGUANOSINE KINASE



- Molecule 1: DEOXYGUANOSINE KINASE





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	190.84Å 100.85Å 109.49Å 90.00° 124.58° 90.00°	Depositor
Resolution (Å)	47.00 – 2.70 47.11 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (47.00-2.70) 99.7 (47.11-2.70)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.44 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.233 , 0.274 0.233 , 0.271	Depositor DCC
$R_{free}$ test set	2373 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	49.1	Xtriage
Anisotropy	0.526	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 42.4	EDS
Estimated twinning fraction	0.018 for -h-2*k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 46929 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	9917	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, DTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/1653	0.51	0/2225
1	B	0.41	0/1644	0.52	0/2214
1	C	0.43	0/1663	0.57	0/2240
1	D	0.40	0/1638	0.54	0/2206
1	E	0.42	0/1652	0.53	0/2225
1	F	0.40	0/1647	0.54	0/2218
All	All	0.42	0/9897	0.53	0/13328

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1623	0	1633	20	0
1	B	1614	0	1620	19	0
1	C	1632	0	1638	12	0
1	D	1608	0	1615	13	0
1	E	1622	0	1631	13	0
1	F	1616	0	1616	26	0
2	A	30	0	12	2	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	30	0	12	3	0
2	C	30	0	12	1	0
2	D	30	0	12	2	0
2	E	30	0	12	1	0
2	F	30	0	12	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	4	0	0	0	0
4	B	2	0	0	0	0
4	C	5	0	0	1	0
4	D	1	0	0	0	0
4	E	3	0	0	0	0
4	F	1	0	0	0	0
All	All	9917	0	9825	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:31:GLU:HG2	1:F:61:ARG:HH12	1.11	1.09
1:E:55:ILE:HD11	1:F:55:ILE:HD11	1.42	0.99
1:A:133:VAL:HG13	1:A:183:ALA:HB3	1.64	0.77
1:C:55:ILE:HD11	1:D:55:ILE:HD11	1.69	0.74
1:A:96:VAL:HG13	1:A:100:ASP:HB2	1.70	0.74
1:F:31:GLU:HG2	1:F:61:ARG:NH1	1.96	0.73
1:E:133:VAL:HG13	1:E:183:ALA:HB3	1.71	0.72
1:A:56:TYR:HD2	1:A:57:MET:HE3	1.53	0.72
1:B:46:LEU:O	1:B:50:VAL:HG23	1.92	0.70
1:F:153:ILE:H	1:F:153:ILE:HD13	1.56	0.69
1:E:51:PHE:HE2	1:F:55:ILE:HD13	1.60	0.66
1:D:78:ARG:NH2	2:D:1201:DTP:O1A	2.29	0.65
1:E:46:LEU:O	1:E:50:VAL:HG23	1.98	0.64
1:F:43:TYR:CD2	1:F:153:ILE:HD12	2.35	0.62
1:F:78:ARG:NH2	2:F:1201:DTP:H5'1	2.15	0.61
1:F:31:GLU:CG	1:F:61:ARG:HH12	2.00	0.61

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:153:ILE:HD13	1:C:153:ILE:H	1.66	0.61
1:C:153:ILE:HD11	1:C:158:TRP:CZ2	2.37	0.60
1:D:153:ILE:HD13	1:D:153:ILE:H	1.66	0.59
1:C:133:VAL:HG13	1:C:183:ALA:HB3	1.84	0.59
1:F:69:LYS:HZ3	1:F:124:SER:N	2.01	0.58
1:B:42:TYR:CZ	2:B:1202:DTP:H2	2.39	0.57
1:B:153:ILE:HD13	1:B:153:ILE:H	1.70	0.57
1:A:46:LEU:O	1:A:50:VAL:HG23	2.04	0.57
1:A:57:MET:O	1:A:61:ARG:HG2	2.04	0.57
1:B:20:ILE:HG23	1:B:24:LEU:HD13	1.88	0.56
1:A:77:ASP:O	1:A:78:ARG:HB3	2.04	0.55
1:B:96:VAL:HG13	1:B:100:ASP:HB2	1.88	0.55
1:E:81:LEU:HA	1:E:108:TYR:OH	2.06	0.55
1:A:54:GLN:HE22	1:A:83:ASP:HB3	1.71	0.54
1:A:107:PHE:CZ	1:B:107:PHE:HZ	2.24	0.54
1:F:87:MET:HG2	1:F:104:TYR:CD2	2.43	0.54
1:E:31:GLU:HG2	1:E:61:ARG:HH12	1.72	0.54
1:F:133:VAL:HG13	1:F:183:ALA:HB3	1.89	0.53
1:F:153:ILE:CD1	1:F:153:ILE:H	2.20	0.53
1:B:135:THR:HG21	1:B:159:GLU:HG3	1.90	0.53
1:B:78:ARG:HG3	1:B:79:THR:N	2.24	0.53
1:F:78:ARG:HG3	1:F:79:THR:N	2.24	0.53
1:D:57:MET:O	1:D:61:ARG:HG2	2.08	0.53
1:B:51:PHE:HZ	1:B:100:ASP:HB3	1.75	0.52
1:D:87:MET:HG2	1:D:104:TYR:CD2	2.44	0.52
1:B:43:TYR:CD2	1:B:153:ILE:HD12	2.44	0.52
1:F:43:TYR:HD2	1:F:153:ILE:HD12	1.73	0.52
1:D:133:VAL:HG13	1:D:183:ALA:HB3	1.92	0.52
1:E:65:LEU:HD11	1:E:123:LEU:HD23	1.92	0.51
1:A:132:ARG:NH2	1:A:166:GLU:OE2	2.42	0.51
1:B:57:MET:O	1:B:61:ARG:HG2	2.10	0.51
1:A:153:ILE:HD11	1:A:158:TRP:CZ2	2.45	0.50
1:B:153:ILE:H	1:B:153:ILE:CD1	2.24	0.50
1:A:133:VAL:CG1	1:A:183:ALA:HB3	2.38	0.50
1:D:153:ILE:H	1:D:153:ILE:CD1	2.25	0.49
1:E:31:GLU:HG2	1:E:61:ARG:NH1	2.27	0.49
1:E:50:VAL:O	1:E:54:GLN:HG2	2.13	0.49
2:B:1202:DTP:H8	2:B:1202:DTP:H5'2	1.95	0.48
1:A:109:ASN:HD22	1:A:113:LEU:HD12	1.78	0.48
1:E:57:MET:O	1:E:61:ARG:HG2	2.13	0.48
1:D:42:TYR:CZ	2:D:1201:DTP:H2	2.49	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:61:ARG:HG3	1:C:80:LEU:HA	1.96	0.47
1:D:77:ASP:O	1:D:78:ARG:HB3	2.13	0.47
1:D:54:GLN:O	1:D:58:LEU:HG	2.15	0.47
1:B:54:GLN:NE2	1:B:104:TYR:OH	2.47	0.47
1:A:56:TYR:CD2	1:A:57:MET:HE3	2.41	0.47
1:C:26:TYR:CD2	1:C:73:ASN:HB3	2.49	0.47
1:B:153:ILE:HD11	1:B:158:TRP:CZ2	2.49	0.47
1:D:43:TYR:CD2	1:D:153:ILE:HD12	2.50	0.47
1:A:31:GLU:HA	1:A:64:GLN:HE22	1.80	0.47
1:C:56:TYR:HD2	1:C:57:MET:HE3	1.79	0.46
1:C:8:THR:HG22	4:C:2001:HOH:O	2.14	0.46
1:A:42:TYR:CZ	2:A:1201:DTP:H2	2.50	0.46
1:F:135:THR:HG21	1:F:159:GLU:HG3	1.97	0.46
1:A:78:ARG:HG3	1:A:79:THR:N	2.31	0.46
1:C:135:THR:HG21	1:C:159:GLU:HG3	1.97	0.46
1:F:20:ILE:HD11	1:F:194:ILE:HG21	1.98	0.46
1:F:153:ILE:HD11	1:F:158:TRP:CZ2	2.50	0.46
1:E:42:TYR:CZ	2:E:1201:DTP:H2	2.51	0.46
1:F:132:ARG:NH1	1:F:166:GLU:OE2	2.49	0.45
1:C:77:ASP:O	1:C:78:ARG:HB3	2.16	0.44
1:A:76:PHE:HE2	1:A:80:LEU:HD21	1.83	0.44
1:B:43:TYR:OH	2:B:1202:DTP:H2'1	2.18	0.44
1:F:42:TYR:CZ	2:F:1201:DTP:H2	2.53	0.43
1:F:58:LEU:O	1:F:62:SER:HB2	2.18	0.43
1:A:77:ASP:OD2	2:A:1201:DTP:O2B	2.35	0.43
1:C:31:GLU:H	1:C:31:GLU:HG3	1.64	0.43
1:C:107:PHE:CZ	1:D:107:PHE:HZ	2.35	0.43
2:C:1202:DTP:O2A	2:C:1202:DTP:O1B	2.35	0.43
1:D:153:ILE:HD13	1:D:153:ILE:N	2.32	0.43
1:A:65:LEU:O	1:A:69:LYS:HG3	2.19	0.42
1:A:65:LEU:HG	1:A:69:LYS:HE3	2.01	0.42
1:F:54:GLN:O	1:F:58:LEU:HG	2.19	0.42
1:F:107:PHE:O	1:F:111:VAL:HB	2.19	0.42
1:F:65:LEU:HB2	1:F:80:LEU:HD13	2.00	0.42
1:F:57:MET:O	1:F:61:ARG:HG3	2.20	0.41
1:F:57:MET:HE2	1:F:57:MET:HA	2.02	0.41
1:B:78:ARG:NH1	1:B:165:TYR:OH	2.54	0.41
1:B:5:ILE:HD13	1:B:17:SER:HB3	2.01	0.41
1:B:54:GLN:HG2	1:B:104:TYR:HE1	1.86	0.41
1:E:110:ASN:O	1:E:114:GLU:HG3	2.20	0.41
1:E:51:PHE:CE2	1:F:55:ILE:HD13	2.48	0.41

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:PHE:HE2	1:B:67:GLN:HG3	1.86	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	190/206 (92%)	180 (95%)	9 (5%)	1 (0%)	34	63
1	B	189/206 (92%)	176 (93%)	13 (7%)	0	100	100
1	C	191/206 (93%)	174 (91%)	16 (8%)	1 (0%)	34	63
1	D	188/206 (91%)	173 (92%)	14 (7%)	1 (0%)	34	63
1	E	190/206 (92%)	182 (96%)	7 (4%)	1 (0%)	34	63
1	F	189/206 (92%)	183 (97%)	6 (3%)	0	100	100
All	All	1137/1236 (92%)	1068 (94%)	65 (6%)	4 (0%)	39	69

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	ASN
1	D	115	ASN
1	E	78	ARG
1	C	78	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/193 (94%)	178 (98%)	3 (2%)	68	90
1	B	180/193 (93%)	173 (96%)	7 (4%)	39	70
1	C	182/193 (94%)	172 (94%)	10 (6%)	27	55
1	D	179/193 (93%)	172 (96%)	7 (4%)	39	70
1	E	181/193 (94%)	175 (97%)	6 (3%)	45	76
1	F	180/193 (93%)	170 (94%)	10 (6%)	26	54
All	All	1083/1158 (94%)	1040 (96%)	43 (4%)	38	69

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	THR
1	A	165	TYR
1	A	200	SER
1	B	31	GLU
1	B	67	GLN
1	B	76	PHE
1	B	116	LEU
1	B	153	ILE
1	B	155	GLU
1	B	165	TYR
1	C	28	ILE
1	C	31	GLU
1	C	61	ARG
1	C	109	ASN
1	C	133	VAL
1	C	147	ARG
1	C	153	ILE
1	C	165	TYR
1	C	173	VAL
1	C	187	VAL
1	D	16	ILE
1	D	50	VAL
1	D	80	LEU
1	D	126	ASP
1	D	133	VAL
1	D	153	ILE
1	D	167	GLU
1	E	31	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	E	51	PHE
1	E	80	LEU
1	E	133	VAL
1	E	171	GLN
1	E	175	ASP
1	F	31	GLU
1	F	49	THR
1	F	50	VAL
1	F	54	GLN
1	F	87	MET
1	F	106	ASP
1	F	124	SER
1	F	133	VAL
1	F	153	ILE
1	F	165	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	109	ASN
1	B	54	GLN
1	B	199	ASN
1	C	54	GLN
1	C	94	ASN
1	D	98	GLN
1	D	102	ASN
1	D	199	ASN
1	F	109	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DTP	A	1201	3	24,32,32	0.93	1 (4%)	32,50,50	2.00	5 (15%)
2	DTP	B	1202	3	24,32,32	0.95	1 (4%)	32,50,50	1.94	5 (15%)
2	DTP	C	1202	3	24,32,32	0.95	1 (4%)	32,50,50	2.05	6 (18%)
2	DTP	D	1201	3	24,32,32	0.94	1 (4%)	32,50,50	1.87	4 (12%)
2	DTP	E	1201	3	24,32,32	0.94	1 (4%)	32,50,50	1.89	4 (12%)
2	DTP	F	1201	3	24,32,32	0.93	1 (4%)	32,50,50	1.95	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTP	A	1201	3	-	0/18/34/34	0/3/3/3
2	DTP	B	1202	3	-	0/18/34/34	0/3/3/3
2	DTP	C	1202	3	-	0/18/34/34	0/3/3/3
2	DTP	D	1201	3	-	0/18/34/34	0/3/3/3
2	DTP	E	1201	3	-	0/18/34/34	0/3/3/3
2	DTP	F	1201	3	-	0/18/34/34	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	DTP	C5-C4	2.92	1.47	1.40
2	B	1202	DTP	C5-C4	3.10	1.47	1.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1201	DTP	C5-C4	3.15	1.47	1.40
2	E	1201	DTP	C5-C4	3.17	1.47	1.40
2	D	1201	DTP	C5-C4	3.18	1.47	1.40
2	C	1202	DTP	C5-C4	3.34	1.48	1.40

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1202	DTP	N3-C2-N1	-8.65	122.27	128.89
2	F	1201	DTP	N3-C2-N1	-7.98	122.78	128.89
2	E	1201	DTP	N3-C2-N1	-7.97	122.79	128.89
2	A	1201	DTP	N3-C2-N1	-7.94	122.81	128.89
2	B	1202	DTP	N3-C2-N1	-7.39	123.23	128.89
2	D	1201	DTP	N3-C2-N1	-7.24	123.35	128.89
2	D	1201	DTP	PA-O3A-PB	-4.22	120.87	132.73
2	C	1202	DTP	PA-O3A-PB	-4.01	121.48	132.73
2	F	1201	DTP	PA-O3A-PB	-3.81	122.02	132.73
2	B	1202	DTP	C4-C5-N7	-3.70	106.07	109.48
2	A	1201	DTP	PA-O3A-PB	-3.61	122.58	132.73
2	E	1201	DTP	PA-O3A-PB	-3.33	123.38	132.73
2	B	1202	DTP	PA-O3A-PB	-3.26	123.58	132.73
2	D	1201	DTP	C4-C5-N7	-2.98	106.74	109.48
2	A	1201	DTP	C4-C5-N7	-2.92	106.80	109.48
2	F	1201	DTP	C4-C5-N7	-2.91	106.80	109.48
2	C	1202	DTP	PB-O3B-PG	-2.82	123.20	132.67
2	E	1201	DTP	C4-C5-N7	-2.77	106.93	109.48
2	C	1202	DTP	C4-C5-N7	-2.77	106.93	109.48
2	A	1201	DTP	PB-O3B-PG	-2.46	124.42	132.67
2	B	1202	DTP	PB-O3B-PG	-2.13	125.54	132.67
2	E	1201	DTP	PB-O3B-PG	-2.08	125.70	132.67
2	A	1201	DTP	C1'-N9-C4	-2.05	123.67	127.16
2	D	1201	DTP	C2-N1-C6	2.02	122.38	118.77
2	F	1201	DTP	C2-N1-C6	2.09	122.50	118.77
2	B	1202	DTP	O3G-PG-O2G	2.11	115.40	107.38
2	C	1202	DTP	O3G-PG-O2G	2.20	115.75	107.38
2	C	1202	DTP	C2-N1-C6	2.23	122.75	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	DTP	2	0
2	B	1202	DTP	3	0
2	C	1202	DTP	1	0
2	D	1201	DTP	2	0
2	E	1201	DTP	1	0
2	F	1201	DTP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	194/206 (94%)	-0.21	1 (0%) 91 93	34, 39, 46, 55	0
1	B	193/206 (93%)	-0.06	4 (2%) 67 68	34, 39, 47, 54	0
1	C	195/206 (94%)	-0.24	2 (1%) 84 85	34, 39, 49, 51	0
1	D	192/206 (93%)	0.03	5 (2%) 59 59	34, 39, 46, 54	0
1	E	194/206 (94%)	0.05	5 (2%) 59 59	32, 41, 49, 54	0
1	F	193/206 (93%)	-0.12	1 (0%) 91 93	34, 39, 48, 52	0
All	All	1161/1236 (93%)	-0.09	18 (1%) 74 75	32, 39, 48, 55	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	70	ASN	4.4
1	D	80	LEU	3.7
1	D	174	TYR	3.5
1	D	116	LEU	2.7
1	E	22	LYS	2.6
1	F	72	GLU	2.5
1	D	176	PHE	2.5
1	E	25	GLY	2.5
1	A	66	LYS	2.5
1	E	145	ARG	2.4
1	B	27	GLU	2.4
1	B	1	MET	2.3
1	C	199	ASN	2.2
1	B	34	GLU	2.2
1	D	70	ASN	2.1
1	B	28	ILE	2.1
1	E	29	PHE	2.0
1	C	116	LEU	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	DTP	D	1201	30/30	0.95	0.11	-1.10	36,42,46,47	0
2	DTP	E	1201	30/30	0.97	0.11	-1.33	37,41,48,48	0
2	DTP	F	1201	30/30	0.97	0.10	-1.43	40,43,46,47	0
2	DTP	B	1202	30/30	0.96	0.10	-2.55	33,35,38,39	0
2	DTP	A	1201	30/30	0.97	0.10	-2.93	34,44,45,46	0
2	DTP	C	1202	30/30	0.98	0.09	-2.94	26,28,32,33	0
3	MG	D	1202	1/1	0.73	0.16	-	67,67,67,67	0
3	MG	B	1201	1/1	0.86	0.28	-	47,47,47,47	0
3	MG	F	1202	1/1	0.94	0.16	-	46,46,46,46	0
3	MG	C	1201	1/1	0.86	0.29	-	46,46,46,46	0
3	MG	A	1202	1/1	0.89	0.19	-	44,44,44,44	0
3	MG	E	1202	1/1	0.90	0.22	-	60,60,60,60	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.