



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 2, 2016 – 08:43 PM EDT

PDB ID : 5JFO  
Title : Structure of the M.tuberculosis enoyl-reductase InhA in complex with GSK625  
Authors : Gulten, G.; Sacchettini, J.C.  
Deposited on : 2016-04-19  
Resolution : 2.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027939  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027939


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	<div> <div style="width: 4%;"></div> <div style="width: 83%; background-color: green;"></div> <div style="width: 16%; background-color: yellow;"></div> <div style="width: 1%; background-color: red;"></div> </div> <div>83% 16% .</div>
1	B	269	<div> <div style="width: 4%;"></div> <div style="width: 77%; background-color: green;"></div> <div style="width: 22%; background-color: yellow;"></div> <div style="width: 1%; background-color: red;"></div> </div> <div>77% 22% .</div>
1	C	269	<div> <div style="width: 81%; background-color: green;"></div> <div style="width: 19%; background-color: yellow;"></div> </div> <div>81% 19%</div>
1	D	269	<div> <div style="width: 4%; background-color: red;"></div> <div style="width: 81%; background-color: green;"></div> <div style="width: 18%; background-color: yellow;"></div> </div> <div>4% 81% 18% .</div>

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8319 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	268	Total	C	N	O	S	0	0	0
			1994	1263	348	373	10			
1	B	268	Total	C	N	O	S	0	0	0
			1994	1263	348	373	10			
1	C	268	Total	C	N	O	S	0	0	0
			1994	1263	348	373	10			
1	D	268	Total	C	N	O	S	0	0	0
			1994	1263	348	373	10			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is N-{1-[(2-chloro-6-fluorophenyl)methyl]-1H-pyrazol-3-yl}-5-[(1S)-1-(3-methyl-1H-pyrazol-1-yl)ethyl]-1,3,4-thiadiazol-2-amine (three-letter code: 6KA) (formula: C<sub>18</sub>H<sub>17</sub>ClFN<sub>7</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	Cl	F	N	S	0	0
			28	18	1	1	7	1		
3	B	1	Total	C	Cl	F	N	S	0	0
			28	18	1	1	7	1		
3	C	1	Total	C	Cl	F	N	S	0	0
			28	18	1	1	7	1		
3	D	1	Total	C	Cl	F	N	S	0	0
			28	18	1	1	7	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	17	Total	O	0
			17	17	
4	B	14	Total	O	0
			14	14	

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	17	Total	O	0	0
			17	17		
4	D	7	Total	O	0	0
			7	7		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.16Å 104.24Å 190.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.69 – 2.91 47.71 – 2.91	Depositor EDS
% Data completeness (in resolution range)	97.8 (34.69-2.91) 97.8 (47.71-2.91)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.81 (at 2.91Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.197 , 0.231 0.188 , 0.219	Depositor DCC
$R_{free}$ test set	1971 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	73.5	Xtriage
Anisotropy	0.260	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 31.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8319	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6KA, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/2032	0.73	1/2758 (0.0%)
1	B	0.57	0/2032	0.73	1/2758 (0.0%)
1	C	0.54	0/2032	0.74	1/2758 (0.0%)
1	D	0.55	0/2032	0.75	1/2758 (0.0%)
All	All	0.56	0/8128	0.74	4/11032 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	250	LEU	CA-CB-CG	5.57	128.11	115.30
1	D	173	ARG	NE-CZ-NH1	-5.53	117.53	120.30
1	B	204	GLY	N-CA-C	-5.39	99.62	113.10
1	A	218	LEU	CA-CB-CG	5.12	127.07	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1994	0	2008	35	0
1	B	1994	0	2008	44	0
1	C	1994	0	2008	37	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1994	0	2008	33	0
2	A	44	0	26	1	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	1	0
3	A	28	0	0	3	0
3	B	28	0	0	2	0
3	C	28	0	0	3	0
3	D	28	0	0	1	0
4	A	17	0	0	0	0
4	B	14	0	0	0	0
4	C	17	0	0	3	0
4	D	7	0	0	0	0
All	All	8319	0	8136	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:LEU:H	1:A:32:GLN:HG3	1.29	0.95
1:C:109:PHE:HB3	1:D:132:LYS:HD2	1.63	0.81
1:A:109:PHE:HB3	1:B:132:LYS:HD2	1.65	0.79
1:D:16:ILE:HG23	1:D:17:THR:HG23	1.68	0.76
1:C:4:LEU:H	1:C:32:GLN:HG3	1.50	0.76
1:A:153:ARG:HH11	1:A:153:ARG:HG3	1.51	0.75
1:B:204:GLY:O	1:B:206:ALA:N	2.19	0.75
1:C:57:LYS:HD2	1:C:58:ALA:H	1.53	0.72
1:B:210:GLU:N	1:B:210:GLU:OE1	2.15	0.72
1:D:4:LEU:H	1:D:32:GLN:HG3	1.55	0.71
1:A:132:LYS:HD2	1:B:109:PHE:HB3	1.72	0.70
1:C:132:LYS:HD2	1:D:109:PHE:HB3	1.73	0.70
1:B:4:LEU:H	1:B:32:GLN:HG3	1.57	0.70
1:B:245:LEU:HD21	1:B:258:ILE:HD12	1.72	0.69
1:B:16:ILE:HG23	1:B:17:THR:HG23	1.75	0.67
1:B:67:ASN:HD22	1:B:70:HIS:CG	2.13	0.67
2:B:301:NAD:N7N	2:B:301:NAD:O1N	2.28	0.66
1:C:16:ILE:HG23	1:C:17:THR:HG23	1.79	0.65
1:A:4:LEU:N	1:A:32:GLN:HG3	2.09	0.64
1:D:27:ARG:NH1	1:D:31:GLU:OE2	2.27	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:301:NAD:N7N	2:D:301:NAD:O1N	2.32	0.63
1:B:178:GLU:HA	1:B:181:LYS:HE2	1.80	0.63
1:C:93:HIS:NE2	1:C:126:SER:OG	2.23	0.63
1:C:27:ARG:HH22	1:C:236:THR:HG22	1.63	0.63
1:A:93:HIS:NE2	1:A:126:SER:OG	2.23	0.63
1:C:10:ILE:HD13	1:C:246:LEU:HD13	1.81	0.62
1:B:67:ASN:HD22	1:B:70:HIS:CD2	2.17	0.62
1:D:93:HIS:NE2	1:D:126:SER:OG	2.29	0.62
1:A:16:ILE:HG23	1:A:17:THR:HG23	1.80	0.61
1:C:173:ARG:NH1	4:C:403:HOH:O	2.33	0.61
1:C:103:MET:HB3	3:C:302:6KA:C12	2.30	0.60
1:B:65:VAL:HG11	1:B:126:SER:HB2	1.82	0.60
1:C:224:GLN:O	4:C:401:HOH:O	2.17	0.59
1:A:65:VAL:HG11	1:A:126:SER:HB2	1.85	0.59
1:B:76:GLY:O	1:B:80:GLU:HG3	2.03	0.58
1:A:222:TRP:HE1	1:A:261:ASP:HB2	1.69	0.58
1:D:197:LEU:H	1:D:197:LEU:HD23	1.68	0.57
1:A:65:VAL:HG11	1:A:126:SER:CB	2.34	0.57
1:B:219:GLU:HB3	1:B:232:MET:SD	2.46	0.56
1:A:98:MET:HE2	1:A:102:GLY:HA3	1.88	0.56
1:C:44:LEU:HD11	1:C:62:GLU:HB2	1.87	0.55
1:B:78:VAL:O	1:B:82:ILE:HG12	2.06	0.55
1:C:57:LYS:HD2	1:C:58:ALA:N	2.21	0.55
1:D:97:PHE:CE2	1:D:99:PRO:HD3	2.43	0.54
1:B:65:VAL:HG11	1:B:126:SER:CB	2.37	0.54
1:B:225:ARG:HG2	1:B:269:LEU:HA	1.89	0.54
1:C:65:VAL:HG11	1:C:126:SER:HB2	1.91	0.53
1:C:209:GLU:HB3	4:C:410:HOH:O	2.08	0.53
3:D:302:6KA:N14	3:D:302:6KA:S17	2.82	0.53
1:A:153:ARG:HH11	1:A:153:ARG:CG	2.22	0.52
1:B:222:TRP:HE1	1:B:261:ASP:HB2	1.75	0.52
1:C:98:MET:O	3:C:302:6KA:N15	2.43	0.52
1:C:65:VAL:HG11	1:C:126:SER:CB	2.39	0.52
1:A:178:GLU:HA	1:A:181:LYS:HE2	1.92	0.51
1:D:28:VAL:O	1:D:32:GLN:HB2	2.10	0.51
1:B:210:GLU:CD	1:B:210:GLU:H	2.08	0.51
1:B:4:LEU:N	1:B:32:GLN:HG3	2.25	0.51
1:A:134:LEU:O	1:A:138:MET:HG3	2.11	0.51
1:D:222:TRP:HE1	1:D:261:ASP:HB2	1.75	0.50
3:A:302:6KA:N14	3:A:302:6KA:S17	2.84	0.50
1:A:98:MET:CE	1:A:116:VAL:HA	2.43	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:302:6KA:N14	3:C:302:6KA:S17	2.85	0.49
1:B:107:PRO:HG2	1:B:110:ASP:OD2	2.12	0.49
1:B:195:ARG:CZ	1:B:203:VAL:HG11	2.41	0.49
1:B:134:LEU:O	1:B:138:MET:HG3	2.11	0.49
1:B:73:SER:O	1:B:77:ARG:HG3	2.12	0.49
1:A:44:LEU:HD21	1:A:62:GLU:HB2	1.95	0.49
1:B:67:ASN:HD21	1:B:69:GLU:HB3	1.77	0.48
1:D:4:LEU:N	1:D:32:GLN:HG3	2.25	0.48
1:C:51:THR:O	1:C:54:LEU:HB2	2.14	0.48
1:D:98:MET:CE	1:D:116:VAL:HA	2.43	0.48
1:A:51:THR:O	1:A:54:LEU:HB2	2.13	0.47
1:B:79:THR:O	1:B:83:GLY:N	2.44	0.47
1:A:159:ASN:HA	1:B:174:PHE:CE1	2.49	0.47
1:C:48:GLN:NE2	1:C:52:ASP:OD1	2.46	0.47
1:C:48:GLN:HE22	1:C:57:LYS:HZ3	1.63	0.47
1:D:178:GLU:HA	1:D:181:LYS:HE2	1.97	0.47
1:A:10:ILE:HD13	1:A:246:LEU:HD13	1.97	0.47
1:C:27:ARG:NH2	1:C:236:THR:HG22	2.28	0.47
1:B:219:GLU:CD	1:B:232:MET:HE1	2.35	0.47
1:B:220:GLU:O	1:B:224:GLN:HG3	2.15	0.47
1:B:209:GLU:N	1:B:210:GLU:OE1	2.48	0.46
1:C:93:HIS:CE1	1:C:95:ILE:HB	2.50	0.46
1:A:153:ARG:CZ	1:C:153:ARG:CZ	2.93	0.46
1:C:73:SER:O	1:C:77:ARG:HG3	2.15	0.46
1:B:18:ASP:N	1:B:18:ASP:OD1	2.46	0.46
1:C:222:TRP:HE1	1:C:261:ASP:HB2	1.79	0.46
1:A:98:MET:HE1	1:A:116:VAL:HA	1.98	0.46
1:B:103:MET:HB3	3:B:302:6KA:C12	2.46	0.46
1:B:150:ASP:HA	1:B:151:PRO:HD3	1.78	0.46
1:A:219:GLU:CD	1:A:232:MET:HG2	2.36	0.46
1:B:67:ASN:ND2	1:B:70:HIS:CD2	2.84	0.45
1:A:173:ARG:HB3	1:B:154:ALA:HB2	1.96	0.45
1:B:98:MET:CE	1:B:116:VAL:HA	2.45	0.45
1:D:231:ASN:OD1	1:D:234:ASP:N	2.49	0.45
1:D:268:LEU:HD12	1:D:268:LEU:HA	1.69	0.45
1:A:174:PHE:CE1	1:B:159:ASN:HA	2.52	0.45
1:B:215:ILE:O	1:B:219:GLU:HG3	2.16	0.45
1:C:17:THR:HA	1:C:50:ILE:HD13	2.00	0.44
1:C:47:ILE:O	1:C:51:THR:HG23	2.17	0.44
1:D:148:ASP:O	1:D:190:ALA:HA	2.17	0.44
1:A:57:LYS:HE3	1:A:57:LYS:HB2	1.61	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:173:ARG:HD2	1:D:173:ARG:HH11	1.58	0.43
1:D:10:ILE:HD13	1:D:246:LEU:HD13	2.00	0.43
1:C:98:MET:CE	1:C:116:VAL:HA	2.49	0.43
1:D:51:THR:O	1:D:54:LEU:HB2	2.17	0.43
1:A:14:GLY:HA3	1:A:94:SER:O	2.18	0.43
1:C:154:ALA:HB2	1:D:173:ARG:HB3	2.00	0.43
1:B:39:THR:HA	1:B:61:LEU:O	2.18	0.43
1:C:4:LEU:N	1:C:32:GLN:HG3	2.25	0.43
1:C:266:THR:OG1	1:C:267:GLN:NE2	2.48	0.43
1:D:245:LEU:HD11	1:D:258:ILE:HD12	2.00	0.43
1:A:97:PHE:HE2	1:A:118:LYS:HD3	1.83	0.42
1:C:113:TYR:CE2	1:C:117:SER:HB2	2.54	0.42
1:A:125:TYR:CD2	1:B:113:TYR:HD1	2.37	0.42
1:A:17:THR:O	1:A:20:SER:HB2	2.20	0.42
1:C:196:THR:HG21	2:C:301:NAD:O1N	2.19	0.42
1:C:159:ASN:HA	1:D:174:PHE:CE1	2.54	0.42
1:B:204:GLY:C	1:B:206:ALA:H	2.17	0.42
1:D:245:LEU:HD21	1:D:258:ILE:HD12	2.01	0.42
1:D:78:VAL:O	1:D:82:ILE:HG12	2.19	0.42
1:B:202:ILE:HD12	1:B:203:VAL:N	2.34	0.42
1:A:103:MET:HB3	3:A:302:6KA:C12	2.49	0.42
3:B:302:6KA:S17	3:B:302:6KA:N14	2.92	0.42
1:A:66:GLN:HE22	1:A:118:LYS:HG3	1.85	0.42
1:A:98:MET:O	3:A:302:6KA:N15	2.53	0.42
1:D:50:ILE:HA	1:D:53:ARG:HH12	1.84	0.42
1:C:113:TYR:HD1	1:D:125:TYR:CD2	2.39	0.41
1:D:215:ILE:HA	1:D:215:ILE:HD13	1.89	0.41
1:A:194:ILE:O	1:A:199:MET:HG3	2.20	0.41
1:B:98:MET:HE1	1:B:116:VAL:HA	2.03	0.41
1:D:170:SER:HA	1:D:173:ARG:NH1	2.36	0.41
1:D:87:LYS:HE2	1:D:136:PRO:O	2.21	0.41
1:B:28:VAL:O	1:B:32:GLN:HB2	2.20	0.40
1:A:65:VAL:HG11	1:A:126:SER:HB3	2.02	0.40
1:C:216:GLN:O	1:C:220:GLU:HG3	2.22	0.40
1:C:74:LEU:O	1:C:78:VAL:HG23	2.21	0.40
1:D:159:ASN:O	1:D:162:THR:HB	2.21	0.40
1:D:185:ARG:NH2	1:D:245:LEU:O	2.54	0.40
1:D:25:ILE:HD13	1:D:242:VAL:HG11	2.04	0.40
1:D:53:ARG:HB2	1:D:53:ARG:CZ	2.50	0.40
2:A:301:NAD:H52A	2:A:301:NAD:H52N	2.03	0.40
1:A:70:HIS:O	1:A:74:LEU:HB2	2.21	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:185:ARG:HG2	1:B:253:THR:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/269 (99%)	257 (97%)	9 (3%)	0	100	100
1	B	266/269 (99%)	256 (96%)	9 (3%)	1 (0%)	39	74
1	C	266/269 (99%)	256 (96%)	10 (4%)	0	100	100
1	D	266/269 (99%)	256 (96%)	10 (4%)	0	100	100
All	All	1064/1076 (99%)	1025 (96%)	38 (4%)	1 (0%)	56	87

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	205	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/205 (99%)	200 (98%)	3 (2%)	72	92

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	203/205 (99%)	199 (98%)	4 (2%)	63	88
1	C	203/205 (99%)	200 (98%)	3 (2%)	72	92
1	D	203/205 (99%)	199 (98%)	4 (2%)	63	88
All	All	812/820 (99%)	798 (98%)	14 (2%)	68	91

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LYS
1	A	153	ARG
1	A	238	VAL
1	B	45	ARG
1	B	65	VAL
1	B	196	THR
1	B	222	TRP
1	C	45	ARG
1	C	68	GLU
1	C	112	PRO
1	D	65	VAL
1	D	112	PRO
1	D	197	LEU
1	D	238	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	B	67	ASN
1	C	48	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAD	A	301	-	42,48,48	1.60	3 (7%)	46,73,73	2.53	11 (23%)
3	6KA	A	302	-	26,31,31	1.82	5 (19%)	20,44,44	3.16	6 (30%)
2	NAD	B	301	-	42,48,48	1.58	3 (7%)	46,73,73	2.14	6 (13%)
3	6KA	B	302	-	26,31,31	1.91	6 (23%)	20,44,44	3.45	6 (30%)
2	NAD	C	301	-	42,48,48	1.63	3 (7%)	46,73,73	2.27	7 (15%)
3	6KA	C	302	-	26,31,31	1.99	6 (23%)	20,44,44	3.17	8 (40%)
2	NAD	D	301	-	42,48,48	1.62	3 (7%)	46,73,73	2.04	7 (15%)
3	6KA	D	302	-	26,31,31	2.05	5 (19%)	20,44,44	3.04	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	301	-	-	0/22/62/62	0/5/5/5
3	6KA	A	302	-	-	0/4/16/16	0/3/4/4
2	NAD	B	301	-	-	0/22/62/62	0/5/5/5
3	6KA	B	302	-	-	0/4/16/16	0/3/4/4
2	NAD	C	301	-	-	0/22/62/62	0/5/5/5
3	6KA	C	302	-	-	0/4/16/16	0/3/4/4
2	NAD	D	301	-	-	0/22/62/62	0/5/5/5
3	6KA	D	302	-	-	0/4/16/16	0/3/4/4

All (34) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	6KA	C13-N15	-2.39	1.34	1.38
3	B	302	6KA	N14-N10	2.06	1.39	1.37
3	D	302	6KA	C1-CL7	2.10	1.79	1.73
3	B	302	6KA	C1-CL7	2.10	1.79	1.73
3	A	302	6KA	C18-N19	2.10	1.36	1.33
3	C	302	6KA	C1-CL7	2.20	1.79	1.73
3	C	302	6KA	N14-N10	2.25	1.39	1.37
2	A	301	NAD	C2A-N1A	2.48	1.38	1.33
3	D	302	6KA	C18-N19	2.90	1.37	1.33
2	B	301	NAD	C2A-N1A	2.93	1.39	1.33
2	D	301	NAD	C2A-N1A	2.95	1.39	1.33
3	A	302	6KA	N20-N19	3.00	1.43	1.37
3	B	302	6KA	C18-N19	3.06	1.37	1.33
2	C	301	NAD	C2A-N1A	3.10	1.39	1.33
2	A	301	NAD	C2A-N3A	3.29	1.38	1.32
2	B	301	NAD	C2A-N3A	3.36	1.38	1.32
3	C	302	6KA	C18-N19	3.42	1.38	1.33
3	B	302	6KA	N20-N19	3.52	1.44	1.37
3	D	302	6KA	N20-N19	3.58	1.44	1.37
2	C	301	NAD	C2A-N3A	3.59	1.38	1.32
2	D	301	NAD	C2A-N3A	3.62	1.38	1.32
3	C	302	6KA	N20-N19	3.72	1.44	1.37
3	A	302	6KA	C1-C2	4.49	1.47	1.39
3	B	302	6KA	C1-C2	4.71	1.47	1.39
3	C	302	6KA	C1-C2	5.30	1.48	1.39
3	B	302	6KA	C2-C3	5.51	1.47	1.38
3	C	302	6KA	C2-C3	5.56	1.47	1.38
3	D	302	6KA	C1-C2	5.80	1.49	1.39
3	A	302	6KA	C2-C3	5.93	1.48	1.38
3	D	302	6KA	C2-C3	6.02	1.48	1.38
2	C	301	NAD	O7N-C7N	7.95	1.41	1.24
2	B	301	NAD	O7N-C7N	8.02	1.41	1.24
2	D	301	NAD	O7N-C7N	8.04	1.41	1.24
2	A	301	NAD	O7N-C7N	8.25	1.41	1.24

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	NAD	N3A-C2A-N1A	-11.01	120.22	128.87
2	B	301	NAD	N3A-C2A-N1A	-10.93	120.28	128.87
2	A	301	NAD	N3A-C2A-N1A	-10.55	120.58	128.87
2	D	301	NAD	N3A-C2A-N1A	-10.20	120.86	128.87
3	C	302	6KA	C2-C9-N10	-7.27	101.83	112.13

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	6KA	C2-C9-N10	-6.10	103.49	112.13
2	A	301	NAD	C4B-O4B-C1B	-5.65	103.65	109.64
3	B	302	6KA	C2-C9-N10	-5.42	104.46	112.13
2	B	301	NAD	C1B-N9A-C4A	-4.90	121.34	126.81
2	A	301	NAD	C1B-N9A-C4A	-4.13	122.20	126.81
2	C	301	NAD	C4B-O4B-C1B	-3.93	105.47	109.64
2	D	301	NAD	C4B-O4B-C1B	-3.76	105.66	109.64
3	D	302	6KA	C2-C9-N10	-3.66	106.95	112.13
2	D	301	NAD	C1B-N9A-C4A	-3.55	122.85	126.81
2	C	301	NAD	C1B-N9A-C4A	-3.20	123.23	126.81
2	A	301	NAD	O3D-C3D-C4D	-3.19	101.49	111.01
3	A	302	6KA	C4-C3-C2	-3.07	119.19	123.92
2	B	301	NAD	C4B-O4B-C1B	-2.91	106.56	109.64
3	D	302	6KA	C4-C3-C2	-2.89	119.46	123.92
3	B	302	6KA	C4-C3-C2	-2.87	119.50	123.92
3	C	302	6KA	C6-C1-C2	-2.68	118.65	122.51
3	C	302	6KA	C4-C3-C2	-2.63	119.86	123.92
2	A	301	NAD	C5B-C4B-C3B	-2.34	106.13	115.20
3	C	302	6KA	C9-C2-C3	-2.33	119.33	122.60
2	C	301	NAD	O5B-C5B-C4B	-2.28	100.87	109.09
2	B	301	NAD	O2A-PA-O3	2.11	114.30	105.27
2	D	301	NAD	O2A-PA-O3	2.12	114.34	105.27
3	B	302	6KA	C6-C1-CL7	2.19	122.96	118.40
2	A	301	NAD	C2N-C3N-C4N	2.23	120.80	118.27
2	D	301	NAD	O2N-PN-O1N	2.23	124.18	112.56
2	C	301	NAD	C3N-C7N-N7N	2.25	120.37	117.82
2	B	301	NAD	C2B-C3B-C4B	2.27	107.29	102.64
3	D	302	6KA	F8-C3-C2	2.40	119.96	117.66
2	A	301	NAD	O2A-PA-O3	2.50	115.99	105.27
2	A	301	NAD	C4D-O4D-C1D	2.56	112.36	109.64
2	C	301	NAD	O2A-PA-O3	2.58	116.31	105.27
3	C	302	6KA	C9-N10-C11	2.67	133.61	128.93
3	C	302	6KA	F8-C3-C2	2.71	120.27	117.66
2	A	301	NAD	C3N-C7N-N7N	2.83	121.02	117.82
2	B	301	NAD	O4D-C1D-N1N	2.84	111.17	108.10
2	D	301	NAD	N6A-C6A-N1A	3.00	123.55	118.52
2	D	301	NAD	O4B-C1B-N9A	3.09	113.94	108.11
3	B	302	6KA	C9-N10-C11	3.66	135.35	128.93
3	D	302	6KA	C9-N10-C11	4.04	136.01	128.93
3	A	302	6KA	C9-N10-C11	4.22	136.33	128.93
3	A	302	6KA	F8-C3-C2	4.27	121.76	117.66
2	A	301	NAD	O4D-C1D-N1N	4.63	113.10	108.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	6KA	C28-C25-N24	4.95	130.58	120.08
2	A	301	NAD	O4B-C1B-N9A	5.06	117.67	108.11
3	A	302	6KA	C28-C25-N24	5.47	131.68	120.08
2	C	301	NAD	O4D-C1D-N1N	5.74	114.30	108.10
3	D	302	6KA	C28-C25-N24	5.81	132.40	120.08
3	C	302	6KA	C28-C25-N24	6.27	133.38	120.08
3	C	302	6KA	C27-N23-C21	7.75	132.49	125.49
3	A	302	6KA	C27-N23-C21	8.44	133.11	125.49
3	D	302	6KA	C27-N23-C21	9.49	134.05	125.49
3	B	302	6KA	C27-N23-C21	11.76	136.11	125.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	NAD	1	0
3	A	302	6KA	3	0
2	B	301	NAD	1	0
3	B	302	6KA	2	0
2	C	301	NAD	1	0
3	C	302	6KA	3	0
2	D	301	NAD	1	0
3	D	302	6KA	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	268/269 (99%)	-0.04	3 (1%) 82 80	49, 71, 98, 129	0
1	B	268/269 (99%)	-0.02	3 (1%) 82 80	48, 70, 101, 130	0
1	C	268/269 (99%)	-0.10	1 (0%) 93 92	47, 72, 99, 128	0
1	D	268/269 (99%)	0.08	10 (3%) 45 38	50, 74, 102, 128	0
All	All	1072/1076 (99%)	-0.02	17 (1%) 74 72	47, 72, 101, 130	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	205	GLY	3.5
1	D	36	LEU	3.3
1	D	197	LEU	3.2
1	D	60	LEU	3.1
1	D	204	GLY	3.0
1	B	198	ALA	2.7
1	D	54	LEU	2.5
1	A	61	LEU	2.5
1	C	60	LEU	2.5
1	D	203	VAL	2.3
1	D	16	ILE	2.3
1	D	2	THR	2.3
1	B	197	LEU	2.3
1	D	56	ALA	2.2
1	A	74	LEU	2.2
1	A	2	THR	2.2
1	D	4	LEU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	6KA	B	302	28/28	0.96	0.21	0.02	51,78,99,109	0
3	6KA	D	302	28/28	0.91	0.20	-0.15	82,97,116,117	0
3	6KA	A	302	28/28	0.97	0.18	-0.39	44,67,78,92	0
3	6KA	C	302	28/28	0.97	0.16	-0.45	53,71,87,100	0
2	NAD	D	301	44/44	0.94	0.15	-0.71	61,90,106,122	0
2	NAD	B	301	44/44	0.96	0.13	-0.82	49,74,87,95	0
2	NAD	C	301	44/44	0.97	0.14	-0.83	50,66,81,84	0
2	NAD	A	301	44/44	0.96	0.14	-0.99	44,61,71,83	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.