



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 08:51 PM BST

PDB ID : 2JGX
Title : STRUCTURE OF CCP MODULE 7 OF COMPLEMENT FACTOR H - THE
AMD NOT AT RISK VARIANT (402Y)
Authors : Herbert, A.P.; Deakin, J.A.; Schmidt, C.Q.; Blaum, B.S.; Egan, C.; Ferreira,
V.P.; Pangburn, M.K.; Lyon, M.; Uhrin, D.; Barlow, P.N.
Deposited on : 2007-02-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 90%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	61	 72% 25% •

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:387-A:445 (59)	0.37	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 1 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
Single-model clusters	3

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 972 atoms, of which 481 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called COMPLEMENT FACTOR H.

Mol	Chain	Residues	Atoms						Trace
1	A	61	Total	C	H	N	O	S	0
			972	312	481	88	86	5	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	402	TYR	HIS	ENGINEERED MUTATION	UNP P08603

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: COMPLEMENT FACTOR H




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: COMPLEMENT FACTOR H




4.2.2 Score per residue for model 2

- Molecule 1: COMPLEMENT FACTOR H




4.2.3 Score per residue for model 3

- Molecule 1: COMPLEMENT FACTOR H




4.2.4 Score per residue for model 4

- Molecule 1: COMPLEMENT FACTOR H




4.2.5 Score per residue for model 5

- Molecule 1: COMPLEMENT FACTOR H




4.2.6 Score per residue for model 6

- Molecule 1: COMPLEMENT FACTOR H




4.2.7 Score per residue for model 7

- Molecule 1: COMPLEMENT FACTOR H




4.2.8 Score per residue for model 8

- Molecule 1: COMPLEMENT FACTOR H




4.2.9 Score per residue for model 9

- Molecule 1: COMPLEMENT FACTOR H




4.2.10 Score per residue for model 10

- Molecule 1: COMPLEMENT FACTOR H




4.2.11 Score per residue for model 11

- Molecule 1: COMPLEMENT FACTOR H




4.2.12 Score per residue for model 12

- Molecule 1: COMPLEMENT FACTOR H




4.2.13 Score per residue for model 13

- Molecule 1: COMPLEMENT FACTOR H




4.2.14 Score per residue for model 14

- Molecule 1: COMPLEMENT FACTOR H




4.2.15 Score per residue for model 15

- Molecule 1: COMPLEMENT FACTOR H




4.2.16 Score per residue for model 16

- Molecule 1: COMPLEMENT FACTOR H




4.2.17 Score per residue for model 17

- Molecule 1: COMPLEMENT FACTOR H




4.2.18 Score per residue for model 18

- Molecule 1: COMPLEMENT FACTOR H




4.2.19 Score per residue for model 19

- Molecule 1: COMPLEMENT FACTOR H



4.2.20 Score per residue for model 20

- Molecule 1: COMPLEMENT FACTOR H



5 Refinement protocol and experimental data overview

The models were refined using the following method: *ARIA 2.0*.

Of the 50 calculated structures, 20 were deposited, based on the following criterion: *LOWEST OVERALL ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS 1.1	refinement	
CCPNMR ANALYSIS	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 7421
Number of chemical shift lists	1
Total number of shifts	794
Number of shifts mapped to atoms	761
Number of unparsed shifts	0
Number of shifts with mapping errors	33
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	90%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	473	457	456	15±6
All	All	9460	9140	9120	302

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:387:ARG:HG3	1:A:408:GLN:HB3	1.11	1.19	16	2
1:A:408:GLN:HG3	1:A:432:MET:HA	0.96	1.32	11	18
1:A:420:TYR:HA	1:A:444:ARG:CB	0.93	1.93	9	1
1:A:387:ARG:HG2	1:A:408:GLN:HB3	0.90	1.44	14	1
1:A:413:ASP:CB	1:A:428:THR:HA	0.87	1.98	5	2
1:A:429:VAL:HG13	1:A:438:PRO:HD2	0.82	1.52	3	1
1:A:387:ARG:HD3	1:A:434:ASN:HA	0.80	1.52	11	1
1:A:420:TYR:HA	1:A:444:ARG:HB2	0.79	1.55	9	1
1:A:387:ARG:CG	1:A:408:GLN:HB3	0.79	2.08	14	1
1:A:387:ARG:HG3	1:A:408:GLN:CB	0.78	2.04	16	2
1:A:387:ARG:HD2	1:A:434:ASN:HB2	0.76	1.58	20	3
1:A:413:ASP:HB3	1:A:428:THR:HA	0.74	1.59	5	2
1:A:408:GLN:CG	1:A:432:MET:HA	0.74	2.13	2	8
1:A:413:ASP:H	1:A:428:THR:HG22	0.73	1.43	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:432:MET:HB2	1:A:437:SER:OG	0.73	1.84	2	16
1:A:413:ASP:HB3	1:A:427:THR:O	0.72	1.84	5	1
1:A:387:ARG:HG3	1:A:433:GLU:HG3	0.72	1.62	3	1
1:A:387:ARG:HG3	1:A:433:GLU:HA	0.70	1.62	9	1
1:A:437:SER:HB2	1:A:438:PRO:HD3	0.70	1.64	7	14
1:A:387:ARG:NH1	1:A:408:GLN:HB2	0.69	2.02	12	1
1:A:408:GLN:HG2	1:A:432:MET:HA	0.68	1.66	8	6
1:A:426:GLN:HE22	1:A:438:PRO:HB2	0.66	1.50	17	2
1:A:387:ARG:HB2	1:A:408:GLN:OE1	0.66	1.90	5	3
1:A:408:GLN:NE2	1:A:433:GLU:H	0.65	1.90	15	7
1:A:437:SER:OG	1:A:438:PRO:HD3	0.65	1.91	3	2
1:A:408:GLN:CD	1:A:433:GLU:H	0.63	1.97	13	5
1:A:413:ASP:HA	1:A:428:THR:HB	0.62	1.70	8	3
1:A:439:THR:HB	1:A:441:ARG:HD2	0.62	1.70	5	1
1:A:387:ARG:HG3	1:A:408:GLN:N	0.62	2.10	10	1
1:A:412:ILE:HA	1:A:428:THR:HG22	0.62	1.71	5	1
1:A:395:GLU:O	1:A:442:CYS:HB2	0.61	1.95	9	1
1:A:387:ARG:HH11	1:A:408:GLN:HB2	0.61	1.54	12	1
1:A:408:GLN:HG3	1:A:433:GLU:H	0.60	1.56	8	1
1:A:413:ASP:CB	1:A:428:THR:CA	0.60	2.79	5	1
1:A:419:GLY:O	1:A:444:ARG:HB3	0.60	1.96	9	1
1:A:389:CYS:O	1:A:405:LYS:HA	0.59	1.97	10	3
1:A:408:GLN:NE2	1:A:433:GLU:HA	0.59	2.12	14	1
1:A:387:ARG:HD3	1:A:434:ASN:CA	0.59	2.26	11	1
1:A:389:CYS:SG	1:A:406:PHE:HB2	0.58	2.38	19	5
1:A:413:ASP:N	1:A:428:THR:HG22	0.58	2.11	5	1
1:A:413:ASP:HB3	1:A:427:THR:C	0.58	2.19	5	1
1:A:436:TRP:HB2	1:A:440:PRO:HD3	0.58	1.74	13	5
1:A:399:ASN:HA	1:A:402:TYR:HD2	0.58	1.58	18	1
1:A:399:ASN:HA	1:A:402:TYR:CD2	0.58	2.33	18	1
1:A:429:VAL:HG13	1:A:438:PRO:CD	0.57	2.27	3	1
1:A:387:ARG:HD3	1:A:408:GLN:HB2	0.57	1.74	12	1
1:A:432:MET:SD	1:A:437:SER:HA	0.57	2.40	3	1
1:A:429:VAL:HG12	1:A:438:PRO:HG2	0.56	1.77	20	1
1:A:436:TRP:CB	1:A:440:PRO:HD3	0.56	2.29	13	9
1:A:387:ARG:HD3	1:A:408:GLN:CB	0.56	2.31	12	1
1:A:439:THR:HG22	1:A:441:ARG:HG3	0.56	1.77	9	3
1:A:387:ARG:HG3	1:A:408:GLN:HE21	0.56	1.61	14	1
1:A:413:ASP:HB2	1:A:429:VAL:N	0.56	2.16	5	1
1:A:413:ASP:CG	1:A:414:VAL:HG23	0.55	2.22	5	1
1:A:439:THR:HG22	1:A:441:ARG:HG2	0.55	1.77	2	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:387:ARG:HB3	1:A:434:ASN:HB2	0.55	1.79	8	1
1:A:387:ARG:HD3	1:A:434:ASN:HB2	0.54	1.80	3	1
1:A:394:LEU:HD23	1:A:399:ASN:HA	0.54	1.80	4	2
1:A:413:ASP:HB3	1:A:428:THR:CA	0.53	2.32	5	1
1:A:422:LEU:HB2	1:A:426:GLN:O	0.53	2.03	12	7
1:A:420:TYR:HA	1:A:443:ILE:O	0.52	2.03	5	2
1:A:387:ARG:HB3	1:A:408:GLN:HB2	0.52	1.81	10	1
1:A:408:GLN:HG3	1:A:433:GLU:N	0.52	2.20	8	1
1:A:444:ARG:HD2	1:A:445:VAL:H	0.51	1.65	9	1
1:A:432:MET:O	1:A:434:ASN:N	0.51	2.43	6	1
1:A:413:ASP:HB2	1:A:428:THR:HA	0.51	1.80	5	1
1:A:397:GLY:HA2	1:A:416:CYS:HA	0.51	1.83	7	7
1:A:387:ARG:HD2	1:A:408:GLN:HB3	0.50	1.83	10	1
1:A:417:HIS:ND1	1:A:418:PRO:HD2	0.50	2.20	11	1
1:A:394:LEU:HG	1:A:442:CYS:SG	0.50	2.46	18	1
1:A:408:GLN:HG3	1:A:432:MET:HG2	0.50	1.84	10	1
1:A:432:MET:HB3	1:A:433:GLU:OE1	0.50	2.06	6	1
1:A:407:VAL:O	1:A:410:LYS:HB2	0.50	2.07	4	4
1:A:388:LYS:H	1:A:434:ASN:HB2	0.50	1.67	10	1
1:A:387:ARG:HD2	1:A:388:LYS:N	0.50	2.21	11	1
1:A:437:SER:HB3	1:A:438:PRO:HD3	0.49	1.83	17	1
1:A:429:VAL:CG1	1:A:436:TRP:HB3	0.49	2.38	3	1
1:A:444:ARG:HD2	1:A:445:VAL:N	0.49	2.22	9	1
1:A:417:HIS:NE2	1:A:420:TYR:HE2	0.49	2.06	13	2
1:A:433:GLU:HG2	1:A:433:GLU:O	0.49	2.08	10	1
1:A:394:LEU:HD11	1:A:414:VAL:HG21	0.48	1.85	5	1
1:A:429:VAL:HG11	1:A:436:TRP:HB3	0.48	1.85	3	2
1:A:422:LEU:HD13	1:A:429:VAL:HG13	0.48	1.83	15	1
1:A:387:ARG:HB2	1:A:434:ASN:H	0.48	1.68	10	1
1:A:387:ARG:HG3	1:A:408:GLN:NE2	0.48	2.24	14	1
1:A:413:ASP:HB2	1:A:429:VAL:HG23	0.48	1.83	3	2
1:A:388:LYS:HD2	1:A:388:LYS:N	0.47	2.24	11	2
1:A:420:TYR:HA	1:A:444:ARG:HB3	0.47	1.80	9	1
1:A:399:ASN:HB3	1:A:402:TYR:HB2	0.47	1.85	17	1
1:A:408:GLN:CG	1:A:433:GLU:H	0.47	2.22	14	2
1:A:387:ARG:HD2	1:A:434:ASN:CB	0.47	2.36	20	4
1:A:394:LEU:CD1	1:A:414:VAL:HG21	0.47	2.40	5	1
1:A:420:TYR:CA	1:A:444:ARG:HB2	0.47	2.33	9	1
1:A:416:CYS:HB3	1:A:420:TYR:HB2	0.47	1.85	6	1
1:A:405:LYS:NZ	1:A:405:LYS:HB2	0.47	2.25	18	1
1:A:413:ASP:OD1	1:A:414:VAL:HG23	0.47	2.09	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:387:ARG:HG2	1:A:434:ASN:H	0.47	1.70	11	1
1:A:393:TYR:CE2	1:A:395:GLU:HA	0.46	2.45	7	1
1:A:399:ASN:HB2	1:A:402:TYR:CB	0.46	2.40	6	5
1:A:437:SER:HB2	1:A:438:PRO:CD	0.46	2.40	5	3
1:A:387:ARG:HD3	1:A:387:ARG:N	0.46	2.26	10	1
1:A:387:ARG:HD2	1:A:433:GLU:C	0.46	2.31	15	2
1:A:419:GLY:O	1:A:444:ARG:HA	0.45	2.11	8	1
1:A:396:ASN:H	1:A:396:ASN:ND2	0.45	2.09	15	1
1:A:429:VAL:HG13	1:A:438:PRO:HG2	0.45	1.88	11	3
1:A:430:THR:HB	1:A:437:SER:HB2	0.45	1.88	4	3
1:A:387:ARG:CZ	1:A:408:GLN:H	0.45	2.25	12	1
1:A:389:CYS:HA	1:A:434:ASN:HA	0.45	1.88	4	2
1:A:413:ASP:HB2	1:A:429:VAL:H	0.45	1.72	5	1
1:A:426:GLN:HE22	1:A:438:PRO:CB	0.45	2.22	17	1
1:A:420:TYR:HB3	1:A:442:CYS:HB3	0.45	1.89	8	2
1:A:422:LEU:HD21	1:A:440:PRO:HA	0.45	1.87	6	1
1:A:413:ASP:N	1:A:428:THR:HA	0.45	2.26	5	1
1:A:390:TYR:CZ	1:A:403:GLY:HA2	0.45	2.46	17	1
1:A:429:VAL:HG11	1:A:440:PRO:HG3	0.45	1.88	16	1
1:A:387:ARG:CD	1:A:408:GLN:H	0.45	2.25	10	1
1:A:388:LYS:HA	1:A:406:PHE:O	0.45	2.12	16	2
1:A:413:ASP:HA	1:A:428:THR:CB	0.45	2.41	19	3
1:A:408:GLN:HA	1:A:431:CYS:SG	0.45	2.52	5	1
1:A:387:ARG:O	1:A:388:LYS:HB2	0.44	2.11	6	1
1:A:429:VAL:HG12	1:A:438:PRO:CG	0.44	2.41	20	1
1:A:422:LEU:CD2	1:A:440:PRO:HA	0.44	2.41	20	1
1:A:413:ASP:CA	1:A:428:THR:HB	0.44	2.42	8	1
1:A:387:ARG:O	1:A:407:VAL:HA	0.44	2.13	9	1
1:A:388:LYS:N	1:A:388:LYS:HD3	0.44	2.27	2	1
1:A:389:CYS:HA	1:A:434:ASN:OD1	0.44	2.13	10	1
1:A:395:GLU:H	1:A:395:GLU:CD	0.44	2.17	10	1
1:A:408:GLN:HA	1:A:431:CYS:O	0.43	2.13	10	1
1:A:393:TYR:N	1:A:402:TYR:CE1	0.43	2.86	18	1
1:A:413:ASP:CG	1:A:414:VAL:N	0.43	2.72	5	1
1:A:426:GLN:NE2	1:A:438:PRO:HB2	0.43	2.29	16	1
1:A:401:ASN:ND2	1:A:412:ILE:HD12	0.43	2.29	16	1
1:A:433:GLU:O	1:A:434:ASN:HB3	0.42	2.13	14	2
1:A:408:GLN:NE2	1:A:433:GLU:CA	0.42	2.81	14	1
1:A:417:HIS:CG	1:A:418:PRO:HD2	0.42	2.48	11	1
1:A:396:ASN:O	1:A:417:HIS:HD2	0.42	1.97	14	1
1:A:430:THR:HB	1:A:437:SER:OG	0.42	2.14	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:422:LEU:N	1:A:422:LEU:HD22	0.42	2.29	9	1
1:A:389:CYS:SG	1:A:434:ASN:HA	0.42	2.55	12	1
1:A:395:GLU:HG2	1:A:442:CYS:HB2	0.42	1.89	6	1
1:A:429:VAL:HA	1:A:438:PRO:CG	0.42	2.45	16	1
1:A:408:GLN:CD	1:A:433:GLU:N	0.42	2.73	5	1
1:A:391:PHE:HE1	1:A:394:LEU:HD21	0.42	1.75	4	1
1:A:422:LEU:HD23	1:A:441:ARG:O	0.41	2.15	17	1
1:A:387:ARG:O	1:A:434:ASN:HA	0.41	2.15	6	1
1:A:387:ARG:HD2	1:A:434:ASN:HB3	0.41	1.93	19	1
1:A:417:HIS:NE2	1:A:420:TYR:CE2	0.41	2.88	6	1
1:A:387:ARG:HD2	1:A:408:GLN:CB	0.41	2.45	10	1
1:A:387:ARG:H	1:A:387:ARG:NE	0.41	2.13	12	1
1:A:387:ARG:CG	1:A:434:ASN:H	0.41	2.29	11	1
1:A:394:LEU:HD11	1:A:440:PRO:HB2	0.41	1.92	3	1
1:A:399:ASN:HB2	1:A:402:TYR:HB2	0.41	1.93	15	1
1:A:391:PHE:CE2	1:A:394:LEU:HD21	0.40	2.51	7	1
1:A:414:VAL:HB	1:A:422:LEU:HD11	0.40	1.93	17	2
1:A:413:ASP:HB2	1:A:428:THR:CA	0.40	2.43	5	1
1:A:387:ARG:CG	1:A:408:GLN:H	0.40	2.29	6	1
1:A:387:ARG:HB2	1:A:434:ASN:N	0.40	2.31	10	1
1:A:394:LEU:HD23	1:A:415:ALA:O	0.40	2.14	3	1
1:A:389:CYS:SG	1:A:435:GLY:O	0.40	2.80	16	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	59/61 (97%)	49±2 (83±4%)	7±2 (12±3%)	3±1 (5±2%)	5	28
All	All	1180/1220 (97%)	981 (83%)	143 (12%)	56 (5%)	5	28

All 14 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	439	THR	20
1	A	436	TRP	15
1	A	433	GLU	4
1	A	395	GLU	3
1	A	394	LEU	2
1	A	387	ARG	2
1	A	418	PRO	2
1	A	412	ILE	2
1	A	440	PRO	1
1	A	444	ARG	1
1	A	415	ALA	1
1	A	392	PRO	1
1	A	393	TYR	1
1	A	414	VAL	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	51/53 (96%)	48±1 (95±3%)	3±1 (5±3%)	31 76
All	All	1020/1060 (96%)	964 (95%)	56 (5%)	31 76

All 19 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	428	THR	15
1	A	388	LYS	8
1	A	387	ARG	5
1	A	412	ILE	5
1	A	396	ASN	3
1	A	433	GLU	3
1	A	416	CYS	2
1	A	394	LEU	2
1	A	432	MET	2
1	A	408	GLN	2
1	A	441	ARG	1
1	A	399	ASN	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	400	GLN	1
1	A	444	ARG	1
1	A	402	TYR	1
1	A	434	ASN	1
1	A	393	TYR	1
1	A	395	GLU	1
1	A	414	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 90% for the well-defined parts and 90% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 7421

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	794
Number of shifts mapped to atoms	761
Number of unparsed shifts	0
Number of shifts with mapping errors	33
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 33 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	3	ALA	HB1	1.383	0.002	1
A	3	ALA	HB2	1.383	0.002	1
A	1	GLU	CG	35.541	0.015	1
A	2	ALA	HA	4.313	0.005	1
A	2	ALA	HB1	1.384	0.002	1
A	3	ALA	CB	19.126	0.052	1
A	3	ALA	N	124.325	0.016	1
A	2	ALA	H	8.755	0.003	1
A	1	GLU	HA	4.01	0.004	1
A	1	GLU	CB	30.327	0.059	1
A	3	ALA	H	8.493	0.003	1
A	2	ALA	CB	19.065	0.037	1
A	3	ALA	HA	4.235	0.004	1
A	1	GLU	HG3	2.343	0.001	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	1	GLU	HB2	2.08	0.0	1
A	1	GLU	HG2	2.343	0.001	1
A	4	GLY	N	107.394	0.015	1
A	2	ALA	HB3	1.384	0.002	1
A	2	ALA	CA	52.516	0.026	1
A	4	GLY	HA2	3.906	0.008	2
A	3	ALA	HB3	1.383	0.002	1
A	1	GLU	HB3	2.08	0.0	1
A	4	GLY	C	174.049	0.001	1
A	4	GLY	H	8.376	0.003	1
A	2	ALA	HB2	1.384	0.002	1
A	3	ALA	CA	52.963	0.062	1
A	2	ALA	C	177.24	0.0	1
A	1	GLU	C	172.379	0.002	1
A	1	GLU	CA	55.479	0.021	1
A	4	GLY	HA3	3.878	0.01	2
A	4	GLY	CA	45.317	0.011	1
A	2	ALA	N	126.639	0.031	1
A	3	ALA	C	178.478	0.001	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	64	0.12 ± 0.21	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	58	0.03 ± 0.16	None needed (< 0.5 ppm)
$^{13}\text{C}'$	56	0.17 ± 0.34	None needed (< 0.5 ppm)
^{15}N	56	-0.35 ± 0.44	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 90%, i.e. 666 atoms were assigned a chemical shift out of a possible 743. 0 out of 6 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	269/285 (94%)	109/113 (96%)	109/118 (92%)	51/54 (94%)
Sidechain	327/380 (86%)	205/228 (90%)	111/129 (86%)	11/23 (48%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	70/78 (90%)	36/40 (90%)	33/35 (94%)	1/3 (33%)
Overall	666/743 (90%)	350/381 (92%)	253/282 (90%)	63/80 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 90%, i.e. 696 atoms were assigned a chemical shift out of a possible 775. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	278/295 (94%)	113/117 (97%)	112/122 (92%)	53/56 (95%)
Sidechain	348/402 (87%)	218/241 (90%)	119/137 (87%)	11/24 (46%)
Aromatic	70/78 (90%)	36/40 (90%)	33/35 (94%)	1/3 (33%)
Overall	696/775 (90%)	367/398 (92%)	264/294 (90%)	65/83 (78%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	392	PRO	HD2	1.54	5.45 – 1.85	-5.9

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

