



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:59 AM GMT

PDB ID : 2JHV
Title : CRYSTAL STRUCTURE OF RHOGDI E154A,E155A MUTANT
Authors : Cooper, D.R.; Pinkowska, M.; Derewenda, Z.S.
Deposited on : 2007-02-23
Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1799 (2.08-2.04)
Clashscore	102246	1910 (2.08-2.04)
Ramachandran outliers	100387	1893 (2.08-2.04)
Sidechain outliers	100360	1893 (2.08-2.04)
RSRZ outliers	91569	1802 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	138	<div> <div></div> <div>73% 22% .</div> </div>
1	B	138	<div> <div></div> <div>73% 22% . .</div> </div>
1	C	138	<div> <div></div> <div>80% 14% 5% .</div> </div>
1	D	138	<div> <div></div> <div>68% 22% 8% .</div> </div>
1	E	138	<div> <div></div> <div>67% 23% 7% .</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	138	<div><div><div>%</div><div><div></div></div><div>64%</div><div>28%</div><div>5%</div><div>•</div></div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RHO GDP-DISSOCIATION INHIBITOR 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			
1	B	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			
1	C	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			
1	D	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			
1	E	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			
1	F	138	Total	C	N	O	S	0	0	0
			1102	707	184	206	5			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
A	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565
B	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
B	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565
C	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
C	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565
D	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
D	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565
E	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
E	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565
F	154	ALA	GLU	ENGINEERED MUTATION	UNP P52565
F	155	ALA	GLU	ENGINEERED MUTATION	UNP P52565


- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	91	Total 91	O 91	0	0
2	B	87	Total 87	O 87	0	0
2	C	93	Total 93	O 93	0	0
2	D	84	Total 84	O 84	0	0
2	E	86	Total 86	O 86	0	0
2	F	92	Total 92	O 92	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1





• Molecule 1: RHO GDP-DISSOCIATION INHIBITOR 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	131.69Å 130.89Å 92.82Å 90.00° 90.94° 90.00°	Depositor
Resolution (Å)	92.85 – 2.07 30.98 – 2.07	Depositor EDS
% Data completeness (in resolution range)	90.0 (92.85-2.07) 89.8 (30.98-2.07)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.45 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.211 , 0.257 0.214 , 0.257	Depositor DCC
R_{free} test set	1373 reflections (1.63%)	DCC
Wilson B-factor (Å ²)	31.8	Xtriage
Anisotropy	0.343	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 27.6	EDS
Estimated twinning fraction	0.011 for k,h,-l 0.014 for -k,-h,-l 0.013 for -1/2*h-1/2*k+l,1/2*h+1/2*k+l,-1/2*h+1/2*k 0.010 for -1/2*h-1/2*k-l,1/2*h+1/2*k-l,1/2*h-1/2*k 0.010 for -1/2*h+1/2*k-l,-1/2*h+1/2*k+l,1/2*h+1/2*k 0.007 for -1/2*h+1/2*k+l,-1/2*h+1/2*k-l,-1/2*h-1/2*k 0.408 for -1/2*h+1/2*k+l,1/2*h-1/2*k+l,1/2*h+1/2*k 0.417 for -1/2*h-1/2*k+l,-1/2*h-1/2*k-l,1/2*h-1/2*k 0.006 for -1/2*h-1/2*k-l,-1/2*h-1/2*k+l,-1/2*h+1/2*k 0.015 for -1/2*h+1/2*k-l,1/2*h-1/2*k-l,-1/2*h-1/2*k 0.019 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 85752 reflections (0.001%)	Xtriage
F_o , F_c correlation	0.95	EDS
Total number of atoms	7145	wwPDB-VP

Continued on next page...

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

Continued from previous page...

Property	Value	Source
Average B, all atoms (\AA^2)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.92% of the height of the origin peak. No significant pseudotranslation is detected.*

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.63	16/1127 (1.4%)	1.35	14/1522 (0.9%)
1	B	1.69	13/1127 (1.2%)	1.38	10/1522 (0.7%)
1	C	1.64	14/1127 (1.2%)	1.30	8/1522 (0.5%)
1	D	1.82	24/1127 (2.1%)	1.45	14/1522 (0.9%)
1	E	1.75	21/1127 (1.9%)	1.42	15/1522 (1.0%)
1	F	1.79	22/1127 (2.0%)	1.43	11/1522 (0.7%)
All	All	1.72	110/6762 (1.6%)	1.39	72/9132 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (110) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	123	VAL	CB-CG1	-11.82	1.28	1.52
1	D	66	MET	CG-SD	11.67	2.11	1.81
1	D	163	GLU	CG-CD	10.89	1.68	1.51
1	E	66	MET	CB-CG	10.81	1.85	1.51
1	E	66	MET	CG-SD	10.53	2.08	1.81
1	D	66	MET	CB-CG	10.44	1.84	1.51
1	F	66	MET	CG-SD	10.17	2.07	1.81
1	F	117	ARG	CG-CD	9.85	1.76	1.51
1	F	163	GLU	CG-CD	9.79	1.66	1.51
1	D	193	GLU	CB-CG	9.53	1.70	1.52
1	C	138	LYS	CE-NZ	9.06	1.71	1.49
1	C	87	GLU	CG-CD	8.80	1.65	1.51
1	F	66	MET	CB-CG	8.76	1.79	1.51
1	E	163	GLU	CD-OE2	8.74	1.35	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	163	GLU	CG-CD	8.50	1.64	1.51
1	D	117	ARG	CG-CD	8.45	1.73	1.51
1	B	65	ALA	CA-CB	8.22	1.69	1.52
1	F	180	ARG	CG-CD	8.21	1.72	1.51
1	B	87	GLU	CG-CD	7.97	1.64	1.51
1	A	138	LYS	CE-NZ	7.83	1.68	1.49
1	B	138	LYS	CE-NZ	7.34	1.67	1.49
1	C	95	GLU	CG-CD	7.30	1.62	1.51
1	C	141	LYS	CD-CE	7.18	1.69	1.51
1	E	163	GLU	CG-CD	7.05	1.62	1.51
1	E	124	SER	CB-OG	-7.04	1.33	1.42
1	E	128	TYR	CD1-CE1	-6.98	1.28	1.39
1	E	164	GLU	CG-CD	6.92	1.62	1.51
1	B	144	TYR	CD1-CE1	6.90	1.49	1.39
1	D	193	GLU	CD-OE2	6.90	1.33	1.25
1	D	179	SER	CB-OG	-6.83	1.33	1.42
1	B	149	TYR	CB-CG	-6.81	1.41	1.51
1	A	87	GLU	CG-CD	6.79	1.62	1.51
1	D	95	GLU	CG-CD	6.72	1.62	1.51
1	D	162	VAL	CB-CG2	-6.71	1.38	1.52
1	D	163	GLU	CD-OE1	6.69	1.33	1.25
1	C	71	VAL	CB-CG2	6.66	1.66	1.52
1	C	180	ARG	CZ-NH1	6.57	1.41	1.33
1	D	71	VAL	CB-CG2	6.54	1.66	1.52
1	C	141	LYS	CE-NZ	6.50	1.65	1.49
1	E	162	VAL	CB-CG2	-6.50	1.39	1.52
1	E	95	GLU	CG-CD	6.43	1.61	1.51
1	E	155	ALA	CA-CB	6.41	1.66	1.52
1	E	163	GLU	CD-OE1	6.39	1.32	1.25
1	A	180	ARG	CG-CD	6.35	1.67	1.51
1	E	145	MET	CG-SD	6.17	1.97	1.81
1	C	193	GLU	CD-OE1	6.14	1.32	1.25
1	A	95	GLU	CG-CD	6.13	1.61	1.51
1	E	123	VAL	CB-CG2	-6.13	1.40	1.52
1	A	108	VAL	CB-CG1	-6.10	1.40	1.52
1	D	108	VAL	CB-CG1	6.10	1.65	1.52
1	B	180	ARG	CZ-NH1	6.02	1.40	1.33
1	C	138	LYS	CD-CE	6.00	1.66	1.51
1	F	65	ALA	C-O	5.99	1.34	1.23
1	D	123	VAL	CB-CG1	-5.94	1.40	1.52
1	D	70	VAL	CB-CG1	5.91	1.65	1.52
1	E	186	LYS	CD-CE	5.91	1.66	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	138	LYS	CE-NZ	5.90	1.63	1.49
1	B	79	CYS	CB-SG	-5.88	1.72	1.81
1	D	201	ASP	CB-CG	5.83	1.64	1.51
1	F	138	LYS	CE-NZ	5.81	1.63	1.49
1	F	117	ARG	CB-CG	5.78	1.68	1.52
1	B	87	GLU	CD-OE1	5.74	1.31	1.25
1	C	65	ALA	CA-CB	5.73	1.64	1.52
1	A	128	TYR	CD1-CE1	-5.67	1.30	1.39
1	F	163	GLU	CD-OE1	5.66	1.31	1.25
1	B	71	VAL	CB-CG2	5.62	1.64	1.52
1	E	117	ARG	CG-CD	5.60	1.66	1.51
1	A	95	GLU	CB-CG	5.55	1.62	1.52
1	F	138	LYS	CD-CE	5.55	1.65	1.51
1	B	102	PHE	CG-CD2	-5.55	1.30	1.38
1	E	65	ALA	N-CA	5.54	1.57	1.46
1	E	87	GLU	CD-OE1	5.52	1.31	1.25
1	A	164	GLU	CD-OE2	5.51	1.31	1.25
1	A	87	GLU	CD-OE2	5.49	1.31	1.25
1	A	128	TYR	CD2-CE2	-5.49	1.31	1.39
1	A	193	GLU	CB-CG	5.49	1.62	1.52
1	F	152	ARG	N-CA	-5.47	1.35	1.46
1	E	180	ARG	CG-CD	5.46	1.65	1.51
1	D	87	GLU	CD-OE1	5.45	1.31	1.25
1	F	193	GLU	CD-OE1	5.45	1.31	1.25
1	C	121	GLU	CB-CG	-5.40	1.41	1.52
1	A	180	ARG	CZ-NH1	5.38	1.40	1.33
1	F	87	GLU	CD-OE1	5.37	1.31	1.25
1	F	162	VAL	CB-CG1	-5.37	1.41	1.52
1	C	121	GLU	CG-CD	5.36	1.59	1.51
1	F	87	GLU	CG-CD	5.34	1.59	1.51
1	F	153	ALA	CA-CB	5.33	1.63	1.52
1	A	164	GLU	CG-CD	5.32	1.59	1.51
1	F	145	MET	CG-SD	5.32	1.95	1.81
1	F	121	GLU	CD-OE1	5.31	1.31	1.25
1	B	192	TRP	CB-CG	5.30	1.59	1.50
1	D	145	MET	CG-SD	5.29	1.94	1.81
1	E	138	LYS	CE-NZ	5.29	1.62	1.49
1	F	108	VAL	CB-CG1	5.27	1.64	1.52
1	D	156	TYR	CD2-CE2	5.26	1.47	1.39
1	F	186	LYS	CD-CE	5.24	1.64	1.51
1	B	128	TYR	CE1-CZ	-5.22	1.31	1.38
1	E	193	GLU	CD-OE1	5.17	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	120	ARG	CG-CD	5.16	1.64	1.51
1	B	144	TYR	CZ-OH	5.16	1.46	1.37
1	D	186	LYS	CE-NZ	5.14	1.61	1.49
1	F	156	TYR	CD1-CE1	-5.13	1.31	1.39
1	D	160	THR	N-CA	-5.13	1.36	1.46
1	A	128	TYR	CG-CD2	-5.11	1.32	1.39
1	A	178	LYS	CD-CE	5.11	1.64	1.51
1	D	200	LYS	CD-CE	5.08	1.64	1.51
1	D	152	ARG	CB-CG	-5.07	1.38	1.52
1	A	156	TYR	CG-CD1	5.04	1.45	1.39
1	E	144	TYR	CD2-CE2	-5.04	1.31	1.39
1	C	145	MET	CG-SD	5.01	1.94	1.81

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	180	ARG	NE-CZ-NH1	14.59	127.59	120.30
1	A	180	ARG	NE-CZ-NH1	13.43	127.01	120.30
1	B	180	ARG	NE-CZ-NH2	-12.77	113.92	120.30
1	C	180	ARG	NE-CZ-NH2	-12.53	114.03	120.30
1	A	180	ARG	NE-CZ-NH2	-12.25	114.17	120.30
1	D	66	MET	CB-CG-SD	11.72	147.58	112.40
1	D	172	ARG	NE-CZ-NH2	-10.61	115.00	120.30
1	E	180	ARG	NE-CZ-NH1	10.49	125.55	120.30
1	F	66	MET	CB-CG-SD	10.27	143.21	112.40
1	F	117	ARG	CG-CD-NE	-10.16	90.46	111.80
1	E	66	MET	CB-CG-SD	9.92	142.15	112.40
1	B	184	ASP	CB-CG-OD1	-9.57	109.69	118.30
1	C	180	ARG	NE-CZ-NH1	9.47	125.04	120.30
1	D	180	ARG	NE-CZ-NH1	9.16	124.88	120.30
1	E	65	ALA	N-CA-C	-9.07	86.52	111.00
1	E	66	MET	CG-SD-CE	8.67	114.07	100.20
1	D	66	MET	CG-SD-CE	8.56	113.90	100.20
1	E	120	ARG	NE-CZ-NH2	-8.50	116.05	120.30
1	F	117	ARG	NE-CZ-NH2	-8.39	116.10	120.30
1	D	172	ARG	NE-CZ-NH1	8.28	124.44	120.30
1	B	180	ARG	NE-CZ-NH1	8.25	124.43	120.30
1	F	180	ARG	NE-CZ-NH2	-8.11	116.25	120.30
1	E	120	ARG	NE-CZ-NH1	7.94	124.27	120.30
1	B	169	MET	CG-SD-CE	7.78	112.65	100.20
1	D	120	ARG	NE-CZ-NH1	7.73	124.16	120.30
1	C	141	LYS	CD-CE-NZ	7.67	129.34	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	120	ARG	NE-CZ-NH2	-7.61	116.49	120.30
1	D	134	ARG	NE-CZ-NH2	-7.37	116.61	120.30
1	F	172	ARG	NE-CZ-NH2	-7.19	116.71	120.30
1	D	66	MET	CA-CB-CG	7.18	125.51	113.30
1	E	180	ARG	NE-CZ-NH2	-7.07	116.76	120.30
1	E	66	MET	CA-CB-CG	7.00	125.19	113.30
1	C	66	MET	CB-CG-SD	-6.99	91.42	112.40
1	F	66	MET	CA-CB-CG	6.98	125.17	113.30
1	E	172	ARG	NE-CZ-NH2	-6.88	116.86	120.30
1	E	184	ASP	CB-CG-OD1	-6.79	112.19	118.30
1	B	94	LEU	CA-CB-CG	6.71	130.73	115.30
1	A	88	LEU	CA-CB-CG	6.54	130.35	115.30
1	C	66	MET	CG-SD-CE	6.42	110.48	100.20
1	A	120	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	B	89	ASP	CB-CG-OD2	6.31	123.98	118.30
1	C	169	MET	CG-SD-CE	6.21	110.14	100.20
1	A	172	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	D	180	ARG	NE-CZ-NH2	-6.11	117.25	120.30
1	C	184	ASP	CB-CG-OD1	-6.04	112.86	118.30
1	A	183	ASP	CB-CG-OD2	6.00	123.70	118.30
1	A	170	LEU	CA-CB-CG	5.96	129.00	115.30
1	E	140	ASP	CB-CG-OD2	5.88	123.59	118.30
1	C	126	MET	CG-SD-CE	-5.88	90.79	100.20
1	B	172	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	F	126	MET	CG-SD-CE	-5.72	91.05	100.20
1	A	184	ASP	CB-CG-OD1	-5.70	113.17	118.30
1	A	66	MET	CB-CG-SD	-5.59	95.62	112.40
1	B	87	GLU	CA-CB-CG	5.52	125.55	113.40
1	E	172	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	A	117	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	F	77	LEU	CA-CB-CG	5.48	127.90	115.30
1	E	169	MET	CG-SD-CE	5.39	108.82	100.20
1	D	145	MET	CG-SD-CE	5.37	108.79	100.20
1	A	172	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	A	66	MET	CA-CB-CG	5.32	122.33	113.30
1	A	184	ASP	CB-CA-C	5.31	121.02	110.40
1	B	117	ARG	CG-CD-NE	-5.31	100.65	111.80
1	D	185	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	D	122	ILE	CA-CB-CG2	5.23	121.36	110.90
1	F	184	ASP	N-CA-CB	5.22	120.00	110.60
1	D	163	GLU	CB-CA-C	5.13	120.66	110.40
1	F	75	LEU	CB-CG-CD2	5.10	119.67	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	183	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	E	122	ILE	N-CA-CB	-5.08	99.11	110.80
1	B	152	ARG	NE-CZ-NH1	-5.03	117.79	120.30
1	E	184	ASP	CB-CA-C	5.02	120.45	110.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	65	ALA	Peptide
1	B	66	MET	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1102	0	1107	17	0
1	B	1102	0	1107	22	0
1	C	1102	0	1107	14	0
1	D	1102	0	1107	30	0
1	E	1102	0	1107	33	0
1	F	1102	0	1107	39	1
2	A	91	0	0	4	0
2	B	87	0	0	4	0
2	C	93	0	0	3	0
2	D	84	0	0	6	0
2	E	86	0	0	10	1
2	F	92	0	0	10	0
All	All	7145	0	6642	154	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:117:ARG:CD	1:F:117:ARG:CG	1.76	1.60
1:F:66:MET:CB	1:F:66:MET:CG	1.79	1.59
1:A:138:LYS:NZ	1:A:138:LYS:CE	1.68	1.52
1:E:66:MET:CB	1:E:66:MET:CG	1.86	1.52
1:D:66:MET:CG	1:D:66:MET:CB	1.84	1.51
1:C:138:LYS:CE	1:C:138:LYS:NZ	1.71	1.49
1:F:66:MET:SD	1:F:66:MET:CG	2.07	1.42
1:E:66:MET:SD	1:E:66:MET:CG	2.08	1.41
1:D:66:MET:CG	1:D:66:MET:SD	2.11	1.39
1:D:65:ALA:HB1	1:D:66:MET:C	1.47	1.33
1:F:65:ALA:HB1	1:F:66:MET:C	1.62	1.19
1:F:65:ALA:HB1	1:F:66:MET:CA	1.72	1.19
1:E:65:ALA:N	2:E:2001:HOH:O	1.84	1.11
1:F:65:ALA:CB	1:F:66:MET:HA	1.84	1.07
1:F:120:ARG:NE	2:F:2035:HOH:O	1.87	1.05
1:F:65:ALA:HB1	1:F:66:MET:HA	1.39	1.02
1:E:66:MET:HB2	2:E:2002:HOH:O	1.58	1.01
1:F:65:ALA:CB	1:F:66:MET:CA	2.40	0.98
1:D:66:MET:HB2	2:D:2004:HOH:O	1.61	0.98
1:F:117:ARG:CG	1:F:117:ARG:NE	2.27	0.97
1:F:66:MET:HB2	2:F:2004:HOH:O	1.62	0.96
1:B:65:ALA:HB1	1:B:66:MET:HA	1.45	0.96
1:D:65:ALA:HB1	1:D:66:MET:CA	1.97	0.93
1:E:126:MET:CE	1:E:181:PHE:CE1	2.55	0.89
1:F:120:ARG:NH2	2:F:2035:HOH:O	2.03	0.88
1:E:67:VAL:O	1:E:120:ARG:NH2	2.07	0.87
1:A:131:HIS:HD2	2:A:2081:HOH:O	1.56	0.87
1:D:67:VAL:O	1:D:120:ARG:NH2	2.08	0.86
1:C:131:HIS:HD2	2:C:2087:HOH:O	1.58	0.85
1:D:65:ALA:CB	1:D:66:MET:CA	2.56	0.84
1:B:169:MET:HE2	1:B:170:LEU:HA	1.57	0.84
1:D:65:ALA:CB	1:D:66:MET:C	2.42	0.81
1:B:66:MET:SD	2:F:2053:HOH:O	2.38	0.81
1:E:126:MET:HE2	1:E:181:PHE:CE1	2.17	0.79
1:B:116:PHE:CE2	1:B:126:MET:HE1	2.19	0.78
1:F:65:ALA:HA	2:F:2002:HOH:O	1.84	0.77
1:F:65:ALA:O	2:F:2001:HOH:O	2.03	0.77
1:F:65:ALA:HB3	1:F:66:MET:HA	1.66	0.76
1:C:65:ALA:HB1	1:C:66:MET:HA	1.67	0.76
1:D:65:ALA:HB1	1:D:66:MET:O	1.85	0.76
1:C:112:ILE:HD13	1:C:130:GLN:HE22	1.51	0.76
1:F:202:TRP:C	2:F:2091:HOH:O	2.23	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:163:GLU:HB3	2:F:2065:HOH:O	1.87	0.74
1:E:126:MET:HE1	1:E:181:PHE:CE1	2.23	0.73
1:D:65:ALA:CB	1:D:66:MET:HA	2.18	0.73
1:D:65:ALA:HB2	2:D:2001:HOH:O	1.91	0.70
1:F:65:ALA:HB1	1:F:66:MET:O	1.92	0.69
1:F:117:ARG:CZ	1:F:117:ARG:CG	2.72	0.67
1:B:101:SER:HG	1:B:197:THR:HG1	1.37	0.67
1:F:120:ARG:CZ	2:F:2035:HOH:O	2.22	0.67
1:D:65:ALA:HB3	1:D:66:MET:HA	1.78	0.64
1:E:163:GLU:HB3	2:E:2065:HOH:O	1.98	0.64
1:C:169:MET:HE2	1:C:170:LEU:HD13	1.79	0.64
1:B:112:ILE:HD13	1:B:130:GLN:HE22	1.64	0.63
1:E:202:TRP:C	2:E:2085:HOH:O	2.37	0.62
1:B:131:HIS:HD2	2:B:2076:HOH:O	1.81	0.62
1:D:117:ARG:HD2	2:D:2037:HOH:O	2.00	0.62
1:E:66:MET:HG3	1:E:67:VAL:HG23	1.82	0.62
1:D:123:VAL:HG11	1:D:126:MET:SD	2.40	0.62
1:B:116:PHE:CE2	1:B:126:MET:CE	2.83	0.62
1:D:128:TYR:OH	1:D:130:GLN:NE2	2.24	0.61
1:B:65:ALA:CB	1:B:66:MET:HA	2.24	0.61
1:D:105:LYS:O	1:D:108:VAL:HG22	1.99	0.61
1:A:131:HIS:CE1	1:A:141:LYS:HG3	2.36	0.61
1:C:169:MET:CE	1:C:170:LEU:HD13	2.31	0.59
1:D:112:ILE:HD13	1:D:130:GLN:HE22	1.68	0.59
1:E:123:VAL:HG11	1:E:126:MET:SD	2.43	0.59
1:B:131:HIS:CE1	1:B:141:LYS:HG3	2.38	0.58
1:E:110:TYR:CZ	1:E:163:GLU:CG	2.87	0.58
1:E:126:MET:HE2	1:E:181:PHE:CZ	2.39	0.57
1:F:104:LEU:HD12	1:F:196:LEU:HD11	1.85	0.57
1:D:65:ALA:HB1	1:D:67:VAL:N	2.12	0.57
1:D:66:MET:CB	1:D:66:MET:HG2	2.22	0.56
1:D:117:ARG:CD	2:D:2037:HOH:O	2.52	0.56
1:E:169:MET:HE2	1:E:170:LEU:HD13	1.87	0.55
1:A:123:VAL:HG12	1:A:126:MET:HG3	1.88	0.55
1:A:112:ILE:HD13	1:A:130:GLN:HE22	1.71	0.55
1:E:131:HIS:CE1	1:E:141:LYS:HG3	2.42	0.54
1:F:117:ARG:CB	1:F:117:ARG:NE	2.71	0.54
1:F:104:LEU:CD1	1:F:196:LEU:HD11	2.38	0.54
1:D:145:MET:HE1	1:D:147:GLY:HA2	1.91	0.53
1:F:66:MET:CB	1:F:66:MET:HG2	2.19	0.53
1:F:110:TYR:CZ	1:F:163:GLU:HG3	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:169:MET:HE2	2:E:2071:HOH:O	2.08	0.53
1:A:126:MET:CE	1:A:149:TYR:CD2	2.92	0.53
1:B:66:MET:N	2:B:2002:HOH:O	2.40	0.52
1:B:169:MET:HE2	1:B:170:LEU:CA	2.34	0.52
1:F:66:MET:CB	1:F:66:MET:HG3	2.19	0.52
1:B:112:ILE:HD13	1:B:130:GLN:NE2	2.25	0.51
1:F:128:TYR:OH	1:F:130:GLN:NE2	2.31	0.51
1:A:180:ARG:HD3	2:A:2081:HOH:O	2.11	0.51
1:D:66:MET:CB	1:D:66:MET:HG3	2.22	0.50
1:C:116:PHE:CE2	1:C:126:MET:HE1	2.47	0.50
1:C:202:TRP:C	2:C:2093:HOH:O	2.50	0.49
1:E:169:MET:CE	1:E:170:LEU:HD13	2.42	0.49
1:F:145:MET:HE1	2:F:2054:HOH:O	2.13	0.49
1:B:202:TRP:C	2:B:2084:HOH:O	2.52	0.48
1:C:107:GLY:O	1:C:164:GLU:HG2	2.13	0.48
1:F:134:ARG:HG3	1:F:139:ILE:HD13	1.95	0.48
1:E:133:TYR:CE2	1:E:138:LYS:HB2	2.49	0.47
1:A:65:ALA:HB1	1:A:66:MET:HA	1.96	0.47
1:E:117:ARG:NH1	2:E:2032:HOH:O	2.46	0.47
1:E:110:TYR:CZ	1:E:163:GLU:HG3	2.50	0.47
1:B:180:ARG:N	1:B:180:ARG:HD3	2.30	0.47
1:E:117:ARG:HD2	2:E:2033:HOH:O	2.15	0.47
1:C:116:PHE:CE2	1:C:126:MET:CE	2.98	0.46
1:F:179:SER:C	1:F:180:ARG:HD2	2.36	0.46
1:A:120:ARG:NH2	2:A:2051:HOH:O	2.40	0.46
1:B:138:LYS:NZ	2:B:2057:HOH:O	2.48	0.46
1:B:116:PHE:HE2	1:B:126:MET:HE1	1.76	0.46
1:A:109:GLU:HA	1:A:163:GLU:O	2.16	0.46
1:F:82:ALA:HA	1:F:83:PRO:HD3	1.87	0.46
1:E:88:LEU:HD22	1:E:97:PHE:CG	2.52	0.45
1:E:163:GLU:CB	2:E:2065:HOH:O	2.61	0.45
1:D:140:ASP:OD1	1:D:142:THR:OG1	2.33	0.45
1:F:131:HIS:CE1	1:F:141:LYS:HG3	2.52	0.45
1:B:107:GLY:O	1:B:164:GLU:HG2	2.16	0.45
1:D:110:TYR:CE2	1:D:163:GLU:HG2	2.52	0.45
1:F:133:TYR:CE2	1:F:138:LYS:HB2	2.52	0.45
1:C:131:HIS:CD2	2:C:2087:HOH:O	2.47	0.44
1:A:70:VAL:CG2	1:A:123:VAL:HG21	2.47	0.44
1:A:112:ILE:HD13	1:A:130:GLN:NE2	2.32	0.44
1:C:112:ILE:HD13	1:C:130:GLN:NE2	2.26	0.44
1:B:126:MET:HB2	1:B:147:GLY:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:120:ARG:HD2	2:D:2040:HOH:O	2.18	0.43
1:E:110:TYR:CZ	1:E:163:GLU:HG2	2.52	0.43
1:C:65:ALA:HA	1:C:67:VAL:N	2.34	0.43
1:E:105:LYS:O	1:E:108:VAL:HG22	2.18	0.43
1:F:105:LYS:O	1:F:108:VAL:HG22	2.19	0.43
1:E:145:MET:HE1	1:E:147:GLY:HA2	2.01	0.43
1:F:97:PHE:HA	1:F:100:GLN:HG3	2.01	0.43
1:F:145:MET:HE1	1:F:147:GLY:HA2	2.00	0.42
1:C:65:ALA:CB	1:C:66:MET:HA	2.44	0.42
1:D:110:TYR:CZ	1:D:163:GLU:HG2	2.54	0.42
1:B:177:ILE:HG21	1:B:177:ILE:HD12	1.72	0.42
1:F:180:ARG:HD2	1:F:180:ARG:N	2.34	0.42
1:A:133:TYR:N	1:A:133:TYR:CD1	2.88	0.42
1:E:106:GLU:HB2	1:E:167:LYS:HA	2.00	0.42
1:A:127:LYS:HB3	1:A:182:THR:CG2	2.49	0.42
1:E:66:MET:HG2	1:E:66:MET:CB	2.25	0.42
1:E:126:MET:HE1	1:E:181:PHE:CD1	2.54	0.42
1:F:128:TYR:HE1	1:F:179:SER:HB3	1.85	0.42
1:A:127:LYS:HB3	1:A:182:THR:HG22	2.02	0.42
1:D:88:LEU:HD22	1:D:97:PHE:CG	2.55	0.41
1:E:145:MET:HE1	2:E:2053:HOH:O	2.19	0.41
1:E:97:PHE:HB3	1:E:100:GLN:OE1	2.20	0.41
1:D:111:ARG:HD3	1:D:160:THR:O	2.21	0.41
1:B:137:VAL:HG21	1:D:137:VAL:HG21	2.02	0.41
1:A:138:LYS:NZ	2:A:2061:HOH:O	2.53	0.41
1:B:75:LEU:C	1:B:75:LEU:HD23	2.40	0.41
1:A:176:SER:C	1:A:177:ILE:HG12	2.38	0.41
1:F:110:TYR:CZ	1:F:163:GLU:CG	3.04	0.40
1:E:169:MET:CE	2:E:2071:HOH:O	2.68	0.40
1:D:163:GLU:CB	2:D:2069:HOH:O	2.69	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:66:MET:CE	2:E:2080:HOH:O[4_555]	1.83	0.37

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	136/138 (99%)	134 (98%)	2 (2%)	0	100	100
1	B	136/138 (99%)	132 (97%)	3 (2%)	1 (1%)	26	14
1	C	136/138 (99%)	132 (97%)	3 (2%)	1 (1%)	26	14
1	D	136/138 (99%)	133 (98%)	3 (2%)	0	100	100
1	E	136/138 (99%)	131 (96%)	5 (4%)	0	100	100
1	F	136/138 (99%)	132 (97%)	4 (3%)	0	100	100
All	All	816/828 (99%)	794 (97%)	20 (2%)	2 (0%)	52	43

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	66	MET
1	B	66	MET

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/121 (100%)	116 (96%)	5 (4%)	37	29
1	B	121/121 (100%)	116 (96%)	5 (4%)	37	29
1	C	121/121 (100%)	114 (94%)	7 (6%)	25	14
1	D	121/121 (100%)	111 (92%)	10 (8%)	14	6
1	E	121/121 (100%)	109 (90%)	12 (10%)	10	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	121/121 (100%)	108 (89%)	13 (11%)	8	2
All	All	726/726 (100%)	674 (93%)	52 (7%)	18	9

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	SER
1	A	101	SER
1	A	145	MET
1	A	170	LEU
1	A	177	ILE
1	B	81	SER
1	B	145	MET
1	B	169	MET
1	B	170	LEU
1	B	177	ILE
1	C	80	SER
1	C	81	SER
1	C	101	SER
1	C	130	GLN
1	C	145	MET
1	C	170	LEU
1	C	177	ILE
1	D	66	MET
1	D	87	GLU
1	D	97	PHE
1	D	122	ILE
1	D	145	MET
1	D	157	GLU
1	D	169	MET
1	D	177	ILE
1	D	180	ARG
1	D	186	LYS
1	E	66	MET
1	E	87	GLU
1	E	95	GLU
1	E	96	SER
1	E	101	SER
1	E	122	ILE
1	E	142	THR
1	E	145	MET
1	E	157	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	163	GLU
1	E	169	MET
1	E	180	ARG
1	F	66	MET
1	F	95	GLU
1	F	99	LYS
1	F	101	SER
1	F	117	ARG
1	F	122	ILE
1	F	141	LYS
1	F	142	THR
1	F	169	MET
1	F	170	LEU
1	F	177	ILE
1	F	180	ARG
1	F	184	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	130	GLN
1	A	131	HIS
1	B	130	GLN
1	B	131	HIS
1	C	130	GLN
1	C	131	HIS
1	D	130	GLN
1	E	130	GLN
1	F	130	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	138/138 (100%)	0.16	1 (0%) 89 90	20, 32, 46, 58	0
1	B	138/138 (100%)	0.15	2 (1%) 78 80	21, 32, 43, 52	0
1	C	138/138 (100%)	0.11	1 (0%) 89 90	22, 32, 44, 56	0
1	D	138/138 (100%)	0.23	2 (1%) 78 80	23, 32, 46, 61	0
1	E	138/138 (100%)	0.15	2 (1%) 78 80	25, 33, 47, 61	0
1	F	138/138 (100%)	0.18	2 (1%) 78 80	24, 33, 47, 61	0
All	All	828/828 (100%)	0.16	10 (1%) 81 83	20, 32, 46, 61	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	65	ALA	6.6
1	C	65	ALA	6.4
1	B	65	ALA	3.9
1	D	66	MET	2.9
1	D	65	ALA	2.7
1	E	169	MET	2.3
1	F	66	MET	2.3
1	F	65	ALA	2.3
1	E	66	MET	2.2
1	B	97	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.