



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:51 PM GMT

PDB ID : 4JPO
Title : 5A resolution structure of Proteasome Assembly Chaperone Hsm3 in complex with a C-terminal fragment of Rpt1
Authors : Lovell, S.; Battaile, K.P.; Singh, R.; Roelofs, J.
Deposited on : 2013-03-19
Resolution : 5.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 5.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1119 (6.22-3.60)
Clashscore	102246	1019 (6.22-3.66)
Ramachandran outliers	100387	1158 (6.22-3.60)
Sidechain outliers	100360	1136 (6.22-3.60)
RSRZ outliers	91569	1122 (6.22-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	 4% 71% 20% • 8%
1	B	491	 4% 68% 21% • 9%
2	C	100	 % 54% 17% • 26%
2	D	100	 5% 60% 11% • 26%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8391 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA mismatch repair protein HSM3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	452	Total	C	N	O	S	0	0	0
			3629	2346	578	693	12			
1	B	447	Total	C	N	O	S	0	0	0
			3600	2327	573	688	12			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	EXPRESSION TAG	UNP P38348
A	2	PRO	-	EXPRESSION TAG	UNP P38348
A	3	LEU	-	EXPRESSION TAG	UNP P38348
A	4	THR	-	EXPRESSION TAG	UNP P38348
A	5	ARG	-	EXPRESSION TAG	UNP P38348
A	6	ARG	-	EXPRESSION TAG	UNP P38348
A	7	ALA	-	EXPRESSION TAG	UNP P38348
A	8	SER	-	EXPRESSION TAG	UNP P38348
A	9	VAL	-	EXPRESSION TAG	UNP P38348
A	10	GLY	-	EXPRESSION TAG	UNP P38348
A	11	SER	-	EXPRESSION TAG	UNP P38348
B	1	GLY	-	EXPRESSION TAG	UNP P38348
B	2	PRO	-	EXPRESSION TAG	UNP P38348
B	3	LEU	-	EXPRESSION TAG	UNP P38348
B	4	THR	-	EXPRESSION TAG	UNP P38348
B	5	ARG	-	EXPRESSION TAG	UNP P38348
B	6	ARG	-	EXPRESSION TAG	UNP P38348
B	7	ALA	-	EXPRESSION TAG	UNP P38348
B	8	SER	-	EXPRESSION TAG	UNP P38348
B	9	VAL	-	EXPRESSION TAG	UNP P38348
B	10	GLY	-	EXPRESSION TAG	UNP P38348
B	11	SER	-	EXPRESSION TAG	UNP P38348

- Molecule 2 is a protein called 26S protease regulatory subunit 7 homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	74	Total 584	C 365	N 112	O 103	S 4	0	0	0
2	D	74	Total 578	C 359	N 111	O 104	S 4	0	0	0


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	368	MET	-	EXPRESSION TAG	UNP P33299
C	369	HIS	-	EXPRESSION TAG	UNP P33299
C	370	HIS	-	EXPRESSION TAG	UNP P33299
C	371	HIS	-	EXPRESSION TAG	UNP P33299
C	372	HIS	-	EXPRESSION TAG	UNP P33299
C	373	HIS	-	EXPRESSION TAG	UNP P33299
C	374	HIS	-	EXPRESSION TAG	UNP P33299
C	375	SER	-	EXPRESSION TAG	UNP P33299
C	376	GLN	-	EXPRESSION TAG	UNP P33299
C	377	HIS	-	EXPRESSION TAG	UNP P33299
C	378	MET	-	EXPRESSION TAG	UNP P33299
D	368	MET	-	EXPRESSION TAG	UNP P33299
D	369	HIS	-	EXPRESSION TAG	UNP P33299
D	370	HIS	-	EXPRESSION TAG	UNP P33299
D	371	HIS	-	EXPRESSION TAG	UNP P33299
D	372	HIS	-	EXPRESSION TAG	UNP P33299
D	373	HIS	-	EXPRESSION TAG	UNP P33299
D	374	HIS	-	EXPRESSION TAG	UNP P33299
D	375	SER	-	EXPRESSION TAG	UNP P33299
D	376	GLN	-	EXPRESSION TAG	UNP P33299
D	377	HIS	-	EXPRESSION TAG	UNP P33299
D	378	MET	-	EXPRESSION TAG	UNP P33299


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA mismatch repair protein HSM3




- Molecule 1: DNA mismatch repair protein HSM3



- Molecule 2: 26S protease regulatory subunit 7 homolog



• Molecule 2: 26S protease regulatory subunit 7 homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	185.30Å 185.30Å 357.38Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.87 – 5.00 46.32 – 5.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (46.87-5.00) 99.9 (46.32-5.00)	Depositor EDS
R_{merge}	8.30	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.05 (at 5.10Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.253 , 0.273 0.257 , 0.268	Depositor DCC
R_{free} test set	828 reflections (5.07%)	DCC
Wilson B-factor (Å ²)	300.2	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 262.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 16355 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	8391	wwPDB-VP
Average B, all atoms (Å ²)	273.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.43	0/3693	0.62	0/5012
1	B	0.44	0/3663	0.63	0/4970
2	C	0.38	0/591	0.60	0/788
2	D	0.43	0/585	0.63	0/781
All	All	0.43	0/8532	0.63	0/11551

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3629	0	3610	49	0
1	B	3600	0	3576	55	0
2	C	584	0	610	10	0
2	D	578	0	600	7	0
All	All	8391	0	8396	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:ILE:O	1:B:41:ASN:HB2	1.62	0.97
1:B:363:TYR:N	1:B:364:SER:HA	1.93	0.81
1:A:63:LYS:HD3	1:A:102:ASP:O	1.79	0.80
1:B:63:LYS:HD3	1:B:102:ASP:O	1.83	0.78
2:C:382:LEU:HA	2:C:385:ARG:HD3	1.67	0.74
1:B:211:LEU:HD21	1:B:227:ILE:HG13	1.84	0.60
1:B:388:GLU:HA	1:B:391:LEU:HD12	1.84	0.59
1:B:416:LEU:HA	1:B:423:MET:HG3	1.84	0.59
1:A:211:LEU:HD21	1:A:227:ILE:HG13	1.85	0.58
1:A:79:TYR:HB3	1:A:82:LEU:HB3	1.86	0.58
1:B:469:GLU:HA	1:B:472:LYS:HD3	1.85	0.57
1:B:308:ARG:HG3	1:B:342:ASN:HB2	1.86	0.56
1:A:308:ARG:HG3	1:A:342:ASN:HB2	1.87	0.56
1:B:198:ARG:HE	1:B:200:GLU:HB2	1.72	0.55
1:A:63:LYS:CG	1:A:102:ASP:HB3	2.37	0.55
2:D:385:ARG:HH11	2:D:412:PRO:HA	1.73	0.54
1:B:208:ILE:HG23	1:B:251:TYR:HB2	1.88	0.54
1:A:390:VAL:HA	1:A:393:LEU:HD12	1.88	0.54
1:A:206:ARG:HG2	2:C:409:ARG:HH11	1.72	0.54
1:A:208:ILE:HG23	1:A:251:TYR:HB2	1.88	0.54
1:A:444:ARG:O	1:A:448:LEU:HG	2.08	0.53
1:A:212:THR:HG21	1:A:254:LYS:HD3	1.91	0.53
1:A:321:ASP:HA	1:A:325:LEU:HB2	1.91	0.52
1:B:63:LYS:CG	1:B:102:ASP:HB3	2.39	0.52
1:A:92:ASP:HA	1:A:129:ARG:HD2	1.92	0.51
1:B:63:LYS:N	1:B:64:PRO:CD	2.73	0.51
1:A:70:LYS:HA	1:A:73:LEU:HD12	1.93	0.51
1:B:206:ARG:HG2	2:D:409:ARG:HH11	1.74	0.51
1:A:63:LYS:N	1:A:64:PRO:CD	2.74	0.50
1:A:95:VAL:HG13	1:A:103:VAL:HG11	1.93	0.50
1:B:70:LYS:HA	1:B:73:LEU:HD12	1.93	0.50
1:B:196:LYS:HG3	1:B:230:PHE:HE1	1.77	0.50
1:B:95:VAL:HG13	1:B:103:VAL:HG11	1.94	0.50
1:B:27:LEU:HD23	1:B:65:LEU:HD21	1.94	0.49
1:B:212:THR:HG21	1:B:254:LYS:HD3	1.93	0.49
1:A:27:LEU:HD23	1:A:65:LEU:HD21	1.94	0.49
1:A:145:ILE:HA	1:A:148:ILE:HD12	1.95	0.48
1:B:64:PRO:HG2	1:B:65:LEU:H	1.79	0.48
1:B:321:ASP:HA	1:B:325:LEU:HB2	1.96	0.48
1:B:145:ILE:HA	1:B:148:ILE:HD12	1.96	0.48
1:A:64:PRO:HG2	1:A:65:LEU:H	1.79	0.47
1:B:444:ARG:O	1:B:448:LEU:HG	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:LEU:HB2	1:B:82:LEU:HD11	1.95	0.47
1:B:328:GLY:O	1:B:330:GLU:N	2.48	0.47
1:B:63:LYS:HA	1:B:66:LEU:HD12	1.96	0.47
1:B:40:ILE:O	1:B:41:ASN:CB	2.45	0.47
1:B:62:VAL:C	1:B:64:PRO:HD2	2.35	0.47
2:C:384:GLY:HA2	2:C:387:ASN:HB2	1.97	0.47
1:A:471:SER:HA	1:A:474:VAL:HG22	1.97	0.46
1:A:328:GLY:O	1:A:330:GLU:N	2.48	0.46
1:A:342:ASN:HD21	1:A:344:GLN:HB3	1.81	0.46
1:B:360:VAL:HG11	1:B:390:VAL:HG22	1.97	0.46
1:A:62:VAL:C	1:A:64:PRO:HD2	2.35	0.46
1:A:63:LYS:HA	1:A:66:LEU:HD12	1.98	0.46
2:C:405:GLU:O	2:C:409:ARG:HB2	2.16	0.46
1:B:402:VAL:HG11	1:B:426:LEU:HD13	1.98	0.46
1:A:243:LEU:HD12	2:C:444:LEU:HD11	1.98	0.46
1:A:452:LEU:HA	1:A:459:LEU:HD11	1.97	0.45
1:B:73:LEU:HB3	1:B:123:LEU:HA	1.98	0.45
1:B:71:ARG:O	1:B:75:SER:HB2	2.16	0.45
1:B:96:PRO:O	1:B:98:ALA:N	2.49	0.45
1:B:429:ASP:N	1:B:430:GLY:HA2	2.32	0.45
1:B:364:SER:C	1:B:366:GLY:H	2.20	0.45
1:A:82:LEU:HD21	1:A:87:LEU:HD22	1.98	0.45
1:B:136:PRO:HD2	1:B:139:LEU:HD13	1.98	0.45
1:A:121:ASP:HA	1:A:124:LYS:HD3	1.97	0.45
1:A:73:LEU:HB3	1:A:123:LEU:HA	1.98	0.45
1:A:343:PRO:HG3	1:A:373:ALA:HB3	1.98	0.45
1:B:420:PRO:HD2	1:B:421:LYS:HD2	1.99	0.45
1:B:121:ASP:HA	1:B:124:LYS:HD3	1.98	0.45
1:B:362:GLY:C	1:B:364:SER:HA	2.37	0.45
1:B:63:LYS:HG2	1:B:102:ASP:HB3	1.98	0.45
2:D:405:GLU:O	2:D:409:ARG:HB2	2.16	0.45
1:A:37:PRO:O	1:A:40:ILE:HB	2.17	0.44
1:B:358:PHE:HD2	1:B:381:ILE:HG21	1.82	0.44
1:A:358:PHE:HE2	1:A:381:ILE:HD13	1.82	0.44
1:A:358:PHE:HD2	1:A:381:ILE:HG21	1.83	0.44
1:B:391:LEU:HD21	1:B:421:LYS:HB3	2.00	0.44
1:B:343:PRO:HG3	1:B:373:ALA:HB3	1.98	0.44
1:B:342:ASN:HD21	1:B:344:GLN:HB3	1.82	0.44
1:B:120:ILE:HG22	1:B:122:PRO:HD2	2.00	0.44
1:A:196:LYS:HG3	1:A:230:PHE:HE1	1.83	0.44
2:C:397:SER:HB2	2:C:437:VAL:HG12	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:277:VAL:HA	1:B:280:GLN:HE21	1.83	0.44
1:A:141:ALA:CB	1:A:179:LEU:HB3	2.48	0.44
1:A:277:VAL:HA	1:A:280:GLN:HE21	1.83	0.44
2:D:397:SER:HB2	2:D:437:VAL:HG12	1.98	0.44
1:B:131:ILE:HG21	1:B:149:LEU:HD11	1.99	0.43
1:A:181:ARG:HD3	1:A:217:PHE:HB2	2.00	0.43
1:A:40:ILE:HA	1:A:43:LEU:HD23	2.00	0.43
1:B:132:GLU:HA	1:B:170:ALA:HA	2.00	0.43
2:D:412:PRO:HB2	2:D:413:ASN:H	1.65	0.43
2:C:402:ILE:HG23	2:C:404:TRP:H	1.83	0.43
2:D:402:ILE:HG23	2:D:404:TRP:H	1.83	0.43
2:C:448:ASP:HA	2:C:452:SER:HB3	1.98	0.43
1:B:181:ARG:HD3	1:B:217:PHE:HB2	2.00	0.43
1:A:247:GLU:HG2	2:C:410:LEU:HG	2.00	0.43
1:A:132:GLU:HA	1:A:170:ALA:HA	2.00	0.43
1:A:120:ILE:HG22	1:A:122:PRO:HD2	1.99	0.43
1:B:246:ILE:HG12	1:B:295:SER:HB3	2.00	0.43
1:B:452:LEU:HA	1:B:459:LEU:HD11	2.00	0.43
1:A:246:ILE:HG12	1:A:295:SER:HB3	2.01	0.43
1:B:358:PHE:HE2	1:B:381:ILE:HD13	1.82	0.43
1:A:136:PRO:HD2	1:A:139:LEU:HD13	1.99	0.43
1:A:71:ARG:O	1:A:75:SER:HB2	2.18	0.42
1:B:96:PRO:HB2	1:B:97:MET:H	1.74	0.42
1:B:41:ASN:O	1:B:82:LEU:HD23	2.19	0.42
1:A:131:ILE:HG21	1:A:149:LEU:HD11	2.00	0.42
1:B:141:ALA:CB	1:B:179:LEU:HB3	2.49	0.41
1:A:201:THR:HG21	2:C:403:ARG:HH22	1.85	0.41
1:B:297:ASN:HB3	2:D:452:SER:HB2	2.01	0.41
1:A:131:ILE:HD13	1:A:149:LEU:HD11	2.03	0.41
1:A:358:PHE:HD1	1:A:364:SER:HB2	1.86	0.41
1:A:63:LYS:HG2	1:A:102:ASP:HB3	2.03	0.40
1:A:402:VAL:HG13	1:A:415:LEU:HD21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/491 (91%)	395 (88%)	41 (9%)	12 (3%)	6	46
1	B	441/491 (90%)	395 (90%)	32 (7%)	14 (3%)	5	42
2	C	72/100 (72%)	64 (89%)	6 (8%)	2 (3%)	6	45
2	D	72/100 (72%)	63 (88%)	8 (11%)	1 (1%)	14	58
All	All	1033/1182 (87%)	917 (89%)	87 (8%)	29 (3%)	6	45

All (29) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	272	LYS
1	A	329	SER
1	B	97	MET
1	B	272	LYS
1	B	329	SER
1	B	365	ILE
1	A	64	PRO
1	A	357	TYR
1	A	440	THR
1	B	64	PRO
1	B	96	PRO
1	B	357	TYR
2	C	383	GLU
2	C	412	PRO
2	D	412	PRO
1	A	20	VAL
1	B	20	VAL
1	B	81	SER
1	B	99	ASP
1	A	438	LEU
1	B	201	THR
1	A	186	ASP
1	A	225	ASP
1	A	363	TYR
1	A	434	ALA
1	B	186	ASP
1	B	225	ASP
1	B	366	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	428	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/453 (89%)	382 (95%)	20 (5%)	30	67
1	B	400/453 (88%)	374 (94%)	26 (6%)	21	60
2	C	62/88 (70%)	56 (90%)	6 (10%)	10	42
2	D	62/88 (70%)	56 (90%)	6 (10%)	10	42
All	All	926/1082 (86%)	868 (94%)	58 (6%)	22	61

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	40	ILE
1	A	43	LEU
1	A	82	LEU
1	A	94	LEU
1	A	137	LYS
1	A	151	ASP
1	A	161	ASP
1	A	224	LYS
1	A	263	ASP
1	A	272	LYS
1	A	283	GLU
1	A	296	THR
1	A	324	SER
1	A	333	LEU
1	A	385	PHE
1	A	417	ASN
1	A	435	ILE
1	A	441	VAL
1	A	453	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	29	ASN
1	B	39	ASP
1	B	94	LEU
1	B	99	ASP
1	B	137	LYS
1	B	147	ASP
1	B	151	ASP
1	B	161	ASP
1	B	207	LEU
1	B	224	LYS
1	B	263	ASP
1	B	272	LYS
1	B	283	GLU
1	B	296	THR
1	B	333	LEU
1	B	363	TYR
1	B	365	ILE
1	B	385	PHE
1	B	403	GLU
1	B	416	LEU
1	B	417	ASN
1	B	421	LYS
1	B	426	LEU
1	B	427	ILE
1	B	438	LEU
1	B	453	ASP
2	C	399	GLU
2	C	404	TRP
2	C	410	LEU
2	C	424	THR
2	C	428	MET
2	C	448	ASP
2	D	381	ASP
2	D	385	ARG
2	D	399	GLU
2	D	404	TRP
2	D	410	LEU
2	D	448	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	280	GLN
1	A	342	ASN
1	A	344	GLN
1	A	450	ASN
1	B	280	GLN
1	B	342	ASN
1	B	344	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	452/491 (92%)	0.43	21 (4%) 36 30	273, 273, 273, 273	0
1	B	447/491 (91%)	0.42	19 (4%) 39 32	273, 273, 273, 273	0
2	C	74/100 (74%)	0.39	1 (1%) 78 70	273, 273, 273, 273	0
2	D	74/100 (74%)	0.45	5 (6%) 20 16	273, 273, 273, 273	0
All	All	1047/1182 (88%)	0.42	46 (4%) 38 31	273, 273, 273, 273	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	82	LEU	4.0
1	B	310	GLU	3.9
1	B	61	ASP	3.3
1	A	140	PHE	3.3
1	A	81	SER	3.2
1	A	344	GLN	3.2
1	B	78	SER	3.1
1	B	76	ASN	3.1
1	A	470	TYR	2.9
1	A	30	GLU	2.8
1	A	345	TYR	2.8
1	A	218	ILE	2.7
1	B	27	LEU	2.7
2	D	389	PHE	2.7
1	B	100	PHE	2.7
1	B	262	GLN	2.7
1	B	140	PHE	2.6
1	A	40	ILE	2.5
2	D	404	TRP	2.5
1	A	310	GLU	2.5
1	A	36	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	360	VAL	2.5
1	A	141	ALA	2.4
2	D	453	GLY	2.4
1	B	38	GLU	2.4
1	B	31	LEU	2.3
1	B	103	VAL	2.3
1	A	45	ARG	2.3
1	B	455	GLY	2.2
2	C	398	VAL	2.2
1	A	431	SER	2.2
1	A	37	PRO	2.2
1	A	103	VAL	2.2
1	A	31	LEU	2.2
1	B	81	SER	2.2
1	A	34	ASP	2.1
1	A	38	GLU	2.1
1	B	348	LYS	2.1
1	A	313	GLU	2.1
2	D	402	ILE	2.1
1	A	73	LEU	2.1
1	B	41	ASN	2.0
1	B	34	ASP	2.0
2	D	398	VAL	2.0
1	B	286	GLU	2.0
1	B	309	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.