



Full wwPDB NMR Structure Validation Report ⓘ

Sep 13, 2016 – 04:47 PM EDT

PDB ID : 5JTL
Title : The structure of chaperone SecB in complex with unstructured proPhoA
Authors : Huang, C.; Saio, T.; Rossi, P.; Kalodimos, C.G.
Deposited on : 2016-05-09

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027939
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 12%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	155	
1	B	155	
1	C	155	
1	D	155	
2	E	471	

2 Ensemble composition and analysis

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:12-A:85, A:98-A:131, B:11-B:132, C:11-C:86, C:97-C:133, D:10-D:134, E:290-E:292 (471)	1.01	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	3, 5, 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 20
2	1, 2, 16, 18
3	4, 9
Single-model clusters	7

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 16399 atoms, of which 8079 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Protein-export protein SecB.

Mol	Chain	Residues	Atoms						Trace
1	A	155	Total	C	H	N	O	S	0
			2367	762	1155	198	243	9	
1	B	155	Total	C	H	N	O	S	0
			2367	762	1155	198	243	9	
1	C	155	Total	C	H	N	O	S	0
			2367	762	1155	198	243	9	
1	D	155	Total	C	H	N	O	S	0
			2367	762	1155	198	243	9	

- Molecule 2 is a protein called Alkaline phosphatase.


Mol	Chain	Residues	Atoms						Trace
2	E	471	Total	C	H	N	O	S	0
			6931	2154	3459	609	696	13	

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase






4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB






- Molecule 1: Protein-export protein SecB

Chain D: 68% 12% 19%



- Molecule 2: Alkaline phosphatase


Chain E: 99%



4.2.2 Score per residue for model 2

- Molecule 1: Protein-export protein SecB


Chain A: 63% 6% 30%






• Molecule 1: Protein-export protein SecB

Chain B: 66% 13% 21%



• Molecule 1: Protein-export protein SecB

Chain C: 63% 9% 27%









• Molecule 1: Protein-export protein SecB


Chain D: 73% 7% 19%



• Molecule 2: Alkaline phosphatase


Chain E: 99%






4.2.3 Score per residue for model 3


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase






4.2.4 Score per residue for model 4


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB






• Molecule 1: Protein-export protein SecB

Chain D: 72% 9% 19%



• Molecule 2: Alkaline phosphatase


Chain E: 99%




4.2.5 Score per residue for model 5

• Molecule 1: Protein-export protein SecB


Chain A: 56% 14% 30%




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase






4.2.6 Score per residue for model 6


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase






4.2.7 Score per residue for model 7


- Molecule 1: Protein-export protein SecB

Chain A: 59% 10% 30%




- Molecule 1: Protein-export protein SecB

Chain B: 68% 10% 21%



- Molecule 1: Protein-export protein SecB

Chain C: 65% 7% 27%




- Molecule 1: Protein-export protein SecB

Chain D: 71% 9% 19%



- Molecule 2: Alkaline phosphatase

Chain E: 99%




4.2.8 Score per residue for model 8

- Molecule 1: Protein-export protein SecB


Chain A: 59% 10% 30%






• Molecule 1: Protein-export protein SecB

Chain B: 69% 9% 21%



• Molecule 1: Protein-export protein SecB

Chain C: 58% 15% 27%




• Molecule 1: Protein-export protein SecB


Chain D: 73% 8% 19%



• Molecule 2: Alkaline phosphatase

Chain E: 99%






4.2.9 Score per residue for model 9


- Molecule 1: Protein-export protein SecB

Chain A: 56% 14% 30%




- Molecule 1: Protein-export protein SecB

Chain B: 61% 17% 21%




- Molecule 1: Protein-export protein SecB

Chain C: 59% 13% 27%



- Molecule 1: Protein-export protein SecB


Chain D: 68% 12% 19%



- Molecule 2: Alkaline phosphatase

Chain E: .

99%



4.2.10 Score per residue for model 10


- Molecule 1: Protein-export protein SecB

Chain A: .

61%

6%

30%




- Molecule 1: Protein-export protein SecB

Chain B: .


65%

14%


21%




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase




4.2.11 Score per residue for model 11


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB




- Molecule 2: Alkaline phosphatase






4.2.12 Score per residue for model 12


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase


Chain E:  99%



4.2.13 Score per residue for model 13 (medoid)

- Molecule 1: Protein-export protein SecB

Chain A:  59%




- Molecule 1: Protein-export protein SecB

Chain B:  72%




- Molecule 1: Protein-export protein SecB

Chain C:  65%










- Molecule 1: Protein-export protein SecB

Chain D: 73% 8% 19%



- Molecule 2: Alkaline phosphatase


Chain E: 99%




4.2.14 Score per residue for model 14

- Molecule 1: Protein-export protein SecB



Chain A: 61% 8% 30%






• Molecule 1: Protein-export protein SecB

Chain B: 66% 12% 21%





• Molecule 1: Protein-export protein SecB

Chain C: 63% 9% 27%








• Molecule 1: Protein-export protein SecB


Chain D: 65% 15% 19%



• Molecule 2: Alkaline phosphatase


Chain E: 99%






4.2.15 Score per residue for model 15


- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB




- Molecule 1: Protein-export protein SecB



- Molecule 2: Alkaline phosphatase

Chain E: .

99%




4.2.16 Score per residue for model 16

- Molecule 1: Protein-export protein SecB

Chain A: .

67%

30%




- Molecule 1: Protein-export protein SecB

Chain B: .

66%

12%

21%




- Molecule 1: Protein-export protein SecB

Chain C: .

61%


10%

27%




• Molecule 1: Protein-export protein SecB

Chain D: 65% 15% 19%



• Molecule 2: Alkaline phosphatase


Chain E: 99%



4.2.17 Score per residue for model 17


• Molecule 1: Protein-export protein SecB

Chain A: 60% 10% 30%




• Molecule 1: Protein-export protein SecB

Chain B: 68% 10% 21%



• Molecule 1: Protein-export protein SecB

Chain C: 61% 12% 27%




• Molecule 1: Protein-export protein SecB


Chain D: 70% 10% 19%



• Molecule 2: Alkaline phosphatase

Chain E: 99%






4.2.18 Score per residue for model 18


- Molecule 1: Protein-export protein SecB

Chain A: 64% 6% 30%



- Molecule 1: Protein-export protein SecB

Chain B: 68% 10% 21%



- Molecule 1: Protein-export protein SecB

Chain C: 66% 6% 27%



- Molecule 1: Protein-export protein SecB


Chain D: 72% 8% 19%



- Molecule 2: Alkaline phosphatase

Chain E:

99%



4.2.19 Score per residue for model 19


- Molecule 1: Protein-export protein SecB

Chain A:

61%

8%

30%




- Molecule 1: Protein-export protein SecB

Chain B:


66%

12%


21%




- Molecule 1: Protein-export protein SecB



- Molecule 1: Protein-export protein SecB





- Molecule 2: Alkaline phosphatase



4.2.20 Score per residue for model 20

- Molecule 1: Protein-export protein SecB






• Molecule 1: Protein-export protein SecB

Chain B: 72% 7% 21%



• Molecule 1: Protein-export protein SecB

Chain C: 60% 13% 27%




• Molecule 1: Protein-export protein SecB

Chain D: 73% 8% 19%



• Molecule 2: Alkaline phosphatase

Chain E: 99%



Y421	M422	S423	Y424	G425	N426	S427	E428	E429	D430	S431	Q432	E433	H434	T435	G436	S437	Q438	L439	R440	Y441	A442	A443	A444	Y444	G445	P446	H447	A448	A449	N450	Y451	Y452	G453	L454	T455	D456	Q457	T458	D459	L460	F461	Y462	T463	Y464	W465	K466	A467	L468	G469	L470	K471
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	5jtl_cs.cif
Number of chemical shift lists	5
Total number of shifts	6416
Number of shifts mapped to atoms	6416
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	12%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.87±0.01	0±0/865 (0.0±0.0%)	0.64±0.01	0±0/1182 (0.0±0.0%)
1	B	0.88±0.02	0±0/969 (0.0±0.0%)	0.63±0.02	0±0/1322 (0.0±0.0%)
1	C	0.88±0.02	0±0/911 (0.0±0.0%)	0.64±0.02	0±0/1244 (0.0±0.0%)
1	D	0.87±0.02	0±0/996 (0.0±0.0%)	0.63±0.02	0±0/1359 (0.0±0.0%)
2	E	0.91±0.08	0±0/28 (0.0±0.0%)	0.65±0.14	0±0/40 (0.0±0.0%)
All	All	0.87	0/75380 (0.0%)	0.64	2/102940 (0.0%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	111	ARG	NE-CZ-NH2	-5.55	117.52	120.30	15	1
1	B	101	TYR	CA-CB-CG	5.37	123.60	113.40	8	1

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	845	830	829	5±3
1	B	947	926	924	8±2
1	C	889	870	869	6±3
1	D	973	946	944	6±2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes
2	E	26	24	24	0±0
All	All	73600	71920	71800	457

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:25:ALA:HB1	1:B:28:ALA:HB2	0.78	1.53	12	6
1:B:89:ILE:HG21	1:B:97:CYS:SG	0.67	2.29	15	1
1:A:20:ASP:HB3	1:A:79:GLN:HB2	0.66	1.66	5	7
1:A:98:LEU:HA	1:A:102:CYS:SG	0.66	2.31	1	3
1:A:16:ILE:HB	1:C:111:ARG:HH12	0.65	1.51	1	1
1:D:76:CYS:SG	1:D:114:ILE:HG12	0.65	2.31	16	8
1:B:25:ALA:CB	1:B:28:ALA:HB2	0.65	2.21	12	12
1:D:25:ALA:HB1	1:D:28:ALA:HB2	0.63	1.70	20	6
1:A:43:ASP:HB2	1:A:63:THR:HB	0.62	1.72	7	4
1:B:61:ARG:HD3	1:B:79:GLN:HG3	0.61	1.72	2	1
1:C:20:ASP:HB2	1:C:79:GLN:HB2	0.61	1.71	12	2
1:D:76:CYS:SG	1:D:114:ILE:HG23	0.61	2.35	20	4
1:D:98:LEU:HA	1:D:102:CYS:SG	0.60	2.36	13	11
1:B:58:VAL:HG11	1:B:98:LEU:HB2	0.60	1.73	9	1
1:C:20:ASP:HB3	1:C:79:GLN:HB2	0.60	1.72	3	12
1:A:45:ASP:HB2	1:A:61:ARG:HB3	0.59	1.75	9	1
1:C:45:ASP:HB3	1:C:61:ARG:HB3	0.59	1.75	17	5
1:B:18:THR:HG21	1:B:21:ILE:HD11	0.59	1.74	2	6
1:D:61:ARG:HG2	1:D:79:GLN:HG2	0.58	1.76	1	1
1:A:119:SER:HB2	1:D:119:SER:HB2	0.58	1.76	7	2
1:B:76:CYS:SG	1:B:114:ILE:HG23	0.57	2.39	5	3
1:B:43:ASP:HB2	1:B:63:THR:HB	0.57	1.76	14	4
1:C:98:LEU:HA	1:C:102:CYS:SG	0.57	2.39	20	4
1:D:89:ILE:HD13	1:D:94:MET:HB2	0.57	1.76	19	3
1:A:36:TRP:HA	1:A:68:LEU:HD11	0.57	1.75	8	2
1:B:76:CYS:SG	1:B:114:ILE:HA	0.56	2.41	10	5
1:B:78:VAL:HG21	1:B:113:CYS:HB3	0.56	1.78	18	2
1:D:100:ALA:HB1	1:D:134:ASP:HA	0.56	1.76	10	2
1:D:20:ASP:HB3	1:D:79:GLN:HB2	0.55	1.78	12	9
1:A:58:VAL:HG11	1:A:103:PRO:HD3	0.55	1.77	13	2
1:A:31:VAL:HG13	1:A:68:LEU:HD22	0.55	1.79	13	1
1:A:120:ARG:HD3	1:B:113:CYS:SG	0.55	2.42	2	2
1:B:64:VAL:HG21	1:B:114:ILE:HG21	0.55	1.79	7	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:117:MET:SD	1:B:21:ILE:HG21	0.55	2.41	7	1
1:A:36:TRP:HA	1:A:68:LEU:HD23	0.54	1.78	5	1
1:D:84:PHE:HB2	1:D:98:LEU:HD21	0.54	1.78	9	1
1:D:31:VAL:HG21	1:D:73:ALA:HA	0.54	1.78	3	1
1:B:41:LYS:HB2	1:B:65:THR:HB	0.54	1.79	14	2
1:D:10:THR:HB	1:D:12:GLN:HE22	0.54	1.63	7	1
1:B:45:ASP:HB3	1:B:61:ARG:HB3	0.54	1.80	6	7
1:B:111:ARG:HG3	1:B:128:LEU:HB3	0.54	1.78	12	1
1:B:98:LEU:HA	1:B:102:CYS:SG	0.54	2.42	10	3
1:C:34:LYS:HE2	1:C:73:ALA:HA	0.54	1.80	9	2
1:B:31:VAL:HG21	1:B:73:ALA:HA	0.54	1.80	15	1
1:B:13:ILE:HD13	1:B:105:ILE:HD13	0.54	1.79	19	1
1:B:61:ARG:HB2	1:B:79:GLN:HG2	0.53	1.79	9	4
1:C:117:MET:HE2	1:D:21:ILE:HG21	0.53	1.80	14	2
1:C:34:LYS:HZ2	1:C:34:LYS:HB2	0.53	1.64	8	1
1:B:16:ILE:HD12	1:D:127:ASN:HD21	0.53	1.63	5	1
1:A:25:ALA:HB1	1:A:28:ALA:HB2	0.53	1.79	6	4
1:C:86:ILE:HD12	1:C:97:CYS:SG	0.53	2.43	8	1
1:C:43:ASP:HB2	1:C:63:THR:HB	0.53	1.79	14	2
1:C:115:THR:HG22	1:C:125:GLN:HE21	0.53	1.64	9	1
1:C:34:LYS:HE3	1:C:71:GLU:HG3	0.53	1.80	11	2
1:A:27:ASN:HA	1:A:31:VAL:HB	0.52	1.79	10	1
1:A:51:LEU:HD11	1:A:57:GLU:HB2	0.52	1.80	17	6
1:B:89:ILE:HB	1:B:94:MET:SD	0.52	2.45	5	1
1:A:41:LYS:HB2	1:A:65:THR:HB	0.52	1.82	7	1
1:C:56:TYR:HB2	1:C:86:ILE:HD12	0.52	1.81	20	1
1:A:76:CYS:SG	1:A:118:VAL:HG12	0.52	2.45	15	1
1:D:58:VAL:HG22	1:D:98:LEU:HD12	0.52	1.80	17	1
1:C:51:LEU:HD11	1:C:83:ILE:HD12	0.52	1.80	20	6
1:B:84:PHE:HB2	1:B:86:ILE:HD12	0.52	1.81	6	2
1:C:12:GLN:HB3	1:C:85:SER:HB2	0.52	1.79	17	4
1:A:111:ARG:HH22	1:A:130:PRO:HG3	0.52	1.65	15	1
1:B:44:LEU:HD23	1:B:60:LEU:HD21	0.51	1.81	7	1
1:A:27:ASN:HB2	1:A:30:HIS:HB2	0.51	1.83	17	1
1:C:14:GLN:HB3	1:C:15:ARG:HH11	0.51	1.66	6	1
1:D:43:ASP:HB3	1:D:62:VAL:HG13	0.51	1.81	14	1
1:B:62:VAL:HG11	1:B:128:LEU:HD21	0.51	1.82	19	1
1:A:18:THR:HG21	1:A:113:CYS:SG	0.51	2.46	1	1
1:B:98:LEU:HD23	1:B:102:CYS:SG	0.51	2.46	3	1
1:C:51:LEU:HD11	1:C:57:GLU:HB2	0.51	1.83	13	6
1:A:31:VAL:HG21	1:A:73:ALA:HA	0.51	1.83	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:C:111:ARG:HG3	1:C:128:LEU:HB3	0.51	1.82	9	1
1:D:86:ILE:HG12	1:D:89:ILE:HD11	0.50	1.82	6	1
1:B:13:ILE:HG12	1:B:105:ILE:HG21	0.50	1.82	7	1
1:B:97:CYS:SG	1:B:98:LEU:N	0.50	2.85	15	2
1:D:45:ASP:HB3	1:D:61:ARG:HB3	0.50	1.84	14	1
1:C:20:ASP:HA	1:D:23:PHE:O	0.50	2.06	9	6
1:B:11:PHE:HA	1:B:85:SER:O	0.50	2.05	12	4
1:D:13:ILE:HD13	1:D:105:ILE:HG21	0.50	1.83	5	4
1:C:111:ARG:HG3	1:C:128:LEU:HB2	0.50	1.82	6	1
1:B:21:ILE:HD11	1:B:113:CYS:SG	0.50	2.47	15	6
1:C:42:LEU:HD13	1:C:128:LEU:HD11	0.50	1.82	17	1
1:B:68:LEU:HG	1:B:73:ALA:HB2	0.50	1.82	16	4
1:D:86:ILE:HB	1:D:89:ILE:HD11	0.50	1.84	18	1
1:B:34:LYS:HB3	1:B:68:LEU:HB3	0.49	1.84	10	1
1:D:59:VAL:HG13	1:D:79:GLN:HG3	0.49	1.83	14	1
1:A:43:ASP:HB3	1:A:63:THR:HB	0.49	1.83	4	2
1:C:18:THR:HG21	1:C:113:CYS:SG	0.49	2.47	1	1
1:C:31:VAL:HA	1:C:34:LYS:HE2	0.49	1.83	4	3
1:A:120:ARG:HH12	1:B:112:GLU:HG3	0.49	1.67	20	1
1:C:119:SER:HB3	1:C:125:GLN:HE22	0.49	1.68	12	1
1:C:112:GLU:HG3	1:D:120:ARG:HH12	0.49	1.68	19	1
1:B:76:CYS:SG	1:B:117:MET:HB2	0.49	2.48	3	4
1:A:58:VAL:HG21	1:A:102:CYS:HB3	0.49	1.85	10	1
1:B:89:ILE:HD12	1:B:94:MET:SD	0.49	2.48	8	1
1:D:21:ILE:HG23	1:D:78:VAL:HG22	0.49	1.84	16	1
1:D:90:GLU:HA	1:D:94:MET:SD	0.48	2.49	6	1
1:A:115:THR:HG23	1:A:125:GLN:HG3	0.48	1.86	1	1
1:A:64:VAL:HB	1:A:76:CYS:HB2	0.48	1.85	8	3
1:A:44:LEU:HD23	1:A:60:LEU:HD21	0.48	1.83	10	1
1:D:43:ASP:HB2	1:D:63:THR:HB	0.48	1.85	17	1
1:B:51:LEU:HD11	1:B:57:GLU:HB2	0.48	1.85	6	3
1:B:89:ILE:HD11	1:B:97:CYS:SG	0.48	2.48	12	1
1:B:28:ALA:O	1:B:31:VAL:HG12	0.48	2.09	12	1
1:C:84:PHE:CE1	1:C:102:CYS:SG	0.48	3.07	1	2
1:B:89:ILE:HD12	1:B:94:MET:HA	0.48	1.85	11	2
1:A:23:PHE:HD1	1:A:76:CYS:HG	0.48	1.51	14	2
1:B:111:ARG:HB2	1:B:128:LEU:HB2	0.47	1.86	19	1
1:A:47:ALA:HB3	1:A:59:VAL:HB	0.47	1.86	13	1
1:B:86:ILE:HD13	1:B:86:ILE:H	0.47	1.70	11	1
1:B:33:GLN:HG3	1:B:34:LYS:HG3	0.47	1.87	2	3
1:D:43:ASP:HB3	1:D:63:THR:HB	0.47	1.85	16	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:23:PHE:HB3	1:B:21:ILE:HB	0.47	1.85	5	1
1:D:56:TYR:CE1	1:D:58:VAL:HB	0.47	2.44	12	1
1:C:76:CYS:SG	1:C:114:ILE:HA	0.47	2.50	13	6
1:D:42:LEU:HD21	1:D:62:VAL:HG13	0.47	1.86	7	2
1:C:64:VAL:HG21	1:C:114:ILE:HG21	0.47	1.85	5	2
1:A:130:PRO:HB3	1:C:105:ILE:HD11	0.46	1.87	1	1
1:A:130:PRO:HG3	1:C:105:ILE:HD11	0.46	1.87	4	1
1:B:89:ILE:HD12	1:B:97:CYS:SG	0.46	2.49	8	1
1:B:27:ASN:ND2	1:B:71:GLU:HB2	0.46	2.26	9	1
1:C:115:THR:HG21	1:C:127:ASN:HD22	0.46	1.70	9	1
1:C:34:LYS:HG2	1:C:68:LEU:HD13	0.46	1.86	15	1
1:C:34:LYS:HE3	1:C:73:ALA:HA	0.46	1.85	17	1
1:C:43:ASP:HB3	1:C:63:THR:HB	0.46	1.86	10	2
1:D:111:ARG:HH12	1:D:130:PRO:HB3	0.46	1.71	12	2
1:B:89:ILE:HD13	1:B:97:CYS:SG	0.45	2.51	15	1
1:B:54:ASP:HA	1:B:56:TYR:CE1	0.45	2.46	5	1
1:C:28:ALA:HB1	1:D:17:TYR:HE2	0.45	1.70	9	3
1:D:22:SER:HB3	1:D:77:GLU:HB2	0.45	1.89	12	1
1:D:61:ARG:HB2	1:D:79:GLN:HG2	0.45	1.89	9	1
1:C:28:ALA:HB3	1:D:19:LYS:HE3	0.45	1.89	6	2
1:A:44:LEU:HD23	1:A:44:LEU:H	0.45	1.71	7	1
1:A:61:ARG:HB2	1:A:79:GLN:HG2	0.45	1.89	1	1
1:A:20:ASP:HA	1:B:23:PHE:O	0.45	2.12	15	1
1:C:84:PHE:HE1	1:C:102:CYS:HG	0.44	1.54	1	1
1:A:29:PRO:HB3	1:B:57:GLU:HG3	0.44	1.88	12	2
1:C:62:VAL:HB	1:C:114:ILE:HD11	0.44	1.88	12	1
1:D:97:CYS:SG	1:D:102:CYS:SG	0.44	3.14	17	1
1:A:111:ARG:NH1	1:C:105:ILE:HD12	0.44	2.27	10	2
1:C:13:ILE:N	1:C:13:ILE:HD12	0.44	2.26	17	1
1:C:19:LYS:HE3	1:D:28:ALA:HB3	0.44	1.88	17	1
1:D:52:ALA:HB3	1:D:55:VAL:HB	0.44	1.88	12	1
1:C:20:ASP:HB3	1:C:79:GLN:HB3	0.44	1.89	16	1
1:C:14:GLN:HB2	1:C:83:ILE:HB	0.44	1.88	10	1
1:D:46:THR:HG22	1:D:60:LEU:HD22	0.44	1.89	16	1
1:A:40:VAL:HA	1:A:65:THR:O	0.44	2.13	17	1
1:A:17:TYR:HE2	1:B:28:ALA:HB1	0.44	1.73	8	4
1:B:125:GLN:HB3	1:C:124:PRO:HA	0.44	1.89	10	1
1:A:61:ARG:HD2	1:A:79:GLN:HG2	0.44	1.89	14	1
1:B:34:LYS:HZ1	1:B:71:GLU:HB3	0.44	1.73	2	1
1:A:111:ARG:NH2	1:A:130:PRO:HB3	0.44	2.28	9	1
1:B:13:ILE:H	1:B:13:ILE:HD13	0.44	1.72	15	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:C:11:PHE:HA	1:C:85:SER:O	0.44	2.13	11	1
1:C:45:ASP:HB2	1:C:61:ARG:HD2	0.44	1.89	14	1
1:B:25:ALA:HB3	1:B:28:ALA:HB2	0.44	1.90	16	1
1:A:17:TYR:HB3	1:B:122:THR:HG23	0.44	1.89	17	1
1:C:68:LEU:H	1:C:68:LEU:HD23	0.43	1.73	6	1
1:A:68:LEU:HD23	1:A:68:LEU:H	0.43	1.73	10	3
1:B:125:GLN:HB3	1:C:125:GLN:HG3	0.43	1.88	9	1
1:C:24:GLU:HB2	1:C:75:LEU:HB3	0.43	1.88	1	1
1:B:11:PHE:HZ	1:B:102:CYS:HG	0.43	1.56	3	1
1:A:15:ARG:HD3	1:A:83:ILE:HD12	0.43	1.90	4	1
1:C:68:LEU:HB2	1:C:71:GLU:HB3	0.43	1.89	20	1
1:A:20:ASP:HB2	1:A:79:GLN:HB2	0.43	1.89	1	1
1:B:119:SER:HA	1:C:125:GLN:HE22	0.43	1.74	3	1
1:A:23:PHE:HB2	1:A:117:MET:SD	0.43	2.54	4	2
1:D:34:LYS:HZ1	1:D:71:GLU:HB3	0.43	1.74	19	1
1:D:111:ARG:HD3	1:D:128:LEU:O	0.43	2.14	10	2
1:B:11:PHE:CE1	1:B:102:CYS:SG	0.43	3.10	4	2
1:D:40:VAL:HG13	1:D:64:VAL:HG13	0.43	1.90	16	2
1:D:19:LYS:HD3	1:D:59:VAL:HG12	0.43	1.90	6	1
1:B:11:PHE:HE1	1:B:102:CYS:SG	0.43	2.36	14	2
1:B:125:GLN:OE1	1:C:124:PRO:HA	0.43	2.14	12	1
1:B:21:ILE:CD1	1:B:113:CYS:SG	0.43	3.07	16	1
1:D:55:VAL:HG11	1:D:83:ILE:HG23	0.43	1.89	16	1
1:A:113:CYS:O	1:A:117:MET:HG2	0.43	2.14	6	1
1:A:68:LEU:HB2	1:A:73:ALA:HB2	0.43	1.91	8	1
1:A:121:GLY:O	1:A:122:THR:HG22	0.43	2.14	11	1
1:B:39:GLU:O	1:B:66:ALA:HA	0.42	2.14	4	2
1:A:34:LYS:HD3	1:A:68:LEU:HD11	0.42	1.91	20	1
1:B:114:ILE:O	1:B:118:VAL:HG23	0.42	2.15	5	1
1:C:11:PHE:CZ	1:C:102:CYS:SG	0.42	3.12	17	2
1:C:60:LEU:HD23	1:C:106:LEU:HD12	0.42	1.90	1	1
1:C:58:VAL:HG21	1:C:102:CYS:HB3	0.42	1.91	3	1
1:C:14:GLN:HE22	1:C:85:SER:H	0.42	1.57	16	1
1:C:44:LEU:HD11	1:C:60:LEU:HD23	0.42	1.91	18	1
1:D:51:LEU:HD23	1:D:51:LEU:H	0.42	1.73	12	1
1:A:51:LEU:HD13	1:B:29:PRO:HB3	0.42	1.92	6	1
1:A:13:ILE:HD13	1:A:16:ILE:HD11	0.42	1.92	7	1
1:C:44:LEU:HD21	1:C:60:LEU:HD11	0.42	1.91	8	1
1:A:111:ARG:HH12	1:C:105:ILE:HD12	0.42	1.75	10	1
1:B:130:PRO:HG3	1:D:16:ILE:HB	0.42	1.89	8	1
1:A:39:GLU:O	1:A:66:ALA:HA	0.42	2.14	15	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:D:60:LEU:HB2	1:D:103:PRO:HB3	0.42	1.90	1	1
1:D:94:MET:HG3	1:D:95:ALA:N	0.42	2.29	5	1
1:C:104:ASN:HD21	1:C:133:PHE:HB2	0.42	1.74	10	1
1:B:120:ARG:NH2	1:C:112:GLU:HG3	0.42	2.30	2	1
1:D:40:VAL:HG23	1:D:64:VAL:HG13	0.42	1.91	18	1
1:D:33:GLN:HE21	1:D:33:GLN:HA	0.41	1.75	5	1
1:A:14:GLN:NE2	1:A:83:ILE:HG21	0.41	2.29	6	1
1:D:114:ILE:HD12	1:D:128:LEU:HD11	0.41	1.91	11	2
1:B:33:GLN:HG3	1:B:34:LYS:HG2	0.41	1.92	10	1
1:D:113:CYS:O	1:D:117:MET:SD	0.41	2.77	18	1
1:C:18:THR:HG22	1:C:80:GLN:HE22	0.41	1.74	19	1
1:D:39:GLU:O	1:D:66:ALA:HA	0.41	2.15	20	1
1:C:25:ALA:HB1	1:C:28:ALA:HB2	0.41	1.93	13	1
1:B:115:THR:HG23	1:B:125:GLN:HB2	0.41	1.90	7	1
1:B:31:VAL:HG11	1:B:123:PHE:CE1	0.41	2.51	13	1
1:B:94:MET:C	1:B:94:MET:SD	0.41	2.99	13	1
1:D:11:PHE:HZ	1:D:102:CYS:HG	0.41	1.58	15	1
1:B:128:LEU:HD23	1:B:128:LEU:H	0.41	1.76	5	1
1:A:82:GLY:HA3	1:A:106:LEU:HD21	0.41	1.93	7	1
1:A:13:ILE:HG12	1:A:84:PHE:HD2	0.41	1.76	6	1
1:A:27:ASN:O	1:A:31:VAL:HG23	0.41	2.15	19	2
1:C:41:LYS:HB3	1:C:65:THR:HB	0.41	1.91	8	1
1:C:13:ILE:HD12	1:C:13:ILE:H	0.41	1.76	3	1
1:D:37:GLN:HE21	1:D:124:PRO:HG3	0.41	1.76	11	1
1:A:64:VAL:HG11	1:A:126:LEU:HD21	0.41	1.92	14	1
1:C:44:LEU:HD21	1:C:60:LEU:HD12	0.41	1.93	20	1
1:B:45:ASP:HB3	1:B:61:ARG:HD3	0.41	1.93	1	1
1:D:11:PHE:CE2	1:D:102:CYS:SG	0.41	3.13	1	1
1:B:28:ALA:HB3	1:B:29:PRO:HD3	0.41	1.93	20	3
1:B:56:TYR:HB2	1:B:86:ILE:HD11	0.41	1.92	11	1
1:D:58:VAL:HG13	1:D:106:LEU:HD11	0.41	1.91	12	1
1:A:35:ASP:O	1:A:68:LEU:HB3	0.41	2.15	5	1
1:A:41:LYS:HB3	1:A:65:THR:HB	0.41	1.92	5	1
1:A:17:TYR:CE2	1:B:28:ALA:HB1	0.41	2.51	8	1
1:C:21:ILE:HB	1:D:23:PHE:HB3	0.41	1.92	10	1
1:C:80:GLN:HB2	1:C:110:ALA:HB2	0.41	1.92	15	1
1:A:13:ILE:HD12	1:C:130:PRO:HG3	0.41	1.93	1	1
1:C:83:ILE:HD11	1:D:29:PRO:HB3	0.40	1.91	3	1
1:C:42:LEU:HD21	1:C:64:VAL:HG22	0.40	1.91	16	1
1:D:98:LEU:O	1:D:103:PRO:HD3	0.40	2.15	17	1
1:C:40:VAL:HA	1:C:65:THR:O	0.40	2.17	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:D:13:ILE:HG21	1:D:16:ILE:HG23	0.40	1.93	2	1
1:B:58:VAL:HG11	1:B:98:LEU:HD22	0.40	1.94	17	1
1:B:113:CYS:O	1:B:117:MET:HG2	0.40	2.16	1	1
1:D:114:ILE:O	1:D:118:VAL:HG23	0.40	2.16	4	1
1:B:22:SER:HB2	1:B:77:GLU:HB3	0.40	1.93	7	1
1:A:67:SER:HA	1:A:72:THR:HA	0.40	1.92	5	1
1:D:61:ARG:NH1	1:D:77:GLU:HB3	0.40	2.32	12	1
1:C:38:PRO:HA	1:C:68:LEU:HB3	0.40	1.94	6	1
1:B:104:ASN:HB2	1:B:132:ASN:HD21	0.40	1.76	10	1
1:A:28:ALA:O	1:A:31:VAL:HG22	0.40	2.16	15	1
1:B:111:ARG:HG3	1:B:128:LEU:HB2	0.40	1.93	16	1
1:A:46:THR:HA	1:A:59:VAL:O	0.40	2.16	17	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	108/155 (70%)	102±2 (94±1%)	6±2 (5±1%)	0±0 (0±0%)	59	88
1	B	122/155 (79%)	115±3 (94±2%)	7±3 (6±2%)	0±0 (0±0%)	59	88
1	C	113/155 (73%)	105±2 (93±2%)	8±2 (7±2%)	0±1 (0±1%)	50	83
1	D	125/155 (81%)	119±2 (95±2%)	6±2 (4±2%)	0±0 (0±0%)	59	88
2	E	3/471 (1%)	2±1 (72±24%)	1±1 (22±22%)	0±0 (7±13%)	3	19
All	All	9420/21820 (43%)	8856 (94%)	545 (6%)	19 (0%)	56	85

All 13 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	C	130	PRO	4
2	E	292	GLY	3
1	A	29	PRO	2
1	D	52	ALA	1
1	D	53	ASP	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	124	PRO	1
1	C	29	PRO	1
1	B	130	PRO	1
1	C	124	PRO	1
2	E	290	TRP	1
1	C	53	ASP	1
1	A	124	PRO	1
1	D	26	PRO	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/132 (71%)	90±2 (96±2%)	4±2 (4±2%)	42	85
1	B	104/132 (79%)	101±2 (97±2%)	3±2 (3±2%)	52	90
1	C	99/132 (75%)	94±2 (95±2%)	5±2 (5±2%)	33	77
1	D	107/132 (81%)	103±1 (96±1%)	4±1 (4±1%)	44	86
2	E	2/359 (1%)	2±0 (82±24%)	0±0 (18±24%)	6	41
All	All	8120/17740 (46%)	7791 (96%)	329 (4%)	42	84

All 104 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	60	LEU	20
1	C	117	MET	20
1	D	70	GLU	15
1	C	34	LYS	10
1	C	68	LEU	9
1	C	112	GLU	8
1	B	70	GLU	8
1	C	15	ARG	8
1	D	89	ILE	7
1	D	16	ILE	7
1	D	56	TYR	7
1	D	51	LEU	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	128	LEU	6
1	D	86	ILE	6
1	D	90	GLU	6
1	C	37	GLN	6
1	B	93	GLN	5
1	C	128	LEU	5
2	E	291	LEU	5
1	A	68	LEU	5
1	B	90	GLU	4
1	B	127	ASN	4
1	C	125	GLN	4
1	B	86	ILE	4
1	B	39	GLU	4
1	C	41	LYS	4
1	A	74	PHE	4
1	B	126	LEU	3
1	A	39	GLU	3
1	A	14	GLN	3
1	A	122	THR	3
1	A	42	LEU	3
1	A	37	GLN	3
1	C	54	ASP	3
1	A	126	LEU	3
1	B	37	GLN	3
1	C	104	ASN	3
1	D	93	GLN	3
1	B	125	GLN	3
1	D	42	LEU	3
1	C	56	TYR	2
1	C	31	VAL	2
1	C	132	ASN	2
1	D	54	ASP	2
2	E	290	TRP	2
1	B	84	PHE	2
1	C	86	ILE	2
1	A	70	GLU	2
1	B	44	LEU	2
1	D	39	GLU	2
1	C	60	LEU	2
1	D	60	LEU	2
1	A	34	LYS	2
1	A	131	VAL	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	B	117	MET	2
1	D	17	TYR	2
1	B	42	LEU	2
1	C	77	GLU	2
1	C	70	GLU	2
1	A	61	ARG	2
1	C	36	TRP	2
1	A	98	LEU	2
1	D	134	ASP	2
1	A	54	ASP	2
1	D	104	ASN	2
1	A	27	ASN	2
1	A	44	LEU	2
1	B	12	GLN	2
1	A	40	VAL	1
1	B	89	ILE	1
1	C	33	GLN	1
1	D	44	LEU	1
1	A	41	LYS	1
1	C	43	ASP	1
1	D	33	GLN	1
1	D	43	ASP	1
1	B	112	GLU	1
1	B	104	ASN	1
1	A	56	TYR	1
1	D	12	GLN	1
1	B	29	PRO	1
1	D	41	LYS	1
1	B	11	PHE	1
1	B	101	TYR	1
1	B	128	LEU	1
1	D	11	PHE	1
1	C	42	LEU	1
1	A	24	GLU	1
1	B	113	CYS	1
1	B	41	LYS	1
1	B	98	LEU	1
1	B	45	ASP	1
1	B	94	MET	1
1	B	30	HIS	1
1	D	94	MET	1
1	D	98	LEU	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	C	14	GLN	1
1	C	127	ASN	1
1	C	101	TYR	1
1	A	127	ASN	1
1	A	117	MET	1
1	C	98	LEU	1
1	B	13	ILE	1
1	C	57	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 12% for the well-defined parts and 24% for the entire structure.

7.1 Chemical shift list 1

File name: 5jtl_cs.cif

Chemical shift list name: *assigned_chemical_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1049
Number of shifts mapped to atoms	1049
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	139	0.26 ± 0.13	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	128	0.85 ± 0.16	Should be applied
$^{13}\text{C}'$	137	0.29 ± 0.13	None needed (< 0.5 ppm)
^{15}N	133	-1.15 ± 0.39	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 12%, i.e. 684 atoms were assigned a chemical shift out of a possible 5666. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	396/2299 (17%)	97/914 (11%)	202/942 (21%)	97/443 (22%)
Sidechain	196/2870 (7%)	55/1674 (3%)	141/1087 (13%)	0/109 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	92/497 (19%)	46/263 (17%)	45/217 (21%)	1/17 (6%)
Overall	684/5666 (12%)	198/2851 (7%)	388/2246 (17%)	98/569 (17%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 930 atoms were assigned a chemical shift out of a possible 12728. 0 out of 156 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	542/5353 (10%)	133/2131 (6%)	276/2182 (13%)	133/1040 (13%)
Sidechain	255/6462 (4%)	70/3761 (2%)	185/2442 (8%)	0/259 (0%)
Aromatic	133/913 (15%)	67/479 (14%)	65/383 (17%)	1/51 (2%)
Overall	930/12728 (7%)	270/6371 (4%)	526/5007 (11%)	134/1350 (10%)


7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: 5jtl_cs.cif

Chemical shift list name: *assigned_chemical_shift_list_2*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1044
Number of shifts mapped to atoms	1044
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.2.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	140	0.27 ± 0.06	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	126	0.79 ± 0.16	Should be applied
$^{13}\text{C}'$	135	0.26 ± 0.10	None needed (< 0.5 ppm)
^{15}N	132	-1.09 ± 0.23	Should be applied

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 12%, i.e. 681 atoms were assigned a chemical shift out of a possible 5666. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	393/2299 (17%)	96/914 (11%)	201/942 (21%)	96/443 (22%)
Sidechain	196/2870 (7%)	55/1674 (3%)	141/1087 (13%)	0/109 (0%)
Aromatic	92/497 (19%)	46/263 (17%)	45/217 (21%)	1/17 (6%)
Overall	681/5666 (12%)	197/2851 (7%)	387/2246 (17%)	97/569 (17%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 925 atoms were assigned a chemical shift out of a possible 12728. 0 out of 156 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	539/5353 (10%)	132/2131 (6%)	275/2182 (13%)	132/1040 (13%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Sidechain	253/6462 (4%)	70/3761 (2%)	183/2442 (7%)	0/259 (0%)
Aromatic	133/913 (15%)	67/479 (14%)	65/383 (17%)	1/51 (2%)
Overall	925/12728 (7%)	269/6371 (4%)	523/5007 (10%)	133/1350 (10%)


7.2.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.3 Chemical shift list 3

File name: 5jtl_cs.cif

Chemical shift list name: *assigned_chemical_shift_list_3*

7.3.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1044
Number of shifts mapped to atoms	1044

Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.3.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	140	0.27 ± 0.06	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	126	0.78 ± 0.14	Should be applied
$^{13}\text{C}'$	135	0.26 ± 0.10	None needed (< 0.5 ppm)
^{15}N	132	-1.09 ± 0.24	Should be applied

7.3.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 12%, i.e. 681 atoms were assigned a chemical shift out of a possible 5666. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	393/2299 (17%)	96/914 (11%)	201/942 (21%)	96/443 (22%)
Sidechain	196/2870 (7%)	55/1674 (3%)	141/1087 (13%)	0/109 (0%)
Aromatic	92/497 (19%)	46/263 (17%)	45/217 (21%)	1/17 (6%)
Overall	681/5666 (12%)	197/2851 (7%)	387/2246 (17%)	97/569 (17%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 925 atoms were assigned a chemical shift out of a possible 12728. 0 out of 156 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	539/5353 (10%)	132/2131 (6%)	275/2182 (13%)	132/1040 (13%)
Sidechain	253/6462 (4%)	70/3761 (2%)	183/2442 (7%)	0/259 (0%)
Aromatic	133/913 (15%)	67/479 (14%)	65/383 (17%)	1/51 (2%)
Overall	925/12728 (7%)	269/6371 (4%)	523/5007 (10%)	133/1350 (10%)


7.3.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.3.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.4 Chemical shift list 4

File name: 5jtl_cs.cif

Chemical shift list name: *assigned_chemical_shift_list_4*

7.4.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1049
Number of shifts mapped to atoms	1049
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.4.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Continued on next page...

Continued from previous page...

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	139	0.25 ± 0.07	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	128	0.85 ± 0.13	Should be applied
$^{13}\text{C}'$	137	0.29 ± 0.09	None needed (< 0.5 ppm)
^{15}N	133	-1.15 ± 0.40	Should be applied

7.4.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 12%, i.e. 684 atoms were assigned a chemical shift out of a possible 5666. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	396/2299 (17%)	97/914 (11%)	202/942 (21%)	97/443 (22%)
Sidechain	196/2870 (7%)	55/1674 (3%)	141/1087 (13%)	0/109 (0%)
Aromatic	92/497 (19%)	46/263 (17%)	45/217 (21%)	1/17 (6%)
Overall	684/5666 (12%)	198/2851 (7%)	388/2246 (17%)	98/569 (17%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 930 atoms were assigned a chemical shift out of a possible 12728. 0 out of 156 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	542/5353 (10%)	133/2131 (6%)	276/2182 (13%)	133/1040 (13%)
Sidechain	255/6462 (4%)	70/3761 (2%)	185/2442 (8%)	0/259 (0%)
Aromatic	133/913 (15%)	67/479 (14%)	65/383 (17%)	1/51 (2%)
Overall	930/12728 (7%)	270/6371 (4%)	526/5007 (11%)	134/1350 (10%)

7.4.4 Statistically unusual chemical shifts [i](#)


There are no statistically unusual chemical shifts.

7.4.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble

composition.

Random coil index (RCI) for chain A:



7.5 Chemical shift list 5

File name: 5jtl_cs.cif

Chemical shift list name: *assigned_chemical_shift_list_5*

7.5.1 Bookkeeping ⓘ

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2230
Number of shifts mapped to atoms	2230
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.5.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	395	-0.41 ± 0.04	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	363	0.38 ± 0.05	None needed (< 0.5 ppm)
$^{13}\text{C}'$	90	-0.55 ± 0.05	Should be applied
^{15}N	390	-0.79 ± 0.06	Should be applied

7.5.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 22 atoms were assigned a chemical shift out of a possible 5666. 0 out of 81 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	9/2299 (0%)	3/914 (0%)	3/942 (0%)	3/443 (1%)
Sidechain	6/2870 (0%)	2/1674 (0%)	4/1087 (0%)	0/109 (0%)
Aromatic	7/497 (1%)	6/263 (2%)	0/217 (0%)	1/17 (6%)
Overall	22/5666 (0%)	11/2851 (0%)	7/2246 (0%)	4/569 (1%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 16%, i.e. 2076 atoms were assigned a chemical shift out of a possible 12728. 0 out of 156 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	1341/5353 (25%)	466/2131 (22%)	485/2182 (22%)	390/1040 (38%)
Sidechain	651/6462 (10%)	177/3761 (5%)	474/2442 (19%)	0/259 (0%)
Aromatic	84/913 (9%)	53/479 (11%)	29/383 (8%)	2/51 (4%)
Overall	2076/12728 (16%)	696/6371 (11%)	988/5007 (20%)	392/1350 (29%)

7.5.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.5.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain E:

