



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:54 PM GMT

PDB ID : 4JUN
Title : Crystal structure of H5N1 influenza virus hemagglutinin, clade 5
Authors : DuBois, R.M.; Zaraket, H.; Reddivari, M.; Coop, T.; Heath, R.J.; White, S.W.; Russell, C.J.
Deposited on : 2013-03-25
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1406 (2.36-2.32)
Clashscore	102246	1509 (2.36-2.32)
Ramachandran outliers	100387	1490 (2.36-2.32)
Sidechain outliers	100360	1491 (2.36-2.32)
RSRZ outliers	91569	1412 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>84%12%••</div></div>
1	C	329	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>79%17%••</div></div>
1	E	329	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>79%17%••</div></div>
2	B	182	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>5%76%15%•7%</div></div>
2	D	182	<div><div></div><div><div></div><div></div><div></div><div></div><div></div></div><div>26%66%19%5%10%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	182	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	A	401	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12083 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	1	0
			2543	1605	442	482	14			
1	C	321	Total	C	N	O	S	0	1	0
			2543	1605	442	482	14			
1	E	321	Total	C	N	O	S	0	1	0
			2543	1605	442	482	14			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	5	GLY	-	EXPRESSION TAG	UNP Q2F4V6
A	6	SER	-	EXPRESSION TAG	UNP Q2F4V6
A	7	ALA	-	EXPRESSION TAG	UNP Q2F4V6
A	8	ASP	-	EXPRESSION TAG	UNP Q2F4V6
A	9	PRO	-	EXPRESSION TAG	UNP Q2F4V6
A	10	GLY	-	EXPRESSION TAG	UNP Q2F4V6
C	5	GLY	-	EXPRESSION TAG	UNP Q2F4V6
C	6	SER	-	EXPRESSION TAG	UNP Q2F4V6
C	7	ALA	-	EXPRESSION TAG	UNP Q2F4V6
C	8	ASP	-	EXPRESSION TAG	UNP Q2F4V6
C	9	PRO	-	EXPRESSION TAG	UNP Q2F4V6
C	10	GLY	-	EXPRESSION TAG	UNP Q2F4V6
E	5	GLY	-	EXPRESSION TAG	UNP Q2F4V6
E	6	SER	-	EXPRESSION TAG	UNP Q2F4V6
E	7	ALA	-	EXPRESSION TAG	UNP Q2F4V6
E	8	ASP	-	EXPRESSION TAG	UNP Q2F4V6
E	9	PRO	-	EXPRESSION TAG	UNP Q2F4V6
E	10	GLY	-	EXPRESSION TAG	UNP Q2F4V6

- Molecule 2 is a protein called Hemagglutinin HA2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	170	Total	C	N	O	S	0	0	0
			1382	859	243	272	8			
2	D	164	Total	C	N	O	S	0	0	0
			1329	827	230	264	8			
2	F	166	Total	C	N	O	S	0	0	0
			1343	835	232	268	8			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	177	ARG	-	EXPRESSION TAG	UNP Q2F4V6
B	178	SER	-	EXPRESSION TAG	UNP Q2F4V6
B	179	LEU	-	EXPRESSION TAG	UNP Q2F4V6
B	180	VAL	-	EXPRESSION TAG	UNP Q2F4V6
B	181	PRO	-	EXPRESSION TAG	UNP Q2F4V6
B	182	ARG	-	EXPRESSION TAG	UNP Q2F4V6
D	177	ARG	-	EXPRESSION TAG	UNP Q2F4V6
D	178	SER	-	EXPRESSION TAG	UNP Q2F4V6
D	179	LEU	-	EXPRESSION TAG	UNP Q2F4V6
D	180	VAL	-	EXPRESSION TAG	UNP Q2F4V6
D	181	PRO	-	EXPRESSION TAG	UNP Q2F4V6
D	182	ARG	-	EXPRESSION TAG	UNP Q2F4V6
F	177	ARG	-	EXPRESSION TAG	UNP Q2F4V6
F	178	SER	-	EXPRESSION TAG	UNP Q2F4V6
F	179	LEU	-	EXPRESSION TAG	UNP Q2F4V6
F	180	VAL	-	EXPRESSION TAG	UNP Q2F4V6
F	181	PRO	-	EXPRESSION TAG	UNP Q2F4V6
F	182	ARG	-	EXPRESSION TAG	UNP Q2F4V6

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		
3	C	2	Total	C	N	O	0	0
			28	16	2	10		
3	E	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	E	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	77	Total	O	0	0
			77	77		
6	B	14	Total	O	0	0
			14	14		
6	C	68	Total	O	0	0
			68	68		
6	D	14	Total	O	0	0
			14	14		
6	E	66	Total	O	0	0
			66	66		
6	F	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin HA1




• Molecule 1: Hemagglutinin HA1




• Molecule 1: Hemagglutinin HA1




• Molecule 2: Hemagglutinin HA2



• Molecule 2: Hemagglutinin HA2



• Molecule 2: Hemagglutinin HA2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	73.04Å 237.06Å 72.86Å 90.00° 119.18° 90.00°	Depositor
Resolution (Å)	49.62 – 2.34 49.62 – 2.34	Depositor EDS
% Data completeness (in resolution range)	81.7 (49.62-2.34) 86.3 (49.62-2.34)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.10 (at 2.34Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.201 , 0.245 0.204 , 0.251	Depositor DCC
R_{free} test set	3946 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	34.7	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.3	EDS
Estimated twinning fraction	0.008 for l,k,-h-l 0.008 for -h-l,k,h 0.027 for -h-l,-k,l 0.023 for h,-k,-h-l 0.028 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 78248 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12083	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2608	0.62	0/3542
1	C	0.46	0/2608	0.62	0/3542
1	E	0.45	0/2608	0.60	0/3542
2	B	0.39	0/1409	0.51	0/1894
2	D	0.37	0/1356	0.54	1/1825 (0.1%)
2	F	0.39	0/1370	0.55	0/1844
All	All	0.44	0/11959	0.59	1/16189 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	80	LEU	CA-CB-CG	5.21	127.28	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2543	0	2486	25	0
1	C	2543	0	2486	37	0
1	E	2543	0	2484	41	0
2	B	1382	0	1291	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1329	0	1230	40	0
2	F	1343	0	1241	45	0
3	A	28	0	25	2	0
3	C	28	0	25	2	0
3	E	28	0	25	0	0
4	A	14	0	13	0	0
4	C	14	0	13	0	0
4	E	14	0	13	0	0
5	E	15	0	17	1	0
6	A	77	0	0	0	0
6	B	14	0	0	0	0
6	C	68	0	0	1	0
6	D	14	0	0	0	0
6	E	66	0	0	1	0
6	F	20	0	0	0	0
All	All	12083	0	11349	191	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:30:GLN:NE2	2:F:145:ASP:HB2	1.56	1.16
2:F:30:GLN:HE21	2:F:145:ASP:HB2	0.96	1.08
2:D:29:GLU:HB3	2:D:30:GLN:NE2	1.73	1.02
2:D:30:GLN:H	2:D:30:GLN:NE2	1.60	0.99
2:B:80:LEU:O	2:B:80:LEU:HD12	1.63	0.98
2:D:29:GLU:HB3	2:D:30:GLN:HE21	1.27	0.92
2:D:30:GLN:N	2:D:30:GLN:HE21	1.69	0.91
1:A:295:HIS:HD2	1:A:297:ILE:H	1.18	0.91
2:B:80:LEU:HD12	2:B:80:LEU:C	1.94	0.87
2:F:146:ASN:N	2:F:146:ASN:HD22	1.72	0.87
2:F:30:GLN:HE21	2:F:145:ASP:CB	1.86	0.86
1:E:295:HIS:HD2	1:E:297:ILE:H	1.25	0.82
2:B:28:ASN:HD22	2:B:28:ASN:C	1.82	0.80
2:F:26:HIS:HD2	2:F:149:MET:HG3	1.48	0.78
2:D:150:GLU:O	2:D:154:ASN:HB2	1.85	0.77
1:A:240:ASN:HD22	3:A:401:NAG:H5	1.50	0.77
2:D:30:GLN:H	2:D:30:GLN:HE21	1.23	0.77
2:D:150:GLU:OE1	2:D:150:GLU:HA	1.85	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:158:ASP:HB3	2:F:161:GLN:HB2	1.69	0.74
2:D:30:GLN:N	2:D:30:GLN:NE2	2.30	0.74
2:D:24:TYR:CE2	2:D:153:ARG:HG3	2.22	0.74
2:F:146:ASN:N	2:F:146:ASN:ND2	2.36	0.73
1:E:126:SER:OG	1:E:166:ARG:NH2	2.23	0.72
2:D:19:ASP:HB2	2:D:36:ALA:HB2	1.72	0.70
1:C:179:LEU:HD23	1:C:234:TRP:HB3	1.73	0.70
2:D:124:LEU:HD12	2:F:134:GLY:HA2	1.74	0.69
1:E:97:CYS:CB	1:E:139:CYS:SG	2.81	0.69
1:E:62:ARG:NH2	1:E:78:GLU:OE1	2.26	0.68
1:E:81:ASN:OD1	1:E:81:ASN:N	2.26	0.66
1:E:295:HIS:CD2	1:E:297:ILE:H	2.12	0.64
2:D:28:ASN:C	2:D:28:ASN:HD22	2.02	0.63
2:B:28:ASN:ND2	2:B:28:ASN:C	2.50	0.62
2:F:142:HIS:HB3	2:F:165:GLU:HG2	1.81	0.61
2:B:80:LEU:CD1	2:B:80:LEU:C	2.69	0.61
1:E:206:THR:OG1	1:E:209:LEU:N	2.29	0.61
1:E:97:CYS:HB2	1:E:139:CYS:SG	2.40	0.61
2:D:146:ASN:HD22	2:D:146:ASN:N	1.98	0.61
2:D:26:HIS:HB2	2:D:149:MET:HE3	1.83	0.61
1:A:295:HIS:CD2	1:A:297:ILE:H	2.09	0.60
2:D:28:ASN:C	2:D:28:ASN:ND2	2.53	0.60
1:C:294:PHE:HZ	2:D:59:MET:HG3	1.66	0.60
1:C:295:HIS:HD2	1:C:297:ILE:H	1.50	0.60
1:C:242:ALA:H	3:C:401:NAG:H82	1.66	0.60
1:E:307:LYS:HD2	2:F:62:GLN:HG2	1.84	0.59
2:D:29:GLU:CB	2:D:30:GLN:HE21	2.06	0.59
2:D:19:ASP:HB2	2:D:36:ALA:CB	2.32	0.59
2:F:165:GLU:O	2:F:166:ALA:C	2.40	0.59
1:C:19(A):ASN:ND2	1:C:37:THR:HB	2.17	0.59
1:E:77:ASP:O	1:E:79:PHE:N	2.36	0.58
2:F:30:GLN:NE2	2:F:145:ASP:CB	2.50	0.58
2:F:21:TRP:HB2	2:F:41:THR:HG23	1.86	0.58
2:F:165:GLU:OE2	2:F:165:GLU:CA	2.52	0.57
1:C:242:ALA:N	3:C:401:NAG:H82	2.20	0.57
2:F:146:ASN:H	2:F:146:ASN:ND2	2.03	0.56
2:B:30:GLN:HE21	2:B:30:GLN:H	1.54	0.56
1:C:19(A):ASN:HD21	1:C:37:THR:HB	1.70	0.56
2:F:165:GLU:OE2	2:F:165:GLU:N	2.37	0.56
2:B:68:ARG:NH1	2:B:81:ASN:OD1	2.38	0.55
1:E:154:LEU:O	1:E:155:ILE:HD13	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:294:PHE:HZ	2:F:59:MET:HG3	1.71	0.55
2:F:145:ASP:O	2:F:148:CYS:HB3	2.07	0.55
2:B:30:GLN:HE21	2:B:30:GLN:N	2.05	0.54
2:D:72:ASN:HB2	2:D:75:ARG:HH21	1.73	0.54
1:E:206:THR:OG1	1:E:209:LEU:CB	2.57	0.53
1:A:75:ILE:O	1:A:75:ILE:HG22	2.09	0.53
1:E:166:ARG:NH1	6:E:556:HOH:O	2.42	0.53
2:F:17:MET:SD	2:F:23:GLY:HA3	2.49	0.52
2:F:28:ASN:ND2	2:F:28:ASN:C	2.62	0.52
2:D:29:GLU:CB	2:D:30:GLN:NE2	2.61	0.52
1:C:309:VAL:HG13	1:C:311:SER:H	1.73	0.52
1:A:288:ILE:HD11	1:A:297:ILE:HG13	1.91	0.52
2:F:125:GLN:O	2:F:126:LEU:HD23	2.10	0.52
1:A:100:GLY:HA3	1:A:230:MET:O	2.10	0.51
1:C:116:ASN:HB2	1:C:262:LYS:HG3	1.90	0.51
2:F:28:ASN:OD1	2:F:145:ASP:HA	2.11	0.51
2:F:142:HIS:ND1	2:F:143:LYS:O	2.38	0.51
1:C:219:THR:HG23	6:C:530:HOH:O	2.10	0.51
1:E:139:CYS:HB2	1:E:146:SER:O	2.11	0.50
2:D:150:GLU:OE1	2:D:150:GLU:CA	2.57	0.50
1:A:60:ILE:HD12	1:A:274:TYR:HB2	1.93	0.50
2:D:28:ASN:OD1	2:D:146:ASN:ND2	2.45	0.50
1:E:100:GLY:HA3	1:E:230:MET:O	2.11	0.50
1:A:179:LEU:HD23	1:A:234:TRP:HB3	1.94	0.49
2:F:26:HIS:CD2	2:F:149:MET:HG3	2.39	0.49
1:E:186:ASN:HB3	1:E:190:GLU:OE1	2.13	0.48
1:C:125(A):LYS:HE3	1:C:132:ALA:O	2.13	0.48
1:A:174:GLU:HG2	1:A:260:ILE:O	2.13	0.48
1:E:206:THR:OG1	1:E:209:LEU:HB3	2.14	0.48
2:F:84:MET:HG3	2:F:85:GLU:N	2.26	0.48
1:C:114:ARG:O	1:C:263:LYS:HG2	2.14	0.48
1:C:35:VAL:HG11	2:D:108:LEU:HD21	1.96	0.48
1:A:290:SER:OG	1:A:292:MET:HB2	2.14	0.48
1:C:206:THR:OG1	1:C:209:LEU:N	2.47	0.47
1:C:75:ILE:H	1:C:75:ILE:HD12	1.78	0.47
1:C:100:GLY:HA3	1:C:230:MET:O	2.15	0.47
1:C:109:LYS:NZ	2:D:69:GLU:OE2	2.42	0.47
1:A:206:THR:HG23	1:A:209:LEU:HB3	1.96	0.47
1:C:89:GLU:O	1:C:269:LYS:HA	2.14	0.47
1:A:51:LEU:HD13	1:A:88:VAL:HG21	1.97	0.47
1:C:206:THR:OG1	1:C:209:LEU:HB3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:165:GLU:OE2	2:F:165:GLU:HA	2.15	0.46
2:F:142:HIS:CB	2:F:165:GLU:HG2	2.45	0.46
1:A:37:THR:HG22	1:A:38:HIS:ND1	2.29	0.46
1:A:190:GLU:HG2	1:A:194:LEU:HD22	1.98	0.46
1:E:77:ASP:C	1:E:79:PHE:H	2.18	0.46
2:F:150:GLU:OE2	2:F:150:GLU:HA	2.15	0.46
2:F:19:ASP:HB3	2:F:36:ALA:CB	2.45	0.46
2:B:30:GLN:H	2:B:30:GLN:NE2	2.14	0.46
1:A:255:GLU:HG2	1:A:256:TYR:CD2	2.51	0.46
2:F:26:HIS:O	2:F:26:HIS:ND1	2.49	0.45
1:C:283:THR:HG22	1:C:301:THR:HG22	1.98	0.45
1:E:164:ILE:O	1:E:246:GLU:HA	2.15	0.45
2:F:160:PRO:HA	2:F:163:SER:HB2	1.98	0.45
1:E:309:VAL:HG13	1:E:311:SER:H	1.82	0.45
2:B:150:GLU:HG2	2:B:153:ARG:HH21	1.81	0.45
2:B:2:LEU:HG	2:F:3:PHE:HZ	1.82	0.45
1:E:19:ALA:HB2	2:F:13:GLY:HA3	1.99	0.45
1:E:125(A):LYS:HB2	1:E:125(A):LYS:HE2	1.70	0.45
2:B:73:LEU:CD2	5:E:404:EPE:H31	2.46	0.45
1:E:28:ILE:HD11	2:F:102:MET:HG2	1.99	0.44
2:F:132:GLU:HG2	2:F:138:PHE:HE1	1.83	0.44
2:B:2:LEU:HG	2:F:3:PHE:CZ	2.52	0.44
1:C:53:ASP:OD2	1:C:274:TYR:OH	2.28	0.44
2:B:133:LEU:HD21	2:B:139:GLU:HB2	1.99	0.44
2:F:51:LYS:HD2	2:F:103:GLU:HB3	2.00	0.44
1:A:295:HIS:HD2	1:A:297:ILE:N	2.00	0.43
2:F:58:LYS:HA	2:F:58:LYS:HD2	1.75	0.43
1:E:77:ASP:C	1:E:79:PHE:N	2.70	0.43
1:C:61:LEU:O	1:C:62:ARG:HB2	2.18	0.43
2:B:17:MET:HE3	2:B:17:MET:HB2	1.87	0.43
1:A:294:PHE:HZ	2:B:59:MET:HG3	1.83	0.43
1:A:134:GLY:HA3	1:A:153:TRP:HB3	2.01	0.43
1:E:283:THR:HG22	1:E:301:THR:HG22	2.00	0.43
1:C:139:CYS:HB2	1:C:146:SER:O	2.18	0.43
2:F:132:GLU:HG2	2:F:138:PHE:CE1	2.54	0.43
2:F:15:GLN:HG3	2:F:15:GLN:O	2.18	0.43
1:E:23:GLU:H	1:E:23:GLU:HG2	1.52	0.43
2:D:2:LEU:HA	2:D:2:LEU:HD12	1.89	0.43
1:C:80:ILE:HD13	1:C:80:ILE:HA	1.79	0.43
1:A:48:ASN:HD21	1:A:287:ALA:HB3	1.84	0.43
2:D:72:ASN:HB2	2:D:75:ARG:NH2	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:118:LEU:HA	2:D:118:LEU:HD12	1.88	0.43
1:C:56:VAL:HB	1:C:85:SER:HB3	2.00	0.43
2:D:58:LYS:HE3	2:F:97:GLU:HB3	2.00	0.42
2:B:150:GLU:HG2	2:B:153:ARG:NH2	2.35	0.42
1:C:206:THR:OG1	1:C:209:LEU:CB	2.67	0.42
1:E:28:ILE:HG12	1:E:28:ILE:H	1.54	0.42
2:B:160:PRO:HA	2:B:163:SER:OG	2.20	0.42
1:C:17:TYR:CZ	2:D:6:ILE:HG23	2.54	0.42
1:C:203:SER:HA	1:C:211:GLN:O	2.20	0.42
1:E:66:VAL:HG23	1:E:89:GLU:OE1	2.20	0.42
1:E:255:GLU:HG2	1:E:256:TYR:CD1	2.54	0.42
2:D:153:ARG:HG2	2:D:153:ARG:NH1	2.34	0.42
1:E:80:ILE:HA	1:E:80:ILE:HD13	1.93	0.42
2:D:37:ASP:O	2:D:41:THR:HB	2.19	0.42
2:F:28:ASN:C	2:F:28:ASN:HD22	2.23	0.42
1:E:179:LEU:HD23	1:E:234:TRP:HB3	2.02	0.42
1:C:307:LYS:HG3	2:D:62:GLN:HB2	2.02	0.42
2:B:144:CYS:SG	2:B:149:MET:HE3	2.60	0.42
1:C:98:TYR:CD2	1:C:99:PRO:HD2	2.55	0.42
1:E:73:ASN:O	1:E:76:CYS:N	2.44	0.42
1:C:15:ILE:HD11	2:D:122:VAL:HG21	2.02	0.41
2:F:19:ASP:HB3	2:F:36:ALA:HB2	2.00	0.41
1:C:268:MET:HE3	1:C:268:MET:HB3	1.90	0.41
1:E:77:ASP:O	1:E:78:GLU:C	2.59	0.41
1:C:320:LEU:HB3	2:D:111:HIS:CD2	2.55	0.41
1:A:240:ASN:ND2	3:A:401:NAG:H5	2.28	0.41
1:E:166:ARG:HA	1:E:166:ARG:HD2	1.80	0.41
1:C:38:HIS:CE1	2:D:21:TRP:HE1	2.37	0.41
2:B:131:LYS:O	2:B:138:PHE:HA	2.21	0.41
2:D:133:LEU:HD13	2:D:139:GLU:HB2	2.02	0.41
1:A:42:ILE:HD13	1:A:316:LEU:HD22	2.02	0.41
2:D:28:ASN:ND2	2:D:30:GLN:O	2.45	0.41
1:E:183:HIS:ND1	1:E:195:TYR:OH	2.43	0.41
2:F:159:TYR:HB3	2:F:160:PRO:HD3	2.01	0.41
2:D:55:ILE:HG12	2:D:99:LEU:HD13	2.03	0.41
2:D:41:THR:O	2:D:45:ILE:HG13	2.21	0.41
1:C:279:THR:OG1	1:C:280:LYS:N	2.54	0.41
1:E:316:LEU:HA	1:E:316:LEU:HD12	1.93	0.41
1:A:42:ILE:HB	1:A:293:PRO:HG2	2.03	0.41
1:C:314:LEU:HD23	1:C:314:LEU:HA	1.94	0.40
1:E:17:TYR:CZ	2:F:6:ILE:HG23	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:148:CYS:O	2:D:152:VAL:HG23	2.21	0.40
1:E:62:ARG:CZ	1:E:78:GLU:OE1	2.68	0.40
1:A:238:LYS:HD2	1:A:238:LYS:HA	1.80	0.40
1:A:98:TYR:CD2	1:A:230:MET:HG2	2.57	0.40
1:C:118:PHE:CD1	1:C:258:TYR:HB3	2.57	0.40
1:A:294:PHE:CZ	2:B:59:MET:HG3	2.56	0.40
1:E:125:PRO:O	1:E:126:SER:HB3	2.21	0.40
2:B:123:ARG:HD2	2:B:132:GLU:OE1	2.22	0.40
1:E:197:ASN:HA	1:E:198:PRO:HD3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/329 (97%)	314 (98%)	6 (2%)	0	100	100
1	C	320/329 (97%)	314 (98%)	6 (2%)	0	100	100
1	E	320/329 (97%)	314 (98%)	6 (2%)	0	100	100
2	B	168/182 (92%)	166 (99%)	2 (1%)	0	100	100
2	D	162/182 (89%)	157 (97%)	5 (3%)	0	100	100
2	F	164/182 (90%)	156 (95%)	8 (5%)	0	100	100
All	All	1454/1533 (95%)	1421 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/291 (98%)	272 (95%)	14 (5%)	31	38
1	C	286/291 (98%)	273 (96%)	13 (4%)	34	42
1	E	286/291 (98%)	268 (94%)	18 (6%)	22	25
2	B	145/156 (93%)	131 (90%)	14 (10%)	10	9
2	D	140/156 (90%)	124 (89%)	16 (11%)	7	6
2	F	141/156 (90%)	123 (87%)	18 (13%)	5	4
All	All	1284/1341 (96%)	1191 (93%)	93 (7%)	17	19

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	VAL
1	A	37	THR
1	A	80	ILE
1	A	96(A)	LEU
1	A	111	LEU
1	A	133(A)	SER
1	A	186	ASN
1	A	194	LEU
1	A	238	LYS
1	A	283	THR
1	A	292	MET
1	A	311	SER
1	A	316	LEU
1	A	320	LEU
2	B	22	TYR
2	B	28	ASN
2	B	30	GLN
2	B	60	ASN
2	B	77	ILE
2	B	80	LEU
2	B	82	LYS
2	B	89	LEU
2	B	108	LEU
2	B	113	SER
2	B	124	LEU
2	B	149	MET
2	B	151	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	169	LYS
1	C	23	GLU
1	C	71	LEU
1	C	82	VAL
1	C	121	ILE
1	C	133	SER
1	C	133(A)	SER
1	C	151	VAL
1	C	227	SER
1	C	268	MET
1	C	283	THR
1	C	307	LYS
1	C	309	VAL
1	C	314	LEU
2	D	22	TYR
2	D	28	ASN
2	D	30	GLN
2	D	41	THR
2	D	57	ASP
2	D	62	GLN
2	D	64	GLU
2	D	80	LEU
2	D	83	LYS
2	D	99	LEU
2	D	101	LEU
2	D	108	LEU
2	D	124	LEU
2	D	128	ASP
2	D	144	CYS
2	D	153	ARG
1	E	22	THR
1	E	23	GLU
1	E	28	ILE
1	E	33	LYS
1	E	81	ASN
1	E	101	ASP
1	E	111	LEU
1	E	114	ARG
1	E	121	ILE
1	E	133	SER
1	E	155	ILE
1	E	186	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	227	SER
1	E	261	VAL
1	E	273	GLU
1	E	290	SER
1	E	304	GLU
1	E	323	SER
2	F	26	HIS
2	F	28	ASN
2	F	39	GLU
2	F	56	ILE
2	F	69	GLU
2	F	84	MET
2	F	89	LEU
2	F	108	LEU
2	F	113	SER
2	F	121	ARG
2	F	127	ARG
2	F	137	CYS
2	F	143	LYS
2	F	146	ASN
2	F	147	GLU
2	F	158	ASP
2	F	164	GLU
2	F	165	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	20	ASN
1	A	240	ASN
1	A	295	HIS
2	B	28	ASN
2	B	60	ASN
2	B	95	ASN
2	B	114	ASN
2	B	129	ASN
2	B	146	ASN
2	B	161	GLN
1	C	240	ASN
1	C	295	HIS
2	D	26	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	28	ASN
2	D	30	GLN
2	D	62	GLN
2	D	95	ASN
2	D	114	ASN
2	D	129	ASN
2	D	146	ASN
1	E	20	ASN
1	E	129	ASN
1	E	295	HIS
2	F	28	ASN
2	F	30	GLN
2	F	95	ASN
2	F	114	ASN
2	F	125	GLN
2	F	129	ASN
2	F	146	ASN
2	F	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	401	1,3	14,14,15	0.69	0	15,19,21	0.71	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	402	3	14,14,15	0.60	0	15,19,21	0.99	1 (6%)
3	NAG	C	401	1,3	14,14,15	0.67	0	15,19,21	0.82	0
3	NAG	C	402	3	14,14,15	0.64	0	15,19,21	1.07	1 (6%)
3	NAG	E	401	1,3	14,14,15	0.67	0	15,19,21	1.60	3 (20%)
3	NAG	E	402	3	14,14,15	0.65	0	15,19,21	1.06	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	401	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	402	3	-	0/6/23/26	0/1/1/1
3	NAG	C	401	1,3	-	0/6/23/26	0/1/1/1
3	NAG	C	402	3	-	0/6/23/26	0/1/1/1
3	NAG	E	401	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	402	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	401	NAG	C1-O5-C5	-2.60	108.95	112.25
3	E	401	NAG	O5-C5-C6	2.26	112.25	107.35
3	A	402	NAG	C3-C4-C5	2.27	114.15	110.20
3	C	402	NAG	C1-O5-C5	2.69	115.67	112.25
3	E	402	NAG	C1-O5-C5	2.70	115.68	112.25
3	E	401	NAG	C2-N2-C7	2.83	126.67	123.04

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	NAG	2	0
3	C	401	NAG	2	0

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	A	403	1	14,14,15	0.57	0	15,19,21	1.08	2 (13%)
4	NAG	C	403	1	14,14,15	0.54	0	15,19,21	1.11	1 (6%)
4	NAG	E	403	1	14,14,15	0.57	0	15,19,21	1.18	1 (6%)
5	EPE	E	404	-	14,15,15	0.54	0	18,20,20	2.70	6 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	403	1	-	0/6/23/26	0/1/1/1
4	NAG	C	403	1	-	0/6/23/26	0/1/1/1
4	NAG	E	403	1	-	0/6/23/26	0/1/1/1
5	EPE	E	404	-	-	0/9/19/19	0/1/1/1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	403	NAG	C2-N2-C7	-2.52	119.80	123.04
4	A	403	NAG	C4-C3-C2	-2.31	107.63	111.23
5	E	404	EPE	C9-N1-C6	-2.07	105.96	111.27
5	E	404	EPE	C7-N4-C5	2.68	118.14	111.27
4	C	403	NAG	C3-C4-C5	2.70	114.91	110.20
5	E	404	EPE	C5-N4-C3	2.84	115.04	108.90
5	E	404	EPE	C2-C3-N4	2.93	115.87	110.63
4	E	403	NAG	C3-C4-C5	3.32	115.98	110.20
5	E	404	EPE	C7-N4-C3	5.16	124.49	111.27
5	E	404	EPE	O2S-S-C10	7.95	113.69	106.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	404	EPE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	321/329 (97%)	-0.05	3 (0%) 85 91	15, 33, 55, 71	0
1	C	321/329 (97%)	0.01	11 (3%) 49 60	12, 33, 61, 112	0
1	E	321/329 (97%)	0.08	10 (3%) 52 63	16, 32, 62, 104	0
2	B	170/182 (93%)	0.56	9 (5%) 30 43	15, 52, 71, 91	0
2	D	164/182 (90%)	1.44	47 (28%) 1 1	17, 64, 109, 117	0
2	F	166/182 (91%)	1.51	48 (28%) 1 1	18, 65, 117, 125	0
All	All	1463/1533 (95%)	0.41	128 (8%) 13 20	12, 38, 99, 125	0

All (128) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	160	PRO	7.6
2	F	27	SER	7.3
2	F	162	TYR	6.5
2	D	144	CYS	6.3
2	F	147	GLU	6.2
2	F	157	TYR	6.1
2	D	159	TYR	6.0
2	D	141	TYR	5.9
2	F	141	TYR	5.8
2	F	29	GLU	5.7
2	F	33	GLY	5.4
2	D	35	ALA	5.3
2	D	32	SER	5.3
1	E	10	GLY	5.1
2	D	31	GLY	5.1
2	D	138	PHE	5.1
2	F	148	CYS	5.1
2	F	159	TYR	5.0
2	F	31	GLY	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	20	ASN	4.9
2	F	156	THR	4.9
2	D	140	PHE	4.9
2	D	148	CYS	4.7
2	F	146	ASN	4.7
2	F	32	SER	4.7
1	C	12	GLN	4.7
1	E	13	ILE	4.7
2	D	133	LEU	4.5
2	D	27	SER	4.5
1	C	11	ASP	4.5
2	D	146	ASN	4.4
2	D	26	HIS	4.3
2	F	138	PHE	4.3
2	F	154	ASN	4.3
2	D	23	GLY	4.1
2	F	142	HIS	4.0
2	D	139	GLU	4.0
1	E	14	CYS	4.0
2	F	150	GLU	4.0
2	B	31	GLY	3.9
1	E	323	SER	3.9
2	F	124	LEU	3.9
2	D	19	ASP	3.9
2	F	155	GLY	3.8
2	F	18	VAL	3.8
2	F	19	ASP	3.8
2	F	144	CYS	3.7
2	F	149	MET	3.6
2	B	33	GLY	3.6
2	D	147	GLU	3.6
2	F	25	HIS	3.6
1	E	12	GLN	3.5
2	B	19	ASP	3.4
1	C	323	SER	3.4
2	F	152	VAL	3.4
2	F	164	GLU	3.4
2	D	162	TYR	3.4
2	B	32	SER	3.4
2	F	26	HIS	3.3
2	F	140	PHE	3.3
1	C	14	CYS	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	13	ILE	3.3
2	D	34	TYR	3.3
2	F	145	ASP	3.2
2	D	29	GLU	3.2
2	D	124	LEU	3.2
1	C	22	THR	3.2
2	D	156	THR	3.2
1	E	11	ASP	3.1
2	F	151	SER	3.1
2	D	149	MET	3.1
1	C	23	GLU	3.0
2	F	163	SER	3.0
2	D	152	VAL	3.0
2	D	135	ASN	3.0
2	B	168	LEU	3.0
2	F	30	GLN	2.9
2	D	132	GLU	2.9
2	F	130	ALA	2.8
1	E	80	ILE	2.8
2	F	127	ARG	2.8
2	B	18	VAL	2.8
2	F	139	GLU	2.8
2	F	34	TYR	2.8
2	D	16	GLY	2.8
2	D	30	GLN	2.8
2	D	11	GLU	2.8
2	F	35	ALA	2.7
2	D	145	ASP	2.7
2	F	128	ASP	2.7
2	F	9	PHE	2.7
2	D	38	LYS	2.7
2	F	153	ARG	2.6
2	F	28	ASN	2.6
2	F	126	LEU	2.6
2	D	121	ARG	2.5
2	D	160	PRO	2.5
2	F	16	GLY	2.5
2	B	29	GLU	2.5
1	E	20	ASN	2.5
2	D	28	ASN	2.5
2	D	131	LYS	2.5
2	F	158	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	157	TYR	2.4
2	D	18	VAL	2.4
2	D	137	CYS	2.4
2	D	24	TYR	2.3
2	D	143	LYS	2.3
2	D	22	TYR	2.3
2	F	38	LYS	2.2
2	D	33	GLY	2.2
1	A	22	THR	2.2
2	F	125	GLN	2.2
1	C	264(A)	ASP	2.2
2	B	164	GLU	2.2
2	D	99	LEU	2.1
2	D	13	GLY	2.1
1	C	19(A)	ASN	2.1
2	D	163	SER	2.1
2	D	150	GLU	2.1
1	A	20	ASN	2.1
1	E	81	ASN	2.1
2	F	98	LEU	2.1
1	A	54	ASP	2.1
1	E	77	ASP	2.0
2	D	161	GLN	2.0
1	C	313	ARG	2.0
2	B	38	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	A	401	14/15	0.91	0.17	3.50	32,44,52,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	E	401	14/15	0.85	0.16	0.78	31,45,61,69	0
3	NAG	C	401	14/15	0.88	0.12	-	25,44,52,53	0
3	NAG	C	402	14/15	0.80	0.32	-	61,74,79,79	0
3	NAG	A	402	14/15	0.80	0.34	-	58,77,84,86	0
3	NAG	E	402	14/15	0.85	0.36	-	61,74,79,79	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	EPE	E	404	15/15	0.89	0.16	0.66	26,37,62,72	0
4	NAG	A	403	14/15	0.82	0.29	-	77,81,89,89	0
4	NAG	E	403	14/15	0.88	0.30	-	76,84,89,90	0
4	NAG	C	403	14/15	0.84	0.33	-	75,78,85,92	0

6.5 Other polymers [i](#)

There are no such residues in this entry.