



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:50 AM GMT

PDB ID : 3JX2  
Title : Structure of rat neuronal nitric oxide synthase D597N/M336V mutant heme domain in complex with N1-{(3'S,4'S)-4'-[(6"-amino-4"-methylpyridin-2"-yl)methyl]pyrrolidin-3'-yl}-N2-(3'-fluorophenethyl)ethane-1,2-diamine  
Authors : Delker, S.L.; Li, H.; Poulos, T.L.  
Deposited on : 2009-09-18  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	<div> <div>21%</div> <div>82%</div> <div>15%</div> <div>.</div> </div>
1	B	422	<div> <div>9%</div> <div>79%</div> <div>18%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	860	-	-	X	-
6	GOL	A	880	-	-	-	X
6	GOL	B	880	-	-	-	X

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 7190 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	409	Total	C	N	O	S	0	0	0
			3330	2132	572	606	20			
1	B	411	Total	C	N	O	S	0	0	0
			3344	2140	575	609	20			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	336	VAL	MET	ENGINEERED	UNP P29476
A	597	ASN	ASP	ENGINEERED	UNP P29476
B	336	VAL	MET	ENGINEERED	UNP P29476
B	597	ASN	ASP	ENGINEERED	UNP P29476

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $C_9H_{15}N_5O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is N-{(3S,4S)-4-[(6-AMINO-4-METHYLPYRIDIN-2-YL)METHYL]PYRROLIDIN-3-YL}-N'-[2-(3-FLUOROPHENYL)ETHYL]ETHANE-1,2-DIAMINE (three-letter code: JI4) (formula:  $C_{21}H_{30}FN_5$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	F	N	0	0
			27	21	1	5		
4	B	1	Total	C	F	N	0	0
			27	21	1	5		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula:  $Zn$ ).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Zn	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	126	Total	O	0	0
			126	126		
8	B	195	Total	O	0	0
			195	195		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, brain



- Molecule 1: Nitric oxide synthase, brain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	51.69Å 110.80Å 164.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.83 – 2.10 38.53 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.5 (46.83-2.10) 99.5 (38.53-2.10)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.73 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0089	Depositor
R, $R_{free}$	0.197 , 0.248 0.246 , 0.294	Depositor DCC
$R_{free}$ test set	2768 reflections (5.22%)	DCC
Wilson B-factor (Å <sup>2</sup> )	34.4	Xtriage
Anisotropy	0.828	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 55853 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7190	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.97% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, JI4, ACT, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.63	0/3423	0.69	1/4645 (0.0%)
1	B	0.79	1/3437 (0.0%)	0.77	1/4661 (0.0%)
All	All	0.71	1/6860 (0.0%)	0.73	2/9306 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	678	TRP	CB-CG	5.34	1.59	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	337	LEU	CA-CB-CG	7.89	133.45	115.30
1	A	410	ARG	NE-CZ-NH2	5.47	123.04	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3330	0	3245	41	0
1	B	3344	0	3261	49	0
2	A	43	0	30	9	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	43	0	30	8	0
3	A	17	0	15	0	0
3	B	17	0	15	1	0
4	A	27	0	30	1	0
4	B	27	0	30	2	0
5	A	4	0	3	2	0
5	B	4	0	3	0	0
6	A	6	0	8	0	0
6	B	6	0	8	2	0
7	A	1	0	0	0	0
8	A	126	0	0	2	0
8	B	195	0	0	4	0
All	All	7190	0	6678	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:750:HEM:HHC	2:B:750:HEM:HBB2	1.59	0.82
2:A:750:HEM:HBB2	2:A:750:HEM:HHC	1.65	0.78
1:A:371:ARG:CG	1:A:371:ARG:HH21	2.00	0.74
1:A:348:VAL:HG11	1:A:466:THR:O	1.87	0.74
3:B:760:H4B:HN5	6:B:880:GOL:H32	1.53	0.72
1:A:371:ARG:HG3	1:A:371:ARG:HH21	1.58	0.69
1:A:706:TYR:OH	2:A:750:HEM:O1D	2.06	0.68
2:A:750:HEM:HMC2	2:A:750:HEM:HBC2	1.77	0.67
1:A:473:ARG:NH2	1:A:710:PRO:HD3	2.10	0.67
1:B:460:THR:O	1:B:583:PRO:HD2	1.97	0.63
1:B:595:VAL:O	1:B:599:CYS:HB2	2.01	0.61
2:B:750:HEM:O2A	8:B:1039:HOH:O	2.16	0.60
1:A:525:GLN:HG3	1:A:529:ASN:O	2.02	0.59
2:A:750:HEM:HBA1	4:A:800:JI4:H71A	1.84	0.58
1:B:706:TYR:CZ	4:B:800:JI4:H12	2.38	0.58
2:A:750:HEM:HBB2	2:A:750:HEM:CHC	2.34	0.57
1:B:425:GLN:HG2	1:B:448:TYR:CZ	2.40	0.57
1:B:322:LEU:HD13	1:B:699:ARG:HH21	1.69	0.57
2:A:750:HEM:HMB3	5:A:860:ACT:H3	1.87	0.56
1:B:398:ASP:HB2	8:B:1103:HOH:O	2.05	0.56
1:A:323:GLU:HG2	1:B:328:GLU:HB3	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:663:GLU:O	1:A:667:ARG:HG2	2.07	0.55
1:B:462:PHE:HB2	1:B:581:ALA:HB3	1.89	0.54
1:B:596:ARG:HH22	6:B:880:GOL:H2	1.72	0.54
1:A:380:ARG:HD3	1:A:400:GLU:OE1	2.08	0.53
2:B:750:HEM:HBA1	4:B:800:JI4:H71A	1.91	0.52
1:A:684:SER:HB3	1:A:687:ILE:HG12	1.90	0.52
1:A:631:VAL:HG11	1:B:628:GLN:HG2	1.92	0.52
1:A:478:GLN:HB2	1:A:481:ARG:HG3	1.91	0.52
1:B:505:CYS:O	1:B:506:ILE:C	2.49	0.51
1:A:450:THR:HA	1:A:455:LEU:HD22	1.93	0.51
1:B:533:LEU:O	1:B:534:PHE:CG	2.63	0.51
1:A:307:GLU:HG3	8:B:1052:HOH:O	2.10	0.51
1:B:485:TYR:HE2	1:B:512:ALA:HB1	1.76	0.50
1:A:371:ARG:CG	1:A:371:ARG:NH2	2.67	0.50
1:B:409:TRP:CZ3	2:B:750:HEM:HMC3	2.48	0.49
1:A:684:SER:HB3	1:A:687:ILE:CG1	2.43	0.48
1:A:475:TRP:CZ2	1:A:531:PRO:HG3	2.47	0.48
2:A:750:HEM:HMB3	5:A:860:ACT:CH3	2.43	0.48
1:B:459:ILE:HD11	1:B:582:CYS:HB2	1.96	0.48
1:B:584:PHE:CD1	2:B:750:HEM:HAC	2.50	0.47
1:B:303:VAL:HG23	1:B:312:LEU:HB2	1.95	0.47
2:A:750:HEM:O2A	8:A:1021:HOH:O	2.21	0.47
1:B:519:VAL:HG21	1:B:541:VAL:HG11	1.96	0.47
1:A:626:LYS:HB3	1:B:687:ILE:HD12	1.97	0.47
1:A:628:GLN:HG2	1:B:631:VAL:HG11	1.97	0.47
1:B:425:GLN:HG2	1:B:448:TYR:CE2	2.49	0.46
1:A:607:LEU:HD13	1:A:626:LYS:HG2	1.97	0.46
1:A:674:ALA:HB3	1:A:695:MET:HB3	1.96	0.46
1:B:481:ARG:NE	1:B:498:ASN:HD21	2.14	0.46
1:B:403:TYR:CE1	1:B:407:HIS:CE1	3.04	0.45
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.98	0.45
1:B:316:LEU:HD21	1:B:700:LEU:HD11	1.98	0.45
2:A:750:HEM:CBB	2:A:750:HEM:HHC	2.42	0.45
1:B:663:GLU:O	1:B:667:ARG:HD2	2.17	0.45
1:A:403:TYR:CE1	1:A:407:HIS:CE1	3.06	0.44
1:A:355:PHE:CE1	1:A:385:ASN:HB2	2.52	0.44
1:B:473:ARG:CZ	1:B:710:PRO:HG3	2.48	0.44
1:A:430:ARG:O	1:A:463:PRO:HG3	2.18	0.44
1:B:353:GLN:HB3	1:B:353:GLN:HE21	1.63	0.43
1:A:299:ARG:HA	8:A:1034:HOH:O	2.18	0.43
1:B:307:GLU:HG2	1:B:692:HIS:CG	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:409:TRP:CH2	2:B:750:HEM:HMC3	2.54	0.43
1:B:565:PRO:HB3	1:B:588:TYR:CZ	2.53	0.43
1:A:686:SER:OG	1:B:595:VAL:HG12	2.19	0.43
1:A:299:ARG:O	1:A:317:HIS:CE1	2.72	0.43
1:B:361:PHE:HA	1:B:364:GLN:HE21	1.84	0.43
1:A:680:VAL:HA	1:A:681:PRO:HD3	1.90	0.42
1:A:686:SER:HB3	1:B:682:PRO:HB2	2.00	0.42
1:A:332:MET:HE2	1:B:301:LEU:HD22	2.01	0.42
1:B:589:MET:HA	1:B:649:VAL:O	2.19	0.42
1:B:584:PHE:CD1	2:B:750:HEM:CAC	3.03	0.42
1:A:449:ALA:O	1:A:455:LEU:HA	2.20	0.42
1:A:367:SER:HA	1:A:372:PHE:HB2	2.01	0.42
1:A:610:VAL:HG21	1:A:633:ILE:HD11	2.01	0.41
1:B:418:ARG:C	1:B:420:GLN:N	2.73	0.41
1:A:487:GLN:HE22	1:A:493:LEU:HD22	1.85	0.41
1:B:388:ILE:O	1:B:392:SER:N	2.47	0.41
1:A:332:MET:HB3	1:A:335:ILE:HG13	2.03	0.41
1:A:332:MET:CE	1:B:301:LEU:HD22	2.50	0.41
1:B:496:PRO:HB2	1:B:602:SER:O	2.20	0.41
1:A:464:GLN:HB3	1:A:579:PHE:CE2	2.55	0.41
1:A:423:LYS:HE2	1:A:423:LYS:HB2	1.87	0.41
1:B:473:ARG:HD2	1:B:473:ARG:HA	1.83	0.41
1:B:680:VAL:HA	1:B:681:PRO:HD3	1.95	0.41
1:B:300:PHE:CD2	1:B:315:THR:HG22	2.56	0.41
1:A:323:GLU:HA	1:B:328:GLU:O	2.21	0.41
1:B:303:VAL:CG2	1:B:312:LEU:HB2	2.51	0.41
1:B:697:ASN:HD22	1:B:697:ASN:HA	1.70	0.41
1:B:607:LEU:HB2	8:B:1023:HOH:O	2.21	0.40
1:B:409:TRP:CZ2	2:B:750:HEM:CHC	3.05	0.40
1:A:299:ARG:HG3	1:A:318:LEU:HD11	2.03	0.40
1:B:548:HIS:NE2	1:B:632:GLU:OE1	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	405/422 (96%)	390 (96%)	15 (4%)	0	100	100
1	B	407/422 (96%)	390 (96%)	15 (4%)	2 (0%)	34	30
All	All	812/844 (96%)	780 (96%)	30 (4%)	2 (0%)	52	53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	685	GLY
1	B	504	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/377 (97%)	353 (97%)	12 (3%)	45	47
1	B	366/377 (97%)	359 (98%)	7 (2%)	65	70
All	All	731/754 (97%)	712 (97%)	19 (3%)	54	58

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	321	THR
1	A	350	THR
1	A	371	ARG
1	A	454	ASN
1	A	507	GLN
1	A	514	ARG
1	A	547	ARG
1	A	608	GLU
1	A	620	LYS
1	A	645	LYS
1	A	667	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	701	THR
1	B	353	GLN
1	B	423	LYS
1	B	477	SER
1	B	507	GLN
1	B	516	ARG
1	B	547	ARG
1	B	715	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	364	GLN
1	A	454	ASN
1	A	642	GLN
1	A	697	ASN
1	B	364	GLN
1	B	385	ASN
1	B	420	GLN
1	B	454	ASN
1	B	508	GLN
1	B	601	ASN
1	B	605	ASN
1	B	642	GLN
1	B	697	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEM	A	750	1	30,50,50	2.20	5 (16%)	24,82,82	2.82	10 (41%)
3	H4B	A	760	-	13,18,18	0.77	0	11,26,26	2.54	5 (45%)
4	JI4	A	800	-	26,29,29	0.75	2 (7%)	30,38,38	1.63	7 (23%)
5	ACT	A	860	-	1,3,3	1.56	0	0,3,3	0.00	-
6	GOL	A	880	-	5,5,5	0.42	0	5,5,5	0.15	0
2	HEM	B	750	1	30,50,50	2.08	7 (23%)	24,82,82	3.07	13 (54%)
3	H4B	B	760	-	13,18,18	0.68	0	11,26,26	2.47	5 (45%)
4	JI4	B	800	-	26,29,29	0.73	0	30,38,38	1.71	8 (26%)
5	ACT	B	860	-	1,3,3	1.28	0	0,3,3	0.00	-
6	GOL	B	880	-	5,5,5	0.32	0	5,5,5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	750	1	-	0/10/54/54	0/0/8/8
3	H4B	A	760	-	-	0/8/17/17	0/2/2/2
4	JI4	A	800	-	-	0/13/23/23	0/3/3/3
5	ACT	A	860	-	-	0/0/0/0	0/0/0/0
6	GOL	A	880	-	-	0/4/4/4	0/0/0/0
2	HEM	B	750	1	-	0/10/54/54	0/0/8/8
3	H4B	B	760	-	-	0/8/17/17	0/2/2/2
4	JI4	B	800	-	-	0/13/23/23	0/3/3/3
5	ACT	B	860	-	-	0/0/0/0	0/0/0/0
6	GOL	B	880	-	-	0/4/4/4	0/0/0/0

All (14) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	750	HEM	C3D-C4D	-6.26	1.43	1.51
2	A	750	HEM	C3B-C4B	-6.18	1.46	1.51
2	B	750	HEM	C3D-C4D	-5.09	1.45	1.51
2	B	750	HEM	C3B-C4B	-4.52	1.47	1.51
2	A	750	HEM	C2C-C1C	-4.03	1.44	1.52
2	B	750	HEM	C2C-C1C	-3.89	1.45	1.52
2	B	750	HEM	C2B-C1B	-2.48	1.43	1.51
2	B	750	HEM	C2D-C1D	-2.03	1.45	1.51
4	A	800	JI4	C14-C13	2.02	1.41	1.37
2	A	750	HEM	FE-ND	2.06	2.08	1.97
4	A	800	JI4	C12-C13	2.06	1.41	1.37
2	B	750	HEM	CMA-C3A	2.21	1.56	1.51
2	A	750	HEM	FE-NC	3.20	2.08	1.95
2	B	750	HEM	FE-NC	4.96	2.15	1.95

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	750	HEM	CBA-CAA-C2A	-7.11	99.78	112.53
2	B	750	HEM	CBA-CAA-C2A	-6.77	100.39	112.53
2	B	750	HEM	C3C-CAC-CBC	-4.18	118.05	124.46
2	B	750	HEM	CAA-C2A-C1A	-3.85	122.83	127.01
2	A	750	HEM	C3B-CAB-CBB	-3.77	118.67	124.46
2	A	750	HEM	CBD-CAD-C3D	-3.66	102.90	113.55
4	B	800	JI4	C31-C21-N11	-3.37	119.16	122.96
4	A	800	JI4	C31-C21-N11	-3.12	119.44	122.96
4	A	800	JI4	C14-C13-C12	-2.97	119.51	123.35
4	A	800	JI4	C2-C1-N1	-2.89	106.53	110.67
3	A	760	H4B	N3-C2-N1	-2.63	121.22	125.53
2	B	750	HEM	C3B-C4B-NB	-2.60	106.65	111.63
4	B	800	JI4	C3-C4-C11	-2.57	107.51	112.83
4	B	800	JI4	C14-C13-C12	-2.52	120.10	123.35
3	B	760	H4B	N3-C2-N1	-2.39	121.61	125.53
4	A	800	JI4	C81-C41-C31	-2.35	117.39	120.95
2	B	750	HEM	CMA-C3A-C4A	-2.33	124.52	128.36
4	A	800	JI4	C3-C4-C11	-2.12	108.44	112.83
4	B	800	JI4	C1-C2-N2	-2.06	105.67	111.55
2	A	750	HEM	C3B-C4B-CHC	2.03	126.03	123.16
2	A	750	HEM	CMD-C2D-C3D	2.45	125.17	114.35
3	B	760	H4B	C2-N1-C8A	2.53	120.23	114.54
2	B	750	HEM	C3B-C4B-CHC	2.59	126.81	123.16
4	B	800	JI4	C3-N2-C2	2.59	122.53	113.35
2	A	750	HEM	C2D-C3D-C4D	2.73	106.12	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	800	JI4	C2'-C3'-N1	2.74	117.64	111.90
2	B	750	HEM	CMD-C2D-C3D	2.75	126.52	114.35
3	A	760	H4B	C2-N1-C8A	2.77	120.77	114.54
3	B	760	H4B	C4A-C8A-N8	3.07	122.04	118.43
2	B	750	HEM	C2D-C3D-C4D	3.16	106.86	101.50
2	B	750	HEM	C2C-C1C-CHC	3.18	128.51	123.68
2	A	750	HEM	CMB-C2B-C3B	3.32	124.83	116.53
2	A	750	HEM	CAD-C3D-C4D	3.41	124.49	112.47
4	A	800	JI4	C61-N11-C21	3.46	120.69	118.23
3	A	760	H4B	C4-N3-C2	3.48	120.77	115.94
3	B	760	H4B	C4-N3-C2	3.52	120.82	115.94
4	A	800	JI4	C1-N1-C3'	3.56	119.25	113.89
3	A	760	H4B	C4A-C8A-N8	3.89	123.01	118.43
4	B	800	JI4	C61-N11-C21	3.92	121.01	118.23
4	B	800	JI4	C1-N1-C3'	3.97	119.88	113.89
2	B	750	HEM	CAD-C3D-C4D	4.12	127.00	112.47
2	B	750	HEM	CMC-C2C-C3C	4.46	127.67	116.53
2	B	750	HEM	CAD-C3D-C2D	4.49	126.14	113.22
3	A	760	H4B	C4-C4A-C8A	4.90	119.00	114.56
2	A	750	HEM	CMC-C2C-C3C	5.11	129.29	116.53
2	B	750	HEM	CMB-C2B-C3B	5.27	129.69	116.53
3	B	760	H4B	C4-C4A-C8A	5.39	119.44	114.56
2	A	750	HEM	CAD-C3D-C2D	5.59	129.30	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	750	HEM	9	0
4	A	800	JI4	1	0
5	A	860	ACT	2	0
2	B	750	HEM	8	0
3	B	760	H4B	1	0
4	B	800	JI4	2	0
6	B	880	GOL	2	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	409/422 (96%)	1.11	87 (21%) 1 1	29, 57, 107, 131	0
1	B	411/422 (97%)	0.56	40 (9%) 10 14	25, 45, 76, 98	0
All	All	820/844 (97%)	0.83	127 (15%) 3 4	25, 50, 98, 131	0

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	300	PHE	9.4
1	A	348	VAL	7.6
1	A	488	PRO	7.2
1	A	300	PHE	6.8
1	A	716	TRP	6.4
1	A	715	VAL	6.4
1	B	718	GLY	6.3
1	B	348	VAL	5.9
1	A	352	ASP	5.1
1	A	503	GLU	5.0
1	A	355	PHE	4.9
1	A	349	ARG	4.9
1	A	490	GLY	4.7
1	A	390	SER	4.6
1	A	506	ILE	4.2
1	B	619	ARG	4.2
1	A	391	THR	4.2
1	B	302	LYS	4.1
1	B	350	THR	4.1
1	A	350	THR	4.0
1	B	715	VAL	4.0
1	B	616	LEU	4.0
1	A	713	THR	3.9
1	B	352	ASP	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	567	VAL	3.8
1	A	712	ASN	3.7
1	A	392	SER	3.5
1	A	619	ARG	3.5
1	A	322	LEU	3.5
1	A	393	THR	3.5
1	A	299	ARG	3.5
1	A	588	TYR	3.5
1	A	351	LYS	3.4
1	B	691	PHE	3.4
1	A	302	LYS	3.3
1	A	486	LYS	3.3
1	A	388	ILE	3.3
1	B	611	ALA	3.3
1	A	679	ILE	3.3
1	A	389	GLU	3.3
1	B	311	VAL	3.3
1	A	566	ALA	3.3
1	A	677	VAL	3.3
1	A	682	PRO	3.3
1	A	678	TRP	3.2
1	A	507	GLN	3.2
1	A	591	THR	3.2
1	B	677	VAL	3.1
1	A	479	LEU	3.0
1	A	321	THR	3.0
1	B	591	THR	3.0
1	A	595	VAL	3.0
1	A	489	ASP	2.9
1	A	511	LYS	2.9
1	A	704	PHE	2.9
1	A	487	GLN	2.9
1	A	683	MET	2.9
1	A	528	GLY	2.9
1	A	551	PHE	2.9
1	A	382	GLU	2.9
1	A	356	PRO	2.9
1	A	691	PHE	2.8
1	A	593	ILE	2.8
1	A	685	GLY	2.8
1	A	714	HIS	2.8
1	A	482	TYR	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	620	LYS	2.7
1	B	615	ASP	2.7
1	A	681	PRO	2.7
1	A	680	VAL	2.7
1	A	469	LYS	2.7
1	A	584	PHE	2.7
1	A	415	CYS	2.7
1	A	385	ASN	2.7
1	A	565	PRO	2.7
1	A	517	PHE	2.6
1	B	299	ARG	2.6
1	B	566	ALA	2.6
1	B	680	VAL	2.6
1	A	373	GLY	2.5
1	B	567	VAL	2.5
1	A	466	THR	2.5
1	B	588	TYR	2.5
1	A	394	TYR	2.5
1	A	676	TRP	2.5
1	B	301	LEU	2.4
1	A	384	VAL	2.4
1	B	685	GLY	2.4
1	A	328	GLU	2.4
1	A	386	LYS	2.4
1	B	389	GLU	2.4
1	A	505	CYS	2.4
1	B	321	THR	2.4
1	A	504	ILE	2.4
1	B	667	ARG	2.4
1	A	667	ARG	2.3
1	A	491	SER	2.3
1	B	392	SER	2.3
1	B	338	PRO	2.3
1	A	480	ILE	2.3
1	A	594	GLY	2.3
1	A	338	PRO	2.3
1	A	508	GLN	2.3
1	B	318	LEU	2.3
1	B	678	TRP	2.3
1	B	687	ILE	2.3
1	B	681	PRO	2.3
1	A	416	VAL	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	590	GLY	2.2
1	A	354	LEU	2.2
1	A	371	ARG	2.2
1	B	682	PRO	2.2
1	A	686	SER	2.2
1	B	686	SER	2.2
1	B	595	VAL	2.2
1	B	679	ILE	2.2
1	A	514	ARG	2.1
1	A	710	PRO	2.1
1	A	585	SER	2.1
1	A	711	TRP	2.1
1	A	564	LEU	2.1
1	B	329	HIS	2.1
1	B	415	CYS	2.1
1	B	353	GLN	2.1
1	A	485	TYR	2.1
1	A	519	VAL	2.1
1	B	310	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	GOL	B	880	6/6	0.81	0.35	3.43	88,89,89,89	0
6	GOL	A	880	6/6	0.76	0.34	3.20	58,61,63,64	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	JI4	A	800	27/27	0.82	0.30	1.70	34,44,69,71	0
4	JI4	B	800	27/27	0.89	0.25	1.52	29,41,72,73	0
2	HEM	A	750	43/43	0.96	0.24	0.99	30,35,46,50	0
2	HEM	B	750	43/43	0.96	0.19	0.58	30,35,42,49	0
3	H4B	B	760	17/17	0.94	0.21	0.52	24,30,40,43	0
3	H4B	A	760	17/17	0.94	0.18	0.04	31,34,40,41	0
5	ACT	B	860	4/4	0.94	0.11	-0.25	59,60,60,61	0
5	ACT	A	860	4/4	0.95	0.11	-0.85	64,66,66,67	0
7	ZN	A	900	1/1	0.99	0.10	-1.34	41,41,41,41	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.