



wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 08:23 PM GMT

PDB ID : 1JZY
Title : Structural Basis for the Interaction of Antibiotics with the Peptidyl Transferase Center in Eubacteria
Authors : Schlutzen, F.; Zarivach, R.; Harms, J.; Bashan, A.; Tocilj, A.; Albrecht, R.; Yonath, A.; Franceschi, F.
Deposited on : 2001-09-17
Resolution : 3.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.





Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1157 (3.60-3.40)
RNA backbone	2183	1050 (4.20-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	2880	 30% 48% 18% .
2	K	205	 96% .
3	L	134	 97% .
4	M	60	 97% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ERY	A	2881	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 59970 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	2774	Total	C	N	O	P	0	0	0
			59532	26556	10982	19221	2773			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1526	U	Y	SEE REMARK 999	GB 15805042

- Molecule 2 is a protein called Ribosomal Protein L4.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
2	K	197	Total	C	0	0	197
			197	197			


- Molecule 3 is a protein called Ribosomal Protein L22.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
3	L	130	Total	C	0	0	130
			130	130			

- Molecule 4 is a protein called Ribosomal Protein L32.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
4	M	58	Total	C	0	0	58
			58	58			

- Molecule 5 is ERYTHROMYCIN A (three-letter code: ERY) (formula: C₃₇H₆₇NO₁₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			51	37	1	13		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total Mg 2 2	0	0

U1819	U1746	G1672	G1599	G1529	G1460	G1391	A1321	C1252	G1174	U1105	U1038	A964	C	C827	G761
G1820	G1747	C1673	U1600	U1530	G1465	A1391	G1322	C1263	A1175	A1106	A1039	G968	U	C828	A762
A1821	U1748	C1674	U1601	C1631	G1466	U1392	G1323	C1263	U1176	A1107	A1040	U969	A	C829	A763
C1824	G1749	C1675	A1602	A1532	U1467	A1397	G1324	G1268	U1177	U1108	G1041	U969	C	C830	A764
C1825	A1750	U1676	A1603	A1533	A1468	G1398	U1325	A1260	C1178	G1109	U1044	A970	C	G831	C765
U1826	A1751	C1677	A1604	A1534	U1469	G1399	U1326	G1261	G1183	G1110	G1045	A971	A	A832	A766
C1827	U1752	G1678	A1605	C1535	U1469	C1399	C1327	G1262	G1187	C1111	G1046	C972	C	A833	G767
G1828	G1753	U1679	C1606	G1536	G1470	A1400	U1328	G1263	G1187	U1112	U1047	C973	G	U768	
C1829	U1680	A1681	U1607	U1537	U1474	G1401	G1330	G1264	A1187	C1113	G1048	U974	U	A838	
C1830	A1682	G1683	U1611	U1538	U1475	G1402	G1331	G1265	G1188	G1118	C1049	C975	U	U839	G772
G1831	U1684	G1684	U1612	C1540	U1476	U1403	A1334	A1267	G1189	U1119	U1048	C976	A	U840	G773
G1834	A1759	A1685	G1613	G1541	G1476	A1405	A1334	U1268	G1190	C1200	C1054	U978	C909	A841	A774
C1835	G1760	A1686	C1614	U1547	G1480	U1409	G1337	U1269	A1192	A1055	A1055	A979	C910	A842	U775
C1836	G1761	C1687	U1615	U1548	U1481	U1410	G1338	G1270	G1193	U1056	U1056	U980	A911	G843	G776
G1837	G1762	U1688	G1617	C1549	U1482	C1411	G1339	C1271	G1194	A1122	U1057	C981	A912	G844	
A1840	G1763	U1689	U1618	C1550	G1483	C1412	U1340	G1272	U1195	G1123	G1058	C982	A913		
A1851	A1764	U1690	A1619	U1551	G1484	C1413	G1341	G1273	G1196	G1124	A1059	C983	C914		
G1852	C1765	G1691	C1623	G1552	U1485	C1415	U1342	C1274	U1197	A1126	U1060	A984	C915		
G1854	U1766	C1692	A1624	G1553	A1486	A1416	U1343	A1275	C1198	G1127	A1061	G985	A918		
G1855	G1767	A1693	A1625	U1554	G1487	C1417	G1344	U1276	U1199	A1129	A1065	A994	U919		
U1856	U1768	A1694	A1626	A1555	C1488	C1417	G1345	G1277	A995	A1130	G1066	A995	A922		
G1857	U1769	C1695	C1627	G1556	U1489	U1421	C1346	A1278	C996	U1201	G1067	C996	A923		
A1867	U1770	C1696	G1627	G1557	U1490	U1421	C1347	G1279	C997	U1202	A1068	C997	C924		
G1871	A1771	C1698	C1631	G1558	A1493	U1424	G1348	U1280	C998	G1135	G1069	C998	U925		
C1876	C1772	A1699	A1632	U1559	U1494	U1425	A1349	A1281	A999	A1136	U1070	A999	C926		
C1877	G1773	C1632	G1633	A1560	G1495	G1426	G1350	A1282	A1000	A1137	G1071	G1000	C927		
G1878	A1774	G1703	A1634	U1561	G1496	U1427	G1351	A1283	A1001	A1138	U1072	A1001	A928		
C1879	U1775	G1704	G1635	G1562	G1497	G1428	G1352	G1284	C1002	A1139	G1073	A1002	A929		
G1880	A1776	C1705	C1635	U1563	C1498	G1429	A1353	A1285	G1003	A1140	G1074	C1003	A930		
U1881	C1777	U1710	C1640	U1564	G1498	A1429	A1354	U1286	A1004	U1141	U1075	A1005	A931		
C1882	U1778	C1711	G1641	G1565	A1499	U1430	A1355	A1287	U1142	G1142	U1076	U1005	A932		
A1883	A1782	G1712	C1642	U1566	U1500	G1431	C1214	U1288	U1143	A1143	U1077	C1006	A933		
C1884	U1787	A1714	U1645	C1571	G1502	U1433	C1358	A1290	G1145	C1145	A1078	A1007	A934		
A1885	C1788	G1715	U1648	G1572	G1503	U1434	C1359	G1291	U1080	A1080	C870	C803	C937		
G1886	G1790	A1717	C1648	C1575	U1504	G1435	C1364	A1292	A1081	A1081	U871	C804	C938		
C1887	C1791	U1722	U1651	U1505	G1506	G1436	U1365	A1293	G1149	C1219	G1082	G805	C939		
C1888	G1792	U1723	G1652	G1579	A1507	G1438	A1366	G1298	C1013	G1014	C1083	A806	C940		
G1889	A1794	C1725	A1654	C1580	G1508	G1439	A1367	A1299	U1015	A1084	A874	A807	U941		
C1890	C1726	G1726	C1655	C1581	A1510	A1441	G1368	U1300	G1085	C1016	G1085	C808	U942		
C1891	U1800	C1727	U1656	A1582	A1511	C1442	U1370	C1301	C1086	A943	C1087	A876	U943		
U1894	C1801	A1728	A1657	A1583	U1512	G1443	G1371	C1302	U1019	A1020	A1088	C877	U944		
A1895	A1802	C1729	C1657	G1584	U1513	C1444	G1373	C1307	A1021	A1021	C1089	A879	A945		
A1896	G1803	G1730	U1660	A1585	C1514	A1445	G1374	U1308	G1024	U1023	U1092	C880	C948		
C1897	A1807	U1733	C1661	A1588	U1515	U1446	G1377	G1309	U1093	G1024	U1093	A886	C950		
U1898	C1808	C1734	G1662	G1589	G1519	G1460	C1311	C1310	G1028	G1028	A1096	G887	A952		
A1899	G1735	U1591	U1663	C1590	G1520	C1461	C1380	G1312	C1029	C1029	A1097	C888	A953		
U1900	U1810	C1736	C1665	U1592	U1521	U1452	G1381	G1241	U1030	U1030	G1098	C889	U954		
A1901	C1811	G1737	G1666	C1593	A1523	A1453	G1382	U1244	C1031	C1031	G1099	A891	C955		
U1905	U1812	U1738	C1667	U1594	C1524	C1456	G1383	G1245	A1032	A1032	A1099	G882	A956		
C1906	A1813	G1742	G1668	A1595	A1525	U1457	G1384	C1316	G1033	G1033	G1099	G882	A957		
C1907	U1817	C1743	A1669	U1596	U1526	A1457	C1385	C1319	U1034	U1034	U1101	G882	A958		
G1908	C1818		G1670	A1597	A1527	A1458	G1387	C1319	G1035	G1035	G1102	G882	A959		
				C1598	C1528	U1459		A1320	U1037	U1037	G1104	C	U960		




- Molecule 3: Ribosomal Protein L22

Chain L:  97% .



- Molecule 4: Ribosomal Protein L32

Chain M:  97% .



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	169.20 Å 410.00 Å 695.00 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.50	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-3.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS, REFMAC	Depositor
R, R_{free}	0.268 , 0.301	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	59970	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ERY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.23	0/66661	0.66	3/103976 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	1746	A	C2'-C3'-O3'	6.01	123.32	113.70
1	A	777	A	C2'-C3'-O3'	5.45	122.42	113.70
1	A	2588	U	C2'-C3'-O3'	5.12	121.89	113.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	59532	0	30004	1926	0
2	K	197	0	0	0	0
3	L	130	0	0	0	0
4	M	58	0	0	0	0
5	A	51	0	67	22	0
6	A	2	0	0	0	0
All	All	59970	0	30071	1944	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 1944 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1747:G:H4'	1:A:1749:G:H1'	1.30	1.12
1:A:2668:U:H4'	1:A:2669:C:H5'	1.33	1.11
1:A:940:G:H3'	1:A:941:U:H5''	1.34	1.09
1:A:367:G:H2'	1:A:368:A:H5''	1.34	1.08
1:A:1199:U:H3'	1:A:1200:G:H5''	1.35	1.06

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2765/2880 (96%)	561 (20%)	147 (5%)

5 of 561 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	13	A
1	A	14	A
1	A	15	G
1	A	23	G
1	A	45	C

5 of 147 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1285	A
1	A	1626	A
1	A	2615	U
1	A	1313	U
1	A	1357	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ERY	A	2881	-	53,53,53	1.50	11 (20%)	82,82,82	3.09	43 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ERY	A	2881	-	-	1/72/107/107	1/3/3/3

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	2881	ERY	O2-C13	-3.09	1.40	1.46
5	A	2881	ERY	C19-C16	-2.19	1.47	1.52
5	A	2881	ERY	C2-C1	2.01	1.56	1.51
5	A	2881	ERY	C12-C13	2.01	1.58	1.54
5	A	2881	ERY	C32-C6	2.06	1.56	1.52

The worst 5 of 43 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2881	ERY	O5-C16-C19	-8.10	98.23	110.88
5	A	2881	ERY	C15-C16-C17	-7.67	98.21	107.81
5	A	2881	ERY	O5-C16-C15	-5.32	104.47	113.00
5	A	2881	ERY	C27-C26-C25	-4.86	105.28	113.38
5	A	2881	ERY	C20-O5-C16	-4.60	107.13	117.72

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	2881	ERY	C20-O5-C16-C17

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	2881	ERY	C14-C15-C16-C17-C18-O4

1 monomer is involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	2881	ERY	22	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.