



Full wwPDB NMR Structure Validation Report i

Apr 26, 2016 – 10:10 PM BST

PDB ID : 2K20
Title : Solution structure of Par-3 PDZ3 in complex with PTEN peptide
Authors : Feng, W.; Wu, H.; Chan, L.; Zhang, M.
Deposited on : 2008-03-18

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	unknown
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	rb-20027457
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027457

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain				
1	A	104	36%	47%	12%	6%	
2	B	11	27%	9%	64%		

2 Ensemble composition and analysis

This entry contains 20 models. Model 9 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *minimized average structure*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:10-A:107, (102) B:10-B:13	0.23	9

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 7 single-model clusters were found.

Cluster number	Models
1	2, 5, 8, 10, 11
2	4, 9, 12, 15
3	7, 13
4	16, 19
Single-model clusters	1; 3; 6; 14; 17; 18; 20

3 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 1753 atoms, of which 884 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Partitioning-defective 3 homolog.

Mol	Chain	Residues	Atoms						Trace
1	A	104	Total	C	H	N	O	S	0
			1579	474	801	150	151	3	

- Molecule 2 is a protein called Protein tyrosine phosphatase and tensin homolog.


Mol	Chain	Residues	Atoms						Trace
2	B	11	Total	C	H	N	O		0
			174	53	83	16	22		

4 Residue-property plots [\(i\)](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Partitioning-defective 3 homolog



- Molecule 2: Protein tyrosine phosphatase and tensin homolog




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.2 Score per residue for model 2

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.3 Score per residue for model 3

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog




4.2.4 Score per residue for model 4

- Molecule 1: Partitioning-defective 3 homolog



- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.5 Score per residue for model 5

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.6 Score per residue for model 6

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog





4.2.7 Score per residue for model 7

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.8 Score per residue for model 8

- Molecule 1: Partitioning-defective 3 homolog





- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.9 Score per residue for model 9 (medoid)

- Molecule 1: Partitioning-defective 3 homolog





- Molecule 2: Protein tyrosine phosphatase and tensin homolog

Chain B: 18% 18% 64%

Residue	Score Range
D3	Yellow
E4	Yellow
D5	Yellow
Q6	Yellow
H7	Yellow
S8	Yellow
Q9	Yellow
I10	Yellow
T11	Yellow
L12	Yellow
V13	Yellow

4.2.10 Score per residue for model 10

- Molecule 1: Partitioning-defective 3 homolog

Chain A: 33% 46% 15% 6%

Residue	Score Range
G7	Green
T8	Green
R9	Green
E10	Green
F11	Green
L12	Orange
T13	Yellow
F14	Yellow
E15	Yellow
V16	Yellow
P17	Yellow
L18	Orange
M19	Orange
S20	Orange
D20	Green
S21	Green
G22	Yellow
L26	Orange
G27	Yellow
V28	Yellow
S29	Yellow
V30	Yellow
K31	Orange
R34	Green
S35	Green
K36	Yellow
I37	Yellow
A38	Yellow
R39	Yellow
I40	Yellow
I41	Yellow
L42	Yellow
T44	Orange
F45	Orange
V46	Yellow
K47	Orange
S48	Yellow
I49	Yellow
M50	Orange
N51	Orange
G52	Green
S53	Green
A54	Green
A55	Green
A56	Green
D58	Green
G59	Green
R60	Green
L61	Green
R62	Green
V63	Green
N64	Green
L67	Green
I68	Green
A69	Green
V70	Green
L75	Green
R78	Green
A79	Green
Q81	Green

- Molecule 2: Protein tyrosine phosphatase and tensin homolog

Chain B: 18% 18% 64%

Residue	Score Range
D3	Yellow
E4	Yellow
D5	Yellow
Q6	Yellow
H7	Yellow
S8	Yellow
Q9	Yellow
I10	Yellow
V11	Yellow
V12	Yellow
T13	Yellow
L14	Yellow
E15	Yellow
V16	Yellow
R89	Yellow
S90	Yellow
S92	Yellow
T93	Yellow
V13	Yellow

4.2.11 Score per residue for model 11

- Molecule 1: Partitioning-defective 3 homolog

Chain A: 36% 46% 13% 6%

Residue	Score Range
G7	Green
T8	Green
R9	Green
E10	Green
F11	Green
L12	Orange
T13	Yellow
F14	Yellow
E15	Yellow
V16	Yellow
P17	Yellow
L18	Orange
M19	Orange
S20	Orange
K21	Orange
C22	Yellow
L26	Orange
C27	Yellow
V28	Yellow
S29	Yellow
K30	Orange
K31	Orange
Q102	Yellow
L103	Orange
I104	Orange
V105	Orange
A106	Orange
R107	Orange
R108	Orange
I109	Orange
S110	Green
G14	Orange
F45	Orange
V46	Yellow
T47	Orange
S48	Yellow
I49	Yellow
I50	Orange
N51	Orange
G52	Green
S53	Green
A54	Green
A55	Green
A56	Green
D58	Green
G59	Green
R60	Green
L61	Green
R62	Green
V63	Green
N64	Green
L67	Green
I68	Green
A69	Green
V70	Green
L75	Green
R78	Green
A79	Green
Q81	Green

- Molecule 2: Protein tyrosine phosphatase and tensin homolog


Chain B: 27% 9% 64%

Residue	Score Range
D3	Yellow
E4	Yellow
D5	Yellow
Q6	Yellow
H7	Yellow
S8	Yellow
Q9	Yellow
I10	Yellow
T11	Yellow
V12	Yellow
T13	Yellow
L14	Yellow
E15	Yellow
V16	Yellow
R89	Yellow
S90	Yellow
S92	Yellow
T93	Yellow
V13	Yellow



4.2.12 Score per residue for model 12

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.13 Score per residue for model 13

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.14 Score per residue for model 14

- Molecule 1: Partitioning-defective 3 homolog






- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.15 Score per residue for model 15

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog




4.2.16 Score per residue for model 16

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog





4.2.17 Score per residue for model 17

- Molecule 1: Partitioning-defective 3 homolog




- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.18 Score per residue for model 18

- Molecule 1: Partitioning-defective 3 homolog



- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.19 Score per residue for model 19

- Molecule 1: Partitioning-defective 3 homolog






- Molecule 2: Protein tyrosine phosphatase and tensin homolog



4.2.20 Score per residue for model 20

- Molecule 1: Partitioning-defective 3 homolog



- Molecule 2: Protein tyrosine phosphatase and tensin homolog



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *torsion angle dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	
CNS	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [\(i\)](#)

6.1 Standard geometry [\(i\)](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	731	749	748	60±6
2	B	32	40	40	2±1
All	All	15260	15780	15760	1215

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:68:ILE:HD11	1:A:106:ALA:HB2	1.01	1.25	3	14
1:A:12:LEU:HD12	1:A:105:VAL:HG23	0.90	1.39	6	18
1:A:69:ALA:HB3	1:A:104:ILE:HD12	0.88	1.45	20	20
1:A:67:LEU:HD23	1:A:105:VAL:HG12	0.85	1.49	11	20
1:A:55:ALA:HB1	1:A:61:LEU:HD13	0.84	1.49	6	10
1:A:30:VAL:HG11	1:A:67:LEU:HD11	0.83	1.50	18	14
1:A:67:LEU:HD23	1:A:105:VAL:CG1	0.82	2.04	1	16
1:A:26:LEU:HD22	1:A:91:MET:HE2	0.82	1.50	17	20
1:A:68:ILE:HD11	1:A:106:ALA:CB	0.82	2.03	10	12
1:A:33:ASN:ND2	1:A:42:LEU:HD12	0.81	1.90	15	3
1:A:18:LEU:HD22	1:A:26:LEU:CD1	0.79	2.07	14	20
1:A:16:VAL:HG23	1:A:103:LEU:HD23	0.78	1.53	6	9
1:A:87:LEU:HD12	1:A:88:ARG:N	0.77	1.94	10	16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:LEU:HD13	1:A:62:ARG:NH2	0.76	1.95	2	2
1:A:18:LEU:HD22	1:A:26:LEU:HD13	0.76	1.57	20	20
1:A:44:ILE:HG13	1:A:67:LEU:HD12	0.75	1.58	12	19
1:A:35:SER:HA	1:A:42:LEU:HD21	0.74	1.59	17	8
1:A:35:SER:OG	1:A:42:LEU:HD21	0.74	1.83	18	2
1:A:13:THR:HG23	1:A:102:GLN:OE1	0.74	1.83	7	8
1:A:16:VAL:HG13	1:A:58:ASP:OD1	0.73	1.81	14	2
1:A:101:ILE:HD11	1:A:103:LEU:HD11	0.73	1.61	4	9
1:A:12:LEU:HD22	1:A:62:ARG:NH2	0.73	1.99	4	1
1:A:12:LEU:CD1	1:A:105:VAL:HG23	0.71	2.16	6	4
1:A:12:LEU:HD11	1:A:107:ARG:HD2	0.71	1.62	3	2
1:A:44:ILE:CG1	1:A:67:LEU:HD12	0.70	2.16	4	12
1:A:79:ALA:HB3	1:A:81:GLN:OE1	0.70	1.86	10	1
1:A:17:PRO:O	1:A:54:ALA:HB1	0.70	1.85	10	19
1:A:67:LEU:HA	1:A:105:VAL:HG12	0.70	1.64	4	5
1:A:70:VAL:HG22	1:A:71:ASN:ND2	0.69	2.02	13	8
1:A:69:ALA:CB	1:A:104:ILE:HD12	0.69	2.18	11	15
1:A:35:SER:CA	1:A:42:LEU:HD21	0.69	2.18	7	8
1:A:18:LEU:HD11	1:A:96:ASN:HB2	0.68	1.64	16	17
1:A:28:VAL:HG12	1:A:49:ILE:HG23	0.68	1.66	10	19
1:A:16:VAL:HG21	1:A:61:LEU:HD11	0.68	1.65	20	11
1:A:87:LEU:HD11	2:B:13:VAL:HG11	0.67	1.64	6	4
1:A:16:VAL:CG2	1:A:61:LEU:HD11	0.67	2.19	3	10
1:A:46:VAL:O	1:A:63:VAL:HG13	0.67	1.90	6	20
1:A:68:ILE:CD1	1:A:106:ALA:HB2	0.65	2.15	3	5
1:A:69:ALA:HB3	1:A:104:ILE:CD1	0.64	2.23	19	8
1:A:28:VAL:HG13	1:A:55:ALA:HB3	0.64	1.70	10	10
1:A:70:VAL:HG22	1:A:71:ASN:HD22	0.64	1.53	19	10
1:A:88:ARG:CG	2:B:13:VAL:HG11	0.64	2.23	14	1
1:A:26:LEU:HD22	1:A:91:MET:CE	0.63	2.23	11	16
1:A:55:ALA:CB	1:A:61:LEU:HD13	0.63	2.22	6	13
1:A:18:LEU:HD12	1:A:22:GLY:HA2	0.63	1.71	19	20
1:A:67:LEU:HD13	1:A:87:LEU:HD22	0.62	1.70	11	8
1:A:89:ARG:O	1:A:93:THR:HB	0.62	1.94	12	17
1:A:49:ILE:HD13	1:A:61:LEU:HB3	0.62	1.69	6	14
1:A:21:SER:HB3	1:A:54:ALA:HB2	0.62	1.69	16	13
1:A:21:SER:CB	1:A:54:ALA:HB2	0.61	2.26	3	11
1:A:55:ALA:HB1	1:A:61:LEU:HD22	0.61	1.73	18	8
1:A:28:VAL:HG11	1:A:61:LEU:HD22	0.61	1.73	7	8
1:A:12:LEU:HD12	1:A:105:VAL:CG2	0.60	2.23	6	4
1:A:68:ILE:HG23	1:A:76:LEU:HD12	0.60	1.72	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:11:THR:HG22	2:B:13:VAL:HG13	0.60	1.73	12	3
1:A:63:VAL:O	1:A:64:ASN:HB2	0.59	1.96	15	3
1:A:70:VAL:HG23	1:A:103:LEU:CD1	0.59	2.27	16	4
1:A:44:ILE:HG21	1:A:84:MET:HB3	0.59	1.73	11	2
1:A:88:ARG:HG3	2:B:13:VAL:HG12	0.59	1.74	4	5
1:A:12:LEU:HD11	1:A:107:ARG:HG3	0.59	1.73	2	10
1:A:12:LEU:HD13	1:A:14:PHE:CZ	0.59	2.32	17	1
1:A:68:ILE:C	1:A:75:LEU:HD12	0.59	2.18	7	1
1:A:35:SER:HB2	1:A:40:ALA:HB3	0.59	1.73	16	2
1:A:55:ALA:HA	1:A:61:LEU:HD13	0.58	1.73	20	7
1:A:75:LEU:HD22	1:A:83:ALA:HB1	0.58	1.73	7	5
1:A:88:ARG:HG3	2:B:13:VAL:HG11	0.58	1.75	10	5
1:A:70:VAL:HG11	1:A:87:LEU:HA	0.57	1.75	1	13
1:A:55:ALA:HB1	1:A:61:LEU:CD1	0.57	2.26	6	1
1:A:12:LEU:HD11	1:A:107:ARG:CG	0.57	2.29	18	10
1:A:69:ALA:HB3	1:A:104:ILE:HB	0.57	1.75	6	4
1:A:67:LEU:HD13	1:A:87:LEU:HD13	0.57	1.76	3	2
1:A:67:LEU:HD13	1:A:87:LEU:CD1	0.57	2.30	3	2
1:A:12:LEU:HD13	1:A:62:ARG:HH22	0.56	1.59	3	1
1:A:16:VAL:CG2	1:A:103:LEU:HD23	0.56	2.29	6	6
1:A:26:LEU:HD21	1:A:103:LEU:HD11	0.56	1.76	10	1
1:A:30:VAL:HG23	1:A:84:MET:SD	0.56	2.40	10	1
1:A:18:LEU:HB3	1:A:26:LEU:HD12	0.56	1.77	5	19
1:A:28:VAL:HG13	1:A:55:ALA:CB	0.56	2.30	10	11
1:A:55:ALA:CA	1:A:61:LEU:HD13	0.56	2.30	20	13
1:A:68:ILE:O	1:A:75:LEU:HD12	0.56	2.01	11	1
1:A:103:LEU:N	1:A:103:LEU:HD22	0.56	2.15	15	3
1:A:44:ILE:HG12	1:A:67:LEU:HD12	0.56	1.78	4	1
1:A:73:GLU:OE1	1:A:86:THR:HG23	0.56	1.99	8	1
1:A:28:VAL:N	1:A:50:ILE:HD12	0.56	2.16	8	16
1:A:49:ILE:HG22	1:A:56:SER:OG	0.55	2.01	3	3
1:A:46:VAL:HG23	1:A:65:ASP:O	0.54	2.03	2	1
1:A:102:GLN:O	1:A:103:LEU:HD13	0.54	2.03	4	7
1:A:29:SER:O	1:A:47:LYS:N	0.53	2.42	2	10
1:A:70:VAL:HG23	1:A:103:LEU:HD13	0.53	1.80	16	2
1:A:65:ASP:OD2	1:A:105:VAL:HG21	0.53	2.03	2	3
1:A:44:ILE:CD1	1:A:83:ALA:HB3	0.53	2.33	11	19
1:A:28:VAL:CG1	1:A:49:ILE:HG23	0.53	2.34	10	3
1:A:67:LEU:HD13	1:A:87:LEU:CD2	0.53	2.34	1	7
1:A:102:GLN:C	1:A:103:LEU:HD22	0.52	2.23	9	5
1:A:101:ILE:HG12	1:A:103:LEU:HD21	0.52	1.81	9	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:13:VAL:HG23	2:B:13:VAL:O	0.52	2.04	14	2
1:A:11:PHE:CD1	1:A:106:ALA:HB2	0.51	2.41	8	1
1:A:35:SER:HB2	1:A:42:LEU:HD21	0.51	1.83	15	1
1:A:16:VAL:HG12	1:A:54:ALA:HB1	0.51	1.82	5	2
1:A:75:LEU:HD21	1:A:87:LEU:CD2	0.51	2.36	3	2
1:A:75:LEU:HB3	1:A:83:ALA:HB1	0.51	1.83	19	3
1:A:38:ASN:OD1	1:A:40:ALA:HB2	0.50	2.05	20	2
1:A:63:VAL:O	1:A:64:ASN:HB3	0.50	2.07	18	1
1:A:103:LEU:HD22	1:A:103:LEU:N	0.50	2.21	6	2
1:A:26:LEU:CD2	1:A:91:MET:HE2	0.50	2.36	20	1
1:A:31:LYS:HB2	2:B:10:ILE:HD13	0.50	1.82	11	1
1:A:44:ILE:HD12	1:A:83:ALA:HB3	0.50	1.82	19	18
1:A:33:ASN:HD21	1:A:42:LEU:HD12	0.50	1.67	19	1
1:A:41:ASP:OD2	1:A:79:ALA:HB1	0.50	2.06	17	2
1:A:32:GLY:HA2	1:A:43:GLY:O	0.49	2.07	7	3
1:A:26:LEU:O	1:A:54:ALA:N	0.49	2.45	2	20
1:A:18:LEU:HD21	1:A:101:ILE:HG22	0.49	1.83	12	17
2:B:13:VAL:O	2:B:13:VAL:HG23	0.49	2.07	20	2
1:A:63:VAL:O	1:A:64:ASN:CB	0.49	2.61	18	17
1:A:16:VAL:CG2	1:A:103:LEU:HD13	0.48	2.39	10	1
1:A:70:VAL:HG23	1:A:101:ILE:HD11	0.48	1.85	10	2
1:A:31:LYS:HB3	2:B:10:ILE:HD13	0.48	1.85	14	5
1:A:87:LEU:HD12	1:A:87:LEU:C	0.48	2.28	14	4
1:A:70:VAL:HG23	1:A:101:ILE:CD1	0.48	2.38	10	1
1:A:35:SER:CB	1:A:42:LEU:HD21	0.48	2.38	13	3
1:A:87:LEU:C	1:A:87:LEU:HD12	0.48	2.29	15	6
1:A:12:LEU:HD12	1:A:105:VAL:O	0.47	2.09	4	1
1:A:49:ILE:CD1	1:A:61:LEU:HB3	0.47	2.38	20	9
1:A:31:LYS:CB	2:B:10:ILE:HD13	0.47	2.39	7	5
1:A:35:SER:N	1:A:42:LEU:HD21	0.47	2.24	11	3
1:A:75:LEU:HD22	1:A:83:ALA:HA	0.47	1.87	14	1
1:A:45:PHE:N	1:A:45:PHE:CD1	0.47	2.82	14	3
1:A:30:VAL:CG1	1:A:67:LEU:HD11	0.47	2.31	18	2
1:A:34:ARG:CD	1:A:35:SER:O	0.47	2.63	16	1
1:A:70:VAL:HG13	1:A:70:VAL:O	0.46	2.10	15	3
1:A:93:THR:O	1:A:97:LYS:HD3	0.46	2.10	7	4
1:A:14:PHE:O	1:A:103:LEU:N	0.46	2.47	20	2
1:A:16:VAL:HG21	1:A:103:LEU:HD13	0.46	1.86	10	1
1:A:45:PHE:CE2	1:A:66:GLN:NE2	0.46	2.83	18	4
1:A:46:VAL:HG11	1:A:49:ILE:CG1	0.46	2.40	10	2
1:A:17:PRO:HA	1:A:99:GLY:O	0.46	2.10	14	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:86:THR:O	1:A:89:ARG:HD3	0.46	2.10	14	2
1:A:28:VAL:HG23	2:B:13:VAL:HG22	0.46	1.88	6	1
1:A:50:ILE:O	1:A:52:GLY:N	0.46	2.48	20	17
1:A:33:ASN:N	1:A:33:ASN:OD1	0.46	2.48	6	1
1:A:14:PHE:N	1:A:103:LEU:O	0.46	2.49	11	3
1:A:68:ILE:HD12	1:A:105:VAL:HA	0.46	1.86	5	1
1:A:79:ALA:HB3	1:A:81:GLN:HE21	0.46	1.70	6	3
1:A:33:ASN:ND2	1:A:45:PHE:CE1	0.45	2.84	7	3
1:A:16:VAL:HG22	1:A:61:LEU:HD11	0.45	1.84	3	2
1:A:90:SER:O	1:A:95:GLY:N	0.45	2.49	17	1
1:A:44:ILE:CD1	1:A:83:ALA:CB	0.45	2.95	12	16
1:A:18:LEU:CD2	1:A:101:ILE:CG2	0.45	2.94	18	17
1:A:45:PHE:CD1	1:A:45:PHE:N	0.45	2.84	10	4
1:A:89:ARG:O	1:A:93:THR:HG22	0.45	2.11	17	2
1:A:12:LEU:HD11	1:A:107:ARG:CD	0.45	2.37	3	1
1:A:12:LEU:HD13	1:A:62:ARG:HH21	0.45	1.72	6	1
1:A:29:SER:O	1:A:47:LYS:CB	0.45	2.65	2	1
1:A:91:MET:CB	1:A:101:ILE:HD13	0.45	2.41	7	3
1:A:14:PHE:CD2	1:A:61:LEU:CD2	0.45	3.00	10	1
1:A:55:ALA:CB	1:A:61:LEU:HD22	0.45	2.42	18	1
1:A:12:LEU:HD22	1:A:62:ARG:HH21	0.45	1.72	14	1
1:A:16:VAL:HG11	1:A:26:LEU:HG	0.45	1.89	2	1
1:A:45:PHE:CE1	1:A:66:GLN:NE2	0.44	2.85	1	1
1:A:11:PHE:HE2	1:A:68:ILE:HG21	0.44	1.73	7	1
1:A:63:VAL:O	1:A:64:ASN:ND2	0.44	2.49	18	1
1:A:28:VAL:CG1	1:A:55:ALA:CB	0.44	2.95	5	12
1:A:16:VAL:CG2	1:A:103:LEU:CD1	0.44	2.96	12	9
1:A:27:GLY:O	1:A:50:ILE:N	0.44	2.50	2	6
1:A:70:VAL:O	1:A:70:VAL:HG13	0.44	2.12	5	2
1:A:13:THR:O	1:A:14:PHE:CD1	0.44	2.71	10	6
1:A:94:GLU:HA	1:A:97:LYS:CG	0.44	2.43	2	1
1:A:41:ASP:CB	1:A:80:ASN:ND2	0.44	2.81	8	4
1:A:68:ILE:HD11	1:A:106:ALA:HB3	0.43	1.90	4	1
1:A:69:ALA:HB3	1:A:104:ILE:HD13	0.43	1.89	19	1
1:A:96:ASN:O	1:A:96:ASN:ND2	0.43	2.51	7	11
1:A:14:PHE:O	1:A:102:GLN:HA	0.43	2.13	6	2
1:A:70:VAL:HG11	1:A:87:LEU:CA	0.43	2.43	1	1
1:A:44:ILE:HG21	1:A:84:MET:SD	0.43	2.53	10	2
1:A:33:ASN:OD1	1:A:42:LEU:HB2	0.43	2.14	19	1
1:A:71:ASN:ND2	1:A:90:SER:O	0.43	2.52	8	2
1:A:96:ASN:ND2	1:A:96:ASN:O	0.43	2.51	15	6

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:93:THR:O	1:A:97:LYS:CG	0.43	2.67	15	3
1:A:79:ALA:HB3	1:A:81:GLN:NE2	0.43	2.29	12	1
1:A:81:GLN:NE2	1:A:82:GLU:CG	0.43	2.81	13	1
1:A:89:ARG:HD3	1:A:90:SER:N	0.43	2.28	17	1
1:A:75:LEU:CD2	1:A:87:LEU:CD2	0.43	2.97	3	2
1:A:75:LEU:HD22	1:A:83:ALA:CA	0.43	2.43	14	1
1:A:31:LYS:O	1:A:31:LYS:HG3	0.43	2.14	17	1
1:A:70:VAL:O	1:A:73:GLU:CG	0.43	2.67	18	2
1:A:95:GLY:HA3	1:A:101:ILE:HB	0.43	1.91	5	1
1:A:47:LYS:HD3	2:B:10:ILE:HD12	0.43	1.91	14	1
1:A:34:ARG:O	1:A:35:SER:C	0.43	2.57	19	1
1:A:67:LEU:CD1	1:A:87:LEU:HD22	0.43	2.44	20	1
1:A:40:ALA:O	1:A:42:LEU:HD23	0.42	2.13	19	1
1:A:46:VAL:O	1:A:63:VAL:CG1	0.42	2.66	15	3
1:A:96:ASN:O	1:A:97:LYS:C	0.42	2.58	2	1
1:A:75:LEU:HD13	1:A:83:ALA:HB1	0.42	1.90	4	1
1:A:79:ALA:HB1	1:A:81:GLN:OE1	0.42	2.14	9	1
1:A:17:PRO:O	1:A:54:ALA:CB	0.42	2.68	11	3
1:A:80:ASN:OD1	1:A:81:GLN:N	0.42	2.52	2	7
1:A:70:VAL:CG2	1:A:101:ILE:CD1	0.42	2.98	10	2
1:A:88:ARG:O	1:A:91:MET:HG2	0.42	2.15	15	2
1:A:18:LEU:HD12	1:A:22:GLY:CA	0.42	2.44	14	1
1:A:16:VAL:HG23	1:A:103:LEU:HD12	0.42	1.92	3	2
1:A:44:ILE:N	1:A:44:ILE:HD13	0.42	2.29	11	2
1:A:18:LEU:O	1:A:22:GLY:N	0.42	2.52	1	3
1:A:93:THR:HG23	1:A:94:GLU:HG2	0.41	1.92	17	2
1:A:95:GLY:O	1:A:100:MET:N	0.41	2.53	17	1
1:A:50:ILE:O	1:A:56:SER:CB	0.41	2.68	14	1
1:A:11:PHE:CD1	1:A:11:PHE:N	0.41	2.88	6	1
1:A:62:ARG:HD2	1:A:62:ARG:N	0.41	2.30	7	1
1:A:12:LEU:HD21	1:A:107:ARG:HD2	0.41	1.90	17	1
1:A:66:GLN:O	1:A:105:VAL:HA	0.41	2.15	2	1
1:A:84:MET:HA	1:A:87:LEU:HD21	0.41	1.91	20	2
1:A:101:ILE:CD1	1:A:103:LEU:HD11	0.41	2.39	15	1
1:A:79:ALA:HB3	1:A:81:GLN:HE22	0.41	1.76	12	1
1:A:11:PHE:CE2	1:A:68:ILE:HD13	0.41	2.50	1	2
1:A:35:SER:CB	1:A:40:ALA:HB3	0.41	2.45	16	1
1:A:12:LEU:N	1:A:105:VAL:O	0.41	2.53	15	2
1:A:27:GLY:O	1:A:28:VAL:CG1	0.41	2.68	2	4
1:A:93:THR:O	1:A:97:LYS:HG3	0.41	2.16	1	1
1:A:87:LEU:O	1:A:91:MET:CG	0.41	2.68	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:53:GLY:O	1:A:57:LYS:CG	0.41	2.68	9	1
1:A:17:PRO:CD	1:A:58:ASP:OD1	0.41	2.69	8	1
1:A:58:ASP:OD1	1:A:60:ARG:NH2	0.41	2.54	15	2
1:A:43:GLY:O	1:A:45:PHE:CE1	0.41	2.73	14	1
1:A:28:VAL:CG2	2:B:13:VAL:CG2	0.41	2.98	6	1
1:A:26:LEU:CD2	1:A:91:MET:CE	0.41	2.98	20	2
1:A:75:LEU:HB3	1:A:83:ALA:CB	0.41	2.46	2	1
1:A:10:GLU:HG3	1:A:12:LEU:HD21	0.41	1.91	11	1
1:A:67:LEU:CD1	1:A:87:LEU:CD2	0.41	2.99	1	2
1:A:15:GLU:HB3	1:A:100:MET:SD	0.41	2.56	12	3
1:A:103:LEU:N	1:A:103:LEU:CD2	0.41	2.84	15	1
1:A:49:ILE:HD13	1:A:61:LEU:CB	0.41	2.46	18	1
1:A:14:PHE:CZ	1:A:60:ARG:O	0.41	2.73	10	1
1:A:26:LEU:O	1:A:55:ALA:N	0.41	2.52	20	1
1:A:33:ASN:OD1	1:A:45:PHE:CE1	0.41	2.74	8	1
1:A:89:ARG:O	1:A:93:THR:CG2	0.40	2.69	6	1
1:A:12:LEU:HD13	1:A:14:PHE:CE2	0.40	2.51	17	1
1:A:66:GLN:NE2	1:A:67:LEU:O	0.40	2.55	12	1
1:A:84:MET:HA	1:A:87:LEU:CD2	0.40	2.47	11	1
1:A:28:VAL:CG1	1:A:55:ALA:HB3	0.40	2.46	4	1
1:A:44:ILE:HG21	1:A:84:MET:HG3	0.40	1.94	20	1

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	98/104 (94%)	82±2 (84±2%)	13±3 (13±3%)	3±1 (3±1%)	9 42
2	B	3/11 (27%)	3±0 (98±7%)	0±0 (2±7%)	0±0 (0±0%)	100 100
All	All	2020/2300 (88%)	1699 (84%)	262 (13%)	59 (3%)	9 43

All 10 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	26	LEU	20
1	A	51	ASN	13
1	A	93	THR	8
1	A	76	LEU	5
1	A	50	ILE	4
1	A	46	VAL	3
1	A	64	ASN	2
1	A	19	ASN	2
1	A	39	HIS	1
1	A	35	SER	1

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	78/83 (94%)	51±2 (65±3%)	27±2 (35±3%)	1 10
2	B	4/11 (36%)	4±1 (89±15%)	0±1 (11±15%)	12 55
All	All	1640/1880 (87%)	1084 (66%)	556 (34%)	1 11

All 54 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	18	LEU	20
1	A	44	ILE	20
1	A	89	ARG	20
1	A	98	ARG	20
1	A	19	ASN	20
1	A	12	LEU	20
1	A	101	ILE	20
1	A	100	MET	20
1	A	93	THR	19
1	A	107	ARG	18
1	A	31	LYS	18
1	A	45	PHE	18
1	A	96	ASN	18
1	A	88	ARG	18
1	A	29	SER	17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	36	LYS	17
1	A	92	SER	17
1	A	62	ARG	17
1	A	15	GLU	16
1	A	82	GLU	14
1	A	75	LEU	13
1	A	35	SER	12
1	A	61	LEU	12
1	A	103	LEU	10
1	A	51	ASN	10
1	A	102	GLN	9
1	A	48	SER	9
1	A	66	GLN	9
1	A	34	ARG	8
1	A	58	ASP	8
1	A	23	SER	7
1	A	73	GLU	7
2	B	12	LYS	7
1	A	84	MET	6
1	A	85	GLU	6
1	A	56	SER	6
1	A	30	VAL	5
1	A	78	LYS	5
1	A	65	ASP	5
1	A	74	SER	4
1	A	60	ARG	4
1	A	76	LEU	4
1	A	37	GLU	4
1	A	81	GLN	3
1	A	57	LYS	2
1	A	87	LEU	2
2	B	10	ILE	2
1	A	47	LYS	2
1	A	38	ASN	2
1	A	10	GLU	2
1	A	28	VAL	1
1	A	33	ASN	1
1	A	21	SER	1
1	A	97	LYS	1

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

No chemical shift data were provided