



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:00 PM GMT

PDB ID : 4K3I
Title : Crystal Structure of the Quinol Form of Methylamine Dehydrogenase in Complex with the Diferrous Form of MauG, C2 Space Group
Authors : Yukl, E.Y.; Wilmot, C.M.
Deposited on : 2013-04-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	<div> <div>%</div> <div> <div></div> <div>86%</div> <div>8%</div> <div>5%</div> </div> </div>
1	B	373	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>9%</div> <div>5%</div> </div> </div>
2	C	137	<div> <div></div> <div> <div></div> <div>77%</div> <div>11%</div> <div>5%</div> <div>9%</div> </div> </div>
2	E	137	<div> <div>%</div> <div> <div></div> <div>77%</div> <div>14%</div> <div>5%</div> <div>9%</div> </div> </div>
3	D	385	<div> <div></div> <div> <div></div> <div>89%</div> <div>9%</div> <div>5%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	385	 % 91% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	ACT	D	401	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 15344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylamine utilization protein MauG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	7	0
			2800	1745	509	535	11			
1	B	357	Total	C	N	O	S	0	1	0
			2770	1727	500	532	11			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	368	HIS	-	EXPRESSION TAG	UNP Q51658
A	369	HIS	-	EXPRESSION TAG	UNP Q51658
A	370	HIS	-	EXPRESSION TAG	UNP Q51658
A	371	HIS	-	EXPRESSION TAG	UNP Q51658
A	372	HIS	-	EXPRESSION TAG	UNP Q51658
A	373	HIS	-	EXPRESSION TAG	UNP Q51658
B	368	HIS	-	EXPRESSION TAG	UNP Q51658
B	369	HIS	-	EXPRESSION TAG	UNP Q51658
B	370	HIS	-	EXPRESSION TAG	UNP Q51658
B	371	HIS	-	EXPRESSION TAG	UNP Q51658
B	372	HIS	-	EXPRESSION TAG	UNP Q51658
B	373	HIS	-	EXPRESSION TAG	UNP Q51658

- Molecule 2 is a protein called Methylamine dehydrogenase light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	125	Total	C	N	O	S	0	2	0
			967	597	163	193	14			
2	E	125	Total	C	N	O	S	0	3	0
			964	596	161	191	16			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	132	HIS	-	EXPRESSION TAG	UNP P22619
C	133	HIS	-	EXPRESSION TAG	UNP P22619
C	134	HIS	-	EXPRESSION TAG	UNP P22619
C	135	HIS	-	EXPRESSION TAG	UNP P22619
C	136	HIS	-	EXPRESSION TAG	UNP P22619
C	137	HIS	-	EXPRESSION TAG	UNP P22619
E	132	HIS	-	EXPRESSION TAG	UNP P22619
E	133	HIS	-	EXPRESSION TAG	UNP P22619
E	134	HIS	-	EXPRESSION TAG	UNP P22619
E	135	HIS	-	EXPRESSION TAG	UNP P22619
E	136	HIS	-	EXPRESSION TAG	UNP P22619
E	137	HIS	-	EXPRESSION TAG	UNP P22619


- Molecule 3 is a protein called Methylamine dehydrogenase heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	376	Total	C	N	O	S	0	5	0
			2965	1876	512	568	9			
3	F	376	Total	C	N	O	S	0	5	0
			2961	1875	508	569	9			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is HEME C (three-letter code: HEC) (formula: C₃₄H₃₄FeN₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
5	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Na		
			2	2	0	0
6	A	2	Total	Na		
			2	2	0	0

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is ACETATE ION (three-letter code: ACT) (formula: $\text{C}_2\text{H}_3\text{O}_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			4	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	392	Total	O		0	5
			397	397			
9	B	290	Total	O		0	2
			292	292			
9	C	127	Total	O		0	1
			128	128			
9	D	442	Total	O		0	2
			444	444			
9	E	96	Total	O		0	0
			96	96			
9	F	360	Total	O		0	2
			362	362			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylamine utilization protein MauG




- Molecule 1: Methylamine utilization protein MauG



- Molecule 2: Methylamine dehydrogenase light chain



- Molecule 2: Methylamine dehydrogenase light chain





- Molecule 3: Methylamine dehydrogenase heavy chain





● Molecule 3: Methylamine dehydrogenase heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	346.36 Å 55.56 Å 112.55 Å 90.00° 106.55° 90.00°	Depositor
Resolution (Å)	43.06 – 2.00 43.06 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.06-2.00) 99.6 (43.06-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.00 Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.144 , 0.190 0.155 , 0.198	Depositor DCC
R_{free} test set	6991 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	25.5	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 48.5	EDS
Estimated twinning fraction	0.014 for -h-2*k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 138680 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15344	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CA, TOQ, EDO, ACT, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.00	1/2867 (0.0%)	1.01	6/3888 (0.2%)
1	B	0.86	0/2834	0.94	6/3844 (0.2%)
2	C	1.13	1/978 (0.1%)	1.04	6/1335 (0.4%)
2	E	0.98	1/981 (0.1%)	1.00	6/1340 (0.4%)
3	D	1.05	3/3046 (0.1%)	1.02	11/4148 (0.3%)
3	F	0.93	0/3041	0.95	6/4142 (0.1%)
All	All	0.98	6/13747 (0.0%)	0.99	41/18697 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	225	GLU	CD-OE2	-5.67	1.19	1.25
3	D	295	TYR	CG-CD2	-5.48	1.32	1.39
3	D	32	ASP	CB-CG	-5.19	1.40	1.51
1	A	268	SER	CB-OG	5.16	1.49	1.42
2	E	108	TRP	CD2-CE2	5.13	1.47	1.41
2	C	70	TYR	CE1-CZ	-5.06	1.31	1.38

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	252	ARG	NE-CZ-NH2	-9.18	115.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	174	ARG	NE-CZ-NH1	-8.12	116.24	120.30
1	B	252	ARG	NE-CZ-NH1	7.51	124.06	120.30
1	A	147	ASP	CB-CG-OD1	7.18	124.76	118.30
3	D	278	ARG	NE-CZ-NH2	-6.91	116.85	120.30
2	C	131	SER	N-CA-CB	6.07	119.61	110.50
1	A	127	ARG	NE-CZ-NH2	-6.02	117.29	120.30
3	D	198	ASP	CB-CG-OD1	5.97	123.67	118.30
2	C	99	ARG	NE-CZ-NH2	-5.95	117.33	120.30
2	E	8	ASP	CB-CG-OD1	5.92	123.63	118.30
2	C	85	ARG	NE-CZ-NH1	5.89	123.24	120.30
3	F	293	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	75	LEU	CA-CB-CG	-5.87	101.79	115.30
3	D	278	ARG	NE-CZ-NH1	5.75	123.17	120.30
3	D	293	ARG	NE-CZ-NH1	5.73	123.17	120.30
2	E	108	TRP	CD2-CE2-CZ2	-5.67	115.50	122.30
2	E	76	ASP	CB-CG-OD1	5.63	123.37	118.30
3	D	115	ASP	CB-CG-OD1	5.61	123.35	118.30
2	E	99	ARG	NE-CZ-NH1	5.60	123.10	120.30
3	D	275	ASP	CB-CG-OD2	5.59	123.33	118.30
2	C	71	LEU	CB-CG-CD1	5.59	120.50	111.00
3	F	273	ARG	NE-CZ-NH2	-5.57	117.52	120.30
3	F	305	ARG	NE-CZ-NH2	-5.55	117.53	120.30
3	D	132	ARG	NE-CZ-NH2	-5.49	117.56	120.30
3	F	115	ASP	CB-CG-OD1	5.44	123.20	118.30
1	A	202[A]	ARG	NE-CZ-NH1	-5.42	117.59	120.30
1	A	202[B]	ARG	NE-CZ-NH1	-5.42	117.59	120.30
2	C	99	ARG	CG-CD-NE	-5.40	100.46	111.80
1	B	125	ARG	NE-CZ-NH1	5.39	122.99	120.30
3	D	292	ASP	CB-CG-OD1	5.38	123.14	118.30
1	B	338	ARG	NE-CZ-NH1	5.36	122.98	120.30
3	F	88	ASP	CB-CG-OD1	5.31	123.08	118.30
2	E	99	ARG	NE-CZ-NH2	-5.27	117.67	120.30
3	F	101	ARG	NE-CZ-NH1	5.26	122.93	120.30
3	D	32	ASP	CB-CG-OD2	-5.24	113.58	118.30
1	B	98	ASP	CB-CG-OD1	5.24	123.01	118.30
2	E	108	TRP	NE1-CE2-CZ2	5.19	136.11	130.40
1	A	335	ASP	CB-CG-OD1	5.18	122.97	118.30
1	B	127	ARG	NE-CZ-NH2	-5.16	117.72	120.30
3	D	166	ASP	CB-CG-OD2	-5.13	113.68	118.30
2	C	19	ASP	CB-CG-OD1	5.12	122.91	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	57	TOQ	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2800	0	2677	15	0
1	B	2770	0	2640	41	0
2	C	967	0	870	12	0
2	E	964	0	872	9	0
3	D	2965	0	2843	12	0
3	F	2961	0	2840	13	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	86	0	60	1	0
5	B	86	0	60	2	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
7	A	12	0	18	0	0
7	B	4	0	6	2	0
8	D	4	0	3	0	0
9	A	397	0	0	3	0
9	B	292	0	0	9	0
9	C	128	0	0	2	0
9	D	444	0	0	3	0
9	E	96	0	0	0	0
9	F	362	0	0	3	0
All	All	15344	0	12889	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:C:208:HOH:O	3:F:36:ILE:HD11	1.58	1.02

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:208:THR:HG22	3:D:210:GLY:H	1.35	0.91
1:B:359:GLU:HA	1:B:360:GLU:HG3	1.55	0.88
3:D:208:THR:HB	9:D:716[B]:HOH:O	1.75	0.86
1:B:355:GLU:HA	1:B:358:LEU:HD23	1.67	0.76
1:B:359:GLU:HA	1:B:360:GLU:C	2.07	0.73
1:A:48:LYS:H	1:A:62:HIS:HE1	1.36	0.73
1:B:358:LEU:O	1:B:362:ARG:HD2	1.90	0.71
2:C:14:VAL:HG22	9:C:314[B]:HOH:O	1.90	0.70
3:F:289:ARG:NH2	9:F:647:HOH:O	2.25	0.69
1:B:357:LEU:C	1:B:359:GLU:H	1.96	0.69
1:B:359:GLU:HA	1:B:360:GLU:CG	2.23	0.69
1:B:357:LEU:O	1:B:359:GLU:N	2.27	0.67
1:A:96:ARG:HA	1:A:252[B]:ARG:HG3	1.77	0.67
2:C:21:GLN:HE22	3:F:14:GLN:HE21	1.43	0.66
1:A:102[A]:GLN:HG2	9:A:854:HOH:O	1.95	0.66
3:D:174:ARG:NH1	3:D:208:THR:O	2.28	0.66
3:D:181[B]:CYS:HB3	3:D:196:CYS:SG	2.37	0.65
1:A:98:ASP:H	1:A:102[B]:GLN:NE2	1.94	0.65
5:A:403:HEC:HBC3	5:A:403:HEC:HMC1	1.81	0.63
1:B:359:GLU:HA	1:B:362:ARG:H	1.65	0.62
2:C:68[B]:GLN:NE2	2:C:129:LYS:HE3	2.14	0.62
1:A:6:ALA:HA	1:A:9:ALA:HB3	1.81	0.62
1:B:359:GLU:N	1:B:360:GLU:HG2	2.16	0.61
3:D:14:GLN:HE21	2:E:21:GLN:HE22	1.49	0.61
3:D:236:LYS:NZ	9:D:912:HOH:O	2.33	0.61
1:B:359:GLU:HB3	1:B:362:ARG:H	1.65	0.60
1:B:361:SER:O	1:B:362:ARG:HB2	2.00	0.60
1:A:98:ASP:H	1:A:102[B]:GLN:HE21	1.47	0.60
2:C:23:CYS:HB3	2:C:88[B]:CYS:SG	2.42	0.59
1:B:359:GLU:CB	1:B:362:ARG:H	2.16	0.59
7:B:405:EDO:H21	9:B:736:HOH:O	2.02	0.58
1:B:358:LEU:O	1:B:362:ARG:HA	2.03	0.58
1:A:48:LYS:H	1:A:62:HIS:CE1	2.21	0.57
1:B:252:ARG:HD3	9:B:539:HOH:O	2.05	0.56
1:B:13:LEU:HD21	1:B:136:PHE:CE1	2.41	0.56
1:B:208:ARG:HD2	9:B:643:HOH:O	2.07	0.55
1:B:359:GLU:CA	1:B:362:ARG:H	2.20	0.55
1:B:88:LYS:HE3	9:B:517:HOH:O	2.08	0.54
1:B:113:GLU:HG2	5:B:402:HEC:HBC2	1.89	0.54
3:F:151:LEU:C	3:F:151:LEU:HD23	2.28	0.54
1:B:359:GLU:HA	1:B:361:SER:N	2.22	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:359:GLU:CA	1:B:360:GLU:CG	2.85	0.54
2:C:23:CYS:CB	2:C:88[B]:CYS:SG	2.95	0.53
1:B:285:THR:HG22	1:B:286:ASP:OD1	2.08	0.53
1:B:202:ARG:NH2	9:B:768:HOH:O	2.42	0.53
1:B:359:GLU:HB3	1:B:362:ARG:N	2.24	0.53
2:E:38:CYS:SG	2:E:86[B]:CYS:SG	3.05	0.52
3:D:328[B]:GLU:HB3	9:D:542[B]:HOH:O	2.08	0.52
1:A:46:GLU:OE2	1:A:50:GLY:HA2	2.09	0.52
2:C:23:CYS:SG	2:C:88[B]:CYS:SG	3.08	0.52
1:B:359:GLU:CA	1:B:361:SER:N	2.73	0.52
1:B:357:LEU:C	1:B:359:GLU:N	2.63	0.51
7:B:405:EDO:C2	9:B:736:HOH:O	2.58	0.51
1:A:210:GLN:HE22	2:C:44:THR:HG21	1.76	0.51
2:C:57:TOQ:HB	2:C:108:TRP:NE1	2.26	0.51
3:F:166:ASP:HB2	3:F:173:LYS:HD2	1.92	0.51
1:A:202[B]:ARG:NH2	9:A:879:HOH:O	2.44	0.51
1:B:359:GLU:N	1:B:360:GLU:CG	2.75	0.49
1:A:252[A]:ARG:HD3	9:A:649:HOH:O	2.13	0.49
3:F:82:ASN:HB3	3:F:142:THR:HB	1.96	0.48
3:F:32[A]:ASP:OD2	9:F:583:HOH:O	2.20	0.48
3:F:289:ARG:CZ	9:F:647:HOH:O	2.62	0.47
1:B:13:LEU:HD21	1:B:136:PHE:CD1	2.50	0.47
3:D:75:ILE:HD11	3:D:92:ILE:HD11	1.97	0.47
2:E:78:CYS:HA	2:E:118:THR:O	2.15	0.47
1:B:350:THR:HG21	1:B:358:LEU:HD21	1.97	0.46
3:F:173:LYS:HA	3:F:173:LYS:HE2	1.97	0.46
3:F:280:GLY:HA3	3:F:301:ARG:CZ	2.45	0.46
1:B:202:ARG:NH2	9:B:780:HOH:O	2.49	0.46
2:C:57:TOQ:HB	2:C:108:TRP:HE1	1.80	0.45
1:B:296:LYS:NZ	9:B:562:HOH:O	2.42	0.45
3:F:226:PHE:O	3:F:244:THR:HA	2.16	0.45
1:B:358:LEU:O	1:B:359:GLU:HB3	2.17	0.45
2:E:57:TOQ:HB	2:E:108:TRP:NE1	2.31	0.45
1:B:210:GLN:HE22	2:E:44:THR:HG21	1.81	0.45
3:D:45:ARG:NH2	3:D:343:LYS:O	2.51	0.44
1:B:202:ARG:NH2	9:B:772:HOH:O	2.50	0.44
1:B:359:GLU:CA	1:B:360:GLU:HG3	2.36	0.43
1:B:347:GLU:OE1	1:B:362:ARG:NH2	2.51	0.43
2:E:23:CYS:SG	2:E:88[B]:CYS:SG	3.16	0.43
1:A:60:GLN:O	1:A:62:HIS:HD2	2.02	0.42
2:E:36[B]:CYS:SG	2:E:77:CYS:SG	3.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:190:GLU:OE1	2:E:131:SER:O	2.37	0.42
3:D:303:GLU:HG3	3:D:304:TRP:CD1	2.55	0.41
2:C:53:ALA:HB2	2:C:109:CYS:HA	2.02	0.41
1:B:163:GLN:HE22	5:B:402:HEC:HMA1	1.84	0.41
1:A:35:HIS:O	1:A:37:PRO:HD3	2.19	0.41
2:E:57:TOQ:HB	2:E:108:TRP:HE1	1.86	0.41
1:A:210:GLN:NE2	2:C:44:THR:HG21	2.35	0.41
2:C:94:GLU:HG2	2:C:102:PHE:O	2.21	0.41
3:D:51:ASP:HA	3:D:377:PRO:HA	2.03	0.40
1:B:88:LYS:HE2	1:B:220:ASN:O	2.21	0.40
1:B:355:GLU:HA	1:B:358:LEU:CD2	2.44	0.40
1:B:82:ASP:HB3	1:B:88:LYS:HD2	2.04	0.40
3:F:173:LYS:HE2	3:F:173:LYS:CA	2.51	0.40
1:A:299:SER:HB2	1:A:333:MET:HG3	2.02	0.40
3:F:51:ASP:HA	3:F:377:PRO:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	359/373 (96%)	353 (98%)	6 (2%)	0	100	100
1	B	356/373 (95%)	345 (97%)	9 (2%)	2 (1%)	30	22
2	C	124/137 (90%)	122 (98%)	2 (2%)	0	100	100
2	E	125/137 (91%)	121 (97%)	4 (3%)	0	100	100
3	D	379/385 (98%)	367 (97%)	11 (3%)	1 (0%)	46	41
3	F	379/385 (98%)	366 (97%)	12 (3%)	1 (0%)	46	41
All	All	1722/1790 (96%)	1674 (97%)	44 (3%)	4 (0%)	52	48

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	358	LEU
1	B	359	GLU
3	D	102	ILE
3	F	102	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/292 (97%)	268 (95%)	15 (5%)	28	22
1	B	279/292 (96%)	266 (95%)	13 (5%)	32	27
2	C	106/112 (95%)	103 (97%)	3 (3%)	51	50
2	E	107/112 (96%)	103 (96%)	4 (4%)	41	38
3	D	309/310 (100%)	302 (98%)	7 (2%)	58	60
3	F	309/310 (100%)	305 (99%)	4 (1%)	76	79
All	All	1393/1428 (98%)	1347 (97%)	46 (3%)	45	43

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	29	GLN
1	A	60	GLN
1	A	75	LEU
1	A	101	LYS
1	A	112	VAL
1	A	167	GLU
1	A	184	LYS
1	A	197	ILE
1	A	208[A]	ARG
1	A	208[B]	ARG
1	A	219	THR
1	A	256	GLU
1	A	357	LEU
1	A	359	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	101	LYS
1	B	167	GLU
1	B	184	LYS
1	B	219	THR
1	B	236	GLU
1	B	252	ARG
1	B	269	LEU
1	B	285	THR
1	B	316	GLU
1	B	321	ARG
1	B	333	MET
1	B	359	GLU
1	B	360	GLU
2	C	71	LEU
2	C	129	LYS
2	C	131	SER
3	D	94	HIS
3	D	117	VAL
3	D	127	LEU
3	D	174	ARG
3	D	262	LEU
3	D	316	LEU
3	D	354	LYS
2	E	7	THR
2	E	58	VAL
2	E	71	LEU
2	E	129	LYS
3	F	94	HIS
3	F	147	ASP
3	F	316	LEU
3	F	354	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	HIS
1	A	91	GLN
1	A	163	GLN
1	A	210	GLN
1	B	29	GLN
1	B	163	GLN
1	B	210	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	14	GLN
3	F	14	GLN
3	F	54	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TOQ	C	57	2	14,17,18	1.66	2 (14%)	11,24,26	2.01	3 (27%)
2	TOQ	E	57	2	14,17,18	1.92	2 (14%)	11,24,26	2.41	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TOQ	C	57	2	-	0/3/6/8	0/2/2/2
2	TOQ	E	57	2	-	0/3/6/8	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	57	TOQ	CH2-CZ2	3.65	1.44	1.39
2	C	57	TOQ	CE3-CD2	3.69	1.49	1.42
2	E	57	TOQ	CE3-CD2	4.22	1.50	1.42
2	E	57	TOQ	CH2-CZ2	5.12	1.46	1.39

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	57	TOQ	CG-CD2-CE2	-5.09	101.01	109.82
2	E	57	TOQ	CB-CG-CD1	-4.38	122.55	127.97
2	C	57	TOQ	CG-CD2-CE2	-4.37	102.25	109.82
2	C	57	TOQ	CZ3-CE3-CD2	-2.54	117.79	121.13
2	E	57	TOQ	O-C-CA	-2.11	119.99	125.49
2	E	57	TOQ	CZ3-CH2-CZ2	2.06	121.92	120.09
2	C	57	TOQ	CE3-CZ3-CH2	3.17	123.50	120.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	57	TOQ	2	0
2	E	57	TOQ	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 6 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	HEC	A	402	1	24,50,50	1.78	6 (25%)	19,82,82	3.31	9 (47%)
5	HEC	A	403	1	24,50,50	1.73	9 (37%)	19,82,82	3.32	7 (36%)
7	EDO	A	405	-	3,3,3	0.30	0	2,2,2	0.86	0
7	EDO	A	406	-	3,3,3	0.51	0	2,2,2	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	A	408	-	3,3,3	0.36	0	2,2,2	0.62	0
5	HEC	B	402	1	24,50,50	2.02	8 (33%)	19,82,82	3.32	12 (63%)
5	HEC	B	403	1	24,50,50	2.55	10 (41%)	19,82,82	3.63	10 (52%)
7	EDO	B	405	-	3,3,3	0.49	0	2,2,2	0.48	0
8	ACT	D	401	-	1,3,3	0.99	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	A	402	1	-	0/6/54/54	0/0/8/8
5	HEC	A	403	1	-	0/6/54/54	0/0/8/8
7	EDO	A	405	-	-	0/1/1/1	0/0/0/0
7	EDO	A	406	-	-	0/1/1/1	0/0/0/0
7	EDO	A	408	-	-	0/1/1/1	0/0/0/0
5	HEC	B	402	1	-	0/6/54/54	0/0/8/8
5	HEC	B	403	1	-	0/6/54/54	0/0/8/8
7	EDO	B	405	-	-	0/1/1/1	0/0/0/0
8	ACT	D	401	-	-	0/0/0/0	0/0/0/0

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	403	HEC	C3C-C2C	-5.78	1.34	1.40
5	B	403	HEC	C4C-NC	-5.30	1.29	1.36
5	B	402	HEC	C4A-NA	-5.14	1.29	1.36
5	B	403	HEC	C3B-C2B	-4.98	1.35	1.40
5	A	403	HEC	C3C-C2C	-3.54	1.37	1.40
5	B	403	HEC	C4B-NB	-3.50	1.31	1.36
5	A	403	HEC	C4C-NC	-3.15	1.32	1.36
5	B	402	HEC	C1A-NA	-3.09	1.32	1.36
5	A	402	HEC	CAD-C3D	-3.07	1.46	1.52
5	A	402	HEC	C4B-NB	-2.73	1.33	1.36
5	B	403	HEC	C1A-NA	-2.68	1.33	1.36
5	A	403	HEC	C1A-NA	-2.67	1.33	1.36
5	B	403	HEC	C4A-NA	-2.57	1.33	1.36
5	A	402	HEC	C4A-NA	-2.40	1.33	1.36
5	A	403	HEC	C4B-NB	-2.32	1.33	1.36
5	A	403	HEC	CAD-C3D	-2.19	1.48	1.52
5	A	402	HEC	C1A-NA	-2.14	1.33	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	402	HEC	C3B-C2B	-2.06	1.38	1.40
5	A	403	HEC	C4A-NA	-2.05	1.33	1.36
5	A	403	HEC	C3C-C4C	2.07	1.47	1.42
5	B	402	HEC	C3B-C4B	2.08	1.47	1.42
5	B	403	HEC	C4D-CHA	2.09	1.45	1.39
5	A	403	HEC	CBB-CAB	2.11	1.58	1.49
5	B	402	HEC	C4D-CHA	2.21	1.45	1.39
5	A	403	HEC	C3B-C4B	2.21	1.47	1.42
5	B	403	HEC	C3C-C4C	2.24	1.47	1.42
5	B	403	HEC	C1B-CHB	2.45	1.46	1.39
5	B	403	HEC	C3B-C4B	2.74	1.49	1.42
5	B	402	HEC	C1B-CHB	2.85	1.47	1.39
5	B	402	HEC	C3C-C4C	2.90	1.49	1.42
5	A	402	HEC	C3C-C4C	2.96	1.49	1.42
5	B	402	HEC	C1D-CHD	3.27	1.48	1.39
5	A	402	HEC	C1D-CHD	4.37	1.51	1.39

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	403	HEC	CBB-CAB-C3B	-10.74	103.48	127.35
5	A	403	HEC	CBB-CAB-C3B	-9.18	106.96	127.35
5	B	402	HEC	CBB-CAB-C3B	-8.74	107.92	127.35
5	A	402	HEC	CBB-CAB-C3B	-7.57	110.54	127.35
5	A	403	HEC	CBC-CAC-C3C	-6.70	112.47	127.35
5	B	403	HEC	CBD-CAD-C3D	-5.90	101.96	112.53
5	B	402	HEC	C4C-C3C-C2C	-5.59	100.31	106.35
5	A	403	HEC	CBD-CAD-C3D	-5.20	103.20	112.53
5	A	402	HEC	CBD-CAD-C3D	-5.11	103.36	112.53
5	B	403	HEC	CBC-CAC-C3C	-4.84	116.59	127.35
5	B	402	HEC	CBD-CAD-C3D	-4.78	103.97	112.53
5	A	402	HEC	CMB-C2B-C1B	-4.73	120.54	128.36
5	B	402	HEC	CBC-CAC-C3C	-4.26	117.89	127.35
5	B	403	HEC	CBA-CAA-C2A	-4.20	104.99	112.53
5	A	402	HEC	CBC-CAC-C3C	-4.07	118.30	127.35
5	A	402	HEC	C4C-C3C-C2C	-3.90	102.14	106.35
5	B	402	HEC	C4B-C3B-C2B	-3.67	102.39	106.35
5	B	403	HEC	C4B-C3B-C2B	-3.45	102.63	106.35
5	B	403	HEC	CMC-C2C-C1C	-3.44	122.67	128.36
5	B	403	HEC	CAA-C2A-C1A	-3.34	123.38	127.01
5	A	402	HEC	C4B-C3B-C2B	-2.91	103.21	106.35
5	A	403	HEC	CMB-C2B-C1B	-2.88	123.60	128.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	403	HEC	C4C-C3C-C2C	-2.51	103.64	106.35
5	B	402	HEC	CMC-C2C-C1C	-2.44	124.32	128.36
5	A	403	HEC	C4B-C3B-C2B	-2.32	103.84	106.35
5	A	402	HEC	CMD-C2D-C1D	-2.25	124.65	128.36
5	B	402	HEC	CMB-C2B-C1B	-2.01	125.03	128.36
5	B	403	HEC	C3C-C4C-NC	2.16	115.02	110.94
5	B	402	HEC	CMD-C2D-C3D	2.22	129.87	125.24
5	A	403	HEC	CMA-C3A-C2A	2.22	129.88	125.24
5	B	402	HEC	C3B-C4B-NB	2.37	115.42	110.94
5	B	402	HEC	C3C-C4C-NC	2.49	115.64	110.94
5	B	402	HEC	CAD-C3D-C4D	2.52	129.75	127.01
5	B	403	HEC	CMA-C3A-C2A	2.53	130.53	125.24
5	B	402	HEC	CMA-C3A-C2A	2.64	130.75	125.24
5	A	402	HEC	CAA-C2A-C1A	2.84	130.09	127.01
5	A	403	HEC	CAD-C3D-C4D	3.97	131.32	127.01
5	A	402	HEC	CAD-C3D-C4D	5.30	132.76	127.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	403	HEC	1	0
5	B	402	HEC	2	0
7	B	405	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	354/373 (94%)	-0.66	2 (0%) 90 90	17, 25, 42, 75	0
1	B	357/373 (95%)	-0.47	8 (2%) 65 66	21, 33, 52, 112	0
2	C	124/137 (90%)	-0.51	0 100 100	18, 21, 29, 48	0
2	E	124/137 (90%)	-0.37	1 (0%) 87 88	21, 27, 40, 56	0
3	D	376/385 (97%)	-0.67	1 (0%) 94 94	17, 23, 37, 71	0
3	F	376/385 (97%)	-0.57	2 (0%) 91 92	20, 29, 44, 68	0
All	All	1711/1790 (95%)	-0.57	14 (0%) 87 88	17, 27, 44, 112	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	361	SER	6.0
1	B	6	ALA	5.8
1	B	7	ASP	4.3
1	A	6	ALA	3.9
1	B	362	ARG	3.3
1	A	7	ASP	2.9
1	B	359	GLU	2.8
1	B	131	ALA	2.6
3	F	386	GLY	2.6
3	F	11	GLN	2.4
3	D	11	GLN	2.3
2	E	108	TRP	2.2
1	B	8	ASP	2.2
1	B	360	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	TOQ	E	57	16/17	0.96	0.16	-	25,28,32,39	0
2	TOQ	C	57	16/17	0.97	0.16	-	20,22,29,31	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	ACT	D	401	4/4	0.97	0.15	2.89	29,37,39,45	0
5	HEC	A	403	43/43	0.99	0.10	0.32	17,18,20,22	0
5	HEC	B	403	43/43	0.99	0.09	-0.02	22,24,27,28	0
5	HEC	A	402	43/43	0.98	0.08	-0.25	20,22,24,25	0
4	CA	A	401	1/1	1.00	0.07	-0.33	19,19,19,19	0
5	HEC	B	402	43/43	0.98	0.07	-0.66	23,26,29,32	0
6	NA	B	406	1/1	0.99	0.06	-1.02	32,32,32,32	0
6	NA	A	407	1/1	0.98	0.04	-1.45	29,29,29,29	0
4	CA	B	401	1/1	1.00	0.03	-5.77	27,27,27,27	0
6	NA	B	404	1/1	0.98	0.09	-	37,37,37,37	0
7	EDO	A	408	4/4	0.92	0.13	-	55,58,60,60	0
6	NA	A	404	1/1	0.99	0.05	-	23,23,23,23	0
7	EDO	A	406	4/4	0.87	0.10	-	52,52,52,54	0
7	EDO	A	405	4/4	0.90	0.10	-	54,54,57,63	0
7	EDO	B	405	4/4	0.72	0.16	-	56,58,58,58	0

6.5 Other polymers [i](#)

There are no such residues in this entry.