



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 03:22 PM BST

PDB ID : 1K5W  
Title : THREE-DIMENSIONAL STRUCTURE OF THE SYNAPTOTAGMIN 1 C2B-DOMAIN: SYNAPTOTAGMIN 1 AS A PHOSPHOLIPID BINDING MACHINE  
Authors : Fernandez, I.; Arac, D.; Ubach, J.; Gerber, S.H.; Shin, O.; Gao, Y.; Anderson, R.G.W.; Sudhof, T.C.; Rizo, J.  
Deposited on : 2001-10-12

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 94%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	152	

## 2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 3 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *structure with the minimum noe energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:273-A:365, A:370-A:378, A:386-A:414 (131)	0.15	3

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 5, 7, 9, 10, 13, 14, 17, 18, 20
2	6, 8, 11, 12, 16
3	15, 19

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2410 atoms, of which 1225 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Synaptotagmin I.

Mol	Chain	Residues	Atoms						Trace
1	A	148	Total	C	H	N	O	S	0
			2408	762	1225	202	214	5	


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	
2	A	2	Total	Ca
			2	2




## 4.2.2 Score per residue for model 2

### • Molecule 1: Synaptotagmin I




## 4.2.3 Score per residue for model 3 (medoid)

### • Molecule 1: Synaptotagmin I




## 4.2.4 Score per residue for model 4

### • Molecule 1: Synaptotagmin I




### 4.2.5 Score per residue for model 5

#### • Molecule 1: Synaptotagmin I




### 4.2.6 Score per residue for model 6

#### • Molecule 1: Synaptotagmin I



### 4.2.7 Score per residue for model 7


#### • Molecule 1: Synaptotagmin I



#### 4.2.8 Score per residue for model 8

- Molecule 1: Synaptotagmin I


Chain A:  36% 45% 5% 11% .



#### 4.2.9 Score per residue for model 9

- Molecule 1: Synaptotagmin I

Chain A:  37% 43% 6% 11%



#### 4.2.10 Score per residue for model 10

- Molecule 1: Synaptotagmin I


Chain A:  34% 47% 5% 11% •






### 4.2.11 Score per residue for model 11

#### • Molecule 1: Synaptotagmin I




### 4.2.12 Score per residue for model 12

#### • Molecule 1: Synaptotagmin I




### 4.2.13 Score per residue for model 13

#### • Molecule 1: Synaptotagmin I




## 4.2.14 Score per residue for model 14

## • Molecule 1: Synaptotagmin I




## 4.2.15 Score per residue for model 15

## • Molecule 1: Synaptotagmin I




## 4.2.16 Score per residue for model 16

## • Molecule 1: Synaptotagmin I




## 4.2.17 Score per residue for model 17

## • Molecule 1: Synaptotagmin I




## 4.2.18 Score per residue for model 18

## • Molecule 1: Synaptotagmin I




## 4.2.19 Score per residue for model 19

## • Molecule 1: Synaptotagmin I



4.2.20 Score per residue for model 20

● Molecule 1: Synaptotagmin I



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 500 calculated structures, 20 were deposited, based on the following criterion: *STRUCTURES WITH THE MINIMUM NOE ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	0.9

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 5194
Number of chemical shift lists	1
Total number of shifts	2026
Number of shifts mapped to atoms	2026
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	94%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:  
CA

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1065	1095	1094	65±3
All	All	21340	21900	21880	1309

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:282:TYR:CD1	1:A:352:ILE:HD13	0.89	2.03	16	20
1:A:318:GLN:CB	1:A:323:LEU:HD11	0.84	2.02	20	16
1:A:312:VAL:HG22	1:A:361:VAL:HG22	0.83	1.49	14	20
1:A:360:THR:HG23	1:A:375:LYS:HB3	0.83	1.48	3	20
1:A:296:ALA:CB	1:A:299:LEU:HD11	0.81	2.06	19	16
1:A:276:ILE:HD13	1:A:277:CYS:N	0.81	1.91	18	20
1:A:280:LEU:HD12	1:A:389:HIS:CD2	0.79	2.11	16	18
1:A:409:VAL:O	1:A:413:VAL:HG23	0.78	1.77	19	20
1:A:376:VAL:HG11	1:A:405:HIS:HB3	0.76	1.56	4	20
1:A:289:LEU:HD11	1:A:393:MET:HE1	0.75	1.59	5	9
1:A:316:LEU:HD23	1:A:324:LYS:HD3	0.75	1.58	11	2
1:A:352:ILE:HD11	1:A:393:MET:CE	0.74	2.13	15	9

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:273:LEU:HD22	1:A:373:ILE:O	0.72	1.85	15	16
1:A:372:ALA:HB1	1:A:410:GLU:OE2	0.72	1.84	1	16
1:A:296:ALA:HB3	1:A:299:LEU:HD11	0.72	1.62	19	19
1:A:347:VAL:HG13	1:A:351:GLN:HB3	0.72	1.61	9	16
1:A:352:ILE:HD11	1:A:393:MET:HE3	0.72	1.62	14	5
1:A:352:ILE:CG2	1:A:394:LEU:HD21	0.71	2.16	7	20
1:A:318:GLN:HB3	1:A:323:LEU:HD11	0.71	1.60	2	5
1:A:375:LYS:HG3	1:A:413:VAL:HG11	0.71	1.62	15	20
1:A:352:ILE:HD11	1:A:393:MET:SD	0.69	2.28	3	9
1:A:376:VAL:HG22	1:A:407:LEU:HD23	0.69	1.62	20	20
1:A:299:LEU:HD13	1:A:310:PRO:CG	0.69	2.18	9	13
1:A:313:LYS:HE3	1:A:362:LEU:HD13	0.68	1.65	19	14
1:A:328:THR:HG22	1:A:343:PHE:CE1	0.68	2.24	15	19
1:A:313:LYS:HE2	1:A:362:LEU:HD13	0.68	1.65	18	5
1:A:334:THR:O	1:A:335:LEU:HD23	0.68	1.88	7	20
1:A:275:ASP:OD1	1:A:406:THR:HG23	0.67	1.89	4	11
1:A:351:GLN:O	1:A:355:VAL:HG22	0.67	1.89	17	5
1:A:279:SER:OG	1:A:292:VAL:HB	0.67	1.90	8	2
1:A:293:ILE:HG22	1:A:339:TYR:HB2	0.67	1.65	3	13
1:A:296:ALA:HB1	1:A:299:LEU:HD21	0.66	1.64	18	20
1:A:318:GLN:CG	1:A:323:LEU:HD11	0.66	2.21	3	11
1:A:278:PHE:CZ	1:A:405:HIS:CD2	0.66	2.84	2	20
1:A:318:GLN:HB2	1:A:323:LEU:HD11	0.65	1.68	15	13
1:A:372:ALA:HB1	1:A:410:GLU:CD	0.63	2.14	14	6
1:A:318:GLN:HG2	1:A:355:VAL:HG12	0.62	1.71	11	6
1:A:360:THR:HG23	1:A:375:LYS:CB	0.62	2.23	1	20
1:A:316:LEU:HD23	1:A:324:LYS:CD	0.62	2.25	11	2
1:A:352:ILE:HG21	1:A:394:LEU:HD21	0.60	1.71	16	12
1:A:361:VAL:HG21	1:A:407:LEU:HD11	0.60	1.73	17	15
1:A:331:LYS:O	1:A:334:THR:HG22	0.60	1.96	1	16
1:A:313:LYS:CE	1:A:362:LEU:HD13	0.60	2.27	1	9
1:A:318:GLN:HG2	1:A:323:LEU:HD11	0.59	1.73	9	2
1:A:293:ILE:HG13	1:A:328:THR:HG21	0.57	1.76	20	20
1:A:278:PHE:CZ	1:A:405:HIS:CG	0.57	2.93	19	20
1:A:294:LEU:HD22	1:A:295:GLU:OE1	0.56	1.99	2	2
1:A:289:LEU:HD11	1:A:393:MET:CE	0.56	2.30	18	8
1:A:331:LYS:HB3	1:A:334:THR:HG21	0.56	1.76	2	11
1:A:328:THR:HG22	1:A:343:PHE:CE2	0.55	2.37	6	1
1:A:357:VAL:O	1:A:378:VAL:HG22	0.55	2.01	1	1
1:A:352:ILE:HG23	1:A:394:LEU:HD21	0.54	1.78	13	16
1:A:352:ILE:HD11	1:A:393:MET:HE1	0.54	1.78	13	8

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:293:ILE:HG22	1:A:339:TYR:CB	0.54	2.33	9	8
1:A:314:ILE:CG2	1:A:357:VAL:HG13	0.54	2.33	4	1
1:A:321:LYS:HG3	1:A:323:LEU:HD21	0.54	1.78	18	1
1:A:318:GLN:HB3	1:A:355:VAL:HG12	0.54	1.78	9	1
1:A:378:VAL:O	1:A:378:VAL:HG23	0.53	2.03	8	8
1:A:378:VAL:HG23	1:A:378:VAL:O	0.53	2.04	20	7
1:A:284:PRO:HD3	1:A:397:PRO:HB3	0.53	1.79	16	1
1:A:293:ILE:HD11	1:A:314:ILE:HD11	0.52	1.80	10	1
1:A:376:VAL:HG22	1:A:407:LEU:CD2	0.52	2.35	13	5
1:A:318:GLN:HG3	1:A:323:LEU:HD11	0.52	1.80	17	3
1:A:292:VAL:HG13	1:A:341:GLU:O	0.52	2.05	4	18
1:A:289:LEU:HD21	1:A:357:VAL:CG2	0.52	2.34	13	5
1:A:375:LYS:CG	1:A:413:VAL:HG21	0.52	2.35	13	3
1:A:364:TYR:CD1	1:A:365:ASP:N	0.51	2.79	15	3
1:A:314:ILE:HG23	1:A:357:VAL:HG13	0.51	1.82	4	7
1:A:284:PRO:CG	1:A:397:PRO:CB	0.51	2.89	7	15
1:A:357:VAL:HG23	1:A:390:TRP:CZ3	0.51	2.41	20	18
1:A:377:PHE:CD1	1:A:413:VAL:HG13	0.51	2.41	6	3
1:A:347:VAL:HG11	1:A:352:ILE:HA	0.51	1.83	16	4
1:A:278:PHE:CE1	1:A:405:HIS:CD2	0.51	2.99	18	20
1:A:299:LEU:HD13	1:A:310:PRO:HG3	0.50	1.82	9	9
1:A:284:PRO:CG	1:A:397:PRO:HB3	0.50	2.37	17	6
1:A:282:TYR:CE1	1:A:352:ILE:HD13	0.50	2.42	11	7
1:A:375:LYS:HG2	1:A:413:VAL:HG21	0.49	1.82	5	14
1:A:312:VAL:CG1	1:A:359:VAL:HG13	0.49	2.36	17	17
1:A:308:SER:HB2	1:A:335:LEU:HD23	0.49	1.83	15	12
1:A:347:VAL:HG13	1:A:351:GLN:CB	0.49	2.34	6	2
1:A:352:ILE:O	1:A:390:TRP:NE1	0.49	2.45	4	14
1:A:284:PRO:CD	1:A:397:PRO:HB2	0.49	2.38	1	11
1:A:390:TRP:CZ3	1:A:393:MET:HE1	0.49	2.43	14	4
1:A:399:ARG:HG3	1:A:400:PRO:HD2	0.49	1.83	10	1
1:A:284:PRO:HD3	1:A:397:PRO:CB	0.49	2.38	16	5
1:A:329:THR:HG23	1:A:331:LYS:HE3	0.49	1.84	14	1
1:A:280:LEU:O	1:A:401:ILE:N	0.49	2.44	5	7
1:A:329:THR:HG22	1:A:341:GLU:OE2	0.48	2.08	16	1
1:A:276:ILE:C	1:A:276:ILE:HD13	0.48	2.28	18	8
1:A:328:THR:HG22	1:A:343:PHE:HE1	0.48	1.68	19	13
1:A:316:LEU:HD23	1:A:324:LYS:HG3	0.48	1.86	17	1
1:A:279:SER:N	1:A:292:VAL:O	0.48	2.39	2	2
1:A:397:PRO:C	1:A:398:ARG:HG2	0.48	2.28	1	15
1:A:280:LEU:HD12	1:A:389:HIS:NE2	0.48	2.23	7	4

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:310:PRO:O	1:A:331:LYS:HG2	0.48	2.09	12	1
1:A:276:ILE:HD13	1:A:276:ILE:C	0.47	2.28	16	12
1:A:389:HIS:CD2	1:A:401:ILE:CG2	0.47	2.97	11	20
1:A:351:GLN:O	1:A:355:VAL:HG13	0.47	2.10	17	5
1:A:303:ASP:HB2	1:A:307:LEU:O	0.47	2.10	19	12
1:A:358:VAL:HG11	1:A:375:LYS:HE2	0.47	1.86	3	4
1:A:308:SER:O	1:A:334:THR:N	0.47	2.46	19	10
1:A:290:THR:HG23	1:A:343:PHE:O	0.47	2.10	15	3
1:A:378:VAL:CG1	1:A:405:HIS:CE1	0.47	2.98	13	5
1:A:311:TYR:CD1	1:A:362:LEU:O	0.47	2.68	5	16
1:A:293:ILE:N	1:A:341:GLU:O	0.47	2.48	8	20
1:A:353:GLN:HE21	1:A:394:LEU:HD22	0.47	1.69	8	2
1:A:322:ARG:O	1:A:323:LEU:HD23	0.47	2.10	14	1
1:A:328:THR:HG22	1:A:343:PHE:CZ	0.46	2.46	16	2
1:A:299:LEU:HD13	1:A:310:PRO:CB	0.46	2.40	13	7
1:A:375:LYS:CD	1:A:410:GLU:HG2	0.46	2.41	1	1
1:A:358:VAL:HG13	1:A:377:PHE:HB3	0.46	1.88	6	4
1:A:339:TYR:C	1:A:340:ASN:ND2	0.46	2.69	3	2
1:A:280:LEU:CD1	1:A:389:HIS:CE1	0.46	2.99	10	4
1:A:278:PHE:CZ	1:A:359:VAL:HG21	0.46	2.46	5	1
1:A:282:TYR:O	1:A:397:PRO:C	0.45	2.53	16	2
1:A:309:ASP:N	1:A:310:PRO:CD	0.45	2.79	12	16
1:A:311:TYR:O	1:A:361:VAL:HA	0.45	2.12	18	4
1:A:282:TYR:CG	1:A:352:ILE:HD13	0.45	2.43	7	1
1:A:312:VAL:CG1	1:A:359:VAL:CG1	0.45	2.95	4	20
1:A:283:VAL:O	1:A:287:GLY:N	0.45	2.49	6	5
1:A:280:LEU:HD12	1:A:389:HIS:CG	0.45	2.45	20	2
1:A:296:ALA:HB1	1:A:299:LEU:HD11	0.45	1.81	19	1
1:A:315:HIS:CD2	1:A:325:LYS:CG	0.45	3.00	6	1
1:A:273:LEU:HD12	1:A:408:GLN:C	0.45	2.32	4	6
1:A:359:VAL:N	1:A:376:VAL:O	0.45	2.49	6	5
1:A:273:LEU:HD13	1:A:374:GLY:CA	0.44	2.42	6	2
1:A:364:TYR:CD2	1:A:370:ASN:ND2	0.44	2.85	9	1
1:A:313:LYS:N	1:A:360:THR:O	0.44	2.49	8	13
1:A:397:PRO:O	1:A:398:ARG:CD	0.44	2.66	2	8
1:A:330:ILE:HG21	1:A:364:TYR:CB	0.44	2.43	12	1
1:A:338:TYR:CE2	1:A:340:ASN:HB2	0.44	2.48	5	4
1:A:352:ILE:CG1	1:A:394:LEU:HD21	0.44	2.43	18	2
1:A:278:PHE:CD2	1:A:359:VAL:HG11	0.44	2.48	15	9
1:A:399:ARG:CG	1:A:400:PRO:HD2	0.44	2.42	10	1
1:A:301:LYS:HE3	1:A:335:LEU:HD11	0.44	1.90	20	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:318:GLN:HG3	1:A:318:GLN:O	0.44	2.11	10	1
1:A:282:TYR:CZ	1:A:352:ILE:HB	0.44	2.48	14	13
1:A:375:LYS:CG	1:A:413:VAL:HG11	0.44	2.38	15	3
1:A:278:PHE:CE2	1:A:359:VAL:HG21	0.44	2.48	5	1
1:A:284:PRO:CD	1:A:397:PRO:CB	0.43	2.96	19	6
1:A:353:GLN:NE2	1:A:394:LEU:HD13	0.43	2.29	16	1
1:A:280:LEU:O	1:A:400:PRO:HA	0.43	2.13	13	3
1:A:301:LYS:HG3	1:A:335:LEU:HD21	0.43	1.87	19	1
1:A:328:THR:HG22	1:A:343:PHE:HE2	0.43	1.69	6	1
1:A:284:PRO:HD3	1:A:397:PRO:HB2	0.43	1.91	8	4
1:A:336:ASN:N	1:A:337:PRO:HD3	0.43	2.29	8	12
1:A:302:MET:HG3	1:A:363:ASP:HB3	0.43	1.91	13	2
1:A:331:LYS:HB2	1:A:334:THR:CG2	0.43	2.44	12	1
1:A:377:PHE:CD1	1:A:377:PHE:N	0.43	2.87	18	2
1:A:375:LYS:O	1:A:413:VAL:HG21	0.42	2.14	8	1
1:A:357:VAL:HG23	1:A:390:TRP:CH2	0.42	2.49	14	3
1:A:282:TYR:OH	1:A:347:VAL:O	0.42	2.36	5	1
1:A:390:TRP:CZ3	1:A:393:MET:CE	0.42	3.02	2	4
1:A:347:VAL:CG1	1:A:352:ILE:N	0.42	2.82	10	2
1:A:314:ILE:HG23	1:A:357:VAL:CG1	0.42	2.45	12	1
1:A:377:PHE:CE1	1:A:386:GLU:OE1	0.42	2.73	7	1
1:A:390:TRP:CH2	1:A:393:MET:HE1	0.42	2.50	14	1
1:A:302:MET:SD	1:A:371:ASP:HB2	0.42	2.54	5	1
1:A:280:LEU:HD13	1:A:393:MET:HE3	0.41	1.91	9	1
1:A:294:LEU:HD23	1:A:338:TYR:CE2	0.41	2.50	20	1
1:A:316:LEU:HD21	1:A:347:VAL:CG2	0.41	2.45	8	1
1:A:282:TYR:O	1:A:397:PRO:CB	0.41	2.68	11	3
1:A:358:VAL:HG11	1:A:375:LYS:NZ	0.41	2.30	1	1
1:A:355:VAL:HG23	1:A:390:TRP:CZ2	0.41	2.50	4	1
1:A:377:PHE:N	1:A:377:PHE:CD1	0.41	2.88	19	1
1:A:378:VAL:O	1:A:390:TRP:CE3	0.41	2.74	13	1
1:A:388:ARG:O	1:A:392:ASP:N	0.41	2.51	16	1
1:A:295:GLU:OE1	1:A:338:TYR:CZ	0.41	2.74	2	1
1:A:318:GLN:NE2	1:A:354:LYS:CD	0.41	2.83	17	1
1:A:277:CYS:O	1:A:294:LEU:CB	0.41	2.69	3	1
1:A:294:LEU:CD2	1:A:338:TYR:CE2	0.41	3.04	1	2
1:A:377:PHE:CZ	1:A:386:GLU:OE1	0.41	2.74	17	2
1:A:352:ILE:O	1:A:390:TRP:CZ2	0.41	2.74	10	1
1:A:277:CYS:N	1:A:295:GLU:O	0.41	2.50	8	1
1:A:364:TYR:CD2	1:A:370:ASN:OD1	0.41	2.74	13	1
1:A:293:ILE:O	1:A:341:GLU:N	0.41	2.54	19	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:281:ARG:O	1:A:290:THR:CB	0.41	2.69	12	2
1:A:312:VAL:O	1:A:328:THR:HG23	0.41	2.16	15	1
1:A:375:LYS:HD2	1:A:410:GLU:HG2	0.40	1.93	13	1
1:A:311:TYR:CD2	1:A:362:LEU:O	0.40	2.74	8	1
1:A:311:TYR:HB3	1:A:330:ILE:HA	0.40	1.93	5	1
1:A:315:HIS:CD2	1:A:325:LYS:CB	0.40	3.04	6	1
1:A:280:LEU:HG	1:A:389:HIS:CE1	0.40	2.52	6	1
1:A:280:LEU:HB3	1:A:393:MET:CE	0.40	2.47	6	1
1:A:351:GLN:O	1:A:355:VAL:N	0.40	2.54	6	1
1:A:389:HIS:NE2	1:A:401:ILE:O	0.40	2.54	11	1
1:A:302:MET:HG3	1:A:363:ASP:CB	0.40	2.46	12	1
1:A:390:TRP:CE3	1:A:393:MET:HE2	0.40	2.51	16	1
1:A:372:ALA:HB1	1:A:410:GLU:OE1	0.40	2.16	13	1
1:A:314:ILE:N	1:A:314:ILE:HD12	0.40	2.31	2	1
1:A:397:PRO:O	1:A:398:ARG:HD3	0.40	2.16	19	1
1:A:312:VAL:HG11	1:A:359:VAL:HG13	0.40	1.94	8	1
1:A:276:ILE:C	1:A:276:ILE:CD1	0.40	2.90	14	1
1:A:302:MET:SD	1:A:363:ASP:HB3	0.40	2.57	8	1
1:A:295:GLU:HB3	1:A:338:TYR:CD1	0.40	2.52	8	1
1:A:318:GLN:NE2	1:A:351:GLN:CG	0.40	2.84	5	1

## 6.3 Torsion angles ⓘ

### 6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	131/152 (86%)	117±2 (89±1%)	13±2 (10±2%)	1±0 (1±0%)	24	71
All	All	2620/3040 (86%)	2330 (89%)	264 (10%)	26 (1%)	24	71

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	333	ASN	20
1	A	397	PRO	5

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	398	ARG	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	120/135 (89%)	98±2 (82±2%)	22±2 (18±2%)	5	39
All	All	2400/2700 (89%)	1966 (82%)	434 (18%)	5	39

All 54 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	294	LEU	20
1	A	370	ASN	20
1	A	285	THR	20
1	A	276	ILE	20
1	A	376	VAL	20
1	A	358	VAL	20
1	A	277	CYS	20
1	A	325	LYS	19
1	A	318	GLN	19
1	A	279	SER	18
1	A	403	GLN	17
1	A	351	GLN	17
1	A	322	ARG	13
1	A	399	ARG	12
1	A	338	TYR	11
1	A	327	LYS	11
1	A	414	ASP	10
1	A	392	ASP	10
1	A	300	LYS	9
1	A	309	ASP	9
1	A	391	SER	8
1	A	363	ASP	8
1	A	281	ARG	7
1	A	324	LYS	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	333	ASN	7
1	A	388	ARG	6
1	A	331	LYS	6
1	A	321	LYS	6
1	A	411	GLU	5
1	A	317	MET	5
1	A	295	GLU	4
1	A	329	THR	4
1	A	398	ARG	4
1	A	297	LYS	4
1	A	275	ASP	4
1	A	371	ASP	4
1	A	302	MET	4
1	A	356	GLN	4
1	A	288	LYS	2
1	A	301	LYS	2
1	A	332	LYS	2
1	A	386	GLU	2
1	A	340	ASN	2
1	A	354	LYS	2
1	A	350	GLU	1
1	A	336	ASN	1
1	A	342	SER	1
1	A	394	LEU	1
1	A	315	HIS	1
1	A	373	ILE	1
1	A	326	LYS	1
1	A	308	SER	1
1	A	335	LEU	1
1	A	375	LYS	1

### 6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 94% for the well-defined parts and 94% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 5194

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2026
Number of shifts mapped to atoms	2026
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	151	$0.30 \pm 0.08$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	142	$-0.29 \pm 0.06$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	149	$0.68 \pm 0.14$	Should be applied
$^{15}\text{N}$	143	$-0.01 \pm 0.49$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 94%, i.e. 1584 atoms were assigned a chemical shift out of a possible 1692. 27 out of 28 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	643/643 (100%)	256/256 (100%)	262/262 (100%)	125/125 (100%)
Sidechain	818/918 (89%)	505/536 (94%)	299/340 (88%)	14/42 (33%)

*Continued on next page...*

*Continued from previous page...*

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Aromatic	123/131 (94%)	64/69 (93%)	56/56 (100%)	3/6 (50%)
Overall	1584/1692 (94%)	825/861 (96%)	617/658 (94%)	142/173 (82%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 94%, i.e. 1759 atoms were assigned a chemical shift out of a possible 1879. 29 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	722/728 (99%)	288/290 (99%)	294/296 (99%)	140/142 (99%)
Sidechain	906/1012 (90%)	559/591 (95%)	332/375 (89%)	15/46 (33%)
Aromatic	131/139 (94%)	68/73 (93%)	60/60 (100%)	3/6 (50%)
Overall	1759/1879 (94%)	915/954 (96%)	686/731 (94%)	158/194 (81%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	388	ARG	NE	112.50	92.63 – 76.73	17.5
1	A	277	CYS	HB2	-0.25	5.20 – 0.70	-7.1
1	A	297	LYS	HE2	1.96	3.87 – 1.97	-5.1

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



