



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:02 PM GMT

PDB ID : 4KC8
Title : Crystal Structure of Endo-1,5-alpha-L-arabinanase from Thermotoga petrophila RKU-1 in complex with TRIS
Authors : Nascimento, A.F.Z.; Polo, C.C.; Santos, C.R.; Costa, M.C.M.F.; Mesa, A.N.; Prade, R.A.; Ruller, R.; Squina, F.M.; Murakami, M.T.
Deposited on : 2013-04-24
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	474	<div> <div>7%</div> <div>75% 19% • 5%</div> </div>
1	B	474	<div> <div>72% 21% • 5%</div> </div>
1	C	474	<div> <div>7%</div> <div>69% 21% • 7%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11549 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycoside hydrolase, family 43.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	6	0
			3625	2338	602	675	10			
1	B	449	Total	C	N	O	S	0	8	0
			3631	2342	602	677	10			
1	C	443	Total	C	N	O	S	0	4	0
			3575	2310	595	660	10			

There are 69 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	INITIATING METHIONINE	UNP A5IKD4
A	-1	GLY	-	EXPRESSION TAG	UNP A5IKD4
A	0	SER	-	EXPRESSION TAG	UNP A5IKD4
A	1	SER	-	EXPRESSION TAG	UNP A5IKD4
A	2	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	3	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	4	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	5	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	6	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	7	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	8	SER	-	EXPRESSION TAG	UNP A5IKD4
A	9	SER	-	EXPRESSION TAG	UNP A5IKD4
A	10	GLY	-	EXPRESSION TAG	UNP A5IKD4
A	11	LEU	-	EXPRESSION TAG	UNP A5IKD4
A	12	VAL	-	EXPRESSION TAG	UNP A5IKD4
A	13	PRO	-	EXPRESSION TAG	UNP A5IKD4
A	14	ARG	-	EXPRESSION TAG	UNP A5IKD4
A	15	GLY	-	EXPRESSION TAG	UNP A5IKD4
A	16	SER	-	EXPRESSION TAG	UNP A5IKD4
A	17	HIS	-	EXPRESSION TAG	UNP A5IKD4
A	18	MET	-	EXPRESSION TAG	UNP A5IKD4
A	19	ALA	-	EXPRESSION TAG	UNP A5IKD4
A	20	SER	-	EXPRESSION TAG	UNP A5IKD4

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	MET	-	INITIATING METHIONINE	UNP A5IKD4
B	-1	GLY	-	EXPRESSION TAG	UNP A5IKD4
B	0	SER	-	EXPRESSION TAG	UNP A5IKD4
B	1	SER	-	EXPRESSION TAG	UNP A5IKD4
B	2	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	3	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	4	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	5	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	6	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	7	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	8	SER	-	EXPRESSION TAG	UNP A5IKD4
B	9	SER	-	EXPRESSION TAG	UNP A5IKD4
B	10	GLY	-	EXPRESSION TAG	UNP A5IKD4
B	11	LEU	-	EXPRESSION TAG	UNP A5IKD4
B	12	VAL	-	EXPRESSION TAG	UNP A5IKD4
B	13	PRO	-	EXPRESSION TAG	UNP A5IKD4
B	14	ARG	-	EXPRESSION TAG	UNP A5IKD4
B	15	GLY	-	EXPRESSION TAG	UNP A5IKD4
B	16	SER	-	EXPRESSION TAG	UNP A5IKD4
B	17	HIS	-	EXPRESSION TAG	UNP A5IKD4
B	18	MET	-	EXPRESSION TAG	UNP A5IKD4
B	19	ALA	-	EXPRESSION TAG	UNP A5IKD4
B	20	SER	-	EXPRESSION TAG	UNP A5IKD4
C	-2	MET	-	INITIATING METHIONINE	UNP A5IKD4
C	-1	GLY	-	EXPRESSION TAG	UNP A5IKD4
C	0	SER	-	EXPRESSION TAG	UNP A5IKD4
C	1	SER	-	EXPRESSION TAG	UNP A5IKD4
C	2	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	3	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	4	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	5	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	6	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	7	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	8	SER	-	EXPRESSION TAG	UNP A5IKD4
C	9	SER	-	EXPRESSION TAG	UNP A5IKD4
C	10	GLY	-	EXPRESSION TAG	UNP A5IKD4
C	11	LEU	-	EXPRESSION TAG	UNP A5IKD4
C	12	VAL	-	EXPRESSION TAG	UNP A5IKD4
C	13	PRO	-	EXPRESSION TAG	UNP A5IKD4
C	14	ARG	-	EXPRESSION TAG	UNP A5IKD4
C	15	GLY	-	EXPRESSION TAG	UNP A5IKD4
C	16	SER	-	EXPRESSION TAG	UNP A5IKD4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	17	HIS	-	EXPRESSION TAG	UNP A5IKD4
C	18	MET	-	EXPRESSION TAG	UNP A5IKD4
C	19	ALA	-	EXPRESSION TAG	UNP A5IKD4
C	20	SER	-	EXPRESSION TAG	UNP A5IKD4

- Molecule 2 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	4	1	3		
2	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		
3	A	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	241	Total 241	O 241	0	0
4	B	316	Total 316	O 316	0	0
4	C	142	Total 142	O 142	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycoside hydrolase, family 43




- Molecule 1: Glycoside hydrolase, family 43



- Molecule 1: Glycoside hydrolase, family 43





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	41.67Å 86.77Å 194.37Å 90.00° 90.07° 90.00°	Depositor
Resolution (Å)	43.38 – 1.76 43.38 – 1.76	Depositor EDS
% Data completeness (in resolution range)	99.2 (43.38-1.76) 99.2 (43.38-1.76)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.70 (at 1.76Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.153 , 0.197 0.161 , 0.198	Depositor DCC
R_{free} test set	6836 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	20.3	Xtriage
Anisotropy	0.748	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
Estimated twinning fraction	0.527 for H, K, L 0.473 for -H, -K, L 0.467 for h,-k,-l	Xtriage
Reported twinning fraction	0.527 for H, K, L 0.473 for -H, -K, L	Depositor
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	0 of 135737 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11549	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CA, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.95	0/3768	1.03	6/5119 (0.1%)
1	B	1.53	30/3781 (0.8%)	1.38	27/5137 (0.5%)
1	C	0.86	0/3707	0.97	6/5033 (0.1%)
All	All	1.15	30/11256 (0.3%)	1.14	39/15289 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
All	All	0	3

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	263	GLY	N-CA	-9.72	1.31	1.46
1	B	226	TYR	CG-CD2	7.20	1.48	1.39
1	B	330	PHE	CG-CD2	-6.95	1.28	1.38
1	B	135	TYR	CD1-CE1	-6.94	1.28	1.39
1	B	458	SER	CB-OG	6.83	1.51	1.42
1	B	360	PRO	C-O	6.45	1.36	1.23
1	B	111	TYR	CE1-CZ	6.34	1.46	1.38
1	B	284	SER	CA-CB	-6.24	1.43	1.52
1	B	363	TYR	CG-CD1	6.18	1.47	1.39
1	B	461	GLY	N-CA	6.16	1.55	1.46
1	B	43	TYR	CE1-CZ	-6.10	1.30	1.38
1	B	135	TYR	CE1-CZ	-5.96	1.30	1.38
1	B	465	TRP	CD1-NE1	5.92	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	124	GLY	C-O	5.91	1.33	1.23
1	B	226	TYR	CB-CG	-5.58	1.43	1.51
1	B	355	TRP	CE3-CZ3	5.56	1.47	1.38
1	B	224	GLY	N-CA	-5.46	1.37	1.46
1	B	344	ARG	NE-CZ	-5.42	1.26	1.33
1	B	105	GLY	N-CA	-5.42	1.38	1.46
1	B	115	THR	C-O	-5.39	1.13	1.23
1	B	167	ASN	C-O	5.25	1.33	1.23
1	B	229	TYR	CZ-OH	5.24	1.46	1.37
1	B	229	TYR	CB-CG	-5.22	1.43	1.51
1	B	318	TYR	CB-CG	-5.22	1.43	1.51
1	B	247	TYR	CD2-CE2	5.14	1.47	1.39
1	B	223	GLU	CD-OE1	5.14	1.31	1.25
1	B	326	TYR	CA-C	-5.13	1.39	1.52
1	B	319	TYR	CE1-CZ	-5.10	1.31	1.38
1	B	87	TRP	CG-CD1	5.08	1.43	1.36
1	B	239	PHE	CE1-CZ	5.00	1.46	1.37

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	106	ARG	NE-CZ-NH1	9.98	125.29	120.30
1	C	213	ARG	NE-CZ-NH1	8.60	124.60	120.30
1	B	106	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	B	213	ARG	NE-CZ-NH1	7.80	124.20	120.30
1	B	344	ARG	NE-CZ-NH1	-7.65	116.47	120.30
1	C	213	ARG	NE-CZ-NH2	-7.31	116.65	120.30
1	B	254	ARG	NE-CZ-NH1	7.27	123.94	120.30
1	B	330	PHE	CB-CG-CD1	-7.09	115.84	120.80
1	B	213	ARG	NE-CZ-NH2	-7.06	116.77	120.30
1	B	111	TYR	CB-CG-CD2	-7.04	116.78	121.00
1	C	91	ARG	NE-CZ-NH1	7.04	123.82	120.30
1	C	344	ARG	NE-CZ-NH2	-6.62	116.99	120.30
1	B	246	ASP	CB-CG-OD2	-6.33	112.60	118.30
1	A	91	ARG	NE-CZ-NH1	6.29	123.44	120.30
1	C	91	ARG	NE-CZ-NH2	-6.27	117.16	120.30
1	B	85	LEU	CB-CG-CD2	-6.05	100.71	111.00
1	B	110	TYR	CZ-CE2-CD2	5.98	125.18	119.80
1	A	170	ASP	CB-CG-OD2	5.96	123.66	118.30
1	B	41	MET	CG-SD-CE	5.92	109.67	100.20
1	A	398	ARG	NE-CZ-NH1	5.77	123.18	120.30
1	B	156	ASP	CB-CG-OD1	5.76	123.49	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	120	ARG	NE-CZ-NH1	-5.66	117.47	120.30
1	B	437	GLY	N-CA-C	5.55	126.98	113.10
1	B	110	TYR	CG-CD1-CE1	5.53	125.72	121.30
1	B	353	ASP	CB-CG-OD1	5.51	123.26	118.30
1	B	391	ASP	CB-CG-OD2	-5.48	113.36	118.30
1	B	26	ARG	NE-CZ-NH1	5.47	123.03	120.30
1	A	234	ASP	CB-CG-OD2	-5.42	113.43	118.30
1	A	234	ASP	CB-CG-OD1	5.34	123.11	118.30
1	A	169	LEU	CA-CB-CG	5.34	127.57	115.30
1	B	417	ARG	NE-CZ-NH1	-5.20	117.70	120.30
1	B	32	ASP	CB-CG-OD1	5.14	122.93	118.30
1	B	242	PHE	CB-CG-CD1	5.14	124.40	120.80
1	B	417	ARG	NE-CZ-NH2	5.11	122.86	120.30
1	C	417	ARG	NE-CZ-NH2	5.11	122.85	120.30
1	B	189	PHE	CB-CG-CD1	-5.07	117.25	120.80
1	B	310	VAL	CG1-CB-CG2	-5.02	102.86	110.90
1	B	358	MET	CG-SD-CE	-5.01	92.19	100.20
1	B	239	PHE	CB-CG-CD2	-5.01	117.30	120.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	315	ASN	Peptide
1	C	297	SER	Peptide
1	C	322	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3625	0	3478	61	0
1	B	3631	0	3486	60	1
1	C	3575	0	3436	86	1
2	A	8	0	12	0	0
2	B	8	0	12	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	241	0	0	7	0
4	B	316	0	0	17	0
4	C	142	0	0	13	1
All	All	11549	0	10424	201	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:90:THR:O	1:A:91:ARG:HD2	1.53	1.08
1:B:341:TYR:CG	4:B:795:HOH:O	2.06	1.06
1:B:31:HIS:CD2	4:B:795:HOH:O	2.17	0.95
1:C:377:VAL:HB	4:C:681:HOH:O	1.70	0.92
1:C:27:TRP:NE1	4:C:730:HOH:O	2.04	0.91
1:C:38:VAL:HG21	1:C:131:ILE:HG12	1.51	0.90
1:C:125:ILE:HD11	1:C:141:ILE:HD13	1.54	0.87
1:B:31:HIS:HD2	4:B:795:HOH:O	1.52	0.83
1:B:296:LEU:CD2	1:B:383:ILE:HD11	2.09	0.82
1:C:373:ASN:HB3	4:C:651:HOH:O	1.78	0.81
1:C:73:ILE:HD12	1:C:73:ILE:N	1.95	0.81
1:C:323:THR:HG23	1:C:325:LYS:HG3	1.64	0.79
1:C:229:TYR:OH	1:C:234:ASP:OD1	1.99	0.79
1:A:342:GLN:OE1	1:A:344:ARG:NH1	2.16	0.78
1:A:300:ASN:OD1	1:A:302:ILE:O	2.04	0.75
1:C:344:ARG:NH2	4:C:730:HOH:O	2.18	0.74
1:B:104:ASP:OD2	1:B:106:ARG:HD3	1.87	0.74
1:C:430:ASN:O	1:C:430:ASN:OD1	2.06	0.73
1:B:104:ASP:OD2	1:B:106:ARG:CD	2.37	0.73
1:B:24[B]:THR:HG22	1:B:59:HIS:NE2	2.04	0.72
1:A:90:THR:O	1:A:91:ARG:CD	2.34	0.72
1:C:27:TRP:CD1	4:C:730:HOH:O	2.39	0.72
1:A:78:ASN:O	1:A:91:ARG:NH2	2.22	0.71
1:A:298[B]:GLU:OE2	1:A:398:ARG:NH2	2.17	0.71
1:C:323:THR:HG23	1:C:325:LYS:CG	2.20	0.71
1:C:310:VAL:N	1:C:333:ARG:O	2.23	0.70
1:C:371:LEU:O	1:C:417:ARG:NH1	2.21	0.70
1:C:64:ASN:ND2	1:C:73:ILE:HD13	2.07	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:68:HIS:O	1:C:71:ASN:ND2	2.26	0.69
1:B:426:ILE:HD12	1:B:435:TYR:CE1	2.28	0.69
1:B:79:GLU:HG3	4:B:793:HOH:O	1.95	0.67
1:C:230:SER:OG	1:C:326:TYR:OH	2.05	0.67
1:B:68:HIS:HD2	4:B:767:HOH:O	1.80	0.65
1:A:444:HIS:CD2	1:A:447:GLU:HB2	2.33	0.64
1:B:22:GLN:OE1	1:C:436:LYS:NZ	2.23	0.64
1:B:375:GLU:OE2	4:B:765:HOH:O	2.15	0.63
1:B:426:ILE:HD12	1:B:435:TYR:CD1	2.33	0.62
1:B:401:LEU:HD23	1:B:401:LEU:N	2.14	0.62
1:B:22:GLN:HG2	4:B:912:HOH:O	2.00	0.62
1:A:357:VAL:HG12	4:A:681:HOH:O	2.00	0.62
1:C:181:LEU:HB3	1:C:197:LEU:HB2	1.81	0.61
1:A:41:MET:SD	1:A:55:LYS:HG2	2.41	0.61
1:C:430:ASN:HA	4:C:635:HOH:O	2.02	0.60
1:C:73:ILE:CD1	1:C:73:ILE:N	2.65	0.60
1:C:323:THR:CG2	1:C:325:LYS:H	2.15	0.59
1:C:22:GLN:N	4:C:674:HOH:O	2.35	0.59
1:C:323:THR:HG22	1:C:325:LYS:H	1.69	0.58
1:B:296:LEU:HD23	1:B:383:ILE:HD11	1.86	0.58
1:C:39:GLY:N	4:C:726:HOH:O	2.29	0.58
4:A:767:HOH:O	1:C:374:GLU:HG2	2.03	0.58
1:A:162:SER:HB2	1:A:189:PHE:CD1	2.38	0.57
1:B:69:ASP:OD1	4:B:914:HOH:O	2.17	0.57
1:A:82:LYS:O	1:A:86:SER:OG	2.14	0.57
1:B:444:HIS:CD2	1:B:447:GLU:H	2.23	0.57
1:B:440:LEU:HD23	1:B:440:LEU:N	2.20	0.56
1:A:252:ASN:ND2	1:A:254:ARG:HE	2.04	0.56
1:C:267:ASP:HB2	1:C:268:PRO:HD2	1.89	0.55
1:A:188:TRP:HA	1:A:220:SER:O	2.07	0.54
1:C:104:ASP:N	1:C:104:ASP:OD1	2.39	0.54
1:C:349:PHE:CE1	1:C:359:ALA:HB2	2.42	0.53
1:B:97:PRO:HA	1:B:110:TYR:O	2.07	0.53
1:C:225:PRO:HA	1:C:240:LEU:HD23	1.89	0.53
1:C:47:THR:HG23	1:C:95:TRP:HA	1.90	0.53
1:C:126:ALA:HB1	1:C:135:TYR:HB3	1.90	0.53
1:A:252:ASN:HD21	1:A:254:ARG:HE	1.57	0.53
1:B:322:GLU:HG3	4:B:771:HOH:O	2.09	0.53
1:C:29:VAL:HG12	1:C:29:VAL:O	2.09	0.53
1:C:97:PRO:HA	1:C:110:TYR:O	2.09	0.53
1:B:342:GLN:OE1	1:B:344:ARG:NH1	2.30	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:329:PHE:CD2	1:C:345:VAL:HG22	2.44	0.52
1:C:349:PHE:HE1	1:C:359:ALA:HB2	1.74	0.52
1:C:56:ASP:O	1:C:57:LEU:HG	2.09	0.52
1:C:25:PHE:CD2	1:C:58:MET:HB3	2.45	0.52
1:C:37:LYS:N	4:C:725:HOH:O	2.16	0.51
1:A:437:GLY:HA3	1:A:456:ALA:HA	1.92	0.51
1:B:147:VAL:HB	1:B:150:VAL:HG22	1.91	0.51
1:A:245:LEU:C	1:A:245:LEU:HD12	2.30	0.51
1:B:363:TYR:CZ	1:B:365:GLY:HA2	2.46	0.51
1:C:42:TYR:N	1:C:54:SER:O	2.34	0.51
1:B:218:ASN:OD1	1:B:277:MET:CE	2.59	0.51
1:B:104:ASP:OD2	1:B:106:ARG:HD2	2.10	0.51
1:A:53:LYS:HE2	1:A:63:ILE:HD11	1.93	0.51
1:A:300:ASN:OD1	1:A:302:ILE:C	2.50	0.50
1:A:77:ILE:HG13	1:A:81:LEU:CD1	2.41	0.50
1:A:437:GLY:HA3	1:A:455:THR:O	2.11	0.50
1:C:176:ASP:C	1:C:176:ASP:OD1	2.50	0.50
1:B:444:HIS:HE1	4:B:876:HOH:O	1.95	0.50
1:A:387:LYS:NZ	1:A:460:GLN:O	2.34	0.50
1:A:23:PRO:HG2	1:A:443:TRP:CD2	2.46	0.50
1:A:403:SER:OG	1:B:374:GLU:OE1	2.28	0.50
1:C:367:THR:HG22	4:C:731:HOH:O	2.12	0.50
1:B:70:LYS:O	4:B:775:HOH:O	2.20	0.49
1:B:271:LYS:HE3	1:B:285:ASN:O	2.12	0.49
1:A:155:GLU:HG3	1:A:210:TYR:CE1	2.47	0.48
1:C:128:SER:OG	1:C:133:GLY:HA2	2.14	0.48
1:A:368:VAL:HG12	1:A:369:SER:N	2.28	0.48
1:A:444:HIS:CG	1:A:447:GLU:HB2	2.48	0.48
1:C:420:HIS:HD2	1:C:438[B]:VAL:HG23	1.78	0.48
1:C:267:ASP:HB2	1:C:268:PRO:CD	2.44	0.47
1:A:85:LEU:HD22	1:A:90:THR:HG23	1.96	0.47
4:A:767:HOH:O	1:C:374:GLU:CG	2.59	0.47
1:A:65:THR:HG23	4:A:796:HOH:O	2.13	0.47
1:A:398:ARG:HG3	1:C:404:ASP:HA	1.96	0.47
1:C:31:HIS:N	1:C:50:GLN:OE1	2.45	0.47
1:C:232:ASP:N	1:C:232:ASP:OD1	2.48	0.47
1:B:341:TYR:CD2	4:B:795:HOH:O	2.52	0.47
1:B:296:LEU:HD21	1:B:383:ILE:CD1	2.44	0.47
1:C:344:ARG:CZ	4:C:730:HOH:O	2.58	0.47
1:C:72:PRO:HB2	1:C:73:ILE:HD12	1.97	0.47
1:B:444:HIS:HD2	1:B:446:SER:H	1.63	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:THR:HG22	1:A:140:VAL:HG22	1.96	0.47
1:A:413:GLY:HA3	1:A:425:LYS:O	2.15	0.47
1:B:311:SER:N	1:B:312:PRO:CD	2.78	0.46
1:B:413:GLY:HA3	1:B:425:LYS:O	2.15	0.46
1:A:71:ASN:OD1	1:A:73:ILE:N	2.49	0.46
1:C:387:LYS:NZ	1:C:460:GLN:O	2.38	0.46
1:A:280:LYS:HD2	4:A:740:HOH:O	2.14	0.46
1:A:77:ILE:HG23	1:A:78:ASN:N	2.31	0.46
1:C:176:ASP:O	1:C:176:ASP:OD1	2.32	0.46
1:C:29:VAL:HG13	1:C:341:TYR:CE1	2.50	0.46
1:B:63:ILE:HD12	4:B:778:HOH:O	2.15	0.46
1:B:352:GLU:OE1	4:B:874:HOH:O	2.20	0.46
1:C:366:GLU:HA	4:C:612:HOH:O	2.16	0.45
1:A:77:ILE:HG13	1:A:81:LEU:HD12	1.98	0.45
1:A:368:VAL:CG1	1:A:369:SER:N	2.80	0.45
1:B:296:LEU:HD21	1:B:383:ILE:HD11	1.95	0.45
1:B:277:MET:HB2	1:B:277:MET:HE3	1.89	0.45
1:C:126:ALA:HA	1:C:136:LYS:O	2.17	0.45
1:C:430:ASN:CA	4:C:635:HOH:O	2.64	0.45
1:A:176:ASP:HB2	1:A:236:TYR:OH	2.17	0.45
1:C:323:THR:CG2	1:C:325:LYS:HB2	2.46	0.44
1:B:218:ASN:OD1	1:B:277:MET:HE1	2.18	0.44
1:C:73:ILE:H	1:C:73:ILE:HD12	1.76	0.44
1:C:251:TYR:CD2	1:C:313:GLY:HA3	2.53	0.44
1:C:446:SER:O	1:C:448:LYS:HG2	2.17	0.44
1:A:281:THR:O	1:A:284:SER:OG	2.36	0.44
1:C:293:ASN:HB2	1:C:392:LYS:O	2.18	0.44
1:C:373:ASN:HA	1:C:376:ILE:HD12	2.00	0.44
1:B:218:ASN:OD1	1:B:277:MET:HE2	2.18	0.43
1:B:371:LEU:O	1:B:417:ARG:NH1	2.47	0.43
1:A:267:ASP:HB2	1:A:268:PRO:CD	2.49	0.43
1:B:161:ASP:HB3	1:B:164:LYS:HE3	1.99	0.43
1:B:284:SER:O	1:B:387:LYS:HG3	2.18	0.43
1:A:352:GLU:OE2	1:A:418:LYS:NZ	2.50	0.43
1:B:448:LYS:HD2	1:C:432:THR:O	2.19	0.43
1:B:63:ILE:CG2	1:B:63:ILE:O	2.67	0.43
1:B:443:TRP:CZ2	1:B:448:LYS:HA	2.54	0.42
1:C:37:LYS:HE3	1:C:42:TYR:CZ	2.54	0.42
1:A:95:TRP:CZ3	1:A:114:SER:HB3	2.53	0.42
1:C:296:LEU:CD2	1:C:383:ILE:HD11	2.48	0.42
1:C:56:ASP:O	1:C:57:LEU:CG	2.66	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:ASP:HB3	1:C:314:HIS:CD2	2.55	0.42
1:C:236:TYR:CZ	1:C:261:PRO:HD3	2.54	0.42
1:C:320:ASP:O	1:C:323:THR:HG22	2.19	0.42
1:B:297:SER:HG	1:B:299[B]:SER:HG	1.63	0.42
1:B:380:TYR:CE1	1:B:401:LEU:HG	2.54	0.42
1:A:97:PRO:HA	1:A:110:TYR:O	2.19	0.42
1:B:298[B]:GLU:OE1	1:B:398:ARG:NH2	2.46	0.42
1:A:236:TYR:CE1	1:A:261:PRO:HD3	2.54	0.42
1:C:177:LYS:CG	1:C:178:GLU:N	2.82	0.42
1:A:222:MET:HA	1:A:241:SER:O	2.20	0.42
1:A:77:ILE:CG1	1:A:81:LEU:HD12	2.50	0.42
1:A:38:VAL:HG21	1:A:131:ILE:HD13	2.02	0.42
1:A:252:ASN:HD21	1:A:254:ARG:HH21	1.68	0.41
1:A:319:TYR:HD1	1:A:326:TYR:CE1	2.38	0.41
1:A:82:LYS:C	4:A:648:HOH:O	2.59	0.41
1:A:23:PRO:HG2	1:A:443:TRP:CE2	2.55	0.41
1:B:392:LYS:NZ	4:B:881:HOH:O	2.54	0.41
1:A:37:LYS:HE2	1:A:39:GLY:O	2.20	0.41
1:C:388:GLU:OE2	1:C:394:LYS:NZ	2.51	0.41
1:B:268:PRO:HD3	1:B:355:TRP:CH2	2.56	0.41
1:C:73:ILE:CD1	1:C:73:ILE:H	2.33	0.41
1:A:131:ILE:HG23	1:A:132:GLU:N	2.36	0.41
1:A:148:TYR:CD1	1:A:148:TYR:C	2.93	0.41
1:B:456:ALA:O	1:B:463:SER:HA	2.21	0.41
1:B:305:LYS:HE3	1:C:429:GLY:O	2.20	0.41
1:C:323:THR:HG23	1:C:325:LYS:CB	2.51	0.41
1:A:98:GLN:O	1:A:109:MET:HA	2.20	0.41
1:C:188:TRP:HA	1:C:220:SER:O	2.20	0.41
1:A:141:ILE:HG13	1:A:142:VAL:HG23	2.03	0.41
1:C:254:ARG:HA	1:C:288:ALA:O	2.21	0.41
1:C:233:THR:HG21	1:C:350:LEU:HD22	2.02	0.41
1:A:349:PHE:CE1	1:A:368:VAL:HG23	2.56	0.41
1:A:96:ALA:N	1:A:97:PRO:CD	2.84	0.41
1:B:87:TRP:CD2	1:B:143:LYS:HD2	2.55	0.41
1:B:368:VAL:HG13	1:B:440:LEU:HB3	2.02	0.40
1:B:242:PHE:O	1:B:251:TYR:HA	2.22	0.40
1:C:439:LEU:O	1:C:440:LEU:HB3	2.21	0.40
1:C:297:SER:HA	1:C:298:GLU:HB3	2.02	0.40
1:C:99:VAL:HG22	1:C:109:MET:HG3	2.03	0.40
1:A:410:ALA:O	1:C:373:ASN:ND2	2.45	0.40
1:C:51:VAL:N	1:C:64:ASN:O	2.51	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:44:VAL:O	1:C:44:VAL:HG23	2.21	0.40
1:A:37:LYS:NZ	4:A:837:HOH:O	2.31	0.40
1:C:28:ALA:CB	1:C:52:ALA:HB2	2.51	0.40
1:B:96:ALA:HB1	4:B:908:HOH:O	2.21	0.40
1:B:353:ASP:OD2	4:B:853:HOH:O	2.22	0.40
1:C:344:ARG:HA	1:C:344:ARG:HD3	1.67	0.40
1:B:426:ILE:O	1:B:432:THR:HA	2.21	0.40
1:A:374:GLU:CD	1:A:374:GLU:H	2.24	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:233:THR:O	1:C:248:ARG:NH2[1_455]	1.82	0.38
1:B:83[B]:GLU:OE1	4:C:737:HOH:O[2_648]	2.01	0.19

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	453/474 (96%)	428 (94%)	24 (5%)	1 (0%)	52	32
1	B	455/474 (96%)	440 (97%)	15 (3%)	0	100	100
1	C	441/474 (93%)	403 (91%)	32 (7%)	6 (1%)	14	2
All	All	1349/1422 (95%)	1271 (94%)	71 (5%)	7 (0%)	34	14

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	323	THR
1	C	57	LEU
1	C	429	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	448	LYS
1	C	155	GLU
1	A	314	HIS
1	C	314	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	391/406 (96%)	375 (96%)	16 (4%)	37	13
1	B	393/406 (97%)	386 (98%)	7 (2%)	66	46
1	C	384/406 (95%)	366 (95%)	18 (5%)	32	10
All	All	1168/1218 (96%)	1127 (96%)	41 (4%)	42	17

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	116	PHE
1	A	149	SER
1	A	167	ASN
1	A	251	TYR
1	A	259	LYS
1	A	299	SER
1	A	305	LYS
1	A	387	LYS
1	A	388	GLU
1	A	403	SER
1	A	417	ARG
1	A	418	LYS
1	A	424	LEU
1	A	440	LEU
1	A	447	GLU
1	A	460	GLN
1	B	167	ASN
1	B	251	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	337	ARG
1	B	388	GLU
1	B	411	VAL
1	B	417	ARG
1	B	431	THR
1	C	34	SER
1	C	40	ASN
1	C	53	LYS
1	C	73	ILE
1	C	104	ASP
1	C	128	SER
1	C	136	LYS
1	C	150	VAL
1	C	176	ASP
1	C	232	ASP
1	C	251	TYR
1	C	304	PHE
1	C	323	THR
1	C	352	GLU
1	C	367	THR
1	C	388	GLU
1	C	417	ARG
1	C	447	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	167	ASN
1	A	200	ASN
1	A	252	ASN
1	A	260	ASN
1	A	444	HIS
1	B	68	HIS
1	B	167	ASN
1	B	430	ASN
1	B	444	HIS
1	C	167	ASN
1	C	200	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TRS	A	501	-	7,7,7	0.43	0	9,9,9	1.10	1 (11%)
2	TRS	B	501	-	7,7,7	3.81	3 (42%)	9,9,9	4.09	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TRS	A	501	-	-	0/9/9/9	0/0/0/0
2	TRS	B	501	-	-	0/9/9/9	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	TRS	C1-C	-4.54	1.44	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	TRS	O3-C3	3.56	1.54	1.42
2	B	501	TRS	C-N	7.87	1.62	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	TRS	O1-C1-C	-5.93	99.19	111.18
2	B	501	TRS	C2-C-C1	-3.82	102.50	110.78
2	A	501	TRS	C1-C-N	2.54	112.71	108.09
2	B	501	TRS	C2-C-N	4.31	115.93	108.09
2	B	501	TRS	O2-C2-C	4.97	121.23	111.18
2	B	501	TRS	O3-C3-C	6.99	125.32	111.18

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	449/474 (94%)	0.07	4 (0%)	85 89	20, 30, 41, 55	0
1	B	449/474 (94%)	-0.04	1 (0%)	95 96	10, 17, 30, 59	0
1	C	443/474 (93%)	0.66	31 (6%)	19 24	22, 38, 54, 64	1 (0%)
All	All	1341/1422 (94%)	0.23	36 (2%)	58 64	10, 29, 49, 64	1 (0%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	319	TYR	5.7
1	B	116	PHE	5.0
1	C	318	TYR	5.0
1	C	42	TYR	4.0
1	C	35	ILE	3.7
1	C	237	TYR	3.5
1	C	133	GLY	3.3
1	C	173	VAL	3.2
1	A	429	GLY	3.2
1	C	45	PHE	3.1
1	C	46	GLY	3.1
1	C	134	PRO	3.1
1	C	51	VAL	3.0
1	C	174	PHE	3.0
1	C	38	VAL	3.0
1	C	304	PHE	3.0
1	C	368	VAL	2.9
1	C	229	TYR	2.9
1	C	57	LEU	2.9
1	C	175	TYR	2.8
1	A	116	PHE	2.6
1	C	43	TYR	2.5
1	A	299	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	60	TRP	2.4
1	C	25	PHE	2.4
1	C	306	ALA	2.3
1	C	448	LYS	2.3
1	C	28	ALA	2.2
1	C	131	ILE	2.2
1	C	228	LEU	2.1
1	C	108	TYR	2.1
1	C	395	GLN	2.1
1	A	188	TRP	2.1
1	C	409	GLY	2.0
1	C	103	SER	2.0
1	C	41	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	TRS	A	501	8/8	0.89	0.12	1.60	32,36,38,53	0
3	CA	A	502	1/1	0.96	0.11	0.85	53,53,53,53	0
2	TRS	B	501	8/8	0.96	0.09	0.08	14,18,22,28	0
3	CA	C	501	1/1	0.96	0.06	-2.26	51,51,51,51	0
3	CA	B	502	1/1	0.98	0.04	-3.38	41,41,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.